PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Ministry of Transport Central Laboratory-Roads and Transport Research Center

Al-Sharq Street, Janadriah Area, Riyadh, Kingdom of Saudi Arabia

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Road Construction Materials Testing

(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:	*Issue Date:*	*Expiration Date:*
April 22, 2021	April 22, 2021	August 31, 2023

Accreditation No.:	*Certificate No.:*
114646	L21-263

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com

Certificate of Accreditation: Supplement

Ministry of Transport Central Laboratory-Roads and Transport Research Center

Al-Sharq Street, Janadriah Area, Riyadh, Kingdom of Saudi Arabia
Contact Name: Jamie Jasen S. Yatco Phone: +966538630506

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Mechanical Testing^F	Soil & Aggregates	Sieve Analysis of Fine and Coarse Aggregates (Gradation)	AASHTO T 27	Range = Sieve No. 200 to Sieve 3 in
	Soil	Moisture Density Relations of Soils (Maximum Dry Density)	AASHTO T 180	D.L. = 0.02 gm/cc
		California Bearing Ratio	AASHTO T 193	Range = 0.001 kN to 100 kN
	Aggregates	Specific Gravity of Fine Aggregate	AASHTO T 84	D.L. = 0.011 gm/cc
		Specific Gravity of Coarse Aggregate	AASHTO T 85	D.L. = 0.009 gm/cc
	Bituminous Mix	Extraction of Asphalt	AASHTO T 164	D.L. = 0.4 %
		Bulk Specific Gravity of Compacted Mixtures	AASHTO T 166	D.L. = 0.02 gm/cc
		Maximum Specific Gravity of Mixtures	AASHTO T 209	D.L. = 0.01 gm/cc
		Density of Hot Mix Asphalt Specimens by Superpave Gyratory Compactor	AASHTO T 312	Relative Density D.L. = 0.5%
	Bituminous Binder	Rolling Thin-Film Oven	AASHTO T 240	D.L. = 1 % max. (Mass Loss)
		Dynamic Shear Rheometer	AASHTO T 315	Modulus Range = 10 MPa to 100 MPa @ 4˚C to 88 ˚C Temperature
		Rotational Viscometer	AASHTO T 316	Range = 25 ˚C to 195˚C D.L. = 3.5%
		Multiple Stress Creep Recovery	AASHTO T 350	Range = 0.1 kPa^{-1} to 4.5 kPa^{-1}

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.