

So our engine should have layered decision making and be structured according to the game mechanics

So Non-negotiable main roles should be part of the build

DPS -> SLOW -> DMG AMP -> BUFF

After that the remaining investment keystone point should be towards coverages and synergies(min-maxing dmg).

Coverage means towers handling the weaknesses of the current build

1. Weak to certain elements
2. Short range main DPS
3. Redundancy of DPS type or lack of one (a balance of single target and aoe would be better.

Once a tower has been selected by the user we pull it up and it's properties and 'attributes'

1st layer would DMG type whether it is Single Target or AOE

2nd layer would be if DPS DMG is Burst, Sustain, DoT, or something i might not have remembered

The 3rd layer would be the Offensive element of the tower.

So once the DPS role is selected and locked in we determine the next role with the highest priority which would be SLOW.

So before we go ahead we need to make assumptions in the Keystone Selection build.

We will select first which towers are available to be selected as anchor dps units.

After that we assume different builds depending on the user selection. There are only two scenarios.

If the user selects a dual anchor tower, we would have the assumption that the two elements would be at max level even if it's not currently. So we already have the 3-3 configuration when the user selects a dual anchor tower.

If the user selects a tri anchor dps tower, we would also have the assumption of 2-2-2 keystone configuration.

Also all core tower roles are to be in their respective max level.

For for the 3-3

The next search is for slow towers that would be there is only one path since it's a main role tower

3-3-2

Now after 8 keystone investment points we have our main dps and slow tower, and if possible a lvl 2 dual support tower, but that's not always the case.

For the 2-2-2 path

The next key stone configuration would be finding our slow, but we might already have the support tower here if we are lucky, the next path would be 2-2-2-2 deliberately for the slow tower that we want and if we are lucky again we can get our dmg amp tower as well.

We have access to 15 towers, 11 if we exclude the solo ones.

4 lvl 2 solo tower, 6 level 2 dual tower, 4 level 2(max) tri towers, and 1 (max) Quad tower

We can actually search our coverages and synergy here if the build permits it.

2-2-2-2

A-B-C-D

SOLO	QUAD ABCD
------	-----------

A	1
---	---

B	
---	--

C	
---	--

D	
---	--

4	
---	--

DUAL

AB

AC

AD

BC

BD

CD

6

TRI

ABC

ABD

BCD

ACD

4

For tri-tower centric builds we can complete our main roles with only 8 points and 3 points to spare for coverages and synergy.

For for 3-3-2 build

The next configuration is 3-3-2-2

Here we have to guarantee that our main roles are filled as we only have 1 last keystone investment point remaining.

So in determining the roles

Since slow is in the highest priority we choose it depending on the key configuration of the DPS anchor and since their identical almost all slows are equal.

Maybe the next layer of consideration is if that slow will make a level 2 buff tower available for synergy of the DPS anchor thus hitting two birds with one stone, but we know it isn't likely. Also availability of the tower isn't the same as selected in the build.

We follow the same principle in selecting DMG AMP towers but both will be assumed to get to the max level since it's a core role. The only role that's not automatically assumed at max level is the buff tower as it requires deep investment in the build, lvl 2 buff towers are sufficient in most cases.

If all roles are fulfilled with a minimum of one unit in each role then we go with the coverage and synergy.

2-2-2-2

So here we can really go multiple paths
Depending on coverages

Right now we only have (with minimum assumption) One main dps which is a tri tower and number of combinations of lvl 2 dual towers can be upgraded to tri-element tower once the economy permits, but that would make us really dependent on one element tower especially from mid to late game.

So the next allocations would be towards coverage the only path i think that would make sense is 2-2-2-2-2

As that would allow us to have coverage for or tri dps with another tri dps or one of the 5 quad towers that is now available.

And the one remaining allocation would be for preference of additional coverage since a 3-2-2-2-2 would make a pure lvl 4 element available and a 2-2-2-2-2-1 would make essentially all quad towers available and availability of the periodic tower.

For 3-3-2-2 build there will be two scenarios

3-3-3-2

For when you want your dual buff tower to reach maximum level of 3 for additional synergy And another lvl 3 tower that will serve as coverage for your main dps.

Also more options for lvl 4 pure element tower to choose from with a minimum availability of 2 per game.

But quad tower environment is poor.

Another route would be 3-3-2-2-1

Where main DPS is a lvl 3 dual tower, with dps and coverage dps from lvl 2 tri tower, and also a range of available quad towers from 1 to 5 ones that can be synergy or coverage.

