

Data Control Tower Home

Welcome to the Data Control Tower documentation!

This information explains how to deploy Data Control Tower (DCT), use its features, or tune its configurations for optimal performance. The content has been organized into several categories, available from the lefthand navigation.

List of Data Control Tower documentation versions in PDF format.

Quick references

- [Overview](#)
- [Deployment](#)
- [New features](#)
- [Fixed issues](#)
- [Concepts](#)

New features

Release 11.0.0.0

- dSource linking support (API only)
The ability to create dSources for MSSQL (single instance and cluster), Oracle Staging Push, and MSSQL Staging Push has been added. In addition, dSource linking for older engine versions back to 6.0.7 is now supported.
- Last Refresh column added to the VDB tab
A new column called Last Refresh has been added to the VDB tab, which shows the last refresh date/time of a VDB.
- [download.delphix.com](#) enhancements for container-based upgrades
Changes have been made to [download.delphix.com](#), making it easier to build installation and upgrade automation for DCT using repository-management products like JFrog Artifactory.
 - If you are installing DCT for the first time, please follow the standard installation documentation.
 - If you have an existing installation of DCT you must take the following steps to perform upgrades:
 - Update the registry URL to the new address (<http://dct.download.delphix.com> and/or <http://hyperscale.download.delphix.com>) in the values.yaml file.

- Update the credentials with the new permanent credentials in the values.yaml file.
- If your organization leverages an allow (white) list, please update the list with the new repository URL(s).

Release 10.0.0

- dSource linking support (API only)

We have added the ability to create dSources for Oracle, ASE, and Postgres via API. This is currently available for Delphix Continuous Data Engines on version 8.0 and above. Future releases will include full support for all data sources and inclusion of older engine versions.

- Hyperscale Compliance UI (read-only)

DCT has released a Hyperscale UI under controlled availability. Please reach out to your account team to activate this feature. This enhancement includes the ability to:

- Register Hyperscale Orchestrators with DCT.
- Visualize Hyperscale infrastructure configuration parameters such as clusters of engines and mount points.
- Report on Hyperscale Jobs and Job executions, including near-realtime process feedback.

- Compliance Job Executions report

For connected Continuous Compliance Engines, DCT now has a new report under DCT Insights that displays all recent job executions (including DCT initiated, engine initiated, and Hyperscale initiated jobs) as well as relevant compliance metrics.

- Provisioning wizard enhancements

The DCT provisioning wizard now supports provisioning Oracle multi-instance (multi-tenant) and ASE VDBs.

- Operations page

The DCT Operation page now includes initiator details, which provides visibility of what user/account initiated a job.

- Support for creating a bookmark at point-in-time

DCT now has the ability to create bookmarks on VDBs under a specified point-in-time via both API and UI. This feature is only compatible for databases that support LogSync and have it enabled.

- VDB lock/unlock
Users now have the ability to lock a VDB, preventing any sort VDB-based activity (refresh, start, stop, delete, and create bookmark).
- Custom hook support in the DCT UI
Delphix users now have the ability to add custom hooks to a VDB at the time of provision (as part of the provision wizard UI) and update them under a VDB details page, so that they will execute during refresh operations.

Release 9.0.0

- Jenkins support
An official Jenkins plugin is now available for Data Control Tower, joining the existing ServiceNow and Terraform integrations. This plugin helps automate the use of data in your CI/CD pipelines and includes support for provisioning and destroying VDBs.
- DCT Toolkit
We've launched a new command line interface (CLI) offering, the DCT Toolkit. The DCT Toolkit allows for remote operation and control of Data Control Tower via your local terminal. Over time, this will replace the previously available DxToolkit.
- Infrastructure wizard
The create infrastructure flow now supports adding Windows standalone and cluster hosts, as well as Linux cluster hosts. This is expanded from the previous flow that supported standalone Linux hosts. This differs from the workflow on the Continuous Data engine in that it represents a single place to create environment host connections for all connected Delphix engines.
- Provisioning wizard
The data provisioning workflow now includes additional database types, including Oracle Single Instance Multi-tenant, Oracle Multiple Instance Single Tenant, and SQL Server Multiple Instance Single Tenant.
- Operations dashboard improvements
Previously, all users could view all operations run by any user on the Operations page. Role-based access can now be provided to different users, showing only operations the user has access to. Simplified text is now used to define the Type column, as well as the Type and Engine Name in the details page.
- Activity Audit Log Summary report
The Activity Audit Log Summary provides a high-level audit log summary

capturing the utilization of DCT by displaying user activity and the historical count of actions executed within the platform.

- Replication mappings

This feature helps users differentiate between replicated objects and original objects, in case of master and replicated engine, both are registered with DCT.

Release 8.0.0

- Operations dashboard

Monitor and manage enterprise data activities in real time using a new central view. This provides visibility to the current status across the full complement of Delphix transactions, including provision, refresh, teardown, and compliance jobs.

- Provisioning wizard enhancements

The data provisioning wizard has been expanded to support additional types, including Oracle Single Instance Linked CDBs and Microsoft SQL Server Single Instance workflows. This will now allow you to provision more data types directly from Data Control Tower.

- Advanced search tags support

The advanced search capabilities now support all user-generated tags. You can use personalized tags related to your unique business needs to refine your search results, such as team names or other specific data points.

Release 7.0.0

- Provision VDB UI

Extending the Developer Experience capability in DCT, users can now provision single-tenant Oracle databases from the user interface using an intuitive wizard workflow.

- Refresh VDB UI enhancements

The VDB list can now be opened in a searchable, paginated list selector from within a dialog by clicking the select button in the input. Additionally, refreshing a VDB by a bookmark is now available.

- VDB template import

Importing and removing imported VDB templates from connected engines is now an available action from the "VDB Config Templates" page.

- Environment details enhancements

Managing cluster environment infrastructure has been made easier with the ability to edit host details directly from the page.

Release 6.0.0

- Developer Self-Service UI
Developers and admins now have the ability to centrally orchestrate common Continuous Data and developer operations from the DCT UI. This includes the ability to refresh, rewind, bookmark, and bookmark share (refresh to relative). This functionality also exposes the notion of time flows (non-active timelines), which is a critical tool for viewing past work on a VDB, such as the chronology of test results.
- Central compliance orchestration
The compliance job UI now enables job orchestration and reporting. This includes Job Copy and Execute functions as well as a complete historical job execution log within each compliance job's details view.
- Bookmark UI
Developers and admins now have added visibility of bookmarks, both globally and contextualized, to individual VDBs. These visualizations are dual purpose; for administrators, these screens help with reporting and tagging on bookmarks, while for developers, these screens act as a catalog of actionable data references.
- Global Bookmark List
View all bookmarks across your entire connected Delphix ecosystem. This screen will show bookmarks for both single VDBs and VDB groups.
- VDB Bookmark List
See all bookmarks tied to this individual VDB. This is helpful for sharing bookmarks with team members who have a compatible VDB (same parent and provision point).
- Environment details page
Users can now orchestrate common environment actions via the DCT UI including enable, disable, environment refresh, and delete, as well as editing host details. Note, editing host details is only applicable to standalone environments at this time.
- Access visibility
Object detail pages will include an access tab that provides visibility to user access and the associated permissions for each user. This is a critical enabler for permissions visibility and auditing.
- Copy/delete functionality on role scopes
Scoped roles can now be copied and deleted within the DCT UI. This will enable easier administration, especially around the use of custom roles, as admins can now copy and modify new roles from templates.

- External Postgres DB support
DCT now supports the use of an external Postgres database to house DCT metadata. Previously, DCT supplied and managed its own database, requiring persistent storage within the container platform.

Release 5.0.1

Enhancements

- Data scoped Access Group
 - Enhancement in roles
Associated permissions in roles are changed from 'string' type to 'permission object' type. For details, see the Role schema in the [API References](#).
 - Custom roles
In addition to the 5 pre-seeded fixed roles (Admin, Monitoring, DevOps, Masking, and Owner), DCT provides flexibility to create new custom roles as per user need. Users (Accounts) can create new custom roles by encapsulating any combination of permissions. The custom roles can be configured through a UI configuration screen (screenshot below), in addition to a set of APIs to manage roles. For details, see the [API References](#).
- Updates to existing RBAC model
For better usability and allow to set more granular permissions there are following enhancements in the RBAC model:
 - Renamed Access Group "Policy" to Access Group "Scope"
 - Renamed the following APIs related to Access Group actions
 - Add scope to an Access Group
POST : /access-groups/{accessGroupId}/policies →
POST /access-groups/{accessGroupId}/scopes
 - Remove scope from Access Group
DELETE
/access-groups/{accessGroupId}/policies/{policyId}
} → DELETE
/access-groups/{accessGroupId}/scopes/{scopeId}
 - Get Access Group scope
GET
/access-groups/{accessGroupId}/policies/{policyId}

- ```

} → GET
/access-groups/{accessGroupId}/scopes/{scopeId}

```
- Update Access Group scope

PATCH

```

/access-groups/{accessGroupId}/policies/{policyId}
} → PATCH
/access-groups/{accessGroupId}/scopes/{scopeId}

```
- Add object tags to Access Group scope

POST

```

/access-groups/{accessGroupId}/policies/{policyId}
}/object-tags → POST
/access-groups/{accessGroupId}/scopes/{scopeId}/o
bject-tags

```
- Remove object tags from Access Group scope

POST

```

/access-groups/{accessGroupId}/policies/{policyId}
}/object-tags/delete → POST
/access-groups/{accessGroupId}/scopes/{scopeId}/o
bject-tags/delete

```
- Add objects to Access Group scope

POST

```

/access-groups/{accessGroupId}/policies/{policyId}
}/objects → POST
/access-groups/{accessGroupId}/scopes/{scopeId}/o
bjects

```
- Remove objects from Access Groups scope

POST

```

/access-groups/{accessGroupId}/policies/{policyId}
}/objects/delete → POST
/access-groups/{accessGroupId}/scopes/{scopeId}/o
bjects/delete

```
- Renamed the "everything" flag to "scope\_type"

In order to make it more understandable, we have renamed the everything flag to scope\_type. There are three possible values for scope\_type i.e. SIMPLE, SCOPED and ADVANCED. The value SIMPLE corresponds to everything=true and SCOPED corresponds to everything=false. The value

ADVANCED for scope\_type is new enhancement to setting permissions which allows users to set permissions (e.g. READ, DELETE) for an object. There is more information about ADVANCED scope in next section.

- Access Group Scope: Advanced scope type  
In Add objects to access group scope API, now user can define permissions level checks as well for an object. For example, earlier when object\_id and object\_type are provided in request payload, all permissions that are defined in scope are applied to this object. But now user can define specific permissions.
- Masking jobs
  - CRUD APIs, COPY, Connectors CRUD
- Masking job execution
  - Connector Credentials
  - Execution API

## Custom roles

- Accounts can create new instances of role encapsulating any combination of permission.
- Role name must be unique.
- Custom roles can be updated. Accounts can add or remove permissions to/from the custom roles.
- Custom roles can be deleted. (If they are not associated with any Access Group).

## Release 4.0

- Environment Overview List
- Un-virtualized Source Sizing Report
- Global VDB Templates
- Scoped Access Control
- LDAP/AD and SAML/SSO Configuration UI

## Release 3.0

- Cluster Node (RAC) management APIs
- Ability to disable username/password authentication globally
- LDAP/Active Directory groups
- CDBs/vCDBs APIs

- VDB Provisioning / update for EDSI (AppData) platforms
- Engine registration wizard
- Access Groups Management UI
- Compliance Engine Management

## Release 2.2

### Deployment

- Introducing Kubernetes and OpenShift support

### APIs

- Registration of Continuous Compliance Engines
- Masking Connectors
- “Move Masking Job”
- Masking of mainframe objects
- Provisioning enhancements for Oracle multi-tenant and RAC
- LDAP/Active Directory authentication
- Password management
- Initial access management by Permissions, Roles, Policies, and Access Groups (permissions applied to all objects of a type e.g. Stop VDB permission on all VDBs)
- Distributed tracing and logging (Trace ID propagated down call stack)
- Bulk delete of tags

### UI

- Continuous Data
  - Added tag support to the Infrastructure page
  - New dSources page
  - New VDBs page
- Insights
  - Added an export behavior to the Storage Summary report
  - New dSource Inventory report
  - New VDB Inventory report
- Admin
  - New Accounts page

# Fixed issues

## Release 11.0.0 changes

| Bug Number | Description                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| APIGW-5052 | Fixed an issue where the dSource summary name was showing the VDB name while provisioning a VDB in DCT when you get to the summary screen, before submitting the job. |
| APIGW-5511 | Added the ability to unregister engines in the UI.                                                                                                                    |
| APIGW-5585 | Fixed an issue where users were unable to logout following SSO token expiration.                                                                                      |

## Release 10.0.1 changes

| Bug Number                | Description                                                                                                                       |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| APIGW-5406                | Fixed an issue where the VDBGroup update API gives an internal error if vdb_ids are the same as ones already present in VDBGroup. |
| APIGW-5419                | Fixed an issue where the VDBGroup delete API gives a 404 error if underlying VDBs are already deleted or not present.             |
| APIGW-5418,<br>APIGW-5517 | Fixed an issue where VDB provisioning via DCT GUI fails with, "There was an error trying to process your request."                |
| APIGW-5570                | Fixed an issue preventing the link of a Postgres database as a dSource.                                                           |
| APIGW-5571                | Fixed an issue where the Provision VDB -> dSource Listing would not show more than 25 items.                                      |

|            |                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------|
| APIGW-5574 | Hyperscale datasets tables-or-files list and search APIs now return all instead of filtering by dataset. |
| APIGW-5578 | Fixed an issue where Pagination was not working for some of the pages in a testing environment.          |

## Release 10.0.0 changes

| Bug Number | Description                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------|
| APIGW-3931 | Fixed an error found when loading the LDAP config page in the UI, if the LDAP config domains have empty values. |
| APIGW-3961 | Fixed the issue where the Environment link to the dSource detail view is broken.                                |
| APIGW-4270 | Cleaned up pending jobs left by deleted engines.                                                                |
| APIGW-5056 | Addressed VDB provisioning failures where there were a lot of concurrent requests.                              |

## Release 9.0.0 changes

| Bug Number | Description                                                                |
|------------|----------------------------------------------------------------------------|
| APIGW-3772 | Replicated VDBs/dSources are now identified in the Provisioning wizard.    |
| APIGW-3931 | Fixed a null pointer exception during LDAP configuration without a domain. |

|            |                                                                                                                                                         |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| APIGW-3979 | Fixed an issue where the Import VDB Configuration templates dialog was showing the engine ID in error messages. It is now changed to show engine names. |
| APIGW-3983 | Fixed an issue where a new masking job could not be started from DCT when the previous job was cancelled on the masking engine.                         |
| APIGW-4009 | Fixed an issue where the first and last name will be cleared if incorrect names were entered for SSO.                                                   |
| APIGW-4010 | Fixed an issue in the UI where first and last name attributes cannot be reset.                                                                          |

## Release 8.0.1 changes

| Bug Number | Description                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| APIGW-4324 | Fixed an issue where users who upgraded to DCT 8.0.0 were not able to interact with the UI or connect to the GraphQL service container. |
| APIGW-4317 | Fixed an issue where an error would occur when searching for a VDB in the relative refresh UI.                                          |

## Release 8.0.0 changes

| Bug Number | Description                                                                                             |
|------------|---------------------------------------------------------------------------------------------------------|
| APIGW-3764 | Removed THE requirement on setting credentials if a masking job execution happens on the origin engine. |
| APIGW-3771 | Allows the policy name to be empty when provisioning a VDB.                                             |

|            |                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------|
| APIGW-3783 | Allows for an existing ImagePullSecret to be provided to to pull docker images.                                           |
| APIGW-3985 | Fixed the "VDB Container is part of a container" error while refreshing from bookmark directly on the VDB > Bookmark tab. |
| APIGW-3990 | Fixed the broken view for a bookmark that has multiple VDBs on the Data > Bookmark tab.                                   |

## Release 7.0.1 changes

| Bug Number                | Description                                                                                                                                                                                                                              |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| APIGW-3592,<br>APIGW-3594 | Previously, a non-admin user that was granted access to a VDB, but not its environment, would get an error accessing the VDB overview. A fix has been implemented to show that the access error is with the environment and not the VDB. |
| APIGW-3775                | Fixed an issue where refreshing from the bookmark wizard was not showing compatible bookmarks.                                                                                                                                           |
| APIGW-3831                | Fixed a certificates import failure if the truststore is on OpenShift.                                                                                                                                                                   |

## Release 6.0.1 changes

| Bug Number | Description                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------|
| APIGW-3460 | Fixed a request timeout issue.                                                                      |
| APIGW-3395 | Fixed an issue where the refresh wizard did not update snapshots when selecting different datasets. |

## **Release 6.0.0 changes**

| Bug Number | Description                                                         |
|------------|---------------------------------------------------------------------|
| APIGW-3223 | Fixed an issue where DCT failed to get info from detached dSources. |

## **Release 5.0.3 changes**

| Bug Number | Description                                                                  |
|------------|------------------------------------------------------------------------------|
| APIGW-3344 | Fixed an issue causing provision failure from RAC dSource to non-RAC target. |

## **Release 5.0.2 changes**

| Bug Number | Description                                                                                                                          |
|------------|--------------------------------------------------------------------------------------------------------------------------------------|
| APIGW-2979 | VDB refresh will no longer fail if the refresh target name is not unique.                                                            |
| APIGW-2981 | Fixed an issue where all the Compliance jobs and source jobs on the engine will be deleted when a Compliance engine is unregistered. |

## **Release 5.0.1 changes**

| Bug Number | Description                                                                                                    |
|------------|----------------------------------------------------------------------------------------------------------------|
| APIGW-2463 | The default docker-compose.yaml file is now provided with log size and rotation configured for all containers. |

|            |                                                                                                        |
|------------|--------------------------------------------------------------------------------------------------------|
| APIGW-2735 | Fixed an issue where DCT migration failed with "could not create unique index environments_host_pkey". |
| APIGW-2828 | Helm chart now allows cronjob resource limits to be set via the values.yaml.                           |

## Release 3.0.0 changes

| Bug Number | Description                                                                  |
|------------|------------------------------------------------------------------------------|
| APIGW-1785 | Fixed an issue where Nginx sometimes failed to start after a server restart. |

## Supported versions and upgrade matrix

Data Control Tower has minimum engine versions that are actively tested against to ensure optimal interoperability. Please ensure that all connected engines meet the version requirements:

| Delphix Engine        | Version            |
|-----------------------|--------------------|
| Continuous Data       | 6.0.0.1 or higher  |
| Continuous Compliance | 6.0.13.0 or higher |

Users can upgrade directly between DCT versions without needing an interim step (i.e., upgrading to a median version before upgrading to the latest).

| Version | Release date   | Can upgrade to |
|---------|----------------|----------------|
| 2.0.0   | Jun 27th, 2022 | 2.1.0 - 11.0.x |
| 2.1.0   | Sep 8th, 2022  | 2.2.0 - 11.0.x |

|        |                |                 |
|--------|----------------|-----------------|
| 2.2.0  | Oct 17th, 2022 | 3.0.0 - 11.0.x  |
| 3.0.0  | Dec 15th, 2022 | 4.0.0 - 11.0.x  |
| 4.0.0  | Jan 19th, 2023 | 5.0.0 - 11.0.x  |
| 5.0.x  | Feb 16th, 2023 | 6.0.0 - 11.0.x  |
| 6.0.x  | Mar 29th, 2023 | 7.0.0 - 11.0.x  |
| 7.0.x  | May 9th, 2023  | 8.0.0 - 11.0.x  |
| 8.0.x  | Jun 22nd, 2023 | 9.0.0 - 11.0.x  |
| 9.0.x  | Jul 26th, 2023 | 10.0.x - 11.0.x |
| 10.0.x | Sep 12th, 2023 | 11.0.x          |
| 11.0.x | Oct 23rd, 2023 | N/A             |

Where x represents patch version releases (i.e. 5.0.1, 5.0.2, etc.).


## DCT overview

### What is Data Control Tower (DCT)?

Today's application and data landscape is an increasingly complex ecosystem of hosting architectures, often represented by a multi-cloud landscape coupled with an explosion of different platforms and services. This fragmented picture of heterogeneous silos makes data governance, automation, and compliance a herculean, if not, an impossible task.

## Multicloud Increases Data Complexity, Risk

Every cloud offers proprietary point solutions with differing functionality, APIs



Data Control Tower (DCT) is an enabling Delphix platform that introduces a data mesh to unify data governance, automation, and compliance across all applications and cloud platforms.

Data governance is achieved through operational control and visibility of test data across multicloud applications, databases, environments, and releases. DCT brings data cataloging, tagging, and data access controls for central governance of all enterprise data, while providing the right data at the right time to development teams.

Data automation at CI/CD speed and enterprise scale is easier and more powerful, by combining DCT with Continuous Data. A unified API gateway, self-service automation tools, and plug-and-play DevOps integrations streamline the initial configuration and day-to-day workflows.

DCT with Continuous Compliance provides robust data compliance in lower environments, all while reducing costs and enabling fast, quality software development.

## Getting started

### Planning your deployment

Data Control Tower (DCT) represents a Delphix-wide control plane. It simultaneously powers data governance, automation, and compliance workflows to enable the efficient operation of a broad, complex Delphix deployment at scale. In order to deliver scalability, service-level performance tuning, and robust resiliency, DCT leverages

container technology to deliver a bespoke experience for administrative teams based on their own internal guidelines.



Before starting a DCT deployment, please contact your enterprise IT organization to determine what container platforms, configurations, and policies apply for container-hosted applications. It is helpful to include a container administrator as part of the DCT install process.

## **Container platform support**

Data Control Tower (DCT) supports the most popular distributions of Kubernetes and Openshift. If you do not see your distribution or platform of choice, please reach out to your account team for more details.

### **Kubernetes**

DCT currently supports all popular deployment models of Kubernetes as long as the service runs a minimum of Kubernetes 1.25 and above. This includes Amazon Elastic Kubernetes Service (Amazon EKS), Azure Kubernetes Service (AKS), and beyond.

### **OpenShift**

DCT also supports all popular deployment models of Openshift as long as the service runs a minimum version of 4.12 or above. This includes Red Hat OpenShift on IBM Cloud and any other cloud provider's service.

### **Docker Compose**


DCT supports Docker Compose but only recommends using this platform for testing/non-production purposes due to the inherent limitations to deployment scalability. Note - DCT has documentation on migrating deployments from Docker Compose to Kubernetes and Openshift.

## **Data Control Tower deployment architecture**

Whether an organization wants to deploy a Data Control Tower (DCT) per business unit (organizational silos), per network (datacenter-specific DCT), or globally (the most common option), DCT can adapt to many deployment scenarios.



Delphix recommends to deploy a single, global DCT for all Delphix Engines, for the purposes of achieving a single control plane and data governance solution. DCT-based communication is lightweight, requiring simple commands or a small telemetry payload to facilitate most workflows. The below graphic demonstrates this style of communication:



DCT simply logs into the engines as a user would and leverages engine APIs to perform commands or extract metadata.



DCT requires HTTP/HTTPS to facilitate communication with engines and requires ports 80/443 to reach engines in other networks.



DCT does not directly interface with business-critical databases, it will only communicate with engines to perform operations and inquire about system statuses. The Delphix Engine, which is generally co-located with your data, does all the heavy lifting.

## Plan your tagging strategy

DCT tags serve as the Delphix-wide business metadata system. These Key:Value pairs can be applied to any object and used for search and filter in virtually every DCT workflow, from automation to administration, all the way to access control.



It is paramount to develop a tagging strategy prior to deployment in order to develop a scalable metadata solution.

Some examples of popular tagging strategies:

| Theme       | Sub-topics                                           | Tag (Key:Value) example                                              |
|-------------|------------------------------------------------------|----------------------------------------------------------------------|
| Owner       | Application, Business, Project, Team (scrum, QA,...) | (Owner: Finance App), (Owner: AppTeam Alpha), (Owner: John Doe), ... |
| Application |                                                      | (Application: Alpha)                                                 |
| Environment |                                                      | (Environment: Non Production)                                        |
| Location    | Data Center, Region, Name, Cloud                     | (Geo: West Coast), (Data Center: Azure WC), ...                      |

In addition to designing which tags to implement, please consider who will have access to creating tags (i.e. developer vs admin-only, etc.), which will impact how teams are able to collaborate with one another.


Also, Delphix recommends that the DCT administrative team creates Delphix-wide documentation on these tagging standards to reduce the risk of deviation.

## Plan your Access Control strategy

DCT implements a model found in other types of software called Attribute Based Access Control (ABAC). This model is incredibly flexible, but requires detailed configurations to perfect your use cases. In DCT's model, there are four entity types (defined below). Familiarize with each entity, as they are the foundational blocks of DCT's ABAC model.

| Entity                | Description                                                                                                                                 | Managed by                                                                                                                                    |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Accounts (aka Users)  | A single or shared user who can authenticate with DCT (UI or API).                                                                          | Create manually or via Identity Provider (IdP), such as SSO or LDAP. Accounts are independent of Delphix Engines.                             |
| Access Groups         | A collection of accounts that share one or more characteristics, such as a Team or Permission set. Equivalent to an Active Directory group. | Manually created. Populated manually or via the <code>login_groups</code> tag.                                                                |
| Roles and Permissions | The collection of read, write, and delete permissions forms a reusable, named role.                                                         | Some roles are provided out of the box, but Admins can build their own from the available permissions. Individual permissions are immutable.  |
| Objects               | Units, such as VDBs, Bookmarks, and Environments, that are managed across the Delphix Platform.                                             | Automatically identified by DCT from the connected engines. Assigned to Roles via various models. The CD and CC Engines supply these objects. |

Each entity is linked to another through manual or automated assignment. A manual (or direct) assignment is a good approach for early implementations, however, that can be challenging to maintain as teams grow. As an alternative, tagging is recommended to perform automatic assignments based on your custom configuration. The below diagram shows how each entity is linked together. The directions below start with Accounts creation to Access Groups with Role assignments, and finish with Object mappings.



Understanding your team structure is imperative to identify the best access model. Usually, organizations have existing groupings defined in their Identify Provider (IdP). These groups are typically organized in one of two ways:

- A team dedicated towards a central goal (such as a Product Development team).
- A group of individuals with similar permissions (such as Security Administrators).


Understanding the purpose of each group should be a guide in how the Roles and Permissions are designed. For example, the Alpha product development team might have full permission to manage existing VDBs and create new bookmarks for their team's "Alpha" objects. On the other hand, Security Admins might have sweeping read and disable access across the entire platform to ensure compliancy. Iterating through each Access Group and designing custom, but re-useable roles, based on the [Principle of Least Privilege](#), will produce a streamlined rollout.

## Deployment


The articles in this section will explain all of the required steps to deploy DCT on your container platform of choice.

Data Control Tower is a container-based architecture that is currently certified with Kubernetes and OpenShift to align with common enterprise container standards. The DCT architecture is comprised of multiple micro-services that are each run on individual

pods. This lends DCT to be a highly flexible deployment by enabling customers and IT organizations to enact their own backup, scaling, and resiliency standards associated with hosting container-based applications. Below is an architectural diagram of all the services that make up DCT, as well as the persistent storage for maintaining relationship metadata.



DCT is multi-cloud enabled, which means that a single DCT instance can be deployed to orchestrate (via HTTPS) Continuous Data and Continuous Compliance workloads with Delphix Engines located in other networks. Alternatively, DCT can be localized to engines located within a network. DCT is a lightweight management application, which means that it does not require a highly performant connection to complete its work, and can serve as a central management layer for Delphix Engines globally.



## Kubernetes

[Installation and setup for Kubernetes](#)

[Ingress setup](#)

[Bootstrapping API keys](#)

[DCT logs for Kubernetes](#)

[Admin topics](#)

## Installation and setup for Kubernetes



Before getting started, Delphix recommends engaging your Kubernetes Admin for deployment guidance on available Kubernetes deployment platforms (AKS, EKS, etc.). Configurations like node sizing and persistent volume settings will need to be determined.

## Hardware requirements

The hardware requirements for Data Control Tower (DCT) on Kubernetes are listed below. In addition to these requirements, inbound port 443 must be open for API clients, and outbound port 443 to engines. This is the minimum total resource request for the Kubernetes deployment of DCT. Individual service-level resource requests are contained in values.yaml file and can be overridden during deployment.

- CPU: 4-Core
- CPU Architecture: x86\_64
- Memory: 16GB
- Storage: 50GB
- Port: 443

The recommended minimum 50 GB of storage is shared across the Kubernetes cluster (i.e. hosts). All pods and/or services use this storage for mounted volumes and other utilities, including image storage.

In a single node cluster, if shared volumes are not externalized, the host requires the full 50 GB of storage. If the persistent volume is mounted externally, the host requires 39 GB of storage, since the default storage required by the database (10 GB) and gateway (1 GB) draws from the external storage. The default storage configuration for the database and gateway can be modified in values.yaml.



Many users may have default container settings as part of their Kubernetes or OpenShift infrastructure management. It is paramount to compare those default settings with the recommended minimum performance specifications (please engage your container infrastructure team to verify). If those default setting are lower, please update them to the minimum or higher.

For users who need to have limits set, you can start with the following sample configuration.

Unset

```
dataBookmarks: resources: requests: memory: "256Mi" cpu: "100m"
limits: memory: "512Mi" cpu: "200m" dataLibrary: resources:
requests: memory: "256Mi" cpu: "100m" limits: memory: "512Mi"
cpu: "200m" database: resources: requests: memory: "256Mi" cpu:
"200m" limits: memory: "1024Mi" cpu: "1500m" gateway: resources:
requests: memory: "512Mi" cpu: "1" limits: memory: "1024Mi" cpu:
"1" graphql: resources: requests: memory: "256Mi" cpu: "100m"
limits: memory: "512Mi" cpu: "200m" jobs: resources: requests:
memory: "256Mi" cpu: "200m" limits: memory: "512Mi" cpu: "400m"
```

```
jobsCleaner: resources: requests: memory: "256Mi" cpu: "200m"
limits: memory: "512Mi" cpu: "400m"
```

Copy

## Kubernetes overview

Data Control Tower can be deployed in a matter of minutes, once a Kubernetes cluster has been identified and deployment details have been aligned with your Kubernetes administrator. The installation consists of three components:

- Kubernetes cluster: The identified infrastructure to which DCT will be deployed.
- HELM: This deploys DCT as a Kubernetes application by referencing HELM charts (.yaml files) that make up the DCT install either by an external helm repository (<https://dlpx-helm-dct.s3.amazonaws.com>), this is the quickest path to installing DCT, as it largely automated) or via local install (this is accomplished by downloading the helm charts directly via the DCT .tar file on <http://download.delphix.com> ).
- kubectl: Is a command line tool that enables administrative communication with the deployed pods (most useful post-deployment or after an upgrade).

## Installation requirements (Kubernetes)

DCT requires a running Kubernetes cluster; This could be an on-premises cluster, Azure AKS or AWS EKS cluster. DCT also requires a kubectl command line tool to interact with Kubernetes cluster and HELM for deployment on to the cluster.

| Requirement        | DCT recommended version | Comments                                                                                 |
|--------------------|-------------------------|------------------------------------------------------------------------------------------|
| Kubernetes Cluster | 1.25 or above           |                                                                                          |
| HELM               | 3.9.0 or above          | Install HELM as the package manager using the <a href="#">HELM installation</a> article. |

|         |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| kubectl | 1.25.0 or above | <p>HELM will internally refer to the kubeconfig file to connect to the Kubernetes cluster. The default kubeconfig file is present at location:</p> <p><code>~/ .kube/config</code></p> <p>If the kubeconfig file needs to be overridden while running HELM commands, set the KUBECONFIG environment variable to the location of the kubeconfig file.</p> <p>To install kubectl follow the instructions at <a href="https://kubernetes.io/docs/tasks/tools/">https://kubernetes.io/docs/tasks/tools/</a> .</p> |
|---------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Installing DCT

Add the DCT HELM repo with the following, which will link the DCT HELM repo to the local client HELM repo:

Unset

```
$ helm repo add dct-services
https://dlpx-helm-dct.s3.amazonaws.com
```

Copy

Update the added repos with the following, which will update the local HELM charts metadata (index.yaml).

Unset

```
$ helm repo update
```

Copy

Pull the helm charts with the following, which is used to download the .tgz file.

Unset

```
$ helm pull dct-services/delphix-dct --version x.0.0
```

Copy

The downloaded file is then extracted using the following command (where x.0.0 should be changed to the version of DCT being installed):

Unset

```
$ tar -xvf delphix-dct-x.0.0.tgz
```

## Copy

Update the following properties values.yaml which is present in the extracted folder delphix-dct.

- To generate the bootstrap APIKey, set apiKeyCreate: true.
- Provide image credentials to pull images from docker registry.
  - username: <retrieved from download.delphix.com>
  - password: <retrieved from download.delphix.com>

For getting the image credentials, visit the [Delphix DCT Download](#) page and login with your customer login credentials. Once logged in, select the DCT Helm Repository link and accept the Terms and Conditions. Use password from the popup screen, as shown below.

Helm Credentials: DCT Helm Repository ×

These credentials are linked to your organization, rather than your individual Delphix Support account, and will not expire, unless unused for an extended period of time.

|              |                                                                      |                                                                                       |
|--------------|----------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helm URL     | <input type="text" value="https://dlpx-helm-dct.s3.amazonaws.com/"/> |  |
| Username     | <input type="text" value="BDOAXpNq-y4M"/>                            |  |
| Password     | <input type="text" value="01e89511-f200-40a0-8680-96a258cf64f3"/>    |  |
| Organization | Delphix                                                              |                                                                                       |

Close



## OFFLINE MODE

If you do not have direct access to Delphix HELM and Docker repositories, download the HELM charts and Docker images packages as [delphix-dct-x.0.0.tar.gz](#), which is uploaded on the [download site](#).

- Extract the downloaded .tgz file to get the HELM chart and Docker images.
- Load extracted Docker images using following:
  - ```
for image in *tar; do sudo docker load --input $image;
done
```
- RE-tag and push Docker images in your local repository, tag images in the following format:
 - e.g.,

```
docker tag
registry.delphix.com/delphix-dct:app-x.0.0 <local
registry url>:app-x.0.0
```

 - Note: Re-tag all remaining DCT images in the same format.
- Update values.yaml for registry name and image credentials:
 - `registry: <local registry url>`
 - `username: <local registry username>`
 - `password: <local registry password>`
- Deploy.

In version 8.0.0 and above, instead of username/password, an option is available to use credentials from a pre-existing [Kubernetes Secret](#). To do so, instead of providing a username/password, users must create the Kubernetes Secret in the same namespace as the one used for DCT, and reference the registryKey as follows:

Unset

```
imageCredentials: # registry to pull docker images from.
registry: dct.download.delphix.com/delphix-dct # username to
login to docker registry. Do not set if registryKey is set.
username: # password to login to docker registry. Do not set if
registryKey is set. password: # Name of an existing docker
registry key to use to pull images. registryKey:
<insert-secret-name-here>
```

Copy

After updating the values.yaml, install it using the following command:

Unset

```
helm install dct-services delphix-dct
```

Copy



delphix-dct is the name of the folder which was extracted in the previous step.
dct-services is the chart name which is given for this deployment.
In the above directory structure, the values.yaml file contains the properties which are configured above. If you want to configure additional properties in values.yaml, create a values.yaml using the sample below. Deploy DCT using following command to use the custom values.yaml:

```
helm install dct-services -f <path to edited values.yaml>  
<directory path of the extracted chart>
```

Sample values.yaml file

A sample values.yaml file can be downloaded below.

[values.yaml](#)

Once deployment is complete, check the status of the deployment using the following command (where X.0.0 should be changed to the version of DCT being installed):

Unset

```
helm list NAME NAMESPACE REVISION UPDATED STATUS CHART APP  
VERSION dct-services default 1 2023-01-10 19:33:41.713202 -0900  
deployed delphix-dct-x.0.0 x.0.0
```

Copy



Assuming an ingress controller configuration on the Kubernetes cluster is present, when accessing DCT after the deployment, the ingress controller rule needs to be added for proxy service, along with port 443 (if SSL is enabled) and port 80 (if SSL is disabled).

Ingress setup

[Ingress](#) exposes HTTP and HTTPS routes from outside the cluster to DCT running within the cluster.

Setup



The exact steps to setup an Ingress vary by Kubernetes vendor and company policies. This section provides non-exhaustive instructions for a basic setup, but please ask your Kubernetes cluster administrator for guidance.

The proxy pod (which comes with DCT) runs an Nginx HTTP server which must be the only target of the Ingress rules, redirecting all external traffic to it. Out of the box, the pod accepts requests over HTTPs on port 443, using a self-signed certificate.

Expose proxy HTTP port (80) for non-encrypted traffic

After setting up an Ingress, TLS will be terminated by the HTTP server/load balancer/proxy implementing the Ingress, and not DCT. First, disable the TLS (SSL) configuration of DCT itself, making it expose port 80 for non encrypted traffic. To do so, edit the values.yaml to unset the `useSSL` property.

Either expose proxy on SSL port or non SSL port:

Unset

`useSSL: false`

Copy

Then run `helm upgrade` to apply the changes:

Unset

```
helm upgrade dct-services -f <path to edited values.yaml> <directory path of the extracted chart>
```

Copy

Now, the proxy pod accepts unencrypted traffic on port 80.

Ingress controller installation and route creation

An [Ingress controller](#) is required to continue. Expand a section below based on your Kubernetes environment to show the corresponding Ingress controller installation and Ingress route creation instructions.

Microsoft Azure AKS

Unset

Unset

Unset

Amazon AWS EKS

Unset

Unset

Unset

Other

Unset

Unset

Unset

Bootstrapping API keys

API Keys

API keys are the default method to authenticate with DCT. This is done by including the key in the [HTTP Authorization request header](#) with type APK. A cURL example using an example key of

1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtyw1SWR9G0fIaWajuKcBT3 would appear as:

Unset

```
curl --header 'Authorization: apk  
1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtyw1SWR9G0fIaWa  
juKcBT3'
```

Copy

cURL (like web browsers and other HTTP clients) will not connect to DCT over HTTPS unless a valid TLS certificate has been configured for the Nginx server. If you haven't performed this [configuration step](#) yet, and understand the risk, you may disable the check in the HTTP client. For instance, this can be done with cURL using the `--insecure` flag.



cURL version >7.43 is recommended.

Bootstrap First API Key

There is a special process to bootstrap the creation of the first API key. This first API key should only be used to create another key and then promptly deleted, since the bootstrap API will appear in the logs. This process can be repeated as many times as needed, for example, in a case where existing API keys are lost or have been deleted.

Once the application is started, edit the `values.yaml` file and modify the following lines, to set the `apiKeyCreate` to the string value `true`. Toggle this value to create/seed bootstrap API key:

Unset

```
apiKeyCreate: true
```

Copy

Upgrade DCT with:

Unset

```
helm upgrade dct-services <directory path of the extracted chart>
```

Copy

If the values.yaml file needs to be overridden from outside, then use:

Unset

```
helm upgrade dct-services -f <path_to_values.yaml> <directory path of the extracted chart>
```

Copy

You will see the following output in the logs for the *gateway* pod (the key will be different from this example):

Unset

NEWLY GENERATED API KEY:

```
1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtywlSWR9G0fIaWa  
juKcBT3
```

Copy

Logs for a gateway pod can be accessed using:

Unset

```
kubectl logs <gateway-pod-name> -n dct-services
```

Copy

gateway-pod-name will be of the format gateway-xxx and can be found using the following command:

Unset

```
kubectl get pods -n dct-services
```

Copy

Copy the API Key, it can now be used to authenticate with DCT. Remember that the API Key value must be prefixed with APK. An example cURL command with the above API Key appears as follows:

Unset

```
curl --header 'Authorization: apk  
1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtywlSWR9G0fIaWa  
juKcBT3'
```

Copy

Edit the values.yaml file to set the apiKeyCreate environment variable value back to false and upgrade DCT again with:

Unset

```
helm upgrade dct-services <directory path of the extracted  
chart>
```

Copy

If the values.yaml file needs to be overridden from outside, then use:

Unset

```
helm upgrade dct-services -f <path_to_values.yaml> <directory  
path of the extracted chart>
```

Copy

Create and manage API Keys

The initial API key created should be used to create a new admin secure key. This is done by creating a new *Account* entity and setting the generate_api_key. The "username" attribute should be the desired name to uniquely identify the account.



If the cURL version is below 7.43, replace `--data-raw` option with `--data`.

```
Unset
curl --location --request POST
'https://<hostname>/v2/management/accounts' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk
1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtyw1SWR9G0fIaWa
juKcBT3' \
--data-raw '{ "username": "secure-key",
"generate_api_key": true, "is_admin": true }'
```

Copy

A response should be received similar to the lines below:

```
Unset
{ "id": 2, "token":
"2.vCfC0MnpSYZLshuxap2aZ7xqBKAnQvV7hFnobe7xuN1HS9AF2NQnV9X
Xw4UyET6" "username": "secure-key" }
```

Copy

Now that the new and secure API key is created, the old one must be deleted for security reasons since the key appeared in the logs. To do this make the following request:

```
Unset
curl --location --request DELETE
'https://<hostname>/v2/management/api-clients/<id>' \
--header 'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk
2.vCfC0MnpSYZLshuxap2aZ7xqBKAnQvV7hFnobe7xuN1HS9AF2NQnV9XX
Xw4UyET6'
```

Copy

The `id` referenced above is the numeric id of the Account. It is the integer before the period in the token. For example, the id of `1.0p9PMkZ04Hgy0ezwjhX0Fi41EKrD4pflejgqjd0pfKtywlSWR9G0fIaWajuKcBT3` is 1.

Finally, to list all of the current Accounts, make the following request:

```
Unset
curl --location --request GET
'https://<hostname>/v2/management/accounts/' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk <your API key>'
```

DCT logs for Kubernetes

All DCT containers log to `stdout` and `stderr` so that their logs are processed by Kubernetes. To view container level logs running on the Kubernetes cluster use:

```
Unset
kubectl logs <pod_name> -n dct-services
```

Copy

Log aggregators can be configured to read from `stdout` and `stderr` for all of the pods as per the requirements.

Admin topics

[Deployment upgrade for Kubernetes](#)

[Factory reset DCT for Kubernetes](#)

Deployment upgrade for Kubernetes

This page covers the upgrade process for DCT deployments on Kubernetes.

Create a new folder called `dct-x.0.0`, where `x.0.0` should be changed to the version of DCT being installed (e.g. if on 5.0.2, it would be 6.0.0).

```
Unset
$mkdir dct-x.0.0
```

Copy

Update the added repos with the following, which will update the local HELM charts metadata (index.yaml).

Unset

```
$ helm repo update
```

Copy

Pull the HELM charts with the following:



This command will download a file named delphix-dct-x.0.0.tgz in the folder dct-x.0.0.

Unset

```
$ cd dct-x.0.0 $ helm pull dct-services/delphix-dct --version x.0.0
```

Copy

The downloaded file is then extracted using the following command (where x.0.0 should be changed to the version of DCT being installed):

Unset

```
$ tar -xvf delphix-dct-x.0.0.tgz
```

Copy

Which will extract into the following directory structure:

Unset

```
delphix-dct      |- values.yaml  |- README.md      |- Chart.yaml  
                  |- templates      | -<all templates files>
```

Copy

Create a new values.yaml inside to the dct-x.0.0 folder (e.g. parallel to delphix-dct folder), use sample values.yaml given below. Copy the configured properties from previous version to this newly created values.yaml.

[values.yaml](#)



This values.yaml file should only contain the modified values from the previous version of deployment and not the entire values.yaml file as it is.

Update the username and password in values.yaml. It can be obtained from <https://download.delphix.com>. Here are some notes in regards to this step in the process:

- This username and password update in values.yaml is only required if the user using DCT provided a Docker Registry directly in the deployment (i.e. values.yaml).



Username and password update is required only if username AWS and temporary password is used.

In case a user is using their internal Docker Registry, they should first pull the next version of the Docker images from the Delphix provided registry, using a new username and password. Re-tag the docker images as per the internal registry name and push it into the internal registry. Use the following steps to pull and re-tag the Docker images:

- Docker login command (USERNAME and PASSWORD from <https://download.delphix.com>):

Unset

```
$docker login --username [USERNAME] --password [PASSWORD]  
dct.download.delphix.com/delphix-dct
```

Copy

- Pull Docker images of DCT Services:

Unset

```
$ docker pull  
dct.download.delphix.com/delphix-dct:nginx-x.0.0 $ docker
```

```
pull dct.download.delphix.com/delphix-dct:app-x.0.0 $ docker
pull
dct.download.delphix.com/delphix-dct:data-bookmarks-x.0.0 $ docker pull
dct.download.delphix.com/delphix-dct:delphix-data-library-x .0.0 $ docker pull
dct.download.delphix.com/delphix-dct:graphql-x.0.0 $ docker
pull dct.download.delphix.com/delphix-dct:ui-x.0.0 $ docker
pull dct.download.delphix.com/delphix-dct:jobs-x.0.0 $ docker
pull dct.download.delphix.com/delphix-dct:postgres-x.0.0 $ docker pull
dct.download.delphix.com/delphix-dct:virtualization-x.0.0
```

Copy

- Re-tag all above Docker images. Sample re-tag example for one image:

Unset

```
$ docker tag dct.download.delphix.com/delphix-dct:nginx-x.0.0
<local registry url>:nginx-x.0.0
```

Copy

- Push re-tagged images into internal registry. Sample re-tag example for one image:

Unset

```
$ docker push <local registry url>:nginx-x.0.0
```

Copy

- Run the HELM upgrade command:

Unset

```
helm upgrade -f values.yaml dct-services delphix-dct
```

Factory reset DCT for Kubernetes

To clean DCT installation run following command:

Unset

```
helm delete dct-services
```

Copy



This process will delete services pod and database both.

OpenShift

[Installation and setup for OpenShift](#)

[OpenShift authentication](#)

[DCT logs for OpenShift](#)

[Admin topics for OpenShift](#)

Installation and setup for OpenShift

Hardware requirements

The hardware requirements for Data Control Tower to deploy on OCP are listed below. In addition to these requirements, inbound port 443 or 80 must be open for API clients.

This is the minimum total resource requirement for the deployment.

- CPU: 4-Core
- CPU Architecture: x86_64
- Memory: 16GB
- Storage: 50GB
- Port: 443

Installation requirements (OpenShift)

DCT requires a running OpenShift cluster to run, oc command line tool to interact with OpenShift cluster, and HELM for deployment on to the cluster.

Requirement	DCT Recommended Version	Comments
OpenShift Cluster	4.12 or above	
HELM	3.9.0 or above	<p>HELM installation should support HELM v3. More information on HELM can be found at https://helm.sh/docs/.</p> <p>To install HELM, follow the installation instructions at https://helm.sh/docs/intro/install/.</p>
oc	4.11.3 or above	<p>To install oc follow the instructions at https://docs.openshift.com/container-platform/4.8/cli_reference/openshift_cli/getting-started-cli.html.</p>



If an intermediate HELM repository is to be used instead of the default Delphix HELM repository, then the repository URL, username, and password to access this repository needs to be configured in the values.yaml file under imageCredentials section.

Installation process

Jumpbox setup

OC login

Run the OC login command to authenticate OpenShift CLI with the server:

Unset

```
oc login https://openshift1.example.com --token=<<token>>
```

Copy

Verify KubeConfig

HELM will use the configuration file inside the \$HOME/.kube/ folder to deploy artifacts on an OpenShift cluster.

Be sure the config file has the cluster context added, and the current-context is set to use this cluster. To verify the context, run this command:

Unset

```
oc config current-context
```

Copy

Create a new project

Create a new project named dct-services using the command below:

Unset

```
oc new-project dct-services --description="DCT Deployment  
project" --display-name="dct-services"
```

Copy

Installing Helm

Install HELM using the following installation instructions mentioned at <https://helm.sh/docs/intro/install/>.

Deploy DCT chart

Add the DCT HELM repo with the following, which will link the DCT HELM repo to the local HELM repo:

Unset

```
$ helm repo add dct-services  
https://dlpx-helm-dct.s3.amazonaws.com
```

Copy

Update the added repos with the following, which will update the local HELM charts metadata (index.yaml):

Unset

```
$ helm repo update
```

Copy

Pull the HELM charts with the following, which is used to download the .tgz file:

Unset

```
$ helm pull dct-services/delphix-dct --version x.0.0
```

Copy

The downloaded file is then extracted using the following command (where x.0.0 should be changed to the version of DCT being installed):

Unset

```
$ tar -xvf delphix-dct-x.0.0.tgz
```

Copy

Update the following properties values.yaml which is present in the extracted folder delphix-dct.

- To generate the bootstrap APIKey, set apiKeyCreate: true.
- Provide image credentials to pull images from docker registry.
 - username: <retrieved from download.delphix.com>
 - password: <retrieved from download.delphix.com>
- isOpenshift should be set to true.

For getting the image credentials, visit the [Delphix DCT Download](#) page and login with your user login credentials. Once logged in, select the DCT Helm Repository link and accept the Terms and Conditions. Use password from the popup screen, as shown below.

Helm Credentials: DCT Helm Repository ×

These credentials are linked to your organization, rather than your individual Delphix Support account, and will not expire, unless unused for an extended period of time.

Helm URL	<code>https://dlpx-helm-dct.s3.amazonaws.com/</code>	
Username	BDOAXpNq-y4M	
Password	01e89511-f200-40a0-8680-96a258cf64f3	
Organization	Delphix	

Close



OFFLINE MODE

If you do not have direct access to Delphix HELM and Docker repositories, download the HELM charts and Docker image packages as [delphix-dct-x.0.0.tar.gz](#), which is uploaded on the [download site](#).

- Extract the downloaded .tgz file to get the HELM chart and Docker images.
- Load extracted Docker images using the following command:
 - For an image in *tar, use `sudo docker load --input $image; done.`
- RE-tag and push Docker images in your local repository, tag images in the following format:
 - e.g. `docker tag registry.delphix.com/delphix-dct:app-x.0.0 <local registry url>:app-x.0.0.`
 - Note: Re-tag all remaining DCT images in the same format:
- Update values.yaml for registry name and image credentials:
 - `registry: <local registry url>`
 - `username: <local registry username>`
 - `password: <local registry password>`

- Deploy.

Find and update fsGroup in values.yaml file

The fsGroup field is used to specify a supplementary group ID. All processes of the container, the owner of the volume, and any files created on the volume are also part of this supplementary group ID.

For OpenShift deployment, this value need to be specified in the values.yaml file.

Find the allowed supplementary group range:

```
Unset  
oc get project dct-services -o yaml
```

Copy

A response should appear as follows:

```
Unset  
apiVersion: project.openshift.io/v1 kind: Project metadata:  
annotations: openshift.io/description: ""  
openshift.io/display-name: "" openshift.io/requester:  
cluster-admin openshift.io/sa.scc.mcs: s0:c32,c4  
openshift.io/sa.scc.supplemental-groups: 1001000000/10000  
openshift.io/sa.scc.uid-range: 1001000000/10000  
creationTimestamp: "2023-01-18T10:33:04Z" labels:  
kubernetes.io/metadata.name: dct-services  
pod-security.kubernetes.io/audit: restricted  
pod-security.kubernetes.io/audit-version: v1.24  
pod-security.kubernetes.io/warn: restricted  
pod-security.kubernetes.io/warn-version: v1.24 name:  
dct-services resourceVersion: "99974" uid:  
ccdd5c9f-2ce5-49b4-91a7-662e0598b63b spec: finalizers: -  
kubernetes status: phase: Active
```

Copy

Copy the first value from the openshift.io/sa.scc.supplemental-groups line, before the slash (e.g. 1001000000). Paste this value in the values.yaml file:

Unset

```
# Define SecurityContextConstraints for the pod  
podSecurityContext: fsGroup: 1001000000
```

Copy

Deploy DCT

Run the following command to deploy the DCT chart (where x.0.0 should be changed to the version of DCT being installed):

Unset

```
helm install dct-services delphix-dct
```

Copy



delphix-dct is the name of the folder which was extracted in the previous step.

dct-services is the chart name which is given for this deployment.

In the above directory structure, the values.yaml file contains the properties which are configured above. Deploy DCT using following command to use the custom values.yaml:

```
helm install dct-services -f <path to edited values.yaml>  
<directory path of the extracted chart>
```

Verify deployment

All the images will be downloaded and then deployed. If some pods restarted at the startup, this is expected. After some time, a total of 9 pods will be in running status and one job pod will be in completed status.

Unset

```
oc get pods -n dct-services
```

Copy

Find API key

For the very first deployment bootstrap API key will be printed in logs, please view gateway pod logs and find for “NEWLY GENERATED API KEY”. the value is the API key.

Unset

```
oc logs <gateway-pod-name> -n dct-services
```

Copy

Configure Ingress

DCT only works with HTTPS Ingress, the UI does not support HTTP.

Creating route

To create a route, you can use the OpenShift console and create a new one for the DCT service.

If SSL is terminated at this route, only then should the useSSL value in values.yaml be updated to false, so that 80 port will be exposed in proxy service and can be used to configure the route. The following screenshot shows the route that forwards requests to 80 port of proxy service:

Red Hat OpenShift

Administrator

Project: apigw-services ▾

Configure via: Form view YAML view

Name *
dct

A unique name for the Route within the project.

Hostname
dct.delphix.com

Public hostname for the Route. If not specified, a hostname is generated.

Path
/

Path that the router watches to route traffic to the service.

Service *
proxy

Service to route to.

[+ Add alternate Service](#)

Target port *
80 → 8083 (TCP)

Target port for traffic.

Security

Secure Route

Routes can be secured using several TLS termination types for serving certificates.

TLS termination *
Edge

Insecure traffic

Redirect

Policy for traffic on insecure schemes like HTTP.

Certificates

TLS certificates for edge and re-encrypt termination. If not specified, the router's default certificate is used.

If SSL is not terminated at the Route level, then create a PassThrough route and use 443 port of the proxy service, and configure the SSL certificate and key in the values.yaml file:

The screenshot shows the Red Hat OpenShift web interface. On the left is a dark sidebar with navigation links: Home, Operators, Workloads, Networking (selected), Services, Routes (selected), Ingresses, NetworkPolicies, Storage, Builds, Observe, Compute, User Management, and Administration. The main panel has a header 'Project: apigw-services' and a sub-header 'Routing is a way to make your application publicly visible.' Below this, it says 'Configure via: Form view (selected) or YAML view'. The 'Routes' section is active, showing a form to create a new route. The 'Name' field contains 'dct'. The 'Hostname' field contains 'dct.delphix.com'. The 'Path' field contains '/'. The 'Service' dropdown is set to 'proxy'. The 'Target port' dropdown is set to '443 → 8443 (TCP)'. Under 'Security', the 'Secure Route' checkbox is checked. Under 'TLS termination', 'Passthrough' is selected. Under 'Insecure traffic', 'Redirect' is selected. At the bottom are 'Create' and 'Cancel' buttons.

OpenShift authentication

Introduction

DCT uses Nginx/OpenResty as an HTTP server and a reverse proxy for the application. Using the default configuration, all connections to DCT are over HTTPS and require the user to authenticate. There are three supported methods for authentication; API keys, Username/Password, and OpenID Connect.

Enable OAuth2 authentication

By default APIKey authentication will be enabled and when DCT starts it will generate a new [API key](#) in logs if you want to enable openid connect authentication then follow below procedure:

Update the below properties in the values.yaml file and restart DCT:

```
Unset  
# flag to enable api_key based authentication apiKeyEnabled:  
false # flag to enable OAuth2 based authentication  
openIdEnabled: true # URL of the discovery endpoint as defined by  
the OpenId Connect Discovery specification. This needs to be set  
if 'openIdEnabled' is set to true openIdServerUrl:  
https://delphix.okta.com/oauth2/default/.well-known/oauth-authorization-server # OAuth2 jwt claim name that should be used  
as client_id jwtClaimForClientId: sub # OAuth2 jwt claim name  
that should be used as client_name jwtClaimForClientName: sub
```

DCT logs for OpenShift

All DCT containers log to stdout and stderr, so that their logs are processed by OpenShift. To view container level logs running on the OpenShift cluster, use this command:

```
Unset  
oc logs <pod_name> -n dct-services
```

Copy

Log aggregators can be configured to read from stdout and stderr for all of the pods as per the requirements.

Admin topics for OpenShift

[Deployment upgrade for OpenShift](#)

[Factory reset DCT for OpenShift](#)

Deployment upgrade for OpenShift

This page covers the upgrade process for DCT deployments on Kubernetes.

Create a new folder called `dct-x.0.0` where `x.0.0` should be changed to the version of DCT being installed (e.g. if on 5.0.2, it would be 6.0.0).

Unset

```
$ mkdir dct-x.0.0
```

Copy

Update the added repos with the following, which will update the local HELM charts metadata (index.yaml):

Unset

```
$ helm repo update
```

Copy

Pull the HELM charts:



This command will download a file named delphix-dct-x.0.0.tgz in the folder dct-x.0.0.

Unset

```
$ cd dct-x.0.0 $ helm pull dct-services/delphix-dct --version  
x.0.0
```

Copy

The downloaded file is then extracted using the following command (where x.0.0 should be changed to the version of DCT being installed):

Unset

```
$ tar -xvf delphix-dct-x.0.0.tgz
```

Copy

Which will extract into the following directory structure:

Unset

```
delphix-dct      |- values.yaml   |- README.md      |- Chart.yaml  
|- templates      |-<all templates files>
```

Copy

Create a new values.yaml inside to the dct-x.0.0 folder (e.g. parallel to delphix-dct folder), use sample values.yaml given below. Copy the configured properties from previous version to this newly created values.yaml.

values.yaml



The values.yaml file contains only modified values from the previous version of deployment.

Update the username and password in values.yaml. It can be obtained from <https://download.delphix.com>. Here are some notes in regards to this step in the process:

- This username and password update in values.yaml is only required if the user using Delphix provided a Docker Registry directly in the deployment (i.e. values.yaml).



Username and password update in values.yaml is required only if username AWS and temporary password(12 hours expiry) is used.

In case a user is using their internal Docker Registry, they should first pull the next version of the Docker images from the Delphix provided registry, using a new username and password. Re-tag the docker images as per the internal registry name and push it into the internal registry. Use these steps to pull and re-tag Docker images:

- Docker login command (USERNAME and PASSWORD from <https://download.delphix.com>):

Unset

```
$docker login --username [USERNAME] --password [PASSWORD]  
dct.download.delphix.com/delphix-dct
```

Copy

- Pull Docker images of DCT Services:

Unset

```
$ docker pull  
dct.download.delphix.com/delphix-dct:nginx-x.0.0 $ docker  
pull dct.download.delphix.com/delphix-dct:app-x.0.0 $ docker  
pull  
dct.download.delphix.com/delphix-dct:data-bookmarks-x.0.0 $  
docker pull  
dct.download.delphix.com/delphix-dct:delphix-data-library-x  
.0.0 $ docker pull  
dct.download.delphix.com/delphix-dct:graphql-x.0.0 $ docker  
pull dct.download.delphix.com/delphix-dct:ui-x.0.0 $ docker  
pull dct.download.delphix.com/delphix-dct:jobs-x.0.0 $ docker  
pull dct.download.delphix.com/delphix-dct:postgres-x.0.0 $  
docker pull  
dct.download.delphix.com/delphix-dct:virtualization-x.0.0
```

Copy

- Re-tag all above Docker images. Sample re-tag example for one image:

Unset

```
$ docker tag dct.download.delphix.com/delphix-dct:nginx-x.0.0  
<local registry url>:nginx-x.0.0
```

Copy

- Push the re-tagged images into internal registry. Sample re-tag example for one image:

Unset

```
$ docker push <local registry url>:nginx-x.0.0
```

Copy

- Run the HELM upgrade command:

Unset

```
helm upgrade -f values.yaml dct-services delphix-dct
```

Factory reset DCT for OpenShift

To clean DCT installation run following command:

Unset

```
helm delete dct-services:
```

Copy



This process will delete both services pod and database.

Docker Compose

[Installation and setup for Docker Compose](#)

[Bootstrapping API Keys](#)

[Custom configuration](#)

[Docker logs](#)

[Migration topics](#)

[Admin topics for Docker Compose](#)

Installation and setup for Docker Compose



Docker Compose should only be used to deploy DCT in an evaluation/testing capacity, and production DCT workloads in Docker Compose are not fully supported.

Installations starting on Docker Compose may be migrated to Kubernetes or OpenShift by using the steps in the technical documentation. In-place upgrades from Docker Compose to Kubernetes or OpenShift are not supported.

Hardware requirements

The hardware requirements for Data Control Tower are listed below. In addition to these requirements, inbound port 443 must be open for API clients, and outbound port 443 to engines.

- CPU: 4-Core
- CPU Architecture: x86_64
- Memory: 16GB
- Storage: 50GB
- Port: 443

Installation requirements (Docker Compose)

DCT requires Docker and Docker Compose to run, thus, Linux versions and distributions that have been verified to work with Docker are supported. To see a list of supported distributions, please reference this [Docker article](#).

This example uses a [Docker installation](#) and is completed on an Ubuntu 20.04 VM.

To begin, uninstall any old versions of Docker.

Unset

```
sudo apt-get remove docker docker-engine docker.io containerd  
runc
```

Copy

Next, update the package lists and install Docker.

Unset

```
sudo apt-get update sudo apt-get install docker.io
```

Copy

Last, [install Docker Compose](#).

Unset

```
sudo curl -L  
"https://github.com/docker/compose/releases/download/1.29.1  
/docker-compose-$(uname -s)-$(uname -m)" -o
```

```
/usr/local/bin/docker-compose sudo chmod +x  
/usr/local/bin/docker-compose
```

Copy



Docker-Compose is packaged with Docker engine version 20.10.15 and up.

Running Docker as non-root (optional)

To avoid prefacing the Docker command with sudo, create a Unix group called docker and add users to it. When the Docker daemon starts, it creates a Unix socket accessible by members of the Docker group. See [Docker Post Installation](#) documentation for details.

Unset

```
sudo groupadd docker sudo usermod -aG docker $USER
```

Copy

Unpack and install DCT

Once Docker and Docker Compose are installed, DCT can be installed. Begin by downloading the latest version of the tarball from the [Delphix Download site](#). Next, transfer the file to the Linux machine where Docker is installed. Run the following commands to extract the containers and load them into Docker (where x.0.0 should be changed to the version of DCT being installed):

Unset

```
tar -xzf delphix-dct-x.0.0.tar.gz for image in *tar; do sudo  
docker load --input $image; done
```

Copy

Run DCT

To run DCT, navigate to the location of the extracted docker-compose.yaml file from the tarball and run the following command. Using -d in the command will start up the application in the background.

Unset

```
sudo docker-compose up -d
```

Copy

Running docker ps should show 9 containers up and running:

Unset

```
sudo docker ps CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES 75a9df0cae07 delphix-dct-proxy:x.0.0 "/sbin/tini -- /boot..." 7 seconds ago Up 4 seconds 0.0.0.0:443->8443/tcp
delphix-dct-proxy:x.0.0 a23f4fbe0220 delphix-dct-app:x.0.0 "java -jar /opt/delp..." 7 seconds ago Up 5 seconds
delphix-dct-app:x.0.0 96ba8018fa03
delphix-dct-data-library:x.0.0 "/usr/bin/tini -- ./..." 7 seconds ago Up 5 seconds delphix-dct-data-library:x.0.0
8e5b1e671acc delphix-dct-jobs:x.0.0 "/usr/bin/tini -- ./..." 7 seconds ago Up 5 seconds delphix-dct-jobs:x.0.0 96049058f025
delphix-dct-data-bookmarks:x.0.0 "/usr/bin/tini -- ./..." 7 seconds ago Up 5 seconds delphix-dct-data-bookmarks:x.0.0
20d1782cb3bb delphix-dct-ui:x.0.0 "node ./index.js" 7 seconds ago Up 5 seconds delphix-dct-ui:x.0.0 4fae43c79e8d
delphix-dct-virtualization:x.0.0 "/usr/bin/tini -- ./..." 7 seconds ago Up 5 seconds delphix-dct-virtualization:x.0.0
83d7d661d8a0 delphix-dct-graphql:x.0.0 "/bin/sh -c 'BASE_UR..." 7 seconds ago Up 6 seconds delphix-dct-graphql:x.0.0
3dded474e28b delphix-dct-postgres:x.0.0 "docker-entrypoint.s..." 7 seconds ago Up 6 seconds 5432/tcp
delphix-dct-postgres:x.0.0
```

Copy

Initial logging configuration

To restrict boundless log file generation, DCT is now shipped with default logging drivers provided with default values for max-size and max-file options, for all services in the docker-compose.yaml file.

These values can also be overwritten to correspond with the user requirement. Use the process below to modify the settings.

1. Open the docker-compose.yaml file.
2. Add the following lines in every service section below.

Unset

3.

```
logging: driver: "json-file" options: max-file: "5"  
max-size: 10m
```

4. Copy

- a. The `driver` parameter above means the logging driver is a JSON file. For these services, a maximum of five log files (`max-file`) will be retained with a size of 10MB (`max-size`), after which files are overwritten.
- b. The maximum number of logs and the maximum log file size shown in 2a can be changed by updating the values for `max-file` and `max-size`.

Bootstrapping API Keys



Docker Compose should only be used to deploy DCT in an evaluation/testing capacity.

There is a special process to bootstrap the creation of the first API key. This first API key should only be used to create another key and then promptly deleted, since the bootstrap API will appear in the logs. This process can be repeated as many times as needed, for example, in a case where existing API keys are lost or have been deleted. It also means that the Linux users with permissions to edit the docker-compose file implicitly have the ability to get an API key at any time. There is no mechanism to lock this down after the first bootstrap key is created.

Begin by stopping the application with the following command:

Unset

```
sudo docker-compose stop
```

Copy

Once the application is stopped, edit the docker-compose.yaml file and modify the following lines to the DCT section, to set the `API_KEY_CREATE` to the string value "true":

```
Unset
```

```
services: gateway: environment: API_KEY_CREATE: "true"
```

Copy

Start DCT again with `sudo docker-compose up`. You will see the following output in the logs for the app container (the key will be different from this example):

```
Unset
```

```
NEWLY GENERATED API KEY:
```

```
1.0p9PMkZ04Hgy0ezwjhX0Fi41EKrD4pflejgqjd0pfKtyw1SWR9G0fIaWajuKcBT  
3
```

Copy

Copy the API Key and shut down the DCT app. The API key can now be used to authenticate with DCT. Remember that the API Key value must be prefixed with apk. An example cURL command with the above API Key appears as follows:

```
Unset
```

```
curl --header 'Authorization: apk  
1.0p9PMkZ04Hgy0ezwjhX0Fi41EKrD4pflejgqjd0pfKtyw1SWR9G0fIaWajuKcBT  
3'
```

Copy

Edit the docker-compose.yaml file to set the `API_KEY_CREATE` environment variable value back to "false" and restart DCT again with `sudo docker-compose up -d`.

Custom configuration

Docker Compose should only be used to deploy DCT in an evaluation/testing capacity.

Introduction

DCT was designed for users to configure Delphix applications in a way that would meet their security requirements, which handled with a custom configuration. This article provides background information on performing custom configurations, which are referenced throughout DCT articles and sections.

Bind mounts

Configuration of DCT is achieved through a combination of API calls and the use of Docker [bind mounts](#). A bind mount is a directory or file on the host machine that will be mounted inside the container. Changes made to the files on the host machine will be reflected inside the container. It does not matter where the files live on the host machine, but the files must be mounted to specific locations inside the container so that the application can find them.

The DCT and proxy containers can both be configured via separate bind mounted directories. Each container requires all configuration files to be mounted to the `/etc/config` directory inside the container. Therefore, it is recommended to create a directory for each container on the host machine to store all of the configuration files and mount them to `/etc/config`. This is done by editing the `docker-compose.yaml`. Under proxy services, add a volumes section if one does not already exist; this is used to mount the configuration directory on the host to `/etc/config`. For example, if `/my/proxy/config` is the directory on the host that contains the configuration files, then the relevant part of the compose file would look like this:

Unset

```
services: proxy: volumes: - /my/proxy/config:/etc/config
```

Copy

To change the configuration of the DCT container, make a similar change under its service section, the only difference being the directory on the host. After making this change, the application will need to be stopped and restarted.

The structure of `/my/proxy/config` will need to match the required layout in `/etc/config`. When each container starts, it will create default versions of each file and place them in the expected location. It is highly recommended to start from the default version of these files. For example, if `/my/proxy/config` is the bind mount directory on the host, it could be populated with all the default configuration files by running the following commands.

First, create an `nginx` directory inside `/my/proxy/config` on the host.

Unset

```
cd /my/proxy/config mkdir nginx
```

Copy

Find the id of the proxy container with `docker ps`. Look for the container with a `delphix-dct-proxy` image name. To determine the user and group ownership for any configuration files, start the containers and open a shell to the relevant one (`nginx` in this example), then examine the current user/group IDs associated with the files (where `x.0.0` should be changed to the version of DCT being installed).

Unset

```
$ docker ps CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
ac343412492a delphix-dct-proxy:x.0.0 "/bootstrap.sh" 8 minutes ago
Up 8 minutes 0.0.0.0:443->443/tcp, :::443->443/tcp
dct-packaged_proxy_1
```

Copy

In the above example, ac343412492a is the id. Run the following command to copy the default files to the bind mount.

Unset

```
docker cp <container id>:/etc/config/nginx /my/proxy/config/nginx
```

Copy

One can always go back to the original configuration by removing the bind-mount and restarting the container or using docker cp as in the previous example to overwrite the custom files with the default versions.

Docker logs



Docker Compose should only be used to deploy DCT in an evaluation/testing capacity. DCT leverages the [Docker logging](#) infrastructure. All containers log to `stdout` and `stderr` so that they are processed by Docker. Docker supports logging drivers for a variety of tools, such as Fluentd, Amazon CloudWatch, and Splunk.

Use the [Configure logging drivers](#) Docker article to configure them – these changes will need to be made to the `docker-compose.yaml` file. This [section of the Docker article](#) explains how to alter the Compose file to adjust the logging driver. For example, to use `syslog` for the proxy container, it would appear as follows.

Unset

```
services: proxy: logging: driver: syslog options:
  syslog-address: "tcp://192.123.1.23:123"
```

Migration topics

[Migrate to Kubernetes](#)

[Migrate to OpenShift](#)

Migrate to Kubernetes

Overview

Installations starting on Docker Compose may be migrated to Kubernetes by moving the persistent data store using the following steps. In-place upgrades from Docker Compose to Kubernetes are not supported.



During the migration process, there will be a downtime period where the service cannot be used.

Migration Process

Stop DCT services. In order to avoid a situation of losing data, stop serving the upcoming traffic with:

Unset

```
~$ docker-compose stop
```

Copy

Copy the Postgres Docker volume folder data on a local machine with:

Unset

```
~$ mkdir database ~$ docker cp  
{dbcontainer_Id}:/var/lib/postgresql/data ./database
```

Copy

Copy the encryption key Docker volume folder data on a local machine with:

Unset

```
~$ mkdir data_key ~$ docker cp {gateway_container_id}:/data  
. ./data_key
```

Copy



Mounted Docker volume folder content for database is copied in database folder on local machine.

Mounted Docker volume folder content for encryption key is copied in the data_key folder on local machine.

Move the copied volume folders (database and data_key from the previous step) to the Kubernetes host machine where DCT is up and running.

Update the values.yaml file to add the list of certificates which were used in the previous DCT version (present in mounted trustStore). Update the deployment with the new values.yaml file.

Terminate the proxy pod to stop serving external traffic with:

Unset

```
~$ kubectl scale --replicas=0 deployment/proxy -n dct-services
```

Copy

Terminate the database to stop internal threads using the database with:

Unset

```
~$ kubectl scale --replicas=0 deployment/database -n  
dct-services
```

Copy

Create a dummy pod to access the Persistent Volume. Use the Pod.yaml as an example:

Unset

```
apiVersion: v1 kind: Pod metadata: Namespace: dct-services name:  
dummy-pod labels: app: dummy-pod spec: containers: - image:  
ubuntu command: - "sleep" - "604800" imagePullPolicy:  
IfNotPresent name: ubuntu restartPolicy: Always volumes: - name:  
gwdatabase-data persistentVolumeClaim: claimName:  
gwdatabase-data
```

Copy

Followed by this command to actually create the dummy pod:

```
Unset  
~$ kubectl apply -f pod.yaml -n dct-services
```

Copy

Restore previous DCT version volume data with DCT deployed on the Kubernetes setup (in Persistent Volume).

Move the encryption key with:

```
Unset  
~$ cd data_key ~$ kubectl cp data  
dct-services/{gateway_pod_name}:/
```

Copy

Move the Postgres data with:

```
Unset  
~$ cd database ~$ kubectl cp data  
dct-services/{dummy_pod_name}:/var/lib/postgresql
```

Copy

Delete the dummy pod with:

```
Unset  
~$ kubectl delete pod dummy-pod -n dct-services
```

Copy

Start the database pod (scale to 1) with:

```
Unset  
~$ kubectl scale --replicas=1 deployment/database -n  
dct-services
```

Copy

Delete or patch the gateway pod with:

Unset

```
~ % kubectl delete pod {gateway_pod_name} -n dct-services
```

Copy

Delete or patch the data-library pod with:

Unset

```
~ % kubectl delete pod {data-library_pod_name} -n dct-services
```

Copy

Delete or patch the jobs pod with:

Unset

```
~ % kubectl delete pod {jobs_pod_name} -n dct-services
```

Copy

Delete or patch the data-bookmarks pod with:

Unset

```
~ % kubectl delete pod {data-bookmarks_pod_name} -n dct-services
```

Copy

Start the proxy service to serve the external service:

Migrate to OpenShift

Overview

Installations starting on Docker Compose may be migrated to OpenShift by moving the persistent data store using the following steps. In-place upgrades from Docker Compose to OpenShift are not supported.



During the migration process, there will be a downtime period where the service cannot be used.

Migration Process

Stop DCT services. In order to avoid a situation of losing data, stop serving the upcoming traffic with:

Unset

```
~$ docker-compose stop
```

Copy

Copy the Postgres Docker volume folder data on a local machine with:

Unset

```
~$ mkdir database ~$ docker cp  
{dbcontainer_Id}:/var/lib/postgresql/data ./database
```

Copy

Copy the encryption key Docker volume folder data on a local machine with:

Unset

```
~$ mkdir data_key ~$ docker cp {gateway_container_id}:/data  
./data_key
```

Copy



- Mounted Docker volume folder content for database is copied in database folder on local machine.
- Mounted Docker volume folder content for encryption key is copied in the data_key folder on local machine.

Move the copied volume folders (database and data_key from the previous step) to the Kubernetes host machine where DCT is up and running.

Update the values.yaml file to add the list of certificates which were used in the previous DCT version (present in mounted trustStore). Update the deployment with the new values.yaml file.

Terminate the proxy pod to stop serving external traffic with:

Unset

```
~$ oc scale --replicas=0 deployment/proxy -n dct-services
```

Copy

Terminate the database to stop internal threads using the database with:

Unset

```
~$ oc scale --replicas=0 deployment/database -n dct-services
```

Copy

Create a dummy pod to access the Persistent Volume. Use the Pod.yaml as an example:

Unset

```
apiVersion: v1 kind: Pod metadata: namespace: dct-services name: dummy-pod labels: app: dummy-pod spec: containers: - image: ubuntu command: - "sleep" - "604800" imagePullPolicy: IfNotPresent name: ubuntu restartPolicy: Always volumes: - name: gwdatabase-data persistentVolumeClaim: claimName: gwdatabase-data
```

Copy

Followed by this command to actually create the dummy pod:

Unset

```
~$ oc apply -f pod.yaml -n dct-services
```

Copy

Restore previous DCT version volume data with DCT deployed on the Kubernetes setup (in Persistent Volume).

Move the encryption key with:

Unset

```
~$ cd data_key ~$ oc cp data dct-services/{gateway_pod_name}:/
```

Copy

Move the Postgres data with:

Unset

```
~$cd database ~$ oc cp data  
dct-services/{dummy_pod_name}:/var/lib/postgresql
```

Copy

Delete the dummy pod with:

Unset

```
~$ oc delete pod dummy-pod -n dct-services
```

Copy

Start the database pod (scale to 1) with:

Unset

```
~$ oc scale --replicas=1 deployment/database -n dct-services
```

Copy

Delete or patch the gateway pod with:

Unset

```
~% oc delete pod {gateway_pod_name} -n dct-services
```

Copy

Delete or patch the data-library pod with:

Unset

```
~% oc delete pod {data-library_pod_name} -n dct-services
```

Copy

Delete or patch the jobs pod with:

Unset

```
~% oc delete pod {jobs_pod_name} -n dct-services
```

Copy

Delete or patch the data-bookmarks pod with:

Unset

```
~ % oc delete pod {data-bookmarks_pod_name} -n dct-services
```

Copy

Start the proxy service to serve the external service:

Unset

```
~$ oc scale --replicas=1 deployment/proxy -n dct-services
```

Admin topics for Docker Compose

[Backup DCT on Docker Compose](#)

[Deployment upgrade for Docker Compose](#)

[Factory reset DCT for Docker Compose](#)

Backup DCT on Docker Compose



Docker Compose should only be used to deploy DCT in an evaluation/testing capacity. This article discusses how to backup DCT. The data that needs to be backed up is the Docker volumes used by the DCT container, gwdatabase container, and the configuration directories on the host that are bind mounted to the containers.

The Docker volumes named {xxx}delphix-dct-data and {xxx}delphix-dct-database-data should be backed up to prevent data loss. This [Docker article](#) explains how to backup a data volume.

The bind mount directories containing the configuration files are standard directories that can be backed up as desired. A simple approach would be to create a tar file of the contents. If /my/config is the bind mount directory on the host, then this can be done with the following command:

Unset

```
tar -czf gateway-backup.tgz /my/config
```

Deployment upgrade for Docker Compose



Docker Compose should only be used to deploy DCT in an evaluation/testing capacity.



DCT versions 2.0.0 through 6.0.2 running on Docker Compose, that are being upgraded to DCT 7.0.0 or later, may experience potential failure to start post-upgrade, resulting in a "permission denied" error in the logs. Operations post-upgrade may also fail with internal errors.

The issue is due to the UID running the application containers changing from UID 1000 (in DCT 2.0.0 through 6.0.2) to UID 1010 (in DCT 7.0.0 and later). Resolving the issues requires the following one-time change and no container restart is required:

1. Change ownership of the volume associated to the gateway container to the new UID:
`docker exec -u 0 -it <gateway-container-name> chown delphix:delphix /data`
2. If bind mounts have been used to configure DCT, they must grant permission to the user with UID 1010 (GUID 1010) to read/write files, for example:
`chown 1010:1010 /path/to/nginx/bind/mount`

Introduction

This article describes the procedure to upgrade the DCT version without losing any data. Docker Compose uses the concept of 'project' to create unique identifiers for all of a project's containers and other resources (like volumes, etc.).

Get the current project name and note it down using the following command:

The volume name would be of the format {project-name}_gateway-data and {project-name}_gwdatabase-data. In the below example, the project name is delphix-dct.

Unset

```
docker volume ls DRIVER VOLUME NAME local  
delphix-dct_gateway-data local delphix-dct_gwdatabase-data
```

Copy

Bring down DCT services using the following command:

Unset

```
docker compose down
```

Copy

Refer to the Installation and Setup article to download and extract the new release tarball, then load Docker images.

Navigate to the extracted directory which contains the docker-compose.yaml file. By default, Docker Compose uses the extracted folder name as project-name.



Edit the docker-compose.yaml file. Changes made to the docker-compose.yaml prior to upgrade file must be applied to the newly extracted docker-compose.yaml file.

With that, either rename the extracted folder to match the project-name and run:

Unset

```
docker compose up -d
```

Copy

OR run the below command with the project-name noted above from step #1 above

Unset

```
docker compose -p <project-name> up -d
```

Copy



If the -p argument is used to deploy DCT services, then the corresponding command to bring down the DCT services would be:

```
docker compose -p <project-name> down
```

Factory reset DCT for Docker Compose



Docker Compose should only be used to deploy DCT in an evaluation/testing capacity. This article explains how to factory reset DCT. Factory resetting means deleting all of the configuration and data associated with DCT. Perform this step only if you are absolutely sure about this and understand the implications.

Bring all of the DCT services down with this command:

Unset

```
docker compose down
```

Copy

List all Docker volumes being used and note down the volume names:

Unset

```
docker volume ls DRIVER VOLUME NAME local dct_gateway-data local  
dct_gwdatabase-data
```

Copy

Delete the Docker volumes that are listed from the previous command:

Unset

```
docker volume rm dct_gateway-data docker volume rm  
dct_gwdatabase-data
```

Engines: connecting/authenticating Introduction

After DCT Authentication is complete, the HTTPS should be securely configured on DCT and able to be authenticated against. The next step is to register an engine with DCT so that it can fetch results. DCT connects to all engines over HTTPS, thus some configurations might be required to ensure it can communicate successfully.

Truststore for HTTPS

If the CA certificate that signed the engine's HTTPS certificate is not a trusted root CA certificate present in the JDK, then custom CA certificates can be provided to DCT. If these certificates are not provided, a secure HTTPS connection cannot be established and registering the engine will fail. The `insecure_ssl` engine registration parameter can be used to bypass the check, however, this should not be used unless the risks are understood.

Get the public certificate of the CA that signed the engine's HTTPS certificate in PEM format. IT team help may be required to get the correct certificates. Base64 encode the certificate with:

Unset

```
cat mycertfile.pem | base64 -w 0
```

Copy

Copy the Base64 encoded value from the previous step and configure in `values.yaml` file under `truststoreCertificates` section. e.g. section will look like this:

Unset

```
truststoreCertificates: <certificate_name>.crt: <base64  
encode certificate string value in single line>
```

Copy

`<certificate_name>` can be any logically valid string value for e.g. "engine".

All the certificates configured in `truststoreCertificates` section will be read and included in the trustStore which would be then used for SSL/TLS communication between DCT and Delphix Engine.

Authentication with engine

All authentication with the Delphix Engine is done with the username and password of a domain admin engine user. There are two methods of storing these credentials with DCT. They can either be stored and encrypted on DCT itself or retrieved from a password vault. We recommend fetching the credentials from a vault. Currently only the HashiCorp vault is supported.

HashiCorp vault

There are two high-level steps to configuring a HashiCorp vault. The first is to set up authentication with the vault and register the vault. The second is to tell DCT how to get the specific engine credentials needed from that registered vault. A single vault can be used for multiple different Delphix Engines.

Vault authentication and registration

First, DCT needs to be able to authenticate with the vault. DCT supports the [Token](#), [AppRole](#), and [TLS Certificates](#) authentication methods. This is done by passing a command to the [HashiCorp CLI](#). It is recommended to first ensure that successful authentication is done and one can retrieve the credentials with the HashiCorp CLI directly to ensure the correct commands are passed to DCT.

Adding a vault to DCT is done through API calls to the `/v2/management/vaults/hashicorp` endpoint. All authentication methods requires the location of the vault is provided through the `env_variables` property in the POST body like so:

Unset

```
"env_variables": { "VAULT_ADDR": "https://10.119.132.40:8200"  
}
```

Copy

Token

To use the token authentication method, this needs to be included as part of the `env_variables` field. The full example to register the vault would appear as:

Unset

```
curl --location --request POST  
'https://<hostname>/v2/management/vaults/hashicorp' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--header 'Authorization: apk <your API key>' \  
\ --data-raw '{ "env_variables": { "VAULT_TOKEN": "<your token>"  
"VAULT_ADDR": "https://10.119.132.40:8200" } }'
```

Copy

A response should be received similar to the lines below:

Unset

```
{ "id": 2, "env_variables": { "VAULT_TOKEN": "<your token>"  
"VAULT_ADDR": "https://10.119.132.40:8200" } }
```

Copy

Note the id of the vault, this will be needed in the next step to register the engine.

AppRole

To use the AppRole authentication method, this needs to be included as part the login_command_args field, as shown below.

Unset

```
"login_command_args": [ "write", "auth/approle/login",  
"role_id=1", "secret_id=123" ]
```

Copy

The full example to register the vault would appear as:

Unset

```
curl --location --request POST  
'https://<hostname>/v2/management/vaults/hashicorp' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--header 'Authorization: apk <your API key>' \  
\ --data-raw '{ "env_variables": { "VAULT_ADDR":  
"https://10.119.132.40:8200" }, "login_command_args": [  
"write", "auth/approle/login", "role_id=1", "secret_id=123" ]  
' }
```

Copy

A response should be received similar to the lines below:

Unset

```
{ "id": 2, "env_variables": { "VAULT_TOKEN": "<your token>"  
"VAULT_ADDR": "https://10.119.132.40:8200" } }
```

Copy

TLS certificates

The configuration of mutual TLS authentication requires an additional step. This feature currently is NOT supported for Kubernetes deployment of DCT. This will be covered in later releases.

Retrieving engine credentials

Once DCT can authenticate with the vault, it needs to know how to fetch the relevant engine credentials. When registering an engine, the user will need to provide the HashiCorp CLI commands through the `hashicorp_vault_username_command_args` and `hashicorp_vault_password_command_args` parameters.

The relevant part of the engine registration payload will look like the following:

```
Unset
' { "hashicorp_vault_id": 1
  "hashicorp_vault_username_command_args": [ "kv", "get",
    "-field=username",
    "kv-v2/delphix-engine-secrets/engineUser" ] ,
  "hashicorp_vault_password_command_args": [ "kv", "get",
    "-field=password",
    "kv-v2/delphix-engine-secrets/engineUser" ] }'
```

Copy

The `hashicorp_vault_id` will be the ID that was returned as part of the previous step. Note that the exact paths to fetch the username and password will vary depending on the exact configuration of the vault.

Accounts: connecting/authenticating

There are 5 supported methods for authentication; API keys, Username/Password, LDAP/Active Directory, SAML/SSO, and OpenID Connect. These authentication methods are detailed on the corresponding pages in this section.



DCT uses Nginx/OpenResty as an HTTP server and a reverse proxy for the application. Using the default configuration, all connections to DCT are over HTTPS and require the user to authenticate. The Nginx/OpenResty configuration files can be edited via /etc/config bind mounts, for the proxy container to customize the HTTP server and change options (such as TLS versions).

[API keys](#)

[Username/password](#)

[LDAP/Active Directory](#)

[SAML/SSO](#)

API keys

API keys

API keys are the default method to authenticate with DCT. This is done by including the key in the [HTTP Authorization request header](#) with type apk. A cURL example using an example key of

1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtywlSWR9G0fIaWajuKcBT3 would appear as:

Unset

```
curl --header 'Authorization: apk  
1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtywlSWR9G0fIaWa  
juKcBT3'
```

Copy



cURL (like web browsers and other HTTP clients) will not connect to DCT over HTTPS unless a valid TLS certificate has been configured for the Nginx server. If this [configuration step](#) has not been performed yet and the risk is comprehended, you may disable the check in the HTTP client. For instance, this can be done with cURL using the --insecure flag. The cURL version must be 7.43 or higher.

Create and manage API Keys

The initial API key created should be used to create a new admin secure key. This is done by creating a new Account entity and setting the generate_api_key. The "username" attribute should be the desired name to uniquely identify the account.

Unset

```
curl --location --request POST  
'https://<hostname>/v2/management/accounts' \ --header  
'Content-Type: application/json' \ --header 'Accept:  
application/json' \ --header 'Authorization: apk  
1.0p9PMkZ04Hgy0ezwjhX0Fi4lEKrD4pflejgqjd0pfKtywlSWR9G0fIaWa  
juKcBT3' \ --data-raw '{ "username": "secure-key",  
"generate_api_key": true }'
```

Copy



If the cURL version being used is below 7.43, replace the --data-raw option with --data. A response should be received similar to the lines below:

Unset

```
{ "id": 2, "token":  
"2.vCfC0MnpySYZLshuxap2aZ7xqBKAnQvV7hFnobe7xuN1HS9AF2NQnV9X  
Xw4UyET6" "username": "secure-key" }
```

Copy

Now that the new and secure API key is created, the old one must be deleted for security reasons since the key appeared in the logs. To do this make the following request:

Unset

```
curl --location --request DELETE  
'https://<hostname>/v2/management/api-clients/<id>' \  
--header 'Content-Type: application/json' \ --header 'Accept:  
application/json' \ --header 'Authorization: apk  
2.vCfC0MnpySYZLshuxap2aZ7xqBKAnQvV7hFnobe7xuN1HS9AF2NQnV9XX  
w4UyET6'
```

Copy

The id referenced above is the numeric id of the Account. It is the integer before the period in the token. For example, the id of 1.0p9PMkZ04Hgy0ezwjhX0Fi41EKrD4pflejgqjd0pfKtywlSWR9G0fIaWajuKcBT3 is 1.

Finally, to list all of the current Accounts, make the following request:

```
Unset
curl --location --request GET
'https://<hostname>/v2/management/accounts/' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk <your API key>'
```

Username/password

When creating an account, a username and password combination can be associated with the account (whether an API Key was generated for the account or not). To do so, specify the “username” and “password” properties in the API request, for example:

```
Unset
curl -k --location --request POST
'https://<hostname>/v2/management/accounts' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk
1.0p9PMkZ04Hgy0ezwjhX0Fi41EKrD4pflejgqjd0pfKtywlSWR9G0fIaWajuKcBT
3' \
--data-raw '{ "username": "some-username", "password":
"some-password", "generate_api_key": false "is_admin": true }'
```

Copy



The `is_admin` property will create the account with admin privileges. Remove this property to create an account without admin privileges.

The username and password combination can then be used to login via the UI, or to fetch a temporary access token valid for 24 hours. To do so, call the ‘login’ API endpoint:

Unset

```
curl -k --location --request POST 'https://<hostname>/v2/login' \
--header 'Content-Type: application/json' \ --header 'Accept:
application/json' \ --data-raw '{ "username": "some-username",
"password": "some-password" }'
```

Copy

A response should be received similar to the lines below:

Unset

```
{  
  "access_token": "eyJhbGciOiJIUzI1NiJ9.eyJpc3Mi0iJhcGlndy1zZXJ2aWN1  
cy1hcHAiLCJzdWIi0iI4IiwiZXhwIjoxNjYyNTUyMzI3LCJpYXQiOjE2NjI0NjU5M  
jcsInVzZXJuYW1lIjoic29tZS11c2VybmFtZSJ9.Cx_hGU9noyWS6mtK6gjsA85FT  
gJRQgyJizR5t_akNps", "token_type": "Bearer", "expires_in": 86400 }
```

Copy

The access token can be used as [HTTP Authorization request header](#) with type Bearer. A cURL example using the access token retrieved above would appear as:

Unset

```
curl --header 'Authorization: Bearer  
eyJhbGciOiJIUzI1NiJ9.eyJpc3Mi0iJhcGlndy1zZXJ2aWN1cy1hcHAiLCJzdWIi  
0iI4IiwiZXhwIjoxNjYyNTUyMzI3LCJpYXQiOjE2NjI0NjU5MjcsInVzZXJuYW1lI  
joic29tZS11c2VybmFtZSJ9.Cx_hGU9noyWS6mtK6gjsA85FTgJRQgyJizR5t_akN  
ps'
```

Copy

The password for an account can be updated with the `change_password` API endpoint, passing in both the old and new passwords, such as in this example:

Unset

```
curl -k --location --request POST  
'<hostname>/v2/management/accounts/3/change_password' \ --header  
'Content-Type: application/json' \ --header 'Accept:  
application/json' \ --header 'Authorization: Bearer  
eyJhbGciOiJIUzI1NiJ9.eyJpc3Mi0iJhcGlndy1zZXJ2aWN1cy1hcHAiLCJzdWIi  
0iI4IiwiZXhwIjoxNjYyNTUyMzI3LCJpYXQiOjE2NjI0NjU5MjcsInVzZXJuYW1lI
```

```
joic29tZS11c2VybmFtZSJ9.Cx_hGU9noyWS6mtK6gjsA85FTgJRQgyJizR5t_akN  
ps' \ --data-raw '{ "old_password": "some-password", "new_password":  
"new-password" }'
```

Copy

Following security best practices, the password is not stored on DCT and cannot be retrieved. If the password has been lost, an account with admin privilege can reset the password for a particular account. It is recommended to change the password reset by an admin account on the first login, or with the change_password API, as described above.

Unset

```
curl -k --location --request POST  
'<hostname>/v2/management/accounts/2/password_reset' \ --header  
'Content-Type: application/json' \ --header 'Accept:  
application/json' \ --header 'Authorization: Bearer  
eyJhbGciOiJIUzI1NiJ9.eyJpc3Mi0iJhcGlndy1zZXJ2aWNlcyclhCAiLCJzdWIi  
OiI4IiwiZXhwIjoxNjYyNTUyMzI3LCJpYXQiOjE2NjI0NjU5MjcsInVzZXJuYW1I  
joic29tZS11c2VybmFtZSJ9.Cx_hGU9noyWS6mtK6gjsA85FTgJRQgyJizR5t_akN  
ps' \ --data-raw '{ "new_password": "new-password" }'
```

Copy

In the above example, the admin is resetting the password of an account with id 2 to “new-password”.

Password policies

The password policy feature allows users to enable and customize the password policy enforced for local username/password authentication (does not apply to LDAP/Active Directory or SAML/SSO based authentication).

Understanding password policies

The password policy is a set of requirements that local passwords must satisfy.

- min_length: A password must be longer than this length.
- reuse_disallow_limit: The user should not reuse old passwords. This tells the number of last used passwords disallowed to be reused as the new passwords.
- uppercase_letter: A password must have at least one capital letter.
- lowercase_letter: A password must have at least one lower case letter.
- digit: A password must have at least one digit.
- special_character: A password must have at least one special character, such as #, \$, !

- `disallow_username_as_password`: A password should not be the same as the user name.
- `maximum_password_attempts`: The number of allowed attempts for incorrect password, after which the account gets locked.

Default password policy

By default, DCT does not enforce any password policy.

Changing the password policy

To change the current password policy, call the password policy API endpoint, as shown in the example below:

Unset

```
curl --location --request PATCH  
'https://<hostname>/v2/management/accounts/password-policies' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--header 'Authorization: apk <your API key>' \  
--data-raw '{ "enabled": true, "maximum_password_attempts": 2,  
"min_length": 5, "reuse_disallow_limit": 3, "digit": true,  
"uppercase_letter": true, "lowercase_letter": true,  
"special_character": true, "disallow_username_as_password": true  
'}
```

Copy

Changing the password policy does not affect existing passwords.

Disabling local username/password authentication

Username/password authentication (with passwords locally in DCT) can be disabled for individual accounts by not setting or unsetting their password property, or across the DCT instance using the global properties API. Disable username/password authentication to force authentication to use an alternate authentication method (LDAP/Active Directory, SAML/SSO, etc.) as shown in this example:

Unset

```
curl --location --request PATCH  
'https://<hostname>/v2/management/properties' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--header 'Authorization: apk <your API key>' \  
--data-raw '{"disable_username_password": true}'
```

[Copy](#)

LDAP/Active Directory Configuration

LDAP/Active directory can be used to authenticate login requests, and optionally to retrieve additional information about accounts, thereafter referred to as LDAP Search.

Configuring authentication

The following attributes must be set to configure LDAP/Active Directory authentication.

Property Name	Description
enabled	Whether the LDAP/Active Directory feature is enabled.
auto_create_users	Whether DCT must automatically create account records for successful authentication attempts using a username which does not match any accounts. If this is disabled, an administrator must create a DCT account with an <code>ldap_principal</code> attribute matching the value from the LDAP/Active Directory server prior to the first login attempt. If this is enabled, any user with valid credentials in the LDAP/Active Directory server can authenticate to DCT, by default with an empty authorization set (i.e not being able to view any data or perform any action).
hostname	The host name or IP address of the LDAP/Active Directory server.
port	Port of the LDAP/Active Directory server. This is usually 389 for non SSL, and 636 for SSL.

enable_ssl	Whether the connection to the LDAP/Active Directory server must be performed over SSL. It is highly advised to use SSL. Without SSL, communication between DCT and the LDAP/Active server can be intercepted.
insecure_ssl, unsafe_ssl_hostname_check, truststore_file_name, truststore_password	The SSL protocol requires the LDAP/Active Directory server to expose a certificate signed by a Certificate Authority (CA) trusted by the JDK which is running DCT. Refer to the dedicated section below to see how to configure an Active Directory/LDAP server of which certificate is not recognized.
[domains].msad_domain_name	Microsoft Active Directory only: The DNS name of a domain in the same forest as the accounts which login. DCT will append the msad_domain_name to the username provided at login to form a user principal name (UPN). Example: if the msad_domain_name is http://mycompany.co and a user logs in with username john, DCT will perform an LDAP request to the Active Directory server to authenticate john@mycompany.co.
[domains].username_pattern	If the LDAP server is not Microsoft Active Directory, the username_pattern is used to create a DN string for user authentication. The pattern argument {0} is replaced with the username at runtime. Example: If the username_pattern is uid={0},ou=People and a user logs in with username john, DCT will perform an LDAP request with DN uid=john,ou=People.

The LDAP/Active Directory Integration can be configured both via DCT UI and API. The below image shows an example of how the configuration can be set in the UI as a way to Authenticate users, auto create new users, as well as map group attributes for authorization within the DCT Access Control system.

Edit LDAP Settings

Enabled

Auto-create Users

Hostname

activedirectory.acme.com

Port

636

Domains

+

MSAD Domain Name

acme.com

Username Pattern

Search Base

CN=Users,DC=acme,DC=com

Group Attribute

department

Email Attribute

mail

+

–

First Name Attribute

givenName

Last Name Attribute

sn

Object Class Attribute

person

Search Attribute

sAMAccountName

Cancel

Save

The following example requests enable LDAP authentication over SSL with an Active Directory server at address activedirectory.company.co using the us.company.co domain:

```
Unset
curl --location --request PUT
'https://<hostname>/v2/management/ldap-config' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk <your API key>' \
--data-raw '{ "enabled": true, "auto_create_users": true,
"hostname": "activedirectory.company.co", "enable_ssl": true,
"port": 636, "domains": [ { "msad_domain_name": "us.company.co" } ] }'
```

Copy

Validating the configuration

Updating the LDAP/Active Directory configuration does not guarantee that the provided values are correct, as validating those requires a user to authenticate to DCT. This can be achieved with the `ldap-config/validate` API endpoints, using the credentials valid for the LDAP/Active Directory server. When provided with a username/password combination, the `ldap-config/validate` API endpoint will authenticate with the LDAP server. If the response status code is 200, the configuration is correct. Otherwise, the response code will be 400, and the response body will provide information to resolve the configuration problems. For example:

```
Unset
curl --location --request POST
'https://<hostname>/v2/management/ldap-config/validate' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk <your API key>' \
--data-raw '{ "username": "<ldap-username>", "password":
"<ldap-password>" }'
```

Copy



Because of a defect in version 3.0.0 of DCT, the above request might fail with a response similar to:

```
search failed for john.doe with search base null' ,search attribute
'null'
```

This indicates that authentication works, and search (see below) is not configured.

Login

Once the configuration has been updated, accounts can login (via the UI or API) using the same UI form/API endpoint they would be using for the local username/password authentication feature. For example:

Unset

```
curl -k --location --request POST 'https://<hostname>/v2/login' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{ "username": "<ldap-username>", \
"password": "<ldap-password>" }'
```

Copy

When LDAP/Active directory is enabled, DCT first attempts to validate passwords with the LDAP/Active Directory server, and falls back to local password authentication in case of failure. Enabling LDAP/Active directory is thus a non disruptive operation for existing accounts.

In order to force a transition to LDAP/Active Directory only password authentication, the DCT administrator must either update the account records to remove the password, or disable local password authentication entirely.

SAML/SSO

SAML/SSO

The SAML 2.0 protocol allows DCT to delegate authentication to a SAML 2.0 compatible Identity Provider (Active directory federation services, Azure active directory, Ping federate, Okta, OneLogin, etc.). It only applies to web browser based interaction, and cannot be used for API access (scripting, integration).

Setting up SAML/SSO requires configuration changes both in the Identity Provider and DCT, so that trust can be established across both products.

When using SAML/SSO, DCT will uniquely identify accounts by email address, so make sure that records at the identity provider are configured with a unique email address.

DCT supports automatic account creation (or just in time account provisioning) when using SAML/SSO. When automatic account creation is enabled, accounts are created automatically when users login for the first time.

DCT allows group membership to be retrieved from the Identity Provider, which can be used to control access control authorization within DCT via DCT Access Groups. Using Identity Provider group membership allows DCT authorization to be managed per account group, and guarantees that authorizations in DCT reflect the organization structure which is expressed by group membership of the identity provider.

SAML/SSO is not mutually exclusive with other authentication methods, so enabling SAML/SSO is not disruptive (accounts configured with local password or LDAP/Active Directory

authentication can still authenticate). In order to switch to SAML/SSO exclusively as authentication method for web browser interaction, perform the SAML/SSO configuration steps below and disable LDAP/Active Directory and Username/Password authentication. Note that API Key based authentication cannot be entirely disabled, but only administrators can create accounts with API keys.

Identity provider setup

Require that an administrator of the Identity provider used by your organization sets up a SAML 2.0 integration with DCT (an integration is sometimes called a Relying party trust, or an application).

The exact instructions are product specific, but the following input values must be provided:

Name	• Alternative name depending on product	Value
Single Sign-on URL	<ul style="list-style-type: none">• SAML Assertion Consumer Service• ACS• Recipient URL• Destination URL• Relying party SAML 2.0 SSO• Service URL• Reply URL	<a href="https://<dct-hostname>/v2/saml/SSO">https://<dct-hostname>/v2/saml/SSO
Audience URI	<ul style="list-style-type: none">• SP Entity ID	<p>Any value can be selected, as long as the same value is set in the Identify Provider configuration and DCT configuration. We recommend:</p> <p><a href="https://<dct-hostname>">https://<dct-hostname></p>

	<ul style="list-style-type: none"> • Relying Party trust identifier 	
Binding	<ul style="list-style-type: none"> • POST 	
Protocol		SAML 2.0 WebSSO protocol

The identity provider must be configured to include the email address as Nameld attribute, and DCT will use the email attribute as a unique identifier for users when connecting via SAML/SSO.

DCT SAML/SSO setup

Once the configuration has been performed at the Identity provider, use the saml-config API endpoint to configure DCT accordingly. Copy the metadata from the Identity Provider using a web browser and provide it directly to DCT.

The Identity provider (IDP) metadata is a standardized XML document providing the SAML Service Provider (DCT) with the necessary information to verify the validity of incoming login requests and initiate a SAML/SSO login flow.

If `auto_create_users` is enabled, DCT will create accounts automatically when they login with SAML/SSO for the first time. If this is disabled, an administrator must create a DCT account with an email attribute matching the value from the SAML/SSO Identity provider before they can login. When `auto_create_users` is enabled, any user configured to authenticate via the Identity provider can authenticate to DCT, by default with an empty authorization set (i.e not being able to view any data or perform any action).

Without network access, provide the IDP metadata directly:

```
Unset
curl --location --request PUT
'https://<hostname>/v2/management/saml-config' \
--header
'Content-Type: application/json' \
--header 'Accept:
application/json' \
--header 'Authorization: apk <your API key>' \
--data-raw '{ "enabled": true, "auto_create_users": true,
"metadata": "<json-escaped-idp-metadata-xml-blob>" , }'
```

Copy



The IDP metadata must be JSON escaped. On a terminal with `./jq` installed, this can be achieved with the following command: `jq --slurp --raw-input <<< 'xml-metadata-here'`

Login

The SAML 2.0 protocol defines two login procedures: The Service Provider initiated flow starts by having users point their web browser to `https://<dct-hostname>/v2/saml/login` to login, while the Identity provider initiated flow starts at the Identity provider (details specific to Identity provider vendor). DCT supports both flows. The SAML/SSO authentication method is not intended for API interaction, and cannot be used with the Swagger UI.

After successful authentication, the web browser is redirected to the UI landing page and the navigation bar can be used to go to the desired page. The session expires 24 hours after login.

Troubleshooting

There was an issue in SAML authentication: The assertion cannot be used before <timestamp>

The above error message, which is accompanied by com.coveo.saml.SamlException: The assertion cannot be used before <timestamp> error in the application logs, indicates that DCT was not able to validate the timestamp of the authentication provided by the Identity Provider. This is usually due to the system clock of the machine running DCT being incorrectly configured. Consider using NTP to maintain the machine's clock up to date.

There was an error fetching data

The above error message indicates that the current account does not have permission to view the data displayed on the page. Remember that, while DCT creates accounts automatically upon login when `auto_create_users` is enabled, by default accounts are created without any authorization and thus cannot see any data. Review the section below to see how SAML/SSO group membership can be assigned automatically at account creation.

Configure LDAP/Active Directory groups

In addition to being an authentication method, the LDAP/Active Directory integration can optionally also be used to retrieve additional attributes about the accounts authenticating: first name, last name, email address and group membership.

DCT only supports retrieving groups which are exposed as an attribute of the LDAP/Active Directory user record. DCT can not fetch groups membership from group records at the LDAP/Active Directory, and thus also does not support nested groups.

Group memberships are retrieved at authentication time, using the account credentials. DCT does not need credentials of an LDAP/Active Directory administrator, but will only be able to retrieve group memberships if LDAP/Active Directory users have the right to read the corresponding attribute.

This can be enabled by setting additional arguments to the domain API object.

search_base	<p>The Context name in which to search. Being specific enables faster LDAP search.</p> <p>To construct the search_base DN string according to your LDAP/Active Directory server, using an LDAP browser, navigate to a user, and then construct the search_base DN in reverse order from the User, up the folder hierarchy. For example:</p> <p>If a User DN is:</p> <p>CN=some-user-id,CN=Users,DC=mycompany,DC=co</p> <p>The corresponding search base might be:</p> <p>CN=Users,DC=mycompany,DC=co</p>
email_attr	<p>Name of the attribute in the LDAP/Active Directory server containing email addresses.</p> <p>Example: mail</p>
last_name_attr	<p>Name of the attribute in the LDAP/Active Directory server containing last names</p> <p>Example: sn</p>
first_name_attr	<p>Name of the attribute in the LDAP/Active Directory server containing first names</p> <p>Example: givenName</p>

group_attr	<p>Name of the attribute in the LDAP/Active Directory server containing group(s) membership. This can be a multi-valued attribute.</p> <p>Example: memberOf</p>
search_attr	<p>Name of the attribute in the LDAP/Active Directory server of which value corresponds to the username provided to the DCT login requests.</p> <p>For Active Directory, this is usually sAMAccountName.</p> <p>Example: If the search base is CN=Users,DC=mycompany,DC=co and the search_attr is principalName, DCT will search for a record with a principalName matching the username provided to the login request under the CN=Users,DC=mycompany,DC=co sub tree.</p>
object_class_attr	<p>Restricts search to records with an objectClass matching this value.</p> <p>Example: person</p>

Active Directory example

The following requests enable LDAP authentication over SSL with an Active Directory server at address activedirectory.company.co, using the us.company.co domain, and configures optional attributes to retrieve first name, last name, email address, and group membership from the users sub-tree.

Unset

```
curl --location --request PUT
'https://<hostname>/v2/management/ldap-config' \ --header
'Content-Type: application/json' \ --header 'Accept:
application/json' \ --header 'Authorization: apk <your API key>' \
--data-raw '{ "enabled": true, "auto_create_users": true,
"hostname": "activedirectory.mycompany.co", "enable_ssl": true,
```

```
"port": 636, "domains": [ { "msad_domain_name": "mycompany.co",  
"search_base": "CN=Users,DC=mycompany,DC=co", "email_attr": "mail",  
"first_name_attr": "givenName", "last_name_attr": "sn",  
"group_attr": "memberOf", "object_class_attr": "person",  
"search_attr": "sAMAccountName" } ] }
```

Copy

With the above config, when a user logs in with username John, DCT will:

1. Authenticate with the Active Directory server using the user principal name john@mycompany.co and supplied password.
2. Search in the CN=Users,DC=mycompany,DC=co sub tree a record with objectClass=person and sAMAccountName=john.
3. Create or update a DCT Account record with the attributes extracted from the Active Directory server.
4. For each group membership found in the memberOf of the Active Directory server, an account tag is created with key=login_groups and value is the group name. These tags are protected (i.e cannot be modified within DCT) and can be securely used to control access groups membership.

As explained above, the ldap-config/validate API endpoint can be used to validate that each of the attributes corresponding to LDAP/Active Directory attributes.

Replace HTTPS certificate for DCT

By default, to enable HTTPS, DCT creates a unique self-signed certificate when starting for the first time. This certificate and private key are configured in the values.yaml file under:

Unset

```
proxy: crt:<certificate_value> key:<private_key_value>
```

Copy

To use your own certificates, these default values need to be replaced. They are Base64 encoded values of the certificate and key, respectively.

- To generate the Base64 encoded value of the certificate:
`cat my_cert_file.pem | base64 -w 0`
- To generate the Base64 encoded value of the key:
`cat my_private_key.key | base64 -w 0`

Generating a new TLS certificate and private key could require the assistance of your Security or IT departments. A new key pair (public and private key) will need to be created, in addition to a certificate signing request (CSR) for that key pair. Your IT department should be able to determine the correct certificate authority (CA) to sign the CSR and produce the new certificate. The common name of the certificate should match the fully qualified domain name (FQDN) of the host, as well as the FQDN as a Subject Alternative Name (SAN).

- After changing the `crt` and `key` values in `values.yaml` file. Run the HELM upgrade command:

Unset



```
helm upgrade -f values.yaml dct-services delphix-dct
```

- Copy
- After upgrading the helm chart, restart the proxy pod to pick the new certificates:

Unset



```
kubectl rollout restart deployment proxy -n dct-services
```

External database support

Overview

DCT uses a PostgreSQL database to store all the persistent data powering the application (engines, VDBS, compliance jobs, accounts, permissions, etc.). By default, a PostgreSQL container image is packaged along with the DCT application and deployed along other pods onto the Kubernetes cluster, storing its persistent data into the `gwdatabase-data` persistent volume.

Alternatively, DCT can be configured to use an external PostgreSQL database instead, to which DCT connects over TCP and can then run anywhere (typically outside of the Kubernetes cluster).



External database support is only available for Kubernetes and OpenShift deployments. Docker Compose installations are not eligible.

Requirements

- Database type: PostgreSQL
- Min supported version: 12.16
- Max supported version: 14.9

Setup

PostgreSQL database setup

The following databases must be created prior to connecting DCT: app, jobs, data-library, and bookmarks.



Quotes must be used to create or connect to the "data-library" databases, since its name contains a hyphen (-). Creating the database with a different name (such as data_library) will NOT work.

A PostgreSQL user must be created for DCT, with either the admin privilege or ALL privilege on the above databases. The following SQL script exemplifies the creation of required databases, granting privileges to a pre-existing dct_user (role) user.

Unset

```
CREATE DATABASE "bookmarks" ; GRANT ALL PRIVILEGES ON DATABASE  
"bookmarks" TO dct_user ; CREATE DATABASE "data-library" ; GRANT  
ALL PRIVILEGES ON DATABASE "data-library" TO dct_user ; CREATE  
DATABASE "jobs" ; GRANT ALL PRIVILEGES ON DATABASE "jobs" TO  
dct_user ; CREATE DATABASE "app" ; GRANT ALL PRIVILEGES ON  
DATABASE "app" TO dct_user ;
```

Copy

DCT setup

Edit the values.yaml file to set useExternalDatabase to true and also provide the dbHost, dbPort, dbUser, and dbPassword, then run the following.

Unset

```
helm upgrade -f values.yaml dct-services delphix-dct
```

Copy



Previous versions of DCT required the aforementioned properties to be base64 encoded, but the values must be plain text values, as shown in the following excerpt:

```
useExternalDatabase: true
dbHost: "database-host.company.co"
dbPort: 5432
dbUser: "dct_user"
dbPassword: "dct_user_password"
```



If the password is stored as exemplified above in the values.yaml file, make sure to store this file in a secure location. Alternatively, set the value using the --set option flag in the HELM upgrade command, as shown in the following excerpt:

```
helm upgrade -f values.yaml --set dbPassword=dct_user_password
dct-services delphix-dct
```

- After upgrading the HELM chart, restart the pods to pick the changes:

Unset

-

```
kubectl rollout restart deployment data-library -n
dct-services kubectl rollout restart deployment
data-bookmarks -n dct-services kubectl rollout restart
deployment jobs -n dct-services kubectl rollout restart
deployment gateway -n dct-services
```

- Copy

Backup and recovery

When using an external database, the gwdatabase-data persistent volume (created at default by DCT) to store database data is not used. Backing up and restoring the external database is not managed by DCT. Frequent or continuous backups are required, otherwise, DCT data will be lost.

The gateway-data persistent volume must still be backed up because it contains an encryption key, which is used to encrypt sensitive data at the application-level before being sent to the database. A backup of the external database cannot be restored successfully without a corresponding backup of gateway-data, as DCT would not be able to decrypt some of the data in the database. The encryption key in gateway-data does not change after having been initially created, so backups of it do not need to be scheduled at the same time as database backups.

External database migration or upgrade

The external database can be migrated to a different host, and/or upgraded to a different version at any time, as long the version requirements above are met. If the database is unavailable for a period of time, the DCT application will temporarily fail (internal server errors on all API calls), but will recover automatically without the need for a restart. However, in case of planned maintenance, upgrade, or migration, the following procedure should be followed:

1. Stop (shutdown) the DCT application.
2. Upgrade or migrate the database.
3. If necessary, set the updated database properties in values.yaml, and run `helm upgrade`.
4. Start the DCT application.

DCT upgrade

Before upgrading to a new DCT version, review the documentation to identify if the external database version is compatible. If the external database version is unknown, call the metadata-database API endpoint to get the information.

Unset

```
curl -k --location --request GET  
'https://<dct-server>/v3/management/metadata-database' \  
--header 'Accept: application/json' \  
--header 'Authorization: apk <api-key>' { "external": false, "version": "14.9",  
"database_product_name": "PostgreSQL", "major_version": 14,  
"minor_version": 9, "min_supported_major_version": 12,  
"min_supported_minor_version": 16,  
"max_supported_major_version": 14,  
"max_supported_minor_version": 9, "compatible": true }
```

Copy

If the version of the external database is not compatible with the requirements of the DCT version being upgraded to, follow the instructions in the External database migration or upgrade section above before upgrading.



The selected PostgreSQL version to upgrade to must be compatible with both the currently running DCT version *and* the upgrade version.

After the upgrade, verify if the external database is compatible with DCT by inspecting the `compatible` property of the `metadata-database` API endpoint (as shown above).

DCT data backup, recovery, and migration



This method is only applicable for Kubernetes and OpenShift.

- For Kubernetes, use the `kubectl` command prefix.
- For OpenShift, use the `oc` command prefix.

The following directions will guide you through a Data Control Tower (DCT) back, recovery, and migration. They can be used for a “lift and shift” or a “blue-green” deployment. However, the backup and recovery steps are standardized and can be applied in one-off scenarios as well.

This page refers to the two DCT servers as Initial and Destination.

Example deployment scenarios

An example of a “lift and shift” deployment could be:

1. Backup the running *Initial* server pre-upgrade.
2. Upgrade the *Initial* server to the desired version and confirm functionality.
3. Backup the *Initial* server post-upgrade.
4. Install a new *Destination* server as the same *Initial* server’s post-upgrade version.
5. Restore the *Initial* post-upgrade backup to the *Destination* server.
6. Restart the *Destination* services and confirm functionality.
7. Shutdown the *Initial* server or maintain it for further testing.

An example of a “blue-green” deployment could be:

1. Backup the running *Initial* server.
2. *Install* a new *Destination* server with the same *Initial* server’s version.
3. Restore the *Initial* backup to the *Destination* server.
4. Restart the *Destination* services and confirm functionality.
5. Upgrade the *Destination* server to the newer version and confirm functionality.
6. Redirect traffic to the *Destination* server.
7. Shutdown the *Initial* server or maintain it for a future blue-green deployment.

Prerequisites

1. The *Initial* (source) DCT server is up and running.
 - a. Referred to as `svr_source` in any CLI commands.
2. The *Destination* (target) DCT server is installed in a separate Kubernetes cluster.
 - a. It is the same version as the *Initial* DCT server when the backup is taken.
 - b. Referred to as `svr_target` in any CLI commands.
3. We can share backup files from *Initial* to *Destination* environments.
4. Sufficient access to perform various `kubectl` commands on both the Initial and Destination clusters.

Directions

1. Backup

First, ensure the *Initial* DCT server is running, to take a successful backup. Then, run the following two commands:

Unset

```
kubectl cp <svr_source-gateway-pod>:/data data --namespace  
<svr_source-namespace>
```

Copy

Unset

```
kubectl exec -it <srv_source-database-pod> --namespace  
<srv_source-namespace> -- pg_dumpall -U postgres >  
postgres_db_all.sql
```

Copy

This will create two files: `data` and `postgres_db_all.sql`:

- `data` is the Gateway pod's persistent volume containing various configuration information.
- `postgres_db_all.sql` is a complete database backup.

2. Restore

Ensure the *Destination* DCT server is running to restore successfully. In addition, make the `postgres_db_all.sql` and `data` files available to the *Destination* cluster in the subsequent steps.

Then, run the following four commands:

Unset

```
kubectl cp data  
<srv_target-namespace>/<srv_target-gateway-pod>:/data
```

Copy

Unset

```
kubectl cp postgres_db_all.sql  
<srv_target-namespace>/<srv_target-database-pod>:/tmp
```

Copy

Unset

```
for i in app bookmarks data-library jobs { kubectl exec -it  
<srv_target-database-pod> --namespace <srv_target-namespace> --  
dropdb $i }
```

Copy

Unset

```
kubectl exec -it <srv_target-database-pod> --namespace <srv_target-namespace> -- psql -U postgres -f /tmp/postgres_db_all.sql
```

Copy

Finally, delete and restart the DCT pods:

Unset

```
for i in `kubectl get pods --namespace <srv_target-namespace> | awk '{print $1}' | grep -v jobs-cleaner | egrep "gateway|data-library|jobs|data-bookmarks"` { kubectl delete pod $i -n <srv_target-namespace> }
```

Copy



After deleting the pods, Kubernetes will automatically recreate them and absorb the new database backup, and gateway volume data.

3. Additional environment configuration

The HELM chart's `values.yaml` contains information specific to your environment, such as certificates, hostname, or resource limits. You can update this information before or after the migration process. The standard installation and configuration process can be followed to update these values.

Exporting DCT logs to Splunk Overview

This article provides some tips for configuring DCT (running on Kubernetes) to send logs to Splunk and extract useful information in Splunk.

Setting up a Splunk instance

Authenticate with Splunk via the web portal and install the third-party [Monitoring Kubernetes](#) app directly via the Splunk UI, then enable HTTP Event Collector in Splunk and save the HTTP Event Collector token for future use.

Enable Splunk log forwarding

Once the Splunk instance is setup, follow the instructions to install Splunk logic in the Kubernetes cluster to forward logs to Splunk. This [blog post](#) is a useful resources to understand the log collection and configuration options.

Unset

```
git clone  
https://github.com/splunk/splunk-connect-for-kubernetes.git  
cd  
splunk-connect-for-kubernetes/helm-chart/splunk-connect-for  
-kubernetes edit values.yaml
```

Copy

Edit values.yaml, at the minimum the host property (hostname of the Splunk collector) and token (of the HTTP Event Collector) must be set.

Unset

```
global: logLevel: info splunk: hec: # host is required and should  
be provided by user host:  
<insert-splunk-http-event-collector-hostname-here> # port to  
HEC, optional, default 8088 port: # token is required and should  
be provided by user token: <insert-token-here>
```

Copy

Install the helm chart and and after a few minutes DCT logs will be visible in Splunk.


Unset

```
helm install splunk-connect-for-kubernetes . -f values.yaml  
--set  
splunk-kubernetes-logging.fullnameOverride=splunk-logging
```

Copy

Search for events in Splunk

In the Splunk Cloud UI, via the “Monitoring Kubernetes” App, you can “search” for data sent by Kubernetes, as exemplified in the screenshot below. The bootstrap API key can be found as shown.



The screenshot shows the Splunk Cloud UI interface. At the top, the URL is https://prd-p-h6jvj.splunkcloud.com/en-US/app/monitoringkubernetes/search. The navigation bar includes links for Overview, Workloads, Monitoring, Top, Events, Logs, Cluster, Review, Security, Setup, Search (which is selected), Alerts, and Dashboards. On the right side of the header, there is a user profile for Eyal Kaspi and a help icon. The main search area is titled "New Search" and has a search bar with "NEWLY" and "Last 24 hours". It shows a single event from 2/5/23 to 2/6/23. Below the search bar are buttons for Job, standard_perf (search default), and Smart Mode. The search results are displayed in a table with columns for Time and Event. One event is shown: "2/6/23 9:38:33.646 AM" with the text "GENERATED API KEY: 1.r2hSuye1RLY86GF1q7nPH9ngQNo20rQLzVzKzPZmsVTbhdBt44qpDz1c13N8XSW0f". The "Event" column also lists host, source, and sourcetype. At the bottom left, there is an "extract new fields" wizard with fields for ipaddress, endpoint, accountid, etc. The results are set to 20 per page.

The example screenshot below shows a search for \\"nginx\\", with use of the “extract new fields” wizard on the bottom left, which has Splunk parse the Nginx access logs. A regexp is used to name some of the fields like ipaddress, endpoint, accountid, etc. The example runs a search to return API requests associated with accountid.

New Search

index=_* OR index=* sourcetype=kube:container:proxy AND account!="[:]" AND endpoint!=""^POST /v2/management/accounts/search ?limit=50&sort=first_name HTTP/1.1\"200"

Last 24 hours ▾

✓ 27 events (2/6/23 10:00:00.000 AM to 2/6/23 10:09:16.000 AM)

No Event Sampling ▾

Events (27) Patterns Statistics Visualization

Format Timeline ▾ - Zoom Out + Zoom to Selection × Deselect 1 hour per column

account ▾

_time	host	endpoint	account
2/6/23 9:51:49.353 AM	docker-desktop	"POST /v2/management/accounts/5/tags HTTP/1.1"201	[4:admin-user-1]
2/6/23 9:51:42.976 AM	docker-desktop	"POST /v2/management/accounts HTTP/1.1"201	[4:admin-user-1]
2/6/23 9:51:35.547 AM	docker-desktop	"POST /v2/reporting/virtualization-storage-summary-report/search?limit=15&sort=-used_percentage HTTP/1.1"200	[4:admin-user-1]
2/6/23 9:51:35.547 AM	docker-desktop	"POST /v2/reporting/virtualization-storage-summary-report/search?limit=50&sort=-used_storage HTTP/1.1"200	[4:admin-user-1]
2/6/23 9:51:24.846 AM	docker-desktop	"POST /v3/access-groups/admin-user-1/policies HTTP/1.1"200	[1:-]

Generating a support bundle

Find the “`collect_bundle.sh`” script

- The support bundle tar file is available on the [downloads site](#).
- Once the file is downloaded, untar the file to find the script.

Unset

```
dplxuser@delphix:~/test$ tar -xvf
dct-support-bundle-1.0.1.tar.gz x ./x ./collect_bundle.sh x
./README x ./VERSION
```

Copy

Execute the “collect_bundle.sh” script when DCT is running in Kubernetes

- Transfer the “collect_bundle.sh” script to the machine where you have permissions to execute kubectl commands against the DCT pods.



You must install the bash shell to generate a DCT support bundle, if it is not already.

- Execute the “collect_bundle.sh” script, which assumes a Kubernetes deployment by default. The script may need to run with “sudo”, if root permissions are needed to run the kubectl commands.
- If the namespace is not the default “dct-services”, use the “-n” flag and pass the correct namespace.

Unset

```
dplxuser@delphix:~/test/tools/support-scripts/$  
. ./collect_bundle.sh -n <custom_namespace> .... DCT support  
bundle collection started at Thu Jun 22 12:35:05 EDT 2023  
Collecting logs from all DCT containers.....
```

[Copy](#)

Execute the “collect_bundle.sh” script when DCT is running in Docker-Compose

- Transfer the “collect_bundle.sh” script to the machine where you have permissions to execute docker commands against the DCT Docker-Compose application.



You must install the bash shell to generate a DCT support bundle, if it is not already.

- Execute the “collect_bundle.sh” script with the “-d” parameter. The script may need to run with “sudo”, if root permissions are needed to run the docker commands.

Unset

```
dpxuser@delphix:~/test/tools/support-scripts/$  
./collect_bundle.sh -d ... DCT support bundle collection started  
at Thu Jun 22 12:35:05 EDT 2023 Collecting logs from all DCT  
containers.....
```

Copy

Find the generated support bundle tar file

The resulting support bundle will be located at `dct-support-****.tar.gz`, inside the current directory.

Unset

```
dpxuser@delphix:~/test$ ls -ltr total 316 -rw-r--r-- 1 65436  
staff 104189 Feb 17 08:52  
dct-support-<current_timestamp>.tar.gz
```

Copy

The support bundle tar file contains the following information:

- DCT logs for all of the containers.
- A java heap dump, `.hprof`, if one exists.
- A java thread dump and memory stats.
- The output of docker stats, if running in Docker-Compose.
- The output of `cputinfo`, `meminfo`, and `mpstat` for each container, if running in Kubernetes.
- The output of `kubectl get pods -o json` for each container, if running in Kubernetes.



- The collect_bundle.sh generates a support bundle from a DCT engine running in Docker or Kubernetes.
- The resulting support bundle will be at ./dct-support-****.tar.gz inside the container.
- The user must have privileges or permission to execute the docker or kubectl, commands in order to generate the support bundle.

Data governance

[DCT administration](#)


[Central governance workflows](#)

[Operations Monitoring](#)

[Insight reports](#)

DCT administration

DCT delivers a management layer on top of all connected Delphix engines through surfacing object inventories, instrumenting all common Delphix operations, delivering a business metadata layer with tagging, and using those tags to drive attribute-based access control. This provides the ability for administrators to deliver a highly curated and secure Delphix experience for automation and end-users.



This section contains configurations handled under the Admin page in the DCT interface.

Operations page

Operations

An Operations page is available under the Admin menu to display the list of all the DCT Jobs across Delphix infrastructures. It only shows operations that the user has access to.

This page displays the relevant details for the operation, such as status, type of job, target id (refers to the id of the object on which the operation has been performed), start time, last updated time, etc. In versions 10.0.0 and above, a column shows the initiator of the operation.

The screenshot shows the Delphix Data Control Tower interface. The top navigation bar includes links for Home, Data, Compliance, Insights, Admin, and a user account (jk-admin). The main content area is titled 'Operations' and contains a sub-instruction: 'Operations shows you all the various operations and their status across Delphix infrastructure.' Below this is a search bar with a placeholder 'Search' and a button labeled 'Search (All)'. A dropdown arrow is positioned next to the search bar. The main table lists ten operations, each with columns for Status, ID, Start Time, Last Updated Time, Target ID, Type, and Initiator. The 'Operations' tab in the sidebar is highlighted. The table rows show various statuses like Completed, Failed, and Started, along with specific operation details such as target IDs and types like Database Template U... or VDB Enable.

Status	ID	Start Time	Last Updated Time	Target ID	Type	Initiator
Completed	84ffeb6be365477795...	Aug 21, 2023 5:40 P...		8ff938de-e995-49c1...	Database Template U...	View >
Completed	5ef3335d025420ca...	Aug 21, 2023 4:38 P...		8ff938de-e995-49c1...	Database Template U...	View >
Completed	e9b0886588684e738...	Aug 21, 2023 4:38 P...		8ff938de-e995-49c1...	Database Template C...	View >
Failed	c64395ac8d9a45f69...	Aug 21, 2023 4:16 P...	Aug 21, 2023 4:16 P...	2-MSSQL_DB_CON...	VDB Enable	View >
Completed	672e2863cdff4cd59e...	Aug 21, 2023 4:09 P...	Aug 21, 2023 4:10 P...	2-MSSQL_DB_CON...	VDB Disable	View >
Failed	7478c4205143467c8...	Aug 21, 2023 4:06 P...	Aug 21, 2023 4:06 P...	2-MSSQL_DB_CON...	VDB Enable	View >
Started	e28977b226a545d79...	Aug 10, 2023 4:49 P...	Aug 10, 2023 4:49 P...	2-MSSQL_DB_CON...	VDB Start	View >
Failed	d936bdd527b641fe8...	Aug 4, 2023 12:39 P...	Aug 4, 2023 12:40 P...	1-UNIX_HOST_ENVI...	Environment Enable	View >
Completed	b3774e1148b4c4ea8...	Aug 4, 2023 12:37 P...	Aug 4, 2023 12:37 P...	1-UNIX_HOST_ENVI...	Environment Disable	View >
Failed	abdb2987aca942d2b...	Aug 4, 2023 12:35 P...	Aug 4, 2023 12:36 P...	2-MSSQL_DB_CON...	VDB Enable	Account-1 View >

1 to 31 of 31 < Page 1 of 1 >

The capture above represents an admin user view of the Operations page.

The capture below represents a non-admin user view of the same page.

The screenshot shows the Delphix Data Control Tower interface. The left sidebar has a navigation menu with options: Accounts, Access Groups, Roles, Authentication, and Operations. The 'Operations' option is selected and highlighted in blue. The main content area is titled 'Operations' and contains a brief description: 'Operations shows you all the various operations and their status across Delphix infrastructure.' Below this is a search bar with a placeholder 'Search' and a button 'Search (All)'. A table lists two completed operations:

Status	ID	Start Time	Last Updated Time	Target ID	Type	Action
Completed	6c74f12010d74c2f99c63c55185bef3a	Jul 25, 2023 11:49 AM (As...)	Jul 25, 2023 11:55 AM (As...)	1-WINDOWS_HOST_EN...	Environment Enable	View >
Completed	7aaef17b8a1b45ae892ed...	Jul 25, 2023 11:48 AM (As...)	Jul 25, 2023 11:49 AM (As...)	1-WINDOWS_HOST_EN...	Environment Disable	View >

At the bottom right of the main content area, there are pagination links: '1 to 2 of 2', '< Page 1 of 1 >'.

Further details regarding the job, such as target id, error, or warning logs can be viewed by clicking on the View link, which navigates to the details page.

The screenshot shows the 'Operations' details page for a specific job. The URL in the browser is 'Operations > 6c74f12010d74c2f99c63c55185bef3a'. The page is divided into three sections: 'Details', 'Errors', and 'Warnings'.

Details:

- Status:** Completed
- Type:** Environment Enable
- Start Time:** Jul 25, 2023 11:49 AM
- Last Updated:** Jul 25, 2023 11:55 AM
- Target ID:** 1-WINDOWS_HOST_ENVIRONMENT-6
- Engine:** jk-2505

Errors: No error logs available.

Warnings: No warning logs available.

ags

Tags management

DCT powers data governance with tags. These key-value pairs can be used to associate any business-level data with any Delphix object, to drive greater intelligence in

automation, administrative workflows, data access, and reporting. Advanced search for tags is available.

Tags are individual attributes on every object exposed in DCT; from VDBs, to compliance jobs, and even users. There are no limits on tag count per object and character limits are set for flexibility to enable robust grouping.

Administrative tagging

Tags can be managed from the UI by selecting “View Tags” for a particular object on its global list page. The below example shows the tag configuration screen for a dSource “AGDatabaseSQL2016” and multiple tags have been added to characterize that particular object:

Add Tags for "AGDatabaseSQL2016".

App Team: Alpha X	Remove
Application: Finance X	Remove
Data Center: West Coast X	Remove
Primary Owner: John Smith X	Remove
Secondary Owner: Jane Doe X	Remove

Enter Tag Key Enter Tag Value + Tag

Cancel Add Tags

DCT tags enable complex searching to enable intelligent reports. A demonstration using the above example dSource and using expression-based search to filter dSources with the {App Team: Alpha} tag.

dSources

An overview of data sources across your Delphix infrastructure.

Search: tags CONTAINS {key EQ 'App Team' AND value EQ 'Alpha'}

Expression Search

Delphix supports expression-based searching. See below for examples of the search syntax.

Status	Name ↑	Type	Engine	Tags	Action
UNKNOWN	AGDatabaseSQL2016	MSSql	amit-engine	View tags (5) >	View >
UNKNOWN	AppFS_cust_master	Unstructured Files	Test Engine	View tags (1) >	View >
UNKNOWN	AppFS_master	Unstructured Files	Test Engine	View tags (1) >	View >

© 2022 Delphix. All Rights Reserved. Private and Confidential.

Tags powering attribute-based Access Control

Tags also power the DCT permissions system for both Accounts (users) and Role Scopes (object entitlements). The below example shows an Access Group (Alpha Team) with the Accounts tab on display. Notice that the accounts tab has {App Team: Alpha} under “tag mapping”, which automatically attributes any users with the {App Team: Alpha} tag.

DATA CONTROL TOWER

Access Group
Alpha Team
e35a45ad-4c19-41fb-a6c0-b8a0df9e68e9

Accounts Roles Access

Tag Mapping

Associated Accounts

+ Manually Add Accounts


Search

ID Username ↑ Name Email Addition

4 John Smith John Smith johnsmith@company.com App Team: Alpha

[View >](#)

The same goes for Scoped Roles under the “Roles” tab. The Alpha Team role has been mapped to the {App Team: Alpha} tag and all dSources with that same tag are automatically attributed.




Access Control

Data Control Tower (DCT) fundamentally changes how application teams are governed across the Delphix Platform to ease expansion and management burden. Previously, Delphix administrators were focused on managing individual user-level access on each engine. This made it difficult as teams increased their data set requirements. This inevitably led to more time managing engine access and not rolling out test data management (TDM) practices. Now with DCT, all users are managed and access their data sets through a centralized server. This makes it easier for administrators to manage the Delphix Platform and application teams to utilize the self-service capabilities.

To take advantage of DCT's new capabilities, Delphix administrators will implement a centralized Attribute Based Access Control (ABAC) model. This is performed by consolidating permission management from the engines to DCT, implementing Access Group policies, and assigning Object tags. The flexibility of this approach ensures your company's required security model can be maintained or even further refined.

The below picture attempts to show the shift in access models. In the original Engine Model, the engines were isolated from one another. No access control mechanisms were shared between Engines. In the DCT Model, Delphix administrators will manage applications teams directly through DCT. Those application teams will log directly into DCT. Only administrators will log into the Engines for advanced usage.




Access model overview

Data Control Tower implements a model that you might find in other types of software called Attribute Based Access Control (ABAC). This model is incredibly flexible but requires detailed configuration to perfect your use cases. In our model, there are four entity types which are defined below. Understand each entity as they are the foundational blocks of DCT's ABAC model.

Entity	Description	Managed By
Accounts (aka Users)	A single or shared user who can authenticate with DCT (UI or API).	Create manually or via Identity Provider (IdP), such as SSO or LDAP. Accounts are independent of Delphix Engines.
Access Groups	A collection of accounts that share one or more characteristics, such as a Team or Permission set. Equivalent to an Active Directory group.	Manually created. Populated manually or via the 'login_groups' tag.
Roles and Permissions	The collection of read, write, and delete permissions forms a reusable, named role.	Some roles are provided out of the box, but Admins can build their own from the available permissions. Individual permissions are immutable.

Objects	Units, such as VDBs, Bookmarks, and Environments, that are managed across the Delphix Platform.	Automatically identified by DCT from the connected engines. Assigned to Roles via various models. The CD and CC Engines supply these objects.
---------	---	---

Each entity is linked to another through manual or automated assignment. A manual (or direct) assignment is a good approach for early implementations. However, it can be challenging to maintain as teams grow. As an alternative, Tagging is suggested as it performs automatic assignments based on your custom configuration. The below diagram shows how each entity is linked together. The directions below start with Accounts creation to Access Groups with Role assignments and finish with Object mappings.




Understanding your team structure is imperative to identify the best access model. Usually, organizations have existing groupings defined in their Identify Provider (IdP). These groups are typically organized in one of two ways (a) a team dedicated towards a central goal (such as a product development team) or (b) a group of individuals with similar permissions (such as Security Administrators). Understanding the purpose of each group should be a guide in how the Roles and Permissions are designed. For example, the Alpha product development team might have full permission to manage existing VDBs and create new bookmarks for their team's "Alpha" objects. On the other hand, Security Admins might have sweeping read and disable access across the entire platform to ensure compliancy. Iterating through each Access Group and designing custom, but re-useable roles, based on the [Principle of Least Privilege](#), will produce a streamlined rollout.

Accounts: Manual, LDAP/AD, or SSO/SAML

Accounts: Manual, LDAP/AD, or SSO/SAML

Goal: Import or create user accounts. Complete either the Manual or LDAP/SSO configuration.



Manual (User List)

Navigate to Admin > Accounts, click the “+ Account” button, and complete the form.

Screenshot of the Data Control Tower Admin interface, specifically the Accounts page:

- Header:** DATA CONTROL TOWER, Home, Data, Compliance, Insights, Admin, secure-key, profile icon.
- Left Sidebar:** Accounts (selected), Access Groups, Roles, Authentication.
- Main Content:**
 - Section Title:** Accounts
 - Description:** Manage accounts that can access Data Control Tower.
 - Search Bar:** Search (All) dropdown.
 - Table Headers:** ID, Username, Name ↑, Email, Tags.
- Buttons:** + Account (top right).

Manual accounts are great for testing user access or providing a service account. Take note of the checkboxes by which you want this user to access DCT.

The screenshot shows the 'Create Account' dialog box from the Data Control Tower (DCT) interface. The dialog has a white background and a dark blue header bar at the top. In the top right corner of the header, there is a three-line menu icon. The main title 'Create Account' is centered at the top of the dialog. Below the title, a sub-instruction reads: 'Create an account and specify the authentication method.' There are four input fields: 'Username' (with a red 'X' icon), 'First Name', 'Last Name', and 'Email'. Below these fields is a group of three checkboxes: 'Add "admin" role to account access group', 'Enable Authentication with username and password', and 'Generate API Key'. Underneath these checkboxes is a section titled 'Add Account Tags' with the sub-instruction: 'Account tags help you group and organize DCT accounts'. It contains two input fields: 'Enter Tag Key' and 'Enter Tag Value', followed by a '+ Tag' button. At the bottom of the dialog are two buttons: 'Cancel' and 'Create Account' (which is highlighted in blue).

When you have specified all required values, select the “Create Account” button. By default, this user will have no permissions.

LDAP/Active Directory or SSO/SAML (3rd Party Service)

Navigate to Admin > Authentication, click “Edit” for either LDAP/AD or SSO/SAML, and complete the form. Ensure “Auto-create Users` is enabled. It can be disabled at any time.

If you need guidance on how to configure, follow the directions here:

- [LDAP/AD Directions](#)
- [SSO/SAML Directions](#)

Authentication Settings	
LDAP/AD	Edit
Status Disabled	
LDAP Server None	
Port None	
Auto-create Users Enabled	
Enable SSL Enabled	
Insecure SSL Disabled	
Unsafe SSL Hostname Check Disabled	
SSO/SAML	Edit
Status Disabled	
Entity ID None	
First Name Attribute None	
Last Name Attribute None	
Group Attribute None	
Response Skew 120	
Auto-create Users false	

Once configured, Accounts will be automatically created when a user successfully logs in.



This is functionally different from the old Engine model. Previously, the Account was created manually before they could log in.

Recommended: LDAP/Active Directory Domains

It is highly recommended that we also configure group membership during this stage. By defining the metadata attributes in the option Domain fields, DCT can automatically assign users to Access Groups. If configured correctly, you will see an automatically generated `login_groups` tag on recently logged-in accounts. If an Account does not have the tag, then (a) the Domain configuration is invalid, or (b) they should re-login. The `login_groups` tag is the only tag that cannot be specified on an Account manually.

[LDAP/Active Directory Domain Groups Directions](#)


The screenshot shows the Data Control Tower web application. At the top, there's a dark header with the logo 'DATA CONTROL TOWER'. Below the header, the page title is 'Account' and the specific account name is 'Test User'. There are two tabs at the top: 'Overview' (which is selected) and 'Access'. On the left, there's a sidebar with a back arrow labeled 'Accounts' and three dots for more options. The main content area has three sections: 'Details' (with fields for Email, Username, First Name, and Last Name), 'Access Groups' (listing 'Team Alpha' and 'test'), and 'Tags' (listing 'login_groups: Alpha', which is highlighted with a red border). A vertical scrollbar is visible on the right side of the content area.

Example Account with the `login_groups` tag.

Please test these new accounts out by logging in on another browser. By default, these accounts will not have any permissions and not see anything. In the following steps, we will give them access. In addition, if configured, we'll take advantage of `login_groups` or a custom tag.

Access Groups: Creation and account assignment

Goal: Create an Access Group and assign Accounts directly or through Tags.



Access Group Creation

Next, navigate to the Admin > Access Groups tab, select the “+ Access Group” button, and complete the presented form. As described previously, these groups are based on existing teams or users with similar access. If you successfully configured the Active Directory’s Domain Groups, you can specify the `login_groups` tag and value here. Or specify a custom Tag, such as “Team: Alpha”.

You can also select Roles if you already know which should be applied. Otherwise, ignore it.

Submit the form once you are happy with your new group.

The screenshot shows the 'Create Access Group' dialog box from the Data Control Tower application. The dialog has a title bar 'Create Access Group' with a close button 'X'. Inside, there's a 'Access Group Name' field containing 'Team Alpha'. Below it is a section titled 'Select Role(s)' with a note: 'Select the roles for the access group which determine the permissions and objects the group can access.' A dropdown menu labeled 'Select Roles' is shown. Another section titled 'Select Account Tags' with the note: 'Select account tags that will automatically add corresponding accounts to this Access Group.' contains a tag entry 'login_groups: Alpha' with a delete icon, and buttons for 'Enter Tag Key', 'Enter Tag Value', and '+ Tag'. At the bottom are 'Cancel' and 'Create Access Group' buttons.



Unlike an Account, you can specify the `login_groups` tag on an Access Group shown in the picture above.

On completion, you will be presented with a page similar to the one below.
Unfortunately, it's empty. Let's add some associated Accounts now.

The screenshot shows the Data Control Tower interface. At the top, there's a logo and the text "DATA CONTROL TOWER". Below that, a navigation bar includes "Access Groups", "Team Alpha" (selected), and a three-dot menu. The main content area is titled "Access Group" and shows "Team Alpha" with ID "0144e806-1146-4a11-a929-f520fa503052". There are tabs for "Accounts", "Roles", and "Access", with "Accounts" being active. A "Tag Mapping" section has an "Edit" button. To the right is a "Associated Accounts" section with a search bar and a table header: "ID", "Username ↑", "Name", "Email", and "Addition". A message "No items." is displayed.

Manual (Direct) Assignment


Select the “+ Manually Add Accounts” button, select the desired Account, and then “Add Account”. Immediately, you’ll see it presented in the Associated Accounts list.

The screenshot shows the Data Control Tower interface with a modal window titled "Add Account to Access Group". The modal has a search input field containing "user" and a list of accounts: "39: test (Test User)", "43: user1 (User One)", "44: user2 (User Two)", and "46: user3 (User Three)". A red box highlights the "Manually Add Accounts" button at the bottom right of the modal. The background shows the "Associated Accounts" section with a search bar and a table header: "ID", "Username ↑", "Name", "Email", and "Addition". A message "No items." is displayed.


This is a good solution for quick management. However, it can be cumbersome as usage grows. Therefore, we recommend tags!

Tag Assignment

First, navigate to the Admin > Accounts tab and select an existing Account. (Feel free to create another one!) Once selected, add a custom Tag such as 'Team: Alpha'. If one already exists on the Account, such as "login_groups", remember it.



Next, navigate back to the Access Group, select the Tag Mapping's “Edit” button, and specify that same Key: Value pair. It might look similar to the below picture.



In this example, the “Team: Alpha” and “login_groups: Alpha” were added through the Access Group’s Tag Mapping widget. If configured successfully, your Access Group might look similar to the below picture. If you remove the Access Group or Account’s tag, you will see Account automatically removed from this listing.



The “login_groups” tag functions identically to a custom tag within the Access Group. Again, the only difference is that it’s automatically assigned to the Account.

The screenshot shows the Data Control Tower interface for managing Access Groups. The top navigation bar includes the Data Control Tower logo and a three-dot menu icon. The main header displays "Access Group" and the name "Team Alpha" with its ID: 0144e806-1146-4a11-a929-f520fa503052. Below the header, there are three tabs: "Accounts" (selected), "Roles", and "Access".

Tag Mapping

- login_groups: Alpha
- Team: Alpha


Associated Accounts

+ Manually Add Accounts

ID	Username	Name	Email	Addition
2	secure-key			Team: Alpha View >
39	test	Test User	user@test.com	login_groupsAlpha View >

This section taught us how to organize Accounts into different groups. This allows us to keep permission sets separated. Feel free to experiment with new Access Groups, Tags, and Accounts. If you still need additional pointers, review our [Access Groups Documentation](#).

Roles: Creation and assignment



Role Investigation and Creation

Navigate to the Admin > Roles tab. Here we see a list of DCT's default Roles. Each role has its selection of Permissions, such as Read VDB, Delete Bookmarks, Modify dSources, etc. Select "View" on the "devops" role to see its permissions.

The screenshot shows the DCT Admin interface with the "Admin" tab selected. The left sidebar has links for Accounts, Access Groups, and Roles, with Roles currently active. The main area displays a table of roles:

Name	Description	Included Object Types	Action
admin	Grants unrestricted access to all operations.	All Objects	View >
devops	Grants permission to provision, manage and delete VDBs and their infrastructure.	CDBs, VCDBs, VIRTUALIZATION_POLICY, VDB Groups, Environments, Dataset Groups, Engines, Product Info, Database Templates, dSources, VDBs, Sources, Bookmarks, Jobs	View >
masking	Grants permission to manage masking objects.	Masking Job Sets, Engines, Masking Jobs, Product Info, Jobs, MASKING_ENVIRONMENT, Connectors	View >
monitoring	Grants read access to engines, environments, sources, dsources, vtdbs, and ctdbs as well as access to all reporting APIs.	CDBs, VDB Inventory Report, VCDBs, VIRTUALIZATION_POLICY, Environments, VDB Groups, dSource Usage Report, Engines, dSource Consumption Report, Product Info, API Usage Report, Storage Summary Report, dSources, VDBs, Sources, SMTP Config, Bookmarks, Jobs, Report Schedules	View >
owner	Grants access to all operations on selected target objects.	CDBs, VCDBs, VDB Groups, Environments, Vaults, Engines, Database Templates, Accounts, dSources, Masking Job Sets, VDBs, Access Groups, Sources, Masking Jobs, Bookmarks, Report Schedules, Connectors	View >


On the left-hand side, you can see a description, the Access Groups it's currently a part of, and any assigned Tags. On the right-hand side, is the complete list of permissions. For example, you can see here that the "devops" role has "Manage Tags" and "Read" permissions on the CDBs objects. These various permissions make up the Role's identity.



DCT's default roles are immutable.

Role Creation

Now we understand what it's composed of, let's create one. Navigate back to the Admin > Roles tab and select the "+ Role" button. Give the Role a custom name, sample description, and add all the permissions you want. In my simple example, I gave it the "VDBs > Read, Refresh, and Manage Tags" permissions. If you need to grant permission for the entire category, select the header checkbox, such as "Access Groups" or "Bookmarks". If you only want a portion of that Object group, then click the little arrow icon to open up the complete set of options and select the targeted permissions.



Once happy with your selection, click “Create”. You can modify your Permissions further on the presented page.

Role Assignment

Roles, by themselves, provide no access. You must first assign them to an Access Group and a set of Objects before their permissions are applied to an Account. Let's do the first part now. Navigate back to the Admin > Access Groups tab and “View” your previously created Access Group. Select the “Roles” subtab and then “Edit” within the Roles widget.


The screenshot shows the 'Access Group' interface for 'Team Alpha'. At the top, there's a back arrow labeled 'Access Groups' and the group name 'Team Alpha' with its ID below it. Below the header are three tabs: 'Accounts', 'Roles', and 'Access', with 'Roles' being the active tab and highlighted by a red box. Under the 'Roles' tab, there's a sub-header 'Roles' and an 'Edit' button, also highlighted by a red box. The main content area is currently empty.

Now you can assign default Roles, such as “devops”, and your newly created Role. You might recall that Role assignment was also possible during Access Group creation. On Save, your Access Group might look like the following.

The screenshot shows the same 'Access Group' interface for 'Team Alpha', but now with assigned roles. The 'Roles' tab is still active. In the 'Roles' section, there are two buttons: 'Limited Monitoring >' and 'devops >'. To the right, under the 'Access' tab, two role assignments are listed: 'devops Role Scope' (SIMPLE) and 'Limited Monitoring Role Scope' (SCOPED). Each assignment has an 'Actions' button.

Immediately on assignment, all users within the Access Group will now have the permissions assigned to them through these roles. (Since you are currently an Admin user, you must log in as your test Account user.) However, you might notice that this user has full access to every object on DCT. The following section will define the Role scoping modes and refine the Account Object access.

Objects: Refine permission to targeted objects



Every Access Group's Role has its own set of Objects to which the permissions are applied. In the previous section, we defined the permissions, and now we select the Objects. Objects are assigned in three different modes. They are listed below with their method of application:

1. Simple - All Objects within DCT.
2. Scoped
 - a. Tags - Objects with matching Tags.
 - b. Direct - Objects manually assigned.
3. Advanced Scoped - Objects are assigned directly on the permission action (such as Read Bookmark, Edit Bookmark, or Delete Bookmark) using Tags or Direct Assignment.

Edit devops Role Scope

Scope Mode

Add Tag Mappings

Add Objects

Scope Mode

Select the mode that will determine what objects are affected by the role permissions.

Scope Name: devops

Simple
The permissions apply to every object applicable to the permissions found in the Role.

Scoped
The permissions is set to objects that either match the mapped tags or have been manually added.

Advanced Scoped
The permission scope is set for each permission and gives the maximum level of granularity.

Cancel Back Next Submit

We will work through the first two in this post, Simple and Scoped. Advanced is easier to comprehend afterward and a solid self-lead challenge. Before diving into this section, we recommend that your DCT server has a handful of objects, such as Bookmarks or VDBs.

Simple

If you have been following the post steadily, you should have two Roles assigned to your Access Group. In my example I have “devops” and “Limited Monitoring”. Both are given the “Simple” mode by default. We can see the breadth at which this Role governs by selecting anywhere on its row and then the “Preview” button on the right-hand side.

Name ↑	Addition Method
Bookmark Test 123	All Bookmarks
CRIT-BUG-2	All Bookmarks
CRIT-BUG-4	All Bookmarks
CRIT-BUG-5	All Bookmarks

In this example, we select the “Preview” list for Bookmarks. It displays every Bookmark this role has access to and the method to which they are applied. If we wanted to

validate, we could log in as a user on this Access Group and verify the permissions are applied. However, this is an easier way for Administrators to confirm without switching logins. Because this is a “Simple” scope, every object is available, so this view is not particularly intriguing. In the next part, we’ll refine our Role.



If you do not see any objects listed in the “Preview” widget, that object might not be available to DCT. This could be because (a) engines are not connected, (b) the DCT-only object (such as Bookmarks or VDB Groups) is not created, or (c) permissions are being enforced correctly.

Scoped - Direct

Let’s change the mode to “Scoped” and target a subset of VDBs. On the Access Group > Roles tab, select the Action > Edit button of your chosen Role.

A screenshot of a software interface titled "devops Role Scope". At the top right, there is a blue button labeled "SIMPLE" and a "Actions" dropdown menu with three dots. Below the title, the word "devops" is displayed. Underneath, there is a section titled "Bookmarks". A context menu is open over the "Bookmarks" section, showing two options: "Copy" and "Edit". The background shows some blurred interface elements.

A new wizard will appear with the Simple, Scoped, and Advanced Scoped options. Change the Role’s mode from “Simple” to “Scoped”. Skip the “Add Tag Mappings” for now and select “Next” to move to “Add Objects”. You will be presented with a long list of the objects available to DCT. This is where you can manually assign specific DCT objects.

Edit devops Role Scope

Scope Mode

Add Tag Mappings

Add Objects

Add Objects

Manually select objects to include in addition to the objects being added dynamically from tag mappings.

Bookmarks	<input type="radio"/> No Manually Added VDBs
CDBs	<input checked="" type="radio"/> Manually add VDBs
Database Templates	
Dataset Groups	
dSources	
Engines	
Environments	
Sources	
VCDBs	
VDBs	

Name
<input checked="" type="checkbox"/> Mysql_MASK
<input checked="" type="checkbox"/> MySQL_DEV
<input checked="" type="checkbox"/> Mysql_QA
<input type="checkbox"/> Postgres_MASK
<input type="checkbox"/> Postgres_DEV
<input type="checkbox"/> Postgres_QA
<input type="checkbox"/> AppFS_MASK
<input type="checkbox"/> AppFS_DEV
<input type="checkbox"/> AppFS_QA

Cancel Back Next Submit

Scroll down the Object type list and select VDBs. Next, choose the “Manually add VDBs” radio button and, on the right-hand list, select a couple of VDBs. Feel free to add other available Objects too. When happy with your selection, press the “Submit” button. This set of actions should change the Role’s “Simple” mode to “Scoped” mode. Let’s verify by, again, opening the Role’s row, scrolling to your chosen Object Type, and selecting the VDBs’ “Preview” button.

The screenshot shows the Delphix Data Control Tower interface. A modal window titled "View Select VDBs" is open, listing three VDBs: MySQL_DEV, Mysql_MASK, and Mysql_QA, all added manually. A red box highlights the "Preview" button at the bottom right of the modal. The background shows the main interface with tabs like Home, Data, Compliance, Insights, Admin, and a secure-key icon.

In my example, the same three VDBs I selected during permission configuration are shown here. If you want to verify manually, log in as your other test user and confirm.




Any other Roles or Access Groups assigned to this user might affect its visibility. So if you do this test, ensure it's not accidentally pulling in another permission set.

Scoped - Tags

Direct Assignment is a solid strategy for early onboarding and one-off requirements. However, as we expand our consumption of Delphix, I suggest leveraging the Tagging mechanism to assign permissions quickly. Similar to the Account & Access Group's "login_groups" tag, we can assign tags to Objects and Roles to immediately grant or restrict access. This is the recommended approach for a robust production implementation.

Before jumping back into a Role, navigate to the top-level Data >VDBs tab. (If you don't have any VDBs, select another tab with available objects.) Here identify a test object and select the "Add Tags" button.



In this form, we assign a simple Key-Value pair. This pair helps govern access and maintain the organization of the Delphix Platform. I've selected the "Team: Alpha" and "Environment-Dev" pairs in my example. Repeat the process for a couple of other objects using similar or different Key-Value pairs. As I explained earlier in this post, we can define and create an organizational structure in many ways. If you prefer other pairings, please experiment, such as with Geography, Age, DB Type, or Importance.

Next, let's take advantage of the created tags in the Access Model. Navigate back to your test Access Group, select the Roles tab, and edit the Role we modified previously. Because "Scoped" is already chosen, press the "Next" button, but this time stop on the "Add Tag Mappings" view. Similar to your Object's tag assignment, specify one or two of the same Key-Value pairs here.

Edit devops Role Scope

X

- Scope Mode
- Add Tag Mappings
- Add Objects

Add Tag Mappings

Select tags that will dynamically add objects that are assigned the mapped tag. In Advanced Mode, you can select tags for each permission included in the role.

Team: Alpha X Remove

+ Tag

Cancel Back Next Submit

In my example, this process will assign the Objects with the chosen “Team: Alpha” tag to this “devops” Role. Thus, granting the set of permissions defined by “devops”. Finally, we can verify again by completing the form and previewing the Role.

The screenshot shows a modal dialog titled "View Select VDBs". At the top is a search bar. Below it is a table with the following data:

Name	Addition Method	
AppFS_cust_DEV	Team: Alpha	View >
AppFS_cust_MASK	Team: Alpha	View >
AppFS_cust_QA	Team: Alpha	View >
MySQL_DEV	Manual	View >
Mysql_MASK	Manual	View >
Mysql_QA	Manual	View >
OracleDEV_CHT	Team: Alpha	View >

At the bottom of the modal are buttons for "Close", "Set Tags at Object Creation", "Snapshot", and "Snapshot".

In my example, we can see a mix of objects assigned to this role through Tags and Manual (direct) assignments.

At this point, challenge yourself by adding and removing tags to different Roles and Objects to understand the flexibility of the ABAC model. [If you need a deeper dive into Tags, read our documentation here.](#)

VDB templates



For additional detail on VDB templates, visit the “Configuration Settings for Oracle VDBs” article in the Continuous Data Engine documentation.

DCT has implemented a global VDB template system to centrally manage and apply VDB templates for any and all VDB provisioning workloads. This feature works as an extension of the local VDB template system on Continuous Data Engines as a means of enforcing VDB configuration standards and policies uniformly.

DCT Admins have the choice of either importing pre-existing VDB templates from a local engine or creating net-new templates from within DCT.

Creating templates

Users can create Database Templates directly via DCT, which can then be used on VDBs across their engines. The DCT API interface for creating templates is equivalent to that of on-engines, requiring a name and sourceType, and optionally taking in a description and the list of config parameters. Here's a sample CURL command:

```
Unset
curl -X 'POST' \
'<https://<APPLIANCE_ADDRESS>/v2/database-templates' > \ -H
'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{
  "name": "vdb-config-template-1",
  "source_type": "OracleVirtualSource",
  "parameters": {"config1": "value1", "config2": "value2"} }'
```

Copy

This will result in a new DCT DatabaseTemplate object, which can then be viewed using the List/Get/Search APIs.

Importing templates

Unlike many other Delphix objects, DCT is not automatically pulling in all the Database Templates from registered engines and creating DCT objects out of them. It is often the case that users have already made arrangements and have copies of their templates across their engines. DCT does not blindly import the templates to avoid generating duplicates, leading users to consolidating and clean up. Instead, DCT provides an import API that can be used to selectively choose which engines they wish to import their templates from, along with an API to undo imports. The import workflow has a couple of things to be aware of:

- The user cannot be selective of which individual templates to import from an engine. The import API will pull ALL templates from that engine.
- Import is allowed only one time per Engine. After an initial import, subsequent imports will be blocked, and it is assumed that a user will use the DCT APIs to create more templates.
- In the event that an import was done on accident or no longer desired, the undo import API can be called to delete all the imported templates from the selected engine. This will result in the removal of all DCT Database Templates that were created as a result of the import.
- If an imported template is later used on a VDB running on a different engine than where it was originally imported from, then the undo import flow is also prohibited, as DCT can no longer safely delete a template that is in use elsewhere.

Import templates from the engine:

Unset

```
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v2/database-templates/import' \
-H 'accept: */*' \
-H 'Authorization: <API_KEY>' \
-H 'Content-Type: application/json' \
-d '{ "engine_id": "3" }'
```

Copy

Undo the imported templates from engine:

Unset

```
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v2/database-templates/undo-import' \
-H 'accept: */*' \
-H 'Authorization: <API_KEY>' \
-H 'Content-Type: application/json' \
-d '{ "engine_id": "3" }'
```

Copy

Using templates

DCT Database Templates can be used by specifying the template_id property at VDB provisioning time, or by updating the template_id on an existing VDB. In either case, DCT will deploy the template to the respective engine and bind the template with the VDB.

When a DCT Database Template currently in use is updated or deleted, those changes are propagated to the respective VDBs and engines.



If a VDB has the same parameter called out in both VDB template and individual setting, the value specified in the template will take precedence. The individual parameter value will only be used if the VDB template is removed.

Updating a VDB to use template_id:

Unset

```
curl -X 'PATCH' \
'https://<APPLIANCE_ADDRESS>/v2/vdbs/1-ORACLE_DB_CONTAINER-
1' \ -H 'accept: application/json' \ -H 'Authorization:
<API_KEY>' \ -H 'Content-Type: application/json' \ -d '{
"template_id": "319db966-961c-4977-a444-14d337aa3276" }'
```

Copy



Updates to a VDB template will propagate to all associated VDBs.

API metering

API metering instructions

DCT employs a per API consumption model, which requires API metering and periodic reporting to Delphix Customer Success. To support reporting of API consumption, DCT offers an API consumption reporting endpoint called, “api-usage-report”. This report will provide a list of all unique API endpoints and how often they were used over the specified time period sorted by API and method.

Required inputs

- File type: CSV or JSON (CSV file types are compatible with most spreadsheet-style software like Excel or Google Sheets)
- Start/end date: The default start date is “when DCT was installed” and the default end date is the “time when the report was generated”.

Example cURL call

Unset

```
curl --location --request GET  
'https://[Inser_DCT_Server]/v2/reporting/api-usage-report/?  
end_date=2022-06-14T09:00-04:00&start_date=2022-06-01T00:00  
Z' \ --header 'Content-Type: application/json' \ --header  
'Accept: text/csv' \ --header 'Authorization: apk 1.xxxxxxxx'
```

Copy

Example output

Unset

```
api_endpoint,api_method,api_count  
"/v2/management/api-clients",GET,2  
/v2/management/engines,GET,1  
"/v2/management/engines/search",POST,1  
"/v2/reporting/api-usage-report",GET,2
```

Client telemetry

DCT provides complete flexibility to clients on how to attribute their API calls. DCT captures the value provided in an optional HTTP header (`X-Dct-Client-Name`) and standard, mandatory HTTP header (`User-Agent`) for the purpose of attributing an API call. These values are stored as `client_name` and `user_agent` in the backend, and can be queried in the report. Below are some examples of how this can be used.

Example one

Clients can view the report grouped on the basis of client name and API classification by providing a `group_by` query parameter.

Unset

```
curl --location  
'https://[Inser_DCT_Server]/v3/reporting/api-usage-report?group_b  
y=client_name%2Ckind' \ --header 'Authorization: <api_key>' \  
--header 'Accept: text/csv'  
api_endpoint,api_method,api_count,kind,client_name,user_agent,dct
```

```
_version , , 2, management, client-1, , , 5, management, client-2, ,  
, , 20, management, client-3, ,
```

Copy

The `group_by` parameter supports any combination of properties from `api_endpoint`, `api_method`, `kind`, `client_name`, `user_agent`, and `dct_version`. All properties function as their name describes, where `kind` corresponds to API classification.

Example two

Clients filter the records for a list of particular client names, DCT versions, user agents, or classifications, by providing corresponding query parameters.

1. Filter the API calls by client names.

Unset

2.

```
curl --location  
'https://[Inser_DCT_Server]/v3/reporting/api-usage-report?gr  
oup_by=client_name%2Ckind&client_name=client1%2Cclient2' \  
--header 'Authorization: <api_key>' \  
--header 'Authorization:  
apk <api key>'
```

3. Copy

4. Filter the API calls by API classification.

Unset

5.

```
curl --location  
'https://[Inser_DCT_Server]/v3/reporting/api-usage-report?gr  
oup_by=client_name%2Ckind&api_metric_kind=automation' \  
--header 'Authorization: <api_key>' \  
--header 'Authorization:  
apk <api key>'
```

6. Copy



The API query parameters for this report are dynamic; depending on the number of records in the backend and the granularity of the response requested, API response can be too large to be

handled by DCT. DCT can run out of memory and eventually crash if that is the case. To prevent this from happening, this report has the maximum limit set to 10,000 records in the API response. Thus, it is strongly recommended to always ‘limit’ the scope of the usage response by filtering records on the basis of `start_date` and `end_date` query parameters, or on the basis of client names and/or user agents.

Central governance workflows

Data Control Tower delivers the management layer for all connected Delphix engines by virtue of its converged architecture. As such, DCT has the ability to simplify everyday administration of common engine admin tasks. This section will go over various how DCT exposes object relationships and reports on meaningful use patterns under insights.

[Managing engines \(Continuous Data\)](#)

[Managing dSources](#)

[Managing VDBs](#)

[Managing environments \(Continuous Data\)](#)


[Managing bookmarks](#)

[Replication management](#)

Managing engines (Continuous Data)

Infrastructure

DCT provides a near real-time list of all connected Continuous Data engines and lists them in an aggregate view. From the below screen, Delphix administrators can easily view and manage their engine connections.



The screenshot shows the Data Control Tower interface with the 'Infrastructure' tab selected. The main area displays a table of connected engines:

Status	Name/UUID	Type	Host	Tags	Action
Online	Test Engine 42366308-1323-71ff-e258-9c642ad8a2ae	Virtualization 9.0.0.0	uv01xyelphiklwmthy7.vm.cld.sr	Add Tags >	View >
Online	amaresh-engine1 564d4aa4-4b01-a455-7873-79833008418a	Unset 10.0.0.0	amaresh-engine1.dcl01.delphix.com	Add Tags >	View >
Online	pharvik-engine ec2242cf-2de9-52fe-b8ac-fc3af4b7e7c	Virtualization 10.0.0.0	bharkik-engine.dpxd.co	Add Tags >	View >

Administrators can manage engine connects via the “Connect Engine” button on the top right corner. By clicking this button, the below dialogue will appear, asking for connection details.



DCT will access the engine as a registered user and, as detailed in the Deployment section, requires both a username and password as well as admin-level access to the engine.

Connect Engine

X

<ul style="list-style-type: none"> <input checked="" type="radio"/> Engine Details <input type="radio"/> Authentication <input type="radio"/> Security <input type="radio"/> Tags <input type="radio"/> Summary 	<p>Engine Details</p> <p>Name Test Engine</p> <p>Hostname uv01xyellphkiwmhy7.vm.cld.sr</p> <p>Choose Engine Type</p> <p><input checked="" type="radio"/> Virtualization</p> <p><input type="radio"/> Masking</p>
--	---

Engine overview

Individual engine details can be seen and acted upon by clicking down on a particular engine detailed view. Once clicked, users will be sent to an "Overview" tab that provides relevant metadata related to the engine. From the Actions menu, you can also Deregister an engine.

The screenshot shows the Data Control Tower interface with the following details:

- Header:** DATA CONTROL TOWER, Home, Data (selected), Compliance, Insights, Admin.
- Breadcrumbs:** Data Engines > Test Engine (a3074d56-37b2-2d2e-3dd8-8e4b11040b50).
- Tabs:** Overview (selected), Environments, dSources, VDBs, Access.
- Overview Card:** A pie chart showing storage usage: 31.8% Used (6.93GB) and 68.2% Remaining (14.86GB).
- Details Panel:** Type: Data Engine, Version: 14.0.0.0.
- Tags Panel:** No tags added.
- Actions Panel:** A dropdown menu with the 'Actions' option selected, which includes the 'Deregister' option.
- Bottom:** No operations to show, View All >, X button.

Engine-connected environments

The "Environments" tab presents all environment connections to that particular engine.

Test Engine

Name	Hosts IP [Port]	DBMS (Version)	Config	Engine ID	Tags
Oracle_Source	10.160.1.21 10.160.1.21 10.160.1.21	Unstructured Files myodc-plugin Oracle (19.3.0.0.0)	Standalone	3	Add Tags >
Oracle_Target	10.160.1.61 10.160.1.61 10.160.1.61	Unstructured Files myodc-plugin Oracle (19.3.0.0.0)	Standalone	3	Add Tags >
Postgres_Source	10.160.1.20 10.160.1.20	Unstructured Files postgres-vsdk	Standalone	3	Add Tags >
Postgres_Target	10.160.1.60 10.160.1.60	Unstructured Files postgres-vsdk	Standalone	3	Add Tags >
Sqiserver_Source	10.160.1.22	MSSql (14.0.2027.2)	Standalone	3	Add Tags >
Sqiserver_Target	10.160.1.62 10.160.1.62	Unstructured Files MSSql (14.0.2027.2)	Standalone	3	Add Tags >

Local dSources

The "dSources" tab presents all dSources associated with the selected engine. Clicking the "View" button will link the user directly to the associated dSource page.

Test Engine

Status	Name	Type	Tags
UNKNOWN	AppFS_cust_master	Unstructured Files	Add Tags > View >
UNKNOWN	AppFS_master	Unstructured Files	Add Tags > View >
UNKNOWN	Mysql_master	mysql-plugin	Add Tags > View >
UNKNOWN	Oracle_master	Oracle	Add Tags > View >
UNKNOWN	Postgres_cust_master	postgres-vsdk	Add Tags > View >

Local VDBs

The "VDBs" tab presents all VDBs associated with the selected engine. Clicking the "View" button will link the user directly to the associated VDB page to take action.

Status	Name	Type	Tags
RUNNING	AppFS_DEV	Unstructured Files	Add Tags > View >
UNKNOWN	AppFS_MASK	Unstructured Files	Add Tags > View >
UNKNOWN	AppFS_QA	Unstructured Files	Add Tags > View >
UNKNOWN	AppFS_cust_DEV	Unstructured Files	Add Tags > View >
UNKNOWN	AppFS_cust_MASK	Unstructured Files	Add Tags > View >

Engine-based Operations access

Users are able to audit which users have access to this particular engine, what access group they belong to, and the associated permissions that each user has on this engine. Admins are able to click on the "View" button to access further details under the access control screen related to that specific user.

Engines

- [o= Create](#) [o= Create Environment](#) [o= Delete](#) [o= Manage Tags](#)
- [o= Read](#) [o= Set Tags at Object Creation](#) [o= Update](#)

Infrastructure connection wizard

In the DCT interface, select the Home tab on the top navigation bar to see the Infrastructure Connections landing view, which hosts the list of connections. In DCT versions before 9.0.0, these connections were listed under the Environments section of the Data tab. Infrastructure Connections are the DCT equivalent of an environment. The + Infrastructure Connections button will launch the wizard.

The screenshot shows the Data Control Tower interface. The top navigation bar includes links for Home, Data, Compliance, Insights, and Admin. The Home link is highlighted with a red border. Below the navigation is a sidebar titled "Infrastructure Connections". The main content area is titled "Infrastructure Connections" and contains a sub-header "An overview of your connected infrastructure." A search bar is present at the top of the list table. The table lists four connections with columns for Name, Hosts IP (Port), DBMS (Version), Config, Engine ID, and Tags.

Name	Hosts IP (Port)	DBMS (Version)	Config	Engine ID	Tags
apna-connection	unix-stand.dco1.delphix.com unix-stand.dco1.delphix.com	Unstructured Files Oracle (11.2.0.2.0)	Standalone	1	Add Tags > View >
orc-tgt.dco1.delphix.com	orc-tgt.dco1.delphix.com orc-tgt.dco1.delphix.com	Unstructured Files Oracle (19.14.0.0.0)	Standalone	1	Add Tags > View >
win-src-1.dco1.delphix.com	win-src-1.dco1.delphix.com win-src-1.dco1.delphix.com	MSSql (14.0.1000.169) MSSql (15.0.2000.5)	Standalone	1	Add Tags > View >
win-tgt-1.dco1.delphix.com	win-tgt-1.dco1.delphix.com win-tgt-1.dco1.delphix.com win-tgt-1.dco1.delphix.com	MSSql (14.0.1000.169) MSSql (15.0.2000.5) Unstructured Files	Standalone	1	Add Tags > View >

The following connections are available:

- UNIX environment
 - Standalone/Cluster
- Windows environment
 - Source/Target
 - Standalone/Cluster

Infrastructure connection wizard steps

1. Connection Name

Enter the Connection Name in the corresponding field and select the Associated Engine from the dropdown.

The screenshot shows the "Create Infrastructure Connection" wizard. Step 1: Connection Name. On the left, there is a navigation tree with "Connection Name" selected (indicated by a blue dot). To the right, there is a form field labeled "Connection Name" with the placeholder "Give a meaningful name to your infrastructure connection and select the engine that will be responsible for this infrastructure connection." Below it is a "Select Associated Engine" dropdown menu with the value "sj-2903.dco1". At the bottom right are buttons for "Cancel", "Back", "Next", and "Submit".

2.

3.

4. Host & Server

Select the Host OS, Server Type, and Host Type (applicable to Windows).

Create Infrastructure Connection X

Connection Name
 Host & Server
 Settings
 Summary

Host & Server
A Infrastructure Connection is a host or cluster with which Delphix will communicate.

Host OS
 Unix/Linux
 Windows

Server Type
 Standalone
 Cluster

Cancel **Back** **Next** **Submit**

5.

6. Unix

Create Infrastructure Connection X

Connection Name
 Host & Server
 Settings
 Summary

Host & Server
A Infrastructure Connection is a host or cluster with which Delphix will communicate.

Host OS
 Unix/Linux
 Windows

Host Type
 Source
 Target

Server Type
 Standalone
 Cluster

Cancel **Back** **Next** **Submit**

7.

8. Windows

For Windows/Target/Standalone settings, a Delphix Connector download link has been added. Unlike the engine, this link makes an API call to authenticate and download the connector exe file.

9. Settings

This step includes various connection setting options from basic items like the Host/IP Address and SSH Port to advanced items like Discover SAP ASE, Provide my own JDK, and Set NFS. It includes a Validate button to help confirm the environment user and prevents access to the next step if the credentials are not valid.



10.
11.

A wide range of Login Settings are available for the OS user and to Discover SAP ASE (if applicable), like username/password, username/public key, Password Vault, or Kerberos.

- a. For vaults, HashiCorp and CyberArk vaults are supported.
- b. The Kerberos login option only shows up when the user selects a Kerberos enabled engine as the target for environment creation.

Create Infrastructure Connection

X

Connection Name

Host & Server

Settings

Summary

Settings

A Connection is a host or cluster with which Delphix will communicate.

Host/IP Address

SSH Port

22

Login Settings

Username and Password

Username and Public Key

Password Vault

Kerberos

OS Username

OS Password

Validate

Toolkit Path

Java Development Kit

Cancel Back Next Submit

c.
d.

12. Java Development Kit (only applicable if selected in Settings)

Set the custom JDK path in the corresponding text field.

Create Infrastructure Connection X

Connection Name
Host & Server
Settings
Java Development Kit
NFS Addresses
DSP Options
Summary

Java Development Kit

The current Java Development Kit that is installed:
Default JDK

Java Development Kit (JDK) Path

Provide the full (absolute) path to the root of the JDK.

Cancel Back Next Submit

13.

14.

15. NFS (only applicable if selected in Settings)

Set NFS addresses in the corresponding text field (comma separated).

Create Infrastructure Connection X

Connection Name
Host & Server
Settings
Java Development Kit
NFS Addresses
DSP Options
Summary

NFS Addresses

Set Network File System (NFS) Addresses

NFS Addresses

Cancel Back Next Submit

16.

17.

18. DSP (only applicable if selected in Settings)

Set DSP configurations in this step.

Create Infrastructure Connection

DSP Options

These fields have no effect unless client and server authorization for remote connections is enabled. These can be enabled in the Network Security section of the associated engine's Setup application dashboard.

DSP KeyStore Path	DSP config1
DSP KeyStore Password	*****
DSP KeyStore Alias	DSP config2
DSP TrustStore Path	DSP config3
DSP TrustStore Password	*****

Cancel Back **Next** Submit

19.

20.

21. Summary

Shows a comprehensive summary of the selected options in the previous configuration steps. Shows the type of login being used for both the OS user and SAP ASE (if applicable).

Create Infrastructure Connection

Summary

Review the configuration for this Infrastructure Connection

Host	User
Host OS Unix/Linux	Login Type Password authentication used
Server Type Standalone	OS Username sybase
Connection Name My IC	
Associated Engine sj-2903.dco1	
Host/IP Address unix-stand.dco1.delphix.com	
NFS Addresses host1, host2.com, 1.12.21.32	
SSH Port 22	
Toolkit Path /work	
Java Development Kit (JDK) Path path/to/jdk	
DSP KeyStore Path DSP config1	
DSP KeyStore Alias DSP config2	
DSP TrustStore Path DSP config3	
Discover SAP ASE	

Cancel Back **Next** Submit

22.

23.

Managing dSources

Managing dSources

DCT provides the ability to view, search, sort, and filter all dSources within a connected Delphix ecosystem. This page can be found under the Data section and is used to find and act upon all dSources, if they have the appropriate access.

The screenshot shows the DCT interface with the 'dSources' tab selected in the sidebar. The main area displays a table of dSources with columns for Status, Name, Type, Engine, and Tags. A search bar is at the top of the table. The data includes:

Status	Name	Type	Engine	Tags
UNKNOWN	AppFS_cust_master	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	AppFS_master	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	CDOML0SR421FPDB1	Oracle	bhavik-engine	Add Tags > View >
UNKNOWN	CDOML0TG5813PD81	Oracle	bhavik-engine	Add Tags > View >
RUNNING	CDOMSHSRASEEPDB2-rhel-79-e3ub-qar-74961-27a4593a.dco1.delphix.com	Oracle	amarash-engine1	Add Tags > View >
UNKNOWN	DBOMSR8A1718	Oracle	bhavik-engine	Add Tags > View >
UNKNOWN	Mysql_master	mysql-plugin	Test Engine	Add Tags > View >
UNKNOWN	Oracle_master	Oracle	Test Engine	Add Tags > View >
UNKNOWN	Postgres_cust_master	postgres-vsdk	Test Engine	Add Tags > View >
UNKNOWN	Postgres_master	postgres-vsdk	Test Engine	Add Tags > View >
UNKNOWN	Suitecm_master	MSSql	Test Engine	Add Tags > View >
UNKNOWN	flaskapp	MSSql	Test Engine	Add Tags > View >

dSource overview


Individual dSource details can be viewed and acted upon by clicking down on a particular dSource's detailed view. Once clicked, users will be sent to an "overview" tab that provides relevant metadata related to the dSource.

The screenshot shows the detailed view for the dSource 'AppFS_cust_master'. The top navigation bar shows the dSource name. Below it, there are tabs for Overview, Timewflow, and Access, with 'Overview' selected. The main area is divided into two sections: 'Platform' (blue background) and 'Status' (yellow background). The Platform section shows 'Unstructured Files'. The Status section shows 'UNKNOWN'. At the bottom, there are three tabs: Details, Tags, and Environment Details.

Details	Tags	Environment Details
Platform: Unstructured Files Version: False Enabled: 5.20MB Size: Test Engine	Tags: Edit	Environment Name: Postgres_Source Type: Single Instance OS: Linux

Timeflow visibility


Users are able to view snapshot information by tabbing over to the "timeflow" section, which lists all available snapshots via a vertical timeline. Users are able to modify snapshot retention periods by clicking on the ellipsis located to the right of the relevant snapshot.



The screenshot shows the Data Control Tower interface with the 'Data' tab selected. Under 'dSources', 'AppFS_cust_master' is selected. The 'Timeflow' tab is active, showing a timeline from '2 months ago' (Jan 20, 2023) to the present. A single snapshot is listed at 3:08 AM. On the right, there is a blue circular icon with a number '1' and a small 'i' icon.

Access auditing

Users are able to audit what other users have access to a particular dSource, what access group they belong to, and the associated permissions that each user has on that particular dSource.



The screenshot shows the Data Control Tower interface with the 'Data' tab selected. Under 'dSources', 'AppFS_cust_master' is selected. The 'Access' tab is active, showing a table with columns for 'User', 'Access Groups', and 'Permissions'. It lists a user named 'John Smith' with email 'johnsmith@company.com'. For this user, there is one access group and two permission sets: 'MANAGE_TAGS', 'PROVISION', and 'READ'. Each permission set has a 'View >' link.

dSource linking

DCT 10.0.0 introduces the feature to link a dSource using DCT APIs. With the new API parameters exposed from DCT, you can get the dSource linking defaults and use them to connect the dSource. The API parameters are available in the [API references](#) article under:

- `BaseDataSourceLinkSourceParameters`
- `OracleDataSourceLinkSourceParameters`
- `OracleStagingPushDataSourceLinkSourceParameters`
- `AppDataSourceLinkSourceParameters`
- `ASEDataSourceLinkSourceParameters`
- `LinkDataSourceResponse`
- `LinkDataSourceDefaultRequest`

- MSSQLDSourceLinkSourceParameters
- MSSQLDSourceStagingPushLinkSourceParameters



DCT supports APIs for linking all types of databases. DCT does not have a GUI flow for these APIs yet, which is why they are API only.

As a prerequisite, Continuous Data Engines should be registered in DCT and should have non-linked sources to be linked as a dSource.

Managing VDBs

DCT provides the ability to view, search, sort, and filter all VDBs within a connected Delphix ecosystem. This page can be found under the Data section and is used to find and act upon all VDB if they have the appropriate access.

The screenshot shows the Delphix Data Control Tower interface. The left sidebar has navigation links: dSources, VDBs (which is selected and highlighted in blue), Bookmarks, Environments, Infrastructure, and VDB Config Templates. The main content area is titled "VDBs" and contains the sub-instruction: "An overview of VDBs across your Delphix infrastructure." Below this is a search bar with a placeholder "Search" and a dropdown menu labeled "Search (All)". A table lists various VDBs with columns: Status, Name, Type, Engine, and Tags. Each row includes "Add Tags" and "View" buttons. The table data is as follows:

Status	Name	Type	Engine	Tags
RUNNING	AppFS_DEV	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	AppFS_MASK	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	AppFS_QA	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	AppFS_cust_DEV	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	AppFS_cust_MASK	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	AppFS_cust_QA	Unstructured Files	Test Engine	Add Tags > View >
UNKNOWN	CDOMLOSPR421FPDB1_93T	Oracle	bhavik-engine	Add Tags > View >
RUNNING	CDOMSHSR-GCGXEX-1679919625365	Oracle	amaresh-engine1	Add Tags > View >

VDB overview

Individual VDB details can be seen and acted upon by clicking down on a particular VDB detailed view. Once clicked, users will be sent to an "overview" tab that provides relevant metadata related to the VDB.

The screenshot shows the 'VDBs' section of the Data Control Tower interface. A specific VDB named 'AppFS_DEV' is selected. The main area displays two large cards: 'Platform Unstructured Files' (Status: RUNNING) and 'Status RUNNING'. Below these are sections for 'Details' (Type: Platform, Version: 1.0, Size: 30.23MB, Engine: Test Engine), 'Tags' (empty), and 'Environment Details' (Environment Name: Postgres, Target Type: Single Instance, OS: Linux). Navigation tabs at the top include 'Overview', 'Active Timeflow' (which is active), 'Timeline History', 'Bookmarks', and 'Access'.

VDB active timeline

Actionable snapshots are listed on the "active timeflow" tab - from this page, users can refresh, enable, disable, start, stop, delete, and create bookmarks on the VDB. Navigate to the Continuous Data workflows section, then VDB operations in the UI, and see Active timeline UI for more details.

The screenshot shows the 'Active Timeline' tab for the 'AppFS_DEV' VDB. It displays a single entry for 'Today' (Mar 27, 2023) with a timestamp of '11:22 AM'. To the right of the timeline list is a vertical sidebar with buttons for 'Refresh', 'Enable', 'Disable', 'Start', 'Stop', 'Delete', and 'Create Bookmark'.

VDB timeline history

A chronological history of all non-active timelines (commonly referred to as timeflows) is shown under the "Timeline History" tab. From this page, developers can curate their QA or Development work by renaming timeflows to match their testing history. Developers also have the ability to access old timeflow data by making a particular timeflow "active". Navigate to the Continuous Data workflows section, then VDB operations in the UI, and see [Timeline history UI](#) for more details.

The screenshot shows the Data Control Tower interface. At the top, there's a navigation bar with the logo, 'DATA CONTROL TOWER', and menu items: Data, Compliance, Insights, Admin. Below the header, a 'VOBs' section shows a single entry: 'AppFS_DEV' (ID: 3-APPDATA_CONTAINER-276). The main content area displays two active timeflows:

- Test 1.0.1**: Based on source data from Jan 20, 2023 3:06 AM. It has an 'Active' status indicator.
- Test 1.0.2**: Based on source data from May 4, 2022 4:32 PM. It also has an 'Active' status indicator.

Each timeflow entry includes a collapse/expand arrow, a timestamp, and a detailed view section. The detailed view for 'Test 1.0.2' shows a '5 months ago' snapshot taken at 3:37 AM on Nov 10, 2022. A context menu is open over this snapshot, listing options: Make Active, Rename, and Delete. A blue notification bubble with the number '1' is visible in the bottom right corner.

VDB bookmarks

A list of all bookmarks generated on the selected VDB can be found under the "Bookmarks" tab. This page provides a list of all bookmarks allowing for general organization and actions (developers can use bookmarks as a refresh or provision point from the API).

The screenshot shows the Data Control Tower application's interface. At the top, there is a navigation bar with the logo 'DATA CONTROL TOWER' on the left and links for 'Data', 'Compliance', 'Insights', and 'Admin'. Below the navigation bar, the title 'VDBs' is displayed, with a back arrow pointing to 'AppFS_DEV'. The ID 'ID: 3-APPDATA_CONTAINER-276' is also shown. The main content area has tabs: 'Overview', 'Active Timeflow', 'Timeflow History', 'Bookmarks' (which is underlined), and 'Access'. A horizontal line separates this from a table. The table has columns: 'Bookmark', 'Creation Date', 'Tags', and 'Actions'. One row is visible, containing 'Finance-App-1.0.3.2', 'Mar 27, 2023 11:21 AM', an empty 'Tags' field, and a 'View Tags () >' button. On the far right of the table, there is a small icon.

VDB access

Users are able to audit which users have access to this particular VDB, what access group they belong to, and the associated permissions that each user has on that VDB. Admins are able to click on the "View" button to access further details under the access control screen related to that specific user.

VDB templates

Importing and removing imported VDB templates from connected engines is an available action from the VDB Config Templates page.

The screenshot shows the Delphix Data Control Tower interface. The left sidebar has sections for dSources, VDBs, Bookmarks, Infrastructure, and VDB Config Templates, with VDB Config Templates currently selected. The main content area is titled "VDB Config Templates" and displays a list of templates. The first template is "Sample Template" (Oracle Virtual Source). Below it are two more templates: "dj0404 template 2-" and "dj0404 template-", both also listed as Oracle Virtual Source. A search bar is at the top, and a modal menu on the right offers options to "Create Template", "Import Templates", and "Remove Imported Templates". At the bottom, there are pagination controls for items per page (50) and a total of 3 items.

Import templates

To import a template, select the engines from the list in the import dialog.

The screenshot shows the Delphix Data Control Tower interface with the "Import VDB Config Templates" dialog box open. The dialog has a dropdown for "Source Engine" containing "dj0404-1, dj1104-stage". It includes a "Cancel" button and a prominent blue "Import" button. In the background, the main VDB Config Templates page is visible, showing the same three templates as the previous screenshot. The background page has a search bar, a modal menu, and pagination controls.

Remove imported templates

To remove a template, select the engines from the list in the remove dialog.

Managing environments (Continuous Data)

Global environments list

DCT provides the ability to view, search, sort, and filter all Continuous Data environments within a connected Delphix ecosystem. This page can be found under the Data section and is used to find and act upon all environment connections.

Name	Hosts IP (Port)	DBMS (Version)	Config	Engine ID	Tags
bhavik-src	bhavik-src.dpxdc.co bhavik-src.dpxdc.co	Unstructured Files Oracle (19.3.0.0.0)	Standalone	2	Add Tags > View >
bhavik-tgt	bhavik-tgt.dpxdc.co bhavik-tgt.dpxdc.co	Unstructured Files Oracle (19.3.0.0.0)	Standalone	2	Add Tags > View >
rhel-79-0agg-qar-74961-27a4593a.dco1.delphix.com	rhel-79-0agg-qar-74961-27a4593a.dco1.delphix.com rhel-79-0agg-qar-74961-27a4593a.dco1.delphix.com	Oracle (12.1.0.2.0) Unstructured Files	Standalone	1	Add Tags > View >
rhel-79-e3ub-qar-74961-27a4593a.dco1.delphix.com	rhel-79-e3ub-qar-74961-27a4593a.dco1.delphix.com rhel-79-e3ub-qar-74961-27a4593a.dco1.delphix.com	Unstructured Files Oracle (12.1.0.2.0)	Standalone	1	Add Tags > View >

Manage environments

Selecting a standalone environment in the Data page shows an ellipsis in the top right corner. When the button is selected, the option to Enable/Disable, Refresh, or Delete the environment appears.

The screenshot shows the Data Control Tower interface. At the top, there's a navigation bar with the Delphix logo, 'DATA CONTROL TOWER', and links for 'Data', 'Compliance', 'Insights', and 'Admin'. Below the navigation, the page title is 'Environment' and the environment name is 'bhavik-src' with ID 'ID: 2-UNIX_HOST_ENVIRONMENT-1'. There are two tabs: 'Overview' (selected) and 'Access'. On the left, there's a 'Environment Users' section with a table showing one user: 'oracle'. On the right, there are sections for 'Listeners' and 'Tags'. In the bottom right corner of the main content area, there's a small 'Edit Host' button.

Edit host details

Selecting a standalone environment in the Data page shows an Edit Host option; it is not yet available for cluster environments. When the button is selected, the host details window will open, showing the input fields that can be edited. Select 'Save' to confirm the changes and close the window.

This screenshot shows the same interface as the previous one, but for a different environment named 'win' with ID 'ID: 3-WINDOWS'. The 'Edit Host' button in the 'Host Details' section is highlighted with a red box. A large arrow points from this button to a separate 'Edit Host' dialog box that is also highlighted with a red box. The dialog box contains fields for 'Host Address' (.delphix.com), 'OS' (Windows), 'Version' (Windows Server 2019 Standard), 'Java Development Kit' (None), 'Timezone' (America/Los_Angeles,PST-0800), 'Total RAM' (4.00GB), and 'Processor Type' (AMD64). There are also three empty text input fields for 'DSP KeyStore Alias', 'DSP KeyStore Path', and 'DSP TrustStore Path'. At the bottom of the dialog box are 'Cancel' and 'Save' buttons.

Managing bookmarks Global Bookmarks List

DCT provides a near real-time list of all bookmarks across all VDBs and VDB-groups and their associated VDB(s). From the below screen, Delphix administrators can easily view and manage their bookmark estate.

The screenshot shows the Delphix Data Control Tower interface. The left sidebar has navigation links: dSources, VDBs, **Bookmarks** (which is selected and highlighted in blue), Environments, Infrastructure, and VDB Config Templates. The main content area is titled "Bookmarks" and contains an overview message: "An overview of Bookmarks across your Delphix infrastructure." Below this is a search bar with a "Search" input field and a "Search (All)" dropdown. A table lists bookmarks with columns: Bookmark, VDB, Creation Date, and Tags. Two entries are shown: "BM1" (VDB: 1-ORACLE_DB_CONTAINER-4, Creation Date: Mar 27, 2023 7:29 AM, Tags: View Tags (1) >) and "Finance-App-1.0.3.2" (VDB: 3-APPDATA_CONTAINER-276, Creation Date: Mar 27, 2023 11:21 AM, Tags: View Tags (1) >).

Support has been added for the creation of bookmarks for dSource snapshots, similar to VDB snapshots. These properties have been added:

- `inherit_parent_tags` is a new property added in the request payload. This indicates whether this bookmark should inherit tags from the parent dataset.
- `dsource_ids` is a new property in the create bookmark response. This indicates the list of dSource IDs associated with this bookmark.

Replication management

Introduction

DCT 9.0.0 introduces the feature to differentiate between the replicated objects and original objects in case of a parent and replicated engines, both are registered with DCT.

Prerequisites

One parent and one replicated engine is required with few replicated dSources and VDBs.

User interface

- Convenient separation between the replicated objects(VDB/dSource/environments) and original objects.

The screenshot shows the Delphix Data Control Tower interface. The top navigation bar includes Home, Data, Compliance, Insights, Admin, and a user icon. The main content area has a sidebar with sections: dSources, VDBs (selected), Bookmarks, Infrastructure, and VDB Config Templates. The VDBs section displays an overview of VDBs across the infrastructure. A search bar is at the top right. Below it is a table with columns: Status, Name (sorted by name), Type, Engine, and Tags. Each row in the table contains a 'View' link and an 'Add Tags' button. At the bottom right of the table are items per page (50) and a page number (1 - 6 of 6).

Status	Name ↑	Type	Engine	Tags
RUNNING	CDOML0SR421FPDB1_MCD	Oracle	amit-engine	<button>Add Tags ></button> View >
N/A	CDOML0SR421FPDB1_MCD Replica	Oracle	replicated-engine	<button>Add Tags ></button> View >
RUNNING	CDOML0SR421FPDB2_BAF	Oracle	amit-engine	<button>Add Tags ></button> View >
N/A	CDOML0SR421FPDB2_BAF Replica	Oracle	replicated-engine	<button>Add Tags ></button> View >
RUNNING	DBOMSR8A1718_LJS	Oracle	amit-engine	<button>Add Tags ></button> View >
N/A	DBOMSR8A1718_LJS Replica	Oracle	replicated-engine	<button>Add Tags ></button> View >

- Users can filter the replicated object using the advanced filter.

The screenshot shows the Delphix Data Control Tower interface with an advanced search filter applied. The search bar now contains '(is_replica EQ true)'. The table below shows the results of this search, which are identical to the ones in the previous screenshot. The interface also includes an 'Advanced Search' section with a query builder and a note that Delphix supports advanced-based searching.

Status	Name ↑	Type	Engine	Tags
N/A	CDOML0SR421FPDB1_MCD Replica	Oracle	replicated-engine	<button>Add Tags ></button> View >
N/A	CDOML0SR421FPDB2_BAF Replica	Oracle	replicated-engine	<button>Add Tags ></button> View >
N/A	DBOMSR8A1718_LJS Replica	Oracle	replicated-engine	<button>Add Tags ></button> View >

- All the actions on the replicated objects are disabled.

VDBs > CDOMLSR421FPDB1_MCD
CDOMLSR421FPDB1_MCD
ID: 2-ORACLE_DB_CONTAINER-37

Actions ▾

- Refresh
- Enable
- Disable
- Start
- Stop
- Delete
- Create Bookmark

Platform Oracle

Status N/A

Details		Tags	Environment Details
Type Platform Version Size Engine	VDB Oracle 19.3.0.0.0 0.00B replicated-engine	No tags added	Environment Name oracle-tgt Type Single Instance OS Linux

-
-
- The status of the replicated objects are N/A.
- On the VDB provisioning wizard, replicated objects(VDB/dSources) are marked as replicated.

Provision VDB

Source

Select an available Source or VDB from which to provision to your VDB.

dSources VDBs

Search

CDOMLSR421FPDB1
CDOMLSR421FPDB1 Replica
CDOMLSR421FPDB2
CDOMLSR421FPDB2 Replica
DBOMSR8A1718
DBOMSR8A1718 Replica

Items per page: 25 1 – 6 of 6

Cancel Back Next Submit

-
-

API

Below are the list and search APIs, updated to return three additional fields (`is_replica`, `namespace_id`, `namespace_name`):

1. Sources
 - GET: /sources
 - GET: /sources/{sourceId}
 - POST: /sources/search
2. VDBs
 - GET: /v dbs
 - GET: /v d b s/{v dbId}
 - POST: /v d b s/search
3. dSources
 - GET: /d sources
 - GET: /d sources/{d sourceId}
 - POST: /d sources/search
4. CDBs
 - GET: /c d b s
 - GET: /c d b s/{c dbId}
 - POST: /c d b s/search
5. VCDBs
 - GET: /v c d b s
 - GET: /v c d b s/{v c dbId}
 - POST: /v c d b s/search
6. Environments
 - GET: /e n v i r o n m e n t s
 - GET: /e n v i r o n m e n t s/{environmentId}
 - POST: /e n v i r o n m e n t s/search
7. Dataset-groups
 - GET: /g r o u p s
 - GET: /g r o u p s/{group Id}
 - POST: /g r o u p s/search
8. Timeflows
 - GET: /t i m e f l o w s
 - GET: /t i m e f l o w s/{timeflowId}
 - POST: /t i m e f l o w s/search
9. Policies
 - GET: /v i r t u a l i z a t i o n - p o l i c i e s
 - GET: /v i r t u a l i z a t i o n - p o l i c i e s/{policyId}
 - POST: /v i r t u a l i z a t i o n - p o l i c i e s/search
10. Snapshots
 - GET: /s n a p s h o t s
 - GET: /s n a p s h o t s/{snapshotId}
 - POST: /s n a p s h o t s/search

Below are the three fields added in response of these APIs:

1. `is_replica`: Boolean telling that this object id replicated or not.
2. `namespace_id`: This field will only come for replicated objects and is essentially the `namespace id` of the replicated object.
3. `namespace_name`: This field will only come for replicated objects and is essentially the `namespace name` of the replicated object.

Replication relationship

Overview

DCT 11.0 release adds a functionality to get the primary and replica objects for a given object in DCT. Whenever DCT identifies that a replica object has been added to the engine, it creates a job to fetch the primary object information from its source engine. In addition, when replica objects are updated with primary object information, the primary objects are also updated with their children (replicas).

This feature requires that both source and target engines are registered in DCT.

Prerequisites

A running instance of DCT, two instances of Delphix Engines, and some of the dSource and VDBs on one of those engines. A replication profile needs to be created from an engine that contains dSource and VDBs to replicate to another engine.

Replication details

A replication details box will appear on the VDB or dSource tab showing the Source Engine and Source VDB/dSource for replication.

Replication	
Source	
Source Engine:	mixed-engine
Source VDB:	VCDO_IF0
Replication	
Source	
Source Engine:	mixed-engine
Source dSource:	CDOMLOSR421FPDB1

API changes

New fields have been added in the following APIs:

- GET - /v3/dsources
- GET - /v3/dsources/{dsourceld}
- POST - /v3/dsources/search
- GET - /v3/vdbs
- GET - /v3/vdbs/{dsourceld}
- POST - /v3/vdbs/search

The new fields are as follows:

- primary_object_id
- primary_engine_id
- primary_engine_name
- replicas
 - replica_id
 - replica_engine_id
 - replica_engine_name

- replica_namespace_id

VDB replica and primary object sample response:

Unset

```
curl --location 'http://localhost:8080/v3/vdbs' \ --header
'Authorization: apk {{authToken}}' { "items": [ { "id": "1-ORACLE_DB_CONTAINER-11", "database_type": "Oracle", "name": "VCDO_IF0", "namespace_id": "1-NAMESPACE-2", "namespace_name": "ip-10-110-221-77-1", "is_replica": true, "is_locked": false, "database_version": "19.3.0.0.0", "size": 0, "storage_size": 2778624, "engine_id": "1", "masked": false, "content_type": "PDB", "parent_timeflow_timestamp": "2023-10-16T10:11:02Z", "parent_timeflow_timezone": "America/New_York,EDT-0400", "environment_id": "1-UNIX_HOST_ENVIRONMENT-3", "ip_address": "10.43.89.210", "fqdn": "ora-src.dcol1.delphix.com", "parent_id": "1-ORACLE_DB_CONTAINER-8", "parent_dsource_id": "1-ORACLE_DB_CONTAINER-8", "group_name": "Untitled", "engine_name": "e1", "cdb_id": "1-ORACLE_SINGLE_CONFIG-24", "creation_date": "2023-10-16T10:38:39.05Z", "hooks": { "pre_refresh": [], "post_refresh": [], "pre_self_refresh": [], "post_self_refresh": [], "pre_rollback": [], "post_rollback": [], "configure_clone": [], "pre_snapshot": [], "post_snapshot": [], "pre_start": [], "post_start": [], "pre_stop": [], "post_stop": [] }, "config_params": { "_cdb_disable_pdb_limit": "TRUE", "audit_file_dest": "'/u01/app/oracle/admin/CDOML0SR421F/adump'", "audit_trail": "'DB'", "compatible": "'19.0.0'", "diagnostic_dest": "'/u01/app/oracle'", "dispatchers": "'(PROTOCOL=TCP)' (SERVICE=CDOML0SR421FXDB)", "enable_pluggable_database": "TRUE", "log_archive_format": "'%t_%s_%r.dbf'", "max_pdbs": "4098", "memory_max_target": "1342177280", "memory_target": "1342177280", "nls_language": "'AMERICAN'", "nls_territory": "
```

```
"'AMERICA'", "open_cursors": "300", "processes": "300",
"remote_login_passwordfile": "'EXCLUSIVE'" }, "mount_point":
"/mnt/provision", "current_timeflow_id":
"1-ORACLE_TIMEFLOW-11", "vdb_restart": false, "is_appdata":
false, "primary_object_id": "1-ORACLE_DB_CONTAINER-6",
"primary_engine_id": "1", "primary_engine_name": "e1" }, {
"id": "1-ORACLE_DB_CONTAINER-6", "database_type": "Oracle",
"name": "VCDO_IF0", "is_replica": false, "is_locked": false,
"database_version": "19.3.0.0.0", "size": 794755072,
"storage_size": 32859648, "engine_id": "1", "status":
"RUNNING", "masked": false, "content_type": "PDB",
"parent_timeflow_timestamp": "2023-10-16T10:11:02Z",
"parent_timeflow_timezone": "America/New_York,EDT-0400",
"environment_id": "1-UNIX_HOST_ENVIRONMENT-1", "ip_address":
"10.43.89.210", "fqdn": "ora-src.dcol1.delphix.com",
"parent_id": "1-ORACLE_DB_CONTAINER-2", "parent_dsource_id":
"1-ORACLE_DB_CONTAINER-2", "group_name": "Untitled",
"engine_name": "e1", "cdb_id": "1-ORACLE_SINGLE_CONFIG-2",
"creation_date": "2023-10-16T10:38:39.05Z", "hooks": {
"pre_refresh": [], "post_refresh": [], "pre_self_refresh": [],
"post_self_refresh": [], "pre_rollback": [], "post_rollback": [],
"configure_clone": [], "pre_snapshot": [],
"post_snapshot": [], "pre_start": [], "post_start": [],
"pre_stop": [], "post_stop": [] }, "config_params": {
"_cdb_disable_pdb_limit": "TRUE", "audit_file_dest":
"' /u01/app/oracle/admin/CDOML0SR421F/adump'", "audit_trail":
"'DB'", "compatible": "'19.0.0'", "diagnostic_dest":
"' /u01/app/oracle'", "dispatchers": "'(PROTOCOL=TCP)
(SERVICE=CDOML0SR421FXDB)'", "enable_pluggable_database":
"TRUE", "log_archive_format": "'%t_%s_%r.dbf'", "max_pdbs":
"4098", "memory_max_target": "1342177280", "memory_target":
"1342177280", "nls_language": "'AMERICAN'", "nls_territory":
"'AMERICA'", "open_cursors": "300", "processes": "300",
```

```
"remote_login_passwordfile": "'EXCLUSIVE'" }, "mount_point":  
"/mnt/provision", "current_timeflow_id":  
"1-ORACLE_TIMEFLOW-6", "vdb_restart": false, "is_appdata":  
false, "replicas": [ { "replica_id":  
"1-ORACLE_DB_CONTAINER-11", "replica_engine_id": "1",  
"replica_engine_name": "e1", "replica_namespace_id":  
"1-NAMESPACE-2" } ] }, "response_metadata": { "total": 2 } }
```

Copy

Sample response for dSource change:

Unset

```
curl --location 'http://localhost:8080/v3/dsources/search' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: apk {{authToken}}' \  
--data '{  
"filter_expression": "engine_id EQ '\\''1'\\'''"} {"items": [ {  
"id": "1-ORACLE_DB_CONTAINER-10", "database_type": "Oracle",  
"name": "CDOMSHSR6706PDB2-NO-CHILD", "namespace_id":  
"1-NAMESPACE-2", "namespace_name": "ip-10-110-221-77-1",  
"is_replica": true, "database_version": "19.3.0.0.0",  
"content_type": "PDB", "data_uuid":  
"46f1613b223b1dd5364bdc3ecfd2755d", "storage_size":  
180355584, "creation_date": "2023-10-16T10:09:00.567Z",  
"group_name": "Untitled", "engine_id": "1", "source_id":  
"1-ORACLE_PDB_CONFIG-20", "engine_name": "e1", "cdb_id":  
"1-ORACLE_SINGLE_CONFIG-23", "current_timeflow_id":  
"1-ORACLE_TIMEFLOW-7", "is_appdata": false,  
"primary_object_id": "1-ORACLE_DB_CONTAINER-4",  
"primary_engine_id": "1", "primary_engine_name": "e1" }, {  
"id": "1-ORACLE_DB_CONTAINER-12", "database_type": "Oracle",  
"name": "CDOML0SR421FPDB2", "is_replica": false,  
"database_version": "19.3.0.0.0", "content_type": "PDB",  
"data_uuid": "837bbc258a479ff86dbce5656beeba2a",
```

```
"storage_size": 236433920, "creation_date":  
"2023-10-17T10:19:19.496Z", "group_name": "Untitled",  
"enabled": true, "engine_id": "1", "source_id":  
"1-ORACLE_PDB_CONFIG-7", "status": "RUNNING", "engine_name":  
"e1", "cdb_id": "1-ORACLE_SINGLE_CONFIG-2",  
"current_timeflow_id": "1-ORACLE_TIMEFLOW-12", "is_appdata":  
false }, { "id": "1-ORACLE_DB_CONTAINER-2", "database_type":  
"Oracle", "name": "CDOMLOSR421FPDB1", "is_replica": false,  
"database_version": "19.3.0.0.0", "content_type": "PDB",  
"data_uuid": "834a794e51ec096059922dc06625fb66",  
"storage_size": 245758976, "creation_date":  
"2023-10-16T10:08:35.425Z", "group_name": "Untitled",  
"enabled": true, "engine_id": "1", "source_id":  
"1-ORACLE_PDB_CONFIG-6", "status": "RUNNING", "engine_name":  
"e1", "cdb_id": "1-ORACLE_SINGLE_CONFIG-2",  
"current_timeflow_id": "1-ORACLE_TIMEFLOW-2", "is_appdata":  
false, "replicas": [ { "replica_id":  
"1-ORACLE_DB_CONTAINER-8", "replica_engine_id": "1",  
"replica_engine_name": "e1", "replica_namespace_id":  
"1-NAMESPACE-2" } ] }, { "id": "1-ORACLE_DB_CONTAINER-21",  
"database_type": "Oracle", "name":  
"DSOURCE-WITH-CUSTOM-POLICY", "is_replica": false,  
"database_version": "19.3.0.0.0", "content_type": "PDB",  
"data_uuid": "dd4216e99ee17e8a7afa97cce012aa42",  
"storage_size": 181809664, "creation_date":  
"2023-10-18T13:09:30.299Z", "group_name": "Untitled",  
"enabled": true, "engine_id": "1", "source_id":  
"1-ORACLE_PDB_CONFIG-11", "status": "RUNNING", "engine_name":  
"e1", "cdb_id": "1-ORACLE_SINGLE_CONFIG-3",  
"current_timeflow_id": "1-ORACLE_TIMEFLOW-21", "is_appdata":  
false }, { "id": "1-ORACLE_DB_CONTAINER-4", "database_type":  
"Oracle", "name": "CDOMSHSR6706PDB2-NO-CHILD", "is_replica":  
false, "database_version": "19.3.0.0.0", "content_type":
```

```
"PDB", "data_uuid": "46f1613b223b1dd5364bcd3ecfd2755d",
"storage_size": 190537728, "creation_date":
"2023-10-16T10:09:00.567Z", "group_name": "Untitled",
"enabled": true, "engine_id": "1", "source_id":
"1-ORACLE_PDB_CONFIG-10", "status": "RUNNING", "engine_name":
"e1", "cdb_id": "1-ORACLE_SINGLE_CONFIG-3",
"current_timeflow_id": "1-ORACLE_TIMEFLOW-4", "is_appdata":
false, "replicas": [ { "replica_id":
"1-ORACLE_DB_CONTAINER-10", "replica_engine_id": "1",
"replica_engine_name": "e1", "replica_namespace_id":
"1-NAMESPACE-2" } ], { "id": "1-ORACLE_DB_CONTAINER-8",
"database_type": "Oracle", "name": "CDOMLOSR421FPDB1",
"namespace_id": "1-NAMESPACE-2", "namespace_name":
"ip-10-110-221-77-1", "is_replica": true, "database_version":
"19.3.0.0.0", "content_type": "PDB", "data_uuid":
"834a794e51ec096059922dc06625fb66", "storage_size":
226567680, "creation_date": "2023-10-16T10:08:35.425Z",
"group_name": "Untitled", "engine_id": "1", "source_id":
"1-ORACLE_PDB_CONFIG-22", "engine_name": "e1", "cdb_id":
"1-ORACLE_SINGLE_CONFIG-24", "current_timeflow_id":
"1-ORACLE_TIMEFLOW-9", "is_appdata": false,
"primary_object_id": "1-ORACLE_DB_CONTAINER-2",
"primary_engine_id": "1", "primary_engine_name": "e1" } ],
"response_metadata": { "total": 6 } }
```

Operations Monitoring Overview

The Operations Monitoring feature allows users, such as Database Administrators (DBA), Developers, CISOs, and Database Managers, to monitor system operations related to data virtualization and masking. Users can view all operations and their statuses (completed, in progress, or error) on the Operations page.

This page will display operations based on the user's read permission on the associated object. Click on a specific operation to view additional details, including the related object name, the

operation type, the current status, a progress indicator (if in progress), and any additional metadata related to the operation.



The Operations page is accessible from Administration > Operations or the View All button on the Operations Monitor Bar, which is described below.

Operations Monitor Bar

The Operations Monitor Bar appears at the bottom of pages to display user-initiated operations, with those completed being auto-dismissed. Operations with errors or in progress remain until the user dismisses them from the bar. In-progress operations display the operation type and object name. By default, the Operations Monitoring Bar toggle button will be available on all pages of the application.

When logging into the application, the Operations Monitoring Bar will be hidden by default. There will be two triggers for showing it:

- Click on the icon (Operations Monitor Bar toggle button) in the top right.
- Initiate an action like VDB refresh or compliance operation execution.

The bar has a View All button that navigates to the full Operations page and an actions menu, represented by a vertical "more" icon, that displays available actions for that operation. Visibility of the bar can be toggled on from the "memory" icon in the top right corner.

The system will execute operations either manually by users or by automated tasks. If an operation encounters an error, the error details can be viewed on the Operation Details page. Notifications based on operation status changes will be covered in future brief and are not in the scope of this product brief.

The Operations Monitoring Bar will show the following:

- Operations initiated by the user.
- Operations initiated during the current session.
 - Initially the Operations Monitoring Bar will always be empty upon login.
- Operations marked as Monitor by the user in the full Operations page.
- Operations currently running and failed.

Additional notes

- Close and reopen the Operations Monitoring Bar as needed by using the toggle button located in the top right corner (within the top banner).

- The successfully completed operations will auto dismiss. In other words, when any operation completes, the status changes from RUNNING to COMPLETED and it will be auto-dismissed/auto-removed from the Operations Monitor Bar. For any other status, such as CANCELED, ABANDONED, FAILED, SUSPENDED, TIMEOUT etc., auto dismiss will not occur.
- Click the three-dot menu icon on any operation in the Operations Monitor Bar to dismiss and remove any operation from the Operations Monitor Bar by selecting this action from the
- When logging out and logging in again, the Operations Monitoring Bar will revert to being empty. The application will not retain the state of the Operations Monitoring Bar between user sessions.
- The View All button will navigate users to the Operations page.
- The View Details button will navigate users to the Details page of the specific operation.

Insight reports

Central governance insights

DCT provides global reporting of real-time statuses. This section will break down all of the reports in the Insights section of DCT.



All insight dashboards can be exported to CSV or JSON format.

VDB Inventory

The VDB Inventory report provides users with a comprehensive list of all the Virtual Databases (VDBs) created in the DCT platform and their identification metadata.

dSource Inventory

The dSource Inventory report provides users with a comprehensive list of all the dSources created in the DCT platform and their identification metadata.

Source Ingestion Metrics

The Data Source Ingestion Metrics dashboard is designed to help users find their virtualization source ingestion metrics, which are often required for contract renewal

purposes. The dashboard contains the data sources and informs the user of the total size of that ingestion source.

Compliance Job Executions Report

The Compliance Job Executions Report dashboard offers a comprehensive overview of the compliance jobs executed within DCT, by presenting key metrics that enable stakeholders to assess the efficiency and effectiveness of their data governance efforts.

Block Storage

This report provides users with a comprehensive view of storage usage across different engines. With this report, users can easily identify the engines that are utilizing the most storage and take necessary action to optimize storage usage.

Activity Audit Log Summary

The Activity Audit Log Summary provides a high-level audit log summary capturing the utilization of DCT by displaying user activity and the historical count of actions executed within the platform. This concise report enables stakeholders to quickly identify trends, monitor user engagement, and assess the overall effectiveness of data governance processes.


Continuous Data workflows

DevOps TDM

DCT delivers all of the Continuous Data and developer operations necessary to power DevOps and Test Data Management use-cases. This includes a suite of APIs to drive automation.



Using the above APIs, DCT can seamlessly integrate Delphix data into DevOps pipelines by providing a single point of integration for a broad Delphix deployment.



Developer experience

In addition to automation use cases, DCT provides the APIs and UI to power developer access to Delphix data and common Delphix operations. This section will detail all of the major capabilities that make up this revamped Delphix developer experience.

Self-service vs. DCT developer experience

Data Control Tower now provides a central experience for developers. Whether a developer prefers to leverage Delphix via API, integration, or UI, DCT delivers the ability to quickly access data from any connected Delphix engine, and the common capabilities to drive application development and testing.

Previously, Delphix offered a local addon application called Self-Service (or Jet Stream) that was attached to applicable data engines. Self-Service provided an interface to access pre-provisioned datasets encapsulated in "Self-Service containers", which would be made available by admin configuration.

Data Control Tower has taken the most common operations and use-cases, and has made this experience accessible to developers via API, integration, and UI. This article will describe the key use-case and operational overlap, as well as the differences between the local engine Self-Service experience and DCT's developer experience.

Key similarities

1. Developer access to Delphix Data

The DCT developer experience is geared toward driving access to data, with all of the same time-based operations to enable application development and testing. Operations (accessible via the API, integration, or UI) include refresh, rewind, start/stop, enable/disable, bookmark, bookmark share, and timeflow visibility/access.

2. Developer timeflow history

A common UI benefit in Self-Service is the ability to visualize past timeflows (see [Timeline history](#) for more detail), which acts like a testing record. Every time a developer runs a test and rewinds/refreshes, that past test results are stored in Delphix as a timeflow. DCT has both API and UI instrumentation to make the visualization and curation of timeflows incredibly simple.

3. Data-as-Code

Developers can use DCT bookmarks to reference a point in time on a VDB (or group of VDBs) with a developer-set retention period and human-readable name. This is valuable for development teams as they evolve application code. Whenever a code change necessitates a new database schema, a developer can

bookmark a VDB that is formatted to work with that particular code branch. This empowers development teams to always have access to a viable test data set for any and code branches of an application.

Key differences

1. DCT delivers a central interface powered by its converged architecture
This means that developers have a single location to log into in order to access and manipulate their virtual data sets.
2. User experience
The DCT developer experience UI has completely been reworked to make developer access to Delphix data easy and intuitive. This experience shows itself in three UI tabs, Active Timeline, Timeline History, and Bookmarks, that are located in each VDB's detail menu. This experience is meant to be used by all Delphix users (admins and developers, especially) and will be tailored to the individual based on the DCT Access Control system.
3. No template/container model
Previously, engine administrators needed to create templates encapsulating one or more related VDBs and provision new VDBs into a developer-accessible container. This model required manual administration that created bottlenecks for data access, which was especially prohibitive for automation use-cases. The benefit of this model was two-fold: first, containers represented a miniature sandbox for developers (using a Self-Service user role) and second, bulk operations could be performed on all container-grouped VDBs while maintaining referential synchronicity, a valuable attribute for integration testing.
4. DCT Access Control replaces the developer sandbox enabled by Self-Service containers
Developers simply log into DCT and can view and act upon data that they are entitled to access with operations tightly bounded by their defined role. DCT's Access Control system has the ability to automate both user membership of access groups and entitlement access via attribute-defined scoped roles. In addition, roles can be customized in DCT such that granular permissions can be extended and restricted down to both access group and user levels.
5. DCT VDB Groups replace the Self-Service container grouping mechanism
Currently only available via API, VDB groups enable the association of one or more VDBs for bulk operations while maintaining referential synchronicity.
6. Time operations consolidation
The developer experience UI consolidates the many time-based operations across Continuous Data and Self-Service (e.g. refresh, rewind, rollback, restore,

reset, etc.) into a single operation; refresh. From the DCT UI, clicking refresh will take users to a contextualized screen that simplifies time operations by focusing on what timeline (and what time) the user would like to align to (parent, self, or relative).

7. No "branching"

Branching in Self-Service introduced the notion of task-specific timelines, each with its own associated sets of timeflows. This was a concept that was heavily tied to the "template/container" model and is obviated by the DCT Access Control system that can enable gated provisioning access to a developer. If a new timeline is needed for a separate task, you can provision a new VDB.



DCT has a Delphix-supported integration with ServiceNow, which is commonly used as a developer resource-request tool. Users can build custom developer-centric workflows with any operation currently instrumented through the DCT API layer.

Creating and managing bookmarks


Create a Bookmark

Bookmarks are a critical developer tool that enables the creation of a namable time reference to a snapshot of a VDB or VDB group. Bookmarks for single VDBs can be created from the DCT UI by selecting a VDB and expanding into its detailed view. From the Active Timeline view, users can select the ellipsis in the top right corner and "Create Bookmark".

The screenshot shows the Delphix Data Control Tower interface. At the top, there's a navigation bar with the Delphix logo, 'DATA CONTROL TOWER', and links for 'Data', 'Compliance', 'Insights', and 'Admin'. Below the navigation, a breadcrumb trail shows 'VDBs < AppFS_DEV' with an ID of '3-APPDATA_CONTAINER-276'. The main area is titled 'Active Timeline' for 'AppFS_DEV'. It displays two time points: 'Today' (Mar 27, 2023) and '2 months ago' (Jan 20, 2023). Each time point has a 'Snapshot' icon and a timestamp (11:22 AM for today). In the top right corner, a context menu is open with the following options: Refresh, Enable, Disable, Start, Stop, Delete, and Create Bookmark. The 'Create Bookmark' option is highlighted with a red box.

Selecting the "Create Bookmark" button will open a window that enables bookmark naming, setting the custom retention period for that bookmark, and assigning any relevant tags. Creating bookmarks this way will initiate a new snapshot operation that will then be associated with that bookmark.

Bookmarks relating to a specific VDB can be found under the bookmarks tab in a VDBs details page. This provides a curated list of actionable snapshots that represent anything from a relevant test result to a transformed set of schema that can be associated with a specific branch of code.



The screenshot shows the Data Control Tower interface. At the top, there's a navigation bar with the logo, 'DATA CONTROL TOWER', and menu items: Data, Compliance, Insights, Admin, and a user icon. Below the header, the title 'VDB' and the specific VDB name 'AppFS_DEV' are displayed, along with its ID: 'ID: 3-APPPDATA_CONTAINER-276'. There are three tabs: Overview, Active Timeline, and Bookmarks, with 'Bookmarks' being the active tab. Under the Bookmarks tab, there's a table with columns: Bookmark, Creation Date, Tags, and Actions. One row is visible, showing 'Finance-App-1.0.3.2' as the bookmark name, 'Mar 27, 2023 11:21 AM' as the creation date, and a 'View Tags (1) >' button under the Tags column. A three-dot ellipsis icon is also present in the Actions column.

Create a bookmark from an existing snapshot

Starting in version 7.0, the UI has an option to create bookmarks from existing snapshots.

On the VDB detail page, under the Active Timeline tab for each snapshot, a Create Bookmark action is available. This opens a dialogue that shows a list of inputs for the user to select from, to create a bookmark.

Once the user clicks Create Bookmark in the dialogue, the bookmark will be created for that particular snapshot (if all the mandatory fields are completed), else errors will be shown.

VDB
JK-VDB-1
ID: 5-MSSQL_DB_CONTAINER-10

Overview Active Timeline Timeline History Bookmarks Access

Mar 22, 2023

4 days ago Mar 21, 2023

5 days ago Mar 20, 2023

6 days ago Mar 19, 2023

Snapshot 4:01 PM

7 days ago Mar 18, 2023

8 days ago Mar 17, 2023

Actions: Refresh, Retention, Create Bookmark

Create a bookmark at the current data and time.

VDBs > ChildVDBof_YGM
ChildVDBof_YGM
ID: 1-ORACLE_DB_CONTAINER-7

Overview Active Timeflow Timeflow History

6 days ago Sep 1, 2023

Snapshot 4:01 PM

7 days ago Aug 31, 2023

Create Bookmark

Bookmark Name: bookCurrent

Create Bookmark Options:

Create at current date and time (Sep 6, 2023 12:16 PM GMT+5:30)

Select date and time

Select SCN

Select Retention Date: 09/06/2023

Keep until manually removed (not recommended)

Storage Risk
Please note, long-lasting bookmarks may result in increased storage usage.
Furthermore, all snapshots dependent on this bookmark will be retained, irrespective of the snapshot policy.

Inherit Tags from Parent VDB

Cancel Create Bookmark

Create a bookmark based on the selected date and time.

The screenshot shows the Data Control Tower interface with the 'Data' tab selected. A modal dialog box titled 'Create Bookmark' is open. The dialog has a 'Create Bookmark Options' section with three radio button choices:

- Create at current date and time (Sep 6, 2023 12:16 PM GMT+5:30)
- Select date and time
- Select SCN

Below these options is a 'Select Exact Time' field containing the date '09/01/2023' and a calendar icon. The main body of the dialog contains the following information:

ID
1-ORACLE_SNAPSHOT-24


Start Timestamp
Sep 1, 2023 4:01 PM
GMT+5:30

End Timestamp
Sep 6, 2023 12:19 PM
GMT+5:30

Timeflow ID
1-ORACLE_TIMEFLOW-7

At the bottom of the dialog are two buttons: 'Cancel' and 'Create Bookmark'.

Create a bookmark based on SCN Number.



Bookmark API Documentation

Some advanced bookmark operations are only available via API at present, formal documentation can be found via DCT's swagger docs or the Developer resources section. This portion of the bookmarks documentation will discuss examples of advanced use-cases.

Create a Bookmark at the current time for multiple VDBs

DCT (version 6.0 and above) can create bookmarks from existing snapshots. This is particularly useful for users looking to migrate Self-Service bookmarks to DCT or any developer looking to retroactively create a bookmark reference.

In cases such as integration testing, bundling multiple VDBs together to represent a complete set of data that a complex application would run on is helpful. This API example shows how a single bookmark reference can be created off of multiple VDBs, to provide a provision point for new testing sets or the creation of a VDB Group that can be used to maintain referential synchronicity from that bookmark point.

Unset

```
curl -X 'POST' \ 'https://<APPLIANCE_ADDRESS>/v3/bookmarks' \
-H 'accept: application/json' \ -H 'Authorization: <API_KEY>' \
-H 'Content-Type: application/json' \ -d ' { "name": \
"MyBookmark1", "vdb_ids": [ "1-ORACLE_DB_CONTAINER-2", \
"2-ORACLE_DB_CONTAINER-2" ] } '
```

Copy



These API calls will return a DCT job to track the creation process. This job ID can then be used to poll the status via the jobs API. Example response:

Unset

```
{ "bookmark": { "id": "9e8c7223f1af4694a19ac2c2f7696eda", \
"name": "MyBookmark1", "creation_date": \
"2023-03-27T20:56:13.916857Z", "vdb_ids": [ \
"1-ORACLE_DB_CONTAINER-2", "2-ORACLE_DB_CONTAINER-2" ], \
"retention": 30, "expiration": "2023-04-26" }, "job": { "id": \
"8fe825f5635d45299915c3cb88a17623", "status": "PENDING", \
"type": "BOOKMARK_CREATE", "target_id": \
"9e8c7223f1af4694a19ac2c2f7696eda", "start_time": \
"2023-03-27T20:56:14.363549Z" } }
```

Copy

Creating a bookmark from a chosen timepoint

Now bookmarks can be created at a chosen snapshot timepoint using new properties in the request payload. Some properties are mutually exclusive, so be sure to use a valid request payload.

Here are some examples of a valid request payload:

Unset

```
{ "name": "my-bookmark-123", "vdb_ids": [ "vdb-123" ],  
"location": "112233", "expiration": "2021-07-04",  
"retain_forever": false, "tags": [ { "key": "key-1", "value":  
"value-1" }, { "key": "key-2", "value": "value-2" } ],  
"make_current_account_owner": true }
```

Copy

Unset

```
{ "name": "my-bookmark-123", "timeflow_ids": [ "timeflow-1" ],  
"location": "112233", "expiration": "2021-07-04",  
"retain_forever": false, "tags": [ { "key": "key-1", "value":  
"value-1" }, { "key": "key-2", "value": "value-2" } ],  
"make_current_account_owner": true }
```

Copy

Unset

```
{ "name": "my-bookmark-123", "timeflow_ids": [ "timeflow-1" ],  
"timestamp": "2021-05-01T08:51:34.148000+00:00",  
"expiration": "2021-07-04", "retain_forever": false, "tags": [  
{ "key": "key-1", "value": "value-1" }, { "key": "key-2",  
"value": "value-2" } ], "make_current_account_owner": true }
```

Copy

Properties

- timestamp
- location
- timestamp_in_database_timezone
- timeflow_ids

Rules

- timestamp, location and timestamp_in_database_timezone are mutually exclusive.

- If any of the properties from `timestamp`, `location` and `timestamp_in_database_timezone` are provided then:
 - At least one property for `vdb_ids` or `timeflow_ids` must be provided.
 - The `snapshot_ids` property is not allowed to be set.

VDB operations



The developer experience will continue to see investment and additional capabilities over the next few releases.

The VDB operations UI serves as an actionable command center for admins and developers. With this UI, users can migrate from using the local engine UI to leveraging DCT to do their daily VDB-related work. This encompasses both continuous data as well as any developers leveraging Delphix Self Service.


The core benefit of this UI experience is the breadth of access coupled with DCT's access control system. Using both together, a user can access and act upon any data on any connected engine within the boundaries of the entitlement and permissions set by the admin-driven access control system.

Status	Name	Type	Engine	Compliance	Last Refresh	Tags
UNKNOWN	ChildVDB	Oracle	SJ	Not Masked	Sep 19, 2023 1:04 PM GMT+5:30	Add Tags > View >
UNKNOWN	DBOMSR91F858dSource2_VLN	Oracle	Engine	Not Masked		Add Tags > View >
UNKNOWN	EmptyVDB_90NC2M95	Unstructured Files	Engine	Not Masked		Add Tags > View >
UNKNOWN	JK_CD0MSH9R364EPDB31109_ZKD	Oracle	SJ	Not Masked		Add Tags > View >
UNKNOWN	VAppdata dataSource_CEdrbQhH	Second_Plugin	Dj	Not Masked		Add Tags > View >
UNKNOWN	VAppdata dataSource_GpqJ RueN	Second_Plugin	Dj	Not Masked		Add Tags > View >
UNKNOWN	VAppdata dataSource_IDnCsFtt	Second_Plugin	Dj	Not Masked		Add Tags > View >

To access the VDB operations UI, users only need to log into DCT and select the detailed view of any particular VDB.



Users will only be able to see VDBs if they have been granted access via the Access Control system.



From there, users can perform common operations such as refresh, rewind, and bookmark using the Active Timeline tab. Developers have additional functionality with the Timeline History tab that exposes non-active timelines (also known as timeflows).

VDB provisioning wizard

Users can provision VDBs from the DCT UI using the Provision VDB button located under the action button on a VDB details page.

Supported database platforms

- Oracle Multi Instance (Single Tenant)
- Oracle Multi Instance (Multi Tenant) with linked vCDB
 - TDE is supported for Oracle versions greater than or equal to 12.2.
 - Only vCDBs with database versions greater than or equal to 12.1.0.2 can be linked.
 - Auto VDB restart is supported for Oracle versions greater than or equal to 12.1.0.2.
- Oracle Single Instance (Multi Tenant) with linked vCDB

- TDE is supported for Oracle versions greater than or equal to 12.2.
- Only vCDBs with database versions greater than or equal to 12.1.0.2 can be linked.
- Auto VDB restart is supported for Oracle versions greater than or equal to 12.1.0.2.
- MSSQL Multi Instance
 - Drive letters are not supported and are set to default values.
- SAP ASE
- AppData
 - AppData is used for connecting with other databases like Postgres, SAP HANA, etc. by uploading the plugin. Refer to the [Provisioning a PostgreSQL VDB](#) page for more details.
- vFiles
 - Refer to the [Unstructured files and app data](#) page for more details.

Extending the developer experience capabilities in DCT, users can now provision MSSQL single instance databases or Oracle single instance multi-tenant databases with linked CDB data platforms from the user interface, using an intuitive wizard workflow. Located on the VDB page is a Provision VDB button that opens the provisioning wizard. (Note: non admin users will only be able to see provisioningable sources (dSources and/or VDBs), environments, and engines to which they are authorized to see and act upon).

Step examples

The provisioning wizard will walk through the following steps:

- Source: search and select either a dSource or VDB to provision from.

The screenshot shows a web-based provisioning interface for a Virtual Data Base (VDB). The title bar indicates the URL is `localhost:4200/data/vdbs`. The main header is "Provision VDB". On the left, a vertical navigation menu lists steps: "Source" (selected), "Provision Point", "Target Environment", "Target Configuration", "Policies", and "Summary". The "Source" step page has a heading "Source" and a sub-instruction "Select an available Source or VDB from which to provision to your VDB." Below this is a search bar and two tabs: "dSources" (selected) and "VDBs". A list of sources is displayed, with one item highlighted: "CDOML0SR1E0FPDB1". To the right of the list, a panel titled "CDOML0SR1E0FPDB1 Details" provides specific information: Name (CDOML0SR1E0FPDB1), Version (Oracle 18.3.0.0.0), Engine (KM's Engine), Group (Oracle SI MT), and Environment (Oracle MT 18). At the bottom of the page are buttons for "Cancel", "Back", "Next" (highlighted in blue), and "Submit".

-
-
- Provision Point: three options for a provision point, similar to a refresh point.
 - A selected snapshot
 - A specific timestamp (closest snapshot to the timestamp)
 - A location ID/number (closest snapshot to the location number)

localhost:4200/data/vdbs

Provision VDB

Provision Point

The data from the parent will be copied to the target VDB.

Selected dSource: CDOMLSR1E0FPDB1

Select Provision Point **Select Exact Time (Slower)** **SCN Number Refresh (Slower)**

Timeflow
default

- 2 days ago** Jul 25, 2023 (1)
- Snapshot 4:01 PM**
- 3 days ago** Jul 24, 2023 (1)
- 4 days ago** Jul 23, 2023 (1)
- 5 days ago** Jul 22, 2023 (1)

Cancel **Back** **Next** **Submit**

- **Target Environment:** shows compatible environments with compatible repositories, and can optionally provide privileged credentials.

localhost:4200/data/vdbs

Provision VDB

Target Environment

The target environment is the location where your VDB will be provisioned. Select a target environment from the list under "Environment" and complete the Home and User fields.

Selected dSource: CDOMLSR1E0FPDB1

Oracle MT 18

User: oracle

Installation Home: /u01/app/oracle/product/18.0.0/dbhome_1

Container Database: CDBCDCOMLSR11MW_XEZ

Create a new container database
 Provide Privileged Credentials

Cancel **Back** **Next** **Submit**

- **Target Configuration:** should be prefilled with default configurations. One thing to note here are the tags which are additive when “Include Tags from Parent” is checked, and you wouldn’t immediately see the tags from the parent in the editor.

Tags are added when the **Include Tags from Parent** box is checked, you would not immediately see them from the parent in the editor.

- Users can also select the engine group and register listeners by expanding the advanced section below. In DCT, it is recommended to use tags instead of engine groups.
- The Target Configuration screen will present different options depending on the chosen Source.

The screenshot shows a web-based configuration interface for provisioning a Virtual Database (VDB). The URL is `localhost:4200/data/vdbs`. The title bar says "Provision VDB". On the left, there's a navigation sidebar with the following items:

- Provision Point
- Target Environment
- Target Configuration** (selected)
- Policies
- Summary

The main content area is titled "Set the various target configuration options for the newly provisioned VDB." It contains several input fields and a checkbox:

- Mount Base: `/mnt/provision` (with a checked checkbox labeled "Include Tags from Parent dSource")
- Oracle Pluggable Database Name: `CDOML0SR1E0FPDB1_HE8`
- vPDB Name: `CDOML0SR1E0FPDB1_HE8`
- Oracle Virtual Container Database Name: `CDBC_DOML0SR1HE8_ECI`
- vCDB Name: `CDBC_ECI`
- Oracle Virtual Container Database SID: `CDBC_DOML0ECI`
- Oracle Virtual Container Database Unique Name: `CDBC_DOML0SR1HE8_ECI`
- Transparent Data Encryption (TDE)

At the bottom right are buttons for **Cancel**, **Back**, **Next** (highlighted in blue), and **Submit**.

- vCDB Configure Parameters: Applicable to Oracle Single Instance (Multi Tenant) with linked vCDB.

The screenshot shows the 'Provision VDB' interface on a web browser at localhost:4200. The left sidebar has steps: Source, Provision Point, Target Environment, Target Configuration, vCDB Configure Parameters (selected), Policies, and Summary. The main area is titled 'vCDB Configure Parameters'. It shows a dropdown 'Default' and a 'Save as New Template' button. Below is a 'Table' tab selected, showing configuration parameters:

Name	Value
max_pdb	4096
memory_target	1342177280
log_archive_format	%l_%s_%r.dbf
nls_territory	'AMERICA'
compatible	'18.0.0'
processes	300
nls_language	'AMERICAN'

At the bottom are 'Cancel', 'Back', 'Next' (highlighted in blue), and 'Submit' buttons.

- Policies: choose a snapshot policy.

The screenshot shows the 'Provision VDB' interface on a web browser at localhost:4200. The left sidebar has steps: Source, Provision Point, Target Environment, Target Configuration, Policies (selected), and Summary. The main area is titled 'Policies' with the note 'Select the desired snapshot policy for the new VDB.' It shows two options:

- Source:** CDOML0SR1E0FPDB1
- Target Environment:** Oracle MT 18

Under 'Default Snapshot' (selected):


- Snapshots will be taken: At 03:30 AM, only on Sunday (US/Pacific)
- At 03:30 AM, only on Monday (US/Pacific)
- [View all 7 schedules](#)

Under 'None:SnapshotPolicy':

- Nothing scheduled for this policy.

At the bottom are 'Cancel', 'Back', 'Next' (highlighted in blue), and 'Submit' buttons.

- Masking: To mask the VDB being provisioned, check the Mask this VDB box. As shown in the note that appears when the box is checked, you will need to define a script in the Hooks step (after the Masking step) that will mask the dataset.



- **Hooks:** Delphix users now have the ability to add custom hooks to a VDB at the time of provision (as part of the provision wizard UI) and update them under a VDB detail page, so that they will execute during refresh operations. A Hooks section in the Summary page shows a list of all the hooks configured (if any). Hooks can be modified in the details page after creation.

Hooks

Select what hooks to run during various VDB hook points.

Source:
Alpha Data

Target:
Alpha Environment

Hook Points

Select hook point to add hooks on the right.

Configure Clone

Pre Refresh >

Post Refresh

Pre Self Refresh

Post Self Refresh

Pre Snapshot

Post Snapshot

Pre Start

Post Start

Pre Stop

Hooks

Hooks run in order from top to bottom, drag hook cards to re-order.

+ Hook

Custom Created Hook

Remove Edit

Type:

System Shell Command

Description:

Example code to run a script to create AppUser

Hook Selected from Global Hooks

Remove

Type:

System Shell Command

Description:

Example code to run a script to create AppUser

< Back Next >

- Summary: review the selections that have been made. In 10.0 and above, a hooks header has been added to the Summary page that shows a list of all the hooks configured for Hook Operations while provisioning a VDB (if this was configured).

Provision VDB

Summary

Review the configuration profile for this VDB

Source	Target
Source dSource/VDB CDOMLOSR1EOFADB1_HE8	Environment Oracle MT 18 Installation Home /u01/app/oracle/product/18.0.0/dbhome_1 Mount Base /mnt/provision vPDB Name CDOMLOSR1EOFADB1_HE8 Oracle Pluggable Database Name CDOMLOSR1EOFADB1_HE8 vCDB Name CDBC_CDOMLOSR1HE8_ECI Oracle Virtual Container Database Name CDBC_ECI Oracle Virtual Container Database SID CDBC_CDOMLOECI Oracle Virtual Container Database Unique Name CDBC_CDOMLOSR1HE8_ECI Transparent Data Encryption (TDE) Off VDB Tags No tags added

Cancel Back Next Submit

Limitations

TDE and Auto VDB restart are only supported for Oracle version 12.2 or higher.

VDB refresh

Overview

The VDB refresh wizard in the Data Control Tower UI offers important engine refresh operations like:

- Self-refresh by snapshot, timestamp, or location
 - Refreshes a VDB back to a point in its own history.
- Refresh to parent by snapshot, timestamp, or location
 - Data is pulled from the VDB provision parent (the dSource or VDB from which the VDB was provisioned).
- Refresh to relative by snapshot, timestamp, or location
 - Allows selection of data from either the origin dSource of the VDB (which could be the immediate parent, or parent of parent, etc.) or any VDB sharing the same origin dSource (which could be parent, child, sibling, or similar relationship).

- Refresh to bookmark snapshot
 - Refreshes a VDB to a compatible bookmarked snapshot.



In order to refresh from a dSource or VDB, the account performing the action must have the REFRESH permission on both the VDB being refreshed and the dSource (or VDB) from which the data is being refreshed.

User interface

The self-refresh by snapshot operation can be initiated as an action from the VDB's own active timeline or timeline history view, using the action menu for snapshots.

The screenshot shows the Data Control Tower interface for a VDB named "VDB". The "Active Timeline" tab is selected. A modal window titled "Confirm Refresh" is open, asking "Are you sure you want to refresh to this snapshot?". Below the modal, there are four circular icons with the number "4" each, pointing to specific refresh options: "Refresh", "Retention", "Self", and "Relative".

VDB

ID:

Overview Active Timeline Timeline History Bookmarks Access

a month ago
Feb 13, 2023

Snapshot 10:51 AM

2 months ago
Jan 8, 2023

6 months ago
Sep 20, 2022

3 years ago
Sep 19, 2019

All three refresh types can be performed by opening the refresh wizard on the VDB details page. In the first step, select the refresh source:

The screenshot shows the "Select Refresh Source" step of the refresh wizard. It has three options: "Select Refresh Source" (selected), "Refresh Point", and "Summary". The "Select Refresh Source" option is highlighted with a blue background. A tooltip for "Parent" says: "Set the data state of this VDB to any available point from the parent." Another tooltip for "Self" says: "Set the data state of this VDB to any available point on this VDB." A third tooltip for "Relative" says: "Set the data state of this VDB to any available point from any relative VDB."

Next, select the snapshot or point in time to refresh to:

- For self-refresh, a timeflow from the VDB's own history must be selected, and then a snapshot within the selected timeflow.

- For parent refresh, a timeflow from the VDB's provision parent's history must be selected, and then a snapshot within the selected timeflow.
- For relative refresh, first a relative dSource or VDB must be selected, then a timeflow, then a snapshot.

For all three refresh types, review the summary page once configurations are complete, then click submit:

Summary

Review the following to confirm your action to refresh VDB "Vdbd_3LT" from the selected source.

i **This action will create a new timeline**
 This action will be non-destructive since the existing state will be preserved as an alternate timeline that can be found in Timeline History on the VDB.

Source of Data VDB2SZ	>	Selected VDB Vdbd_3LT
Data Point Snapshot 201		
Origin DSource Time Jul 24, 2019 3:00 PM		



Refreshing happens asynchronously and takes a various amount of time. The DCT UI does not currently show asynchronous job progress or errors, please refer to the engine UI for this function.

Refresh to Bookmark

Bookmark is available as a Select Refresh Source option in the refresh wizard, which allows you to refresh from compatible bookmarks. Choose a bookmark from the list and click Next.

Refresh "Vvdb_MIK"

Select Refresh Source
Select Refresh Source

Select the source of the data refresh.

- Parent Set the data state of this VDB to any available point from the parent.
- Self Set the data state of this VDB to any available point on this VDB.
- Relative Set the data state of this VDB to any available point from any relative VDB.
- Bookmark Set the data state of this VDB to any compatible bookmark.

Cancel Back Next Submit

Select Bookmark
Select Bookmark

Select a bookmark for data refresh.

Bookmark	Creation Date	Tags
my-bookmark-1	Apr 25, 2023 4:33 PM	Add Tags >
my-bookmark-2	Apr 25, 2023 4:34 PM	Add Tags >

1 to 2 of 2 < > Page 1 of 1 >>

Cancel Back Next Submit

You can also refresh from a particular bookmark under the VDB details page, via the Bookmarks tab. Choose a bookmark from the list as the one to refresh from, then click the Actions menu and select Refresh to Bookmark.

VDB

← VDBs **Vvdb_MIK** ID: 1-ORACLE_DB_CONTAINER-4 ...

Overview	Active Timewindow	Timewindow History	Bookmarks	Access
Bookmark	Creation Date	Tags	Actions	
my-bookmark-1	Apr 25, 2023 4:33 PM	Add Tags >	Actions :	Refresh to Bookmark
my-bookmark-2	Apr 25, 2023 4:34 PM	Add Tags >		Update Bookmark

1 to 2 of 2 < > Page 1 of 1 >>

Active timelines

Active Timeline View

Active Timeline can be found by selecting “details” for any VDB located on the VDB list page in DCT and selecting the “Active Timeline” tab. This view serves as an operations console for any user with the appropriate entitlements to see and act upon the identified VDB granted by the DCT access control system.

This view shows a vertical timeline-based representation of all actionable points of interest (snapshots) for that VDB. The snapshot list is chronologically grouped over blocks of time to easily identify relevant snapshots to act upon. Once the right snapshot is found, users can access a contextualized action menu by selecting the corresponding ellipsis to the relevant snapshot.




Contextual snapshot menu: By selecting the ellipsis next to the VDB of interest, users can refresh to a snapshot or create a bookmark (a nameable and shareable snapshot reference).

A screenshot of the Data Control Tower interface showing the Active Timeline for a VDB named CDOMLOSR421FPDB1_93T. The timeline lists three snapshots: one from 5 days ago (Mar 22, 2023), one from 6 days ago (Mar 21, 2023), and one from 7 days ago (Mar 20, 2023). A context menu is open over the first snapshot, displaying options for Refresh and Retention.

Alternatively, users can perform common Continuous Data actions via the ellipsis in the top right of the Active Timeline screen. This menu will offer VDB-wide, generalized operations including:

- Refresh: This is a generalized operation to realign your VDB's timeline with another. More information can be found in the [Refresh a VDB](#) article.
- Start/Stop: A way to manage target host bandwidth.
- Enable/Disable: An administrative operation required for upgrades/migrations.
- Create Bookmark: Create a special reference to a snapshot that has a custom name and retention period.



Additional notes

- Refresh using the DCT UI
Data Control Tower has consolidated all contextualized time-based operations (e.g. refresh, rewind, rollback, restore, reset, etc.) across Continuous Data and Developer products into a general "Refresh". By clicking refresh, users will be prompted on what timeline they would like to align: Parent, Self, or Relative. From there, users will be taken to a wizard that will give relevant timeline options and points in time to perform the refresh.
- Start/Stop
Starting and Stopping are geared toward bandwidth management in a target environment. Stopping a VDB will place it in stasis such that it can't be accessed, but also won't consume bandwidth. Starting it back up will re-enable it for regular activity.
- Enable/Disable
Enabling and Disabling are geared toward administrative operations such as VDB migration or upgrade. Disabling a VDB removes all traces of it, including any configuration files, from the target environment to which it was provisioned. Re-enabling the VDB will restore those configuration files.
- Create Bookmark
Bookmarks serve as a human-referenceable representation of time that can work for a single VDBs or VDB groups. Bookmarks also have the capability to be shared (Refresh to relative in the [Refreshing a VDB article](#)). From the top level menu, users will be able to name the reference and set a unique retention period. Bookmarks do not appear in the Active Timeline, to access existing bookmarks, users will have to navigate to the "Bookmarks" tab on the VDB detail view.

Timeline history

Timeline History view

The timeline history view can be found by selecting “details” for any VDB located on the VDB list page in DCT and selecting the “Timeline History” tab. This view serves as a developer-centric console that shows the complete history of a VDB including non-active timelines, which is a critical resource for developers as these can contain information like past test results. Using this page, developers can curate and access the complete chronology of their testing efforts with operations such as renaming individual timeflows, make active, refresh to snapshot, and create bookmark to drive organization and access.

The Timeline History user interface

If entitled via the DCT Access Control system, developers can see and act upon VDBs in the VDB list view using the timeline history tab under "details". The timeline history UI is comprised of a vertical timeline-based representation of all actionable points of interest (snapshots) for that VDB. The snapshot list is chronologically grouped over blocks of time to easily identify relevant snapshots to act upon. Once the right snapshot is found, users can access a contextualized action menu by selecting the corresponding ellipsis to the relevant snapshot.

VDB
VDBs V ID: ...

Overview Active Timeline Timeline History Bookmarks Access

Based on source data from:
Mar 12, 2023 3:31 AM

DB_ROLLBACK Mar 20, 2023 3:30 AM

Timeflow-1 Mar 12, 2023 3:31 AM Active

Today Mar 23, 2023 1

Snapshot 3:30 AM

2 days ago Mar 22, 2023 1

3 days ago Mar 21, 2023 1

4 days ago Mar 20, 2023 2

5 days ago Mar 19, 2023 1


6 days ago Mar 18, 2023 1

7 days ago Mar 17, 2023 1

Items per page: 50 1 – 2 of 2 < >

Non-active timelines

Non-active timelines (often referred to as “timeflows” in Self-Service) are a critical aspect of how Delphix Virtualization works and an important Developer Tool. Whenever a time-based operation takes place, the previous timeline (and associated data) becomes non-active and a fresh timeline takes its place.



Non-active timeline creation from "Self-Refresh"

In this scenario, a developer has performed a “self-refresh” (formerly referred to as a “rewind” or “rollback”). In refreshing Snapshot B, the developer has created a new active timeline that represents a clean slate starting with the data state of Snapshot B. If the developer wants to refer back to the past results that are represented on the non-active Timeline, he or she can activate the past timeline by hitting the “Make Active” button in the DCT User Interface or by refreshing to a point in time by referencing the non-active Timeline’s ID.

For developers, having the ability to catalog (name and tag) and reference past timelines is a critical aspect of application development such as performing ad hoc code validation or manual testing. The timeline history UI in DCT provides a home for single VDB visibility of all accessible timelines (note: timeline availability is controlled through capacity management and snapshot retention policies).

Time concepts within the Timeline History Tab

DCT’s new user interface highlights different notions of time within Delphix (e.g. dSource, VDB, and VDB lineages) and how they relate to one another. These time-based relationships are exposed in the Timeline History view to drive accurate testing for developers.

The “Based on dSource time” designation helps to drive awareness of the relationship between a VDB and its dSource provision point (in most cases this will equate to the production database’s state at that time), which is helpful for use cases such as capturing data from a meaningful event. As a VDB refreshes to newer snapshots on a dSource, those changes of data state are grouped separately on the Timeline History view as they represent completely different data.


Timeflow operations

“Make Active”, a developer can reference any past timeflows and data represented therein by making a timeflow “Active”. This can be done by simply clicking on the timeflow of interest and selecting “Make Active”.



Refresh to snapshot

Included within each timeflow are snapshots that can be accessed via a dropdown menu under each timeflow. If given the right permission, a developer can refresh the VDB to that snapshot. While this may seem similar to “Make Active”, there are major underlying differences as a “Refresh” will reprovision the VDB based on that point in time, whereas, “Make Active” simply changes the reference to different blocks of the underlying storage.




Create bookmark

On a snapshot will enable developers to convert that snapshot into a [DCT Bookmark](#) that enables developers to assign a name and special retention policy to that time reference. This also enables stronger collaboration between developers as bookmark references can be used for a sibling refresh operation.


Rename timeflow

Developers can curate time flows to correspond to tests such that they can easily reference results data. This action can be performed by clicking the ellipsis on the time flow to reach a drop-down menu. This menu includes the option to "rename" which will open a dialog box to input a new name. The input is prefilled with the current Timeflow name by default. Saving the dialog kicks off a job to rename the timeflow. The changes may take a short time to be reflected in the UI.



Delete timeflow

Developers have the option to delete time flows via the UI by selecting the ellipsis next to the corresponding time flow and selecting "delete". When clicked, this opens a confirmation dialog asking if the user wishes to delete the timeflow. If the dialog is confirmed, a job is kicked off to delete the timeflow. Note: This menu item is disabled for the currently-active timeflow.



API documentation

While the DCT UI provides a visual aspect to timeflow chronology and grouping, the DCT API has all of the necessary instrumentation to integrate these concepts into automation. The formal documentation can be found via DCT's swagger docs or the developer resources documentation section. This portion of the timeflow documentation will provide some general examples:

Get a list of a VDB's timeflows

This simple call will enable the listing of the entire timeflow roster underneath a VDB enabling a developer to take inventory and action.

Unset

```
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/timeflows/search?limit=50&sort=id'
' \ -H 'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "filter_expression":
"dataset_id eq '\'\\'1-ORACLE_DB_CONTAINER-2'\'\'' }'
```

Copy

The UPDATE timeflow API can be used to change a timeflow's name

Once the appropriate timeflow is found, developers can rename the timeflow to align with a naming scheme or other relevant designations such as a compatible code branch.

Unset

```
curl -X 'PATCH' \
'https://<APPLIANCE_ADDRESS>/v3/timeflows/1-ORACLE_TIMEFLOW-7' \
-H 'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "name": "Latest on refresh
state" }'
```

Copy

List all the snapshots for a timeflow

Developers can then use the snapshot API to find all relevant "actionable" points in time on the identified timeflow. The below example shows how to only expose snapshots on a particular timeflow. From there, developers can feed the relevant snapshot ID into refresh or provision endpoints or create a bookmark reference from that snapshot.

Unset

```
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/snapshots/search?limit=50&sort=id
' \ -H 'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "filter_expression":
"timeflow_id eq '\''1-ORACLE_TIMEFLOW-7'\'' }'
```

Copy

Locking and unlocking a VDB

This feature allows users with LOCK and UNLOCK permission to lock and unlock a VDB, similar to the lock/unlock feature available via Self-Service containers on the Continuous Data Engine.

The VDB can be locked by a user with LOCK permissions for that particular VDB. Once a VDB is locked, all of the VDB operations (Refresh, Start, Stop, Delete, and Create Bookmark) are disabled for all other users.

The user needs the UNLOCK permission on the VDB to perform an unlock operation. Thus, only the user that locked the VDB OR a user with the FORCE_UNLOCK permission can unlock it. The FORCE_UNLOCK permission is only granted to the admin system role by default.



Users cannot lock a VDB with refresh policies assigned to it or have any active engine job running at the time of locking.

The VDB details page has the options to lock and unlock a VDB under the Actions menu. All VDBs are in the unlocked state by default, thus, the only option available at first is to lock the VDB.

This screenshot shows the VDB details page for 'VCDO_7YQ'. The top navigation bar includes 'Home', 'Data', 'Compliance', 'Insights', and 'Admin'. The main content area displays the 'Platform' as 'Oracle' and the 'Status' as 'RUNNING'. On the right, the 'Actions' menu is open, showing options like Refresh, Enable, Disable, Start, Stop, Delete, Create Bookmark, Lock (which is highlighted with a red box), and Unlock.

A warning message is shown on the VDB detail page if the VDB is locked by a user.

This screenshot shows the VDB details page for 'VCDO_7YQ'. A warning message 'VDB is currently locked' is displayed in an orange box, stating 'Account: 1 has locked this VDB preventing any refresh actions.' Below this, the 'Platform' is listed as 'Oracle' and the 'Status' is 'RUNNING'. The 'Actions' menu is open, showing the 'Lock' option. A success message 'Successfully locked "VCDO_7YQ"' is shown in a black box with an 'OK' button, which is also highlighted with a red box.

Select the Actions menu on a locked VDB to show the unlock action.

VDBs > VCDO_7YQ
 VCDO_7YQ
 ID: 47-ORACLE_DB_CONTAINER-16

Overview Active Timewf Timewf History Bookmarks Access Hook

Platform Oracle

Status RUNNING

Details

Type	VDB
Platform	Oracle
Version	19.11.0.0
Size	1.05GB
Engine	Screenshot

Tags Edit
No tags added

Environment Details

Environment Name	bhavik-src
Type	Single Instance
OS	Linux

Actions

- Refresh
- Enable
- Disable
- Start
- Stop
- Delete
- Create Bookmark
- Lock
- Unlock**

Locking and unlocking a VDB via API

DCT also provides a capability for an account to lock the VDB on behalf of another account, but this is an API only feature. For an account to be able to lock the VDB on behalf of another account, it needs to have the LOCK_FOR_OTHER_ACCOUNT permission on the particular VDB.

Formal documentation around the API signature and related payloads can be found via [DCT API documentation](#) in the Developer resources section. Below is an example of an account requesting to lock a VDB on behalf of an account with account_id 2.

Unset

```
curl --location 'https://<APPLIANCE ADDRESS>/v3/vdbs/<VDB ID or NAME>/lock' \ --header 'Authorization: <APIKEY>' \ --header 'Content-Type: application/json' \ --data '{ "account_id" : 2 }'
```

Continuous Compliance workflows



Compliance Engines limit any syncing operations while a profiling or masking job is running. When using DCT job move, execute, or migrate operations, please ensure that

the target Compliance Engine is in an idle state. Future Compliance enhancements to DCT will remove this limitation.

With the ability to distribute and run jobs, DCT enables advanced Compliance Engine architectures to be orchestrated and monitored using DCT's real-time, persistent relationships with connected Compliance Engines. When syncing a Compliance Engine, DCT will create references for all Compliance jobs on that Engine. These will show up as unique objects tracked by DCT that can now be leveraged with job move APIs.

Listing and searching compliance jobs

When a Compliance Engine is registered with DCT, compliance jobs (referred to as MaskingJobs within the DCT API) on the Engine are automatically ingested and presented as DCT MaskingJob objects.

Example of listing all MaskingJobs:

```
Unset
curl -X 'GET' \ 'https://<APPLIANCE_ADDRESS>/v3/masking-jobs'
\ -H 'accept: application/json' \ -H 'Authorization: <API_KEY>'
```

Copy

Example of searching for OnTheFly MaskingJobs:

```
Unset
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/search' \ -H
'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "filter_expression":'
'is_on_the_fly_masking eq true" }'
```

Copy

With the new job move APIs, DCT can now be used to power two advanced [masking reference architectures](#): Software Development Lifecycle (SDLC) and Horizontal Scale architectures. SDLC enables the separation of duties for the development, quality assurance, and production use of masking jobs whereas Horizontal Scale enables the use of a central configuration engine with the movement of jobs to headless compute engines.

To enable these architectures, DCT has introduced three new operations: Job Copy, Job Execute, and Job Migrate:

- Copy: Supports SDLC by copying a job, but maintaining separate references in DCT.
- Execute: Supports Horizontal Scale by copying a job, but maintaining the same reference between two copies. DCT will also keep both of these copies in sync.
- Migrate: Supports the movement of a single instance from one engine to another.

Consolidated operations (intelligent syncing)

DCT has simplified the set of operations required to move a job and its dependencies. Previously, orchestrating movement of jobs required three separate API calls: Job Sync, Global Object Sync, and Credentials Update (on the newly created job). DCT has now consolidated all three of these operations into each of the job move APIs. In addition, if two jobs are held in sync (see [Job Execute](#)), DCT will auto update synced jobs whenever one of those jobs has been modified (i.e. updated rule set, new algorithms, etc.).



In order to transfer connector credentials with a job as part of the job move, you will need to associate those credentials using the connector credentials API. See sample code below on how to update credentials.

Example of updating a MaskingJob with connector credentials:

```
Unset
curl -X 'PATCH' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-485d-a388-44bc52087ead' \
-H 'accept: application/json' \
-H 'Authorization: <API_KEY>' \
-H 'Content-Type: application/json' \
-d '{ "connector_username": "user123", "connector_password": "password123" }'
```

Managing engines (Continuous Compliance)

DCT provides a near real-time list of all connected Continuous Compliance engines and lists them in an aggregate view. From the below screen, Delphix administrators can easily view and manage their engine connections.

Compliance Engines

Overview of all compliance engines in your Delphix ecosystem.

Status	Name/UUID	Type	Running Jobs	Masking Usage/Total	Masking Available Cores	Tags
Online	Test Engine 2	Masking 9.0.0.0	0	0% 2.00GB	4	View tags (1) > View >
Online	Test Masking	Masking 9.0.0.0	0	0% 2.00GB	4	Add Tags > View >

From this screen, administrators can manage engine connects via the “Connect Engine” button on the top right corner. By clicking this button, the below window will appear asking for connection details.



DCT will access the engine as a registered user and, as detailed in the Deployment section, requires both a username and password as well as admin-level access to the engine. For compliance engines, select "Masking" type when registering an engine.

Connect Engine

Engine Details

Name: Test Engine 2

Hostname: uv0ftz4mlcpf5cx4dbg.vm.cld.sr

Choose Engine Type

Virtualization

Masking

Engine overview

Individual engine details can be seen and acted upon by clicking down on a particular engine detailed view. Once clicked, users will be sent to an "overview" tab that provides relevant metadata related to the engine.

The screenshot shows the Data Control Tower interface. At the top, there's a navigation bar with the logo, 'DATA CONTROL TOWER', and links for 'Data', 'Compliance', 'Insights', and 'Admin'. Below the navigation, it says 'Compliance Engine' and 'Test Engine 2'. There are two tabs: 'Overview' (which is active) and 'Access'. The 'Overview' section contains several cards: one for 'Number of Running Jobs' (0), another for 'Current Memory Usage' (0% / 0.00B of 2.00GB), and a 'Details' card which shows 'Type: Compliance Engine' and 'Version: 9.0.0.0'. To the right is a 'Tags' section with a single tag: 'Data Center: West Coast'. An 'Edit' button is also present.

Engine-based operations access

Users are able to audit which users have access to this particular engine, what access group they belong to, and the associated permissions that each user has on this engine. Admins are able to click on the "View" button to access further details under the access control screen related to that specific user.

This screenshot shows the 'Access' screen for 'Test Engine 2'. It lists users with their email addresses: 'John Smith' (johnsmith@company.com). For each user, it shows 'Access Groups' (e.g., '1 >') and 'Permissions' (e.g., 'CREATE_ENVIRONMENT', 'DELETE'). A tooltip for the 'Permissions' column lists actions: 'Create', 'Create Environment', 'Delete', 'Manage Tags', 'Read', 'Set Tags at Object Creation', and 'Update'. Two 'View' buttons are highlighted with arrows pointing to them.

Compliance jobs


[Job UI](#)
[Copy job](#)
[Execute job](#)
[Migrate job](#)
[Delete job](#)

Job UI

Global compliance jobs list

When connected to a Continuous Compliance engine, DCT will sync and create references to every compliance job on the engine. All of those job references can be

found in the global compliance list, which is a taggable, filterable, sortable, and searchable list of all compliance jobs across a connected Delphix ecosystem.



The screenshot shows the Delphix Data Control Tower web interface. The top navigation bar includes the Delphix logo, 'DATA CONTROL TOWER', and menu items 'Data', 'Compliance' (which is underlined, indicating it's the active page), 'Insights', and 'Admin'. A user icon is in the top right corner. The left sidebar has two main categories: 'Compliance Engines' and 'Compliance Jobs', with 'Compliance Jobs' currently selected and highlighted in blue. The main content area is titled 'Compliance Jobs' and contains a brief description: 'Compliance jobs are the configurations that enable you to mask data on your data sources.' Below this is a search bar with 'Search' and 'Search (All)' dropdown options. The main list displays several compliance jobs, each with a name, ID, and a 'View >' link. The jobs listed are:

Name/ID	Action
Drupal 9 Custom App Masking 020e35d2-7d60-482c-908b-7825e89ed3e7	View >
Drupal 9 Custom App Masking 08edd39c-bbe2-4296-9e10-ac255fdc8722	View >
M1-sCRM-Dev 473b6938-106a-4969-bc53-d756f33845fa	View >
M1-sCRM-Dev 4edc7691e-cab8-48aa-a14a-62339d9a0534	View >
Mask anagrafe 36bffd517-30d0-400f-b950-5ea8985426eb	View >
Mask anagrafe bbfd11e9-3cc9-4998-bc40-a624f0a15241	View >

Compliance job overview

Individual compliance job details can be seen and acted upon by clicking down on a particular compliance job detailed view. Once clicked, users will be sent to an "overview" tab that provides relevant metadata related to the VDB.

Compliance Job

Drupal 9 Custom App Masking

ID: 020e35d2-7d80-482c-908b-7825e89ed3e7

Overview Access History

Job Status : SUCCEEDED
Started at 3:09 AM Run Time : 22secs

- ✓ Initializing
- ✓ Collecting Configurations
- ✓ Preparing
- ▶ Running Pre-execution Custom Driver Tasks
- ✓ Starting
- ▶ Running PreSQL Scripts
- ▶ Running PostSQL Scripts
- ▶ Running Post-execution Custom Driver Tasks
- ✓ Collecting Information
- ✓ Job Completed

Details	Tags
Created May 16, 2022 3:54 AM	Edit
Rule Set Drupal 9 Custom app	

Access tab

Users are able to audit which users have access to this particular compliance job, what access group they belong to, and the associated permissions that each user has on this job. Admins are able to click on the "View" button to access further details under the access control screen related to that specific user.

Compliance Job

Drupal 9 Custom App Masking

ID: 020e35d2-7d80-482c-908b-7825e89ed3e7

Overview **Access** History

User	Access Groups	Permissions
John Smith johnsmith@company.com	1 >	View > CANCEL COPY DELETE View > CANCEL COPY DELETE


Masking Jobs

[CANCEL](#) [Copy](#) [Delete](#)
[Execute](#) [Manage Tags](#) [MIGRATE](#)
[Read](#) [Update](#)

Execution history tab

The compliance jobs page also includes job execution history. Execution information will be recorded and displayed on this tab, and includes the status (success, running,

failed), run time, submit, and end timestamps, and engine on which it ran. Additionally, clicking the “details” button for an execution will display its report.



Compliance Job

ComplianceJobs

ComplianceJob1

726617c0-6fe8-49e1-8b25-4ae46339864c

Overview Access History

Search Search (All)

Run Time	Submit Time	End Time	Engine Name	
✗	May 3, 2023 6:44 PM	May 3, 2023 6:44 PM	em-masking	Details >
✓	May 3, 2023 6:44 PM	May 3, 2023 6:44 PM	em-masking-6013.dc...	Details >
✓	May 3, 2023 6:44 PM	May 3, 2023 6:44 PM	em-masking-6013.dc...	Details >

1 to 3 of 3 < Page 1 of 1 >

Execution details

The execution details view includes a list of execution events and the execution log. This is particularly useful when troubleshooting failed executions.



Details for successful executions may also have events and logs which include relevant information, such as warnings.

Error Report



Execution event Information

This section shows exceptions that occurred during the job run. More detailed information may be available in Masking logs.

Execution Events

Event	Cause	Description
JOB_ABORTED	UNHANDLED_EXCEPTION	Listener refused the connection with the foll...

Logs

```
2023-05-05 04:44:13, [thread] INFO com.dmsuite.dmsApplicator.masking.XMLGenerator executeMarshalling - Generate request xml started successfully.  
2023-05-05 04:44:13, [thread] INFO com.dmsuite.dmsApplicator.masking.XMLGenerator executeMarshalling - Generate Request xml done successfully.  
2023-05-05 04:44:13, [thread] INFO com.dmsuite.dmsApplicator.masking.transformation.MaskingMarshalling createKettleXML - Generate Transformation XML started successfully  
2023-05-05 04:44:13, [thread] SEVERE com.dmsuite.dmsApplicator.masking.transformation.MaskingMarshalling handleJobGenerationException - An exception occurred during job generation  
java.sql.SQLException: Listener refused the connection with the following error:  
ORA-12505, TNS:listener does not currently know of SID given in connect descriptor
```


OK

Copy job



Compliance Engines limit any syncing operations while a profiling or masking job is running. When using DCT job move, execute, or migrate operations, please ensure that the target Compliance Engine is in an idle state. Future Compliance enhancements to DCT will remove this limitation.

The Masking Job Copy operation creates a duplicate of a job with a separate reference for that new copy. This operation supports SDLC workflows as DCT will maintain unique references for each instance of a masking job, enabling them to be managed independently.



User interface documentation

Job copy can be run via the DCT UI by accessing a compliance job's detailed view and selecting the ellipsis in the top right corner and clicking on "copy". This will open a window to select the target engine, the new name of the transferred job, source and target environment details, and relevant tags.

The screenshot shows the Delphix Data Control Tower (DCT) user interface. The main view displays a compliance job named "Drupal 9 Custom App Masking" with a status of "SUCCEEDED". The job log shows the following steps:

- Job Status : SUCCEEDED
- Started at 3:09 AM
- Initializing
- Collecting Configurations
- Preparing
- Running Pre-execution Custom Driver Tasks
- Starting
- Running PreSQL Scripts
- Running PostSQL Scripts
- Running Post-execution Custom Driver Tasks
- Collecting Information
- Job Completed

A modal dialog titled "Copy Compliance Job" is open, showing the following fields:

- Target Engine: Test Engine 2
- Name: Prod - Drupal 9 Custom
- Source Environment ID: test-on-the-fly-mask1
- Target Environment ID: prod-in-place-mask1
- Tags: App: Alpha, Owner: John Smith
- Buttons: Copy (highlighted), Cancel

API documentation

For input, the user must specify the target engine along with the environment on the target engine that the job will be copied onto. The engine and environment pair is what uniquely identifies a copy of the Masking Job. Calling the COPY API against the same target engine and environment effectively serves as a re-sync and does not create a new DCT MaskingJob entity.

Example of copying a MaskingJob to engine with ID 2 and environment named 'prod-env':

```
Unset
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-485d-a
388-44bc52087ead/copy' \ -H 'accept: application/json' \ -H
'Authorization: <API_KEY>' \ -H 'Content-Type: application/json' \ -d
'{"target_engine_id": "2", "target_environment_id": "prod-env"}'
```

Copy

MaskingJob sync will not copy connector credentials to another engine. In order to make a copied job executable outside of DCT, the credentials must be set on the Connector itself. The connectors for a MaskingJob can be searched for, updated, and tested directly via DCT.

Example of listing connectors for a MaskingJob:

```
Unset
curl -X 'GET' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-485d-a
388-44bc52087ead/connectors' \ -H 'accept: application/json' \ -H
'Authorization: <API_KEY>'
```

Copy

Example of updating a connector's credentials:

```
Unset
curl -X 'PATCH' \
'<https://<APPLIANCE_ADDRESS>/v3/connectors/2-DATABASE-23>' \ -H
'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{"username": "USER123",
"password": "password123"}'
```

Copy

Example of testing a connector:

Unset

```
curl -X 'POST' \  
'<https://<APPLIANCE_ADDRESS>/v3/connectors/2-DATABASE-23/test'> \  
-H 'accept: application/json' \ -H 'Authorization: <API_KEY>' \
```

Copy

Execute job



Compliance Engines limit any syncing operations while a profiling or masking job is running. When using DCT job move, execute, or migrate operations, please ensure that the target Compliance Engine is in an idle state. Future Compliance enhancements to DCT will remove this limitation.

The Execute endpoint creates a duplicate of a job while maintaining a single reference for both job instances. This operation supports Horizontal Scale workflows, as DCT will maintain a singular reference for all instances of a job across any number of connected Compliance engines.

As part of this endpoint, DCT will maintain all of these job instances in sync, so they can all be controlled from a single configuration point (it's recommended to dedicate a select engine or set of engines to the creation and updating of masking jobs and dependencies) and any changes are automatically propagated to the other job instances at the time of the next job execute operation. This enables users to identify a masking job on a configuration engine, copy it over to a dedicated compute engine (or set of engines), and run that job at a regular cadence through DCT. Whenever the job needs to be updated, the user simply updates the job on the configuration engine.



Since all jobs connected via the job execute operation are under a single reference, every time a job is run, its run statistics will report back to DCT and will be recorded under that singular job reference.

Executing a MaskingJob requires only a reference to a target engine as input. DCT will take care of syncing the job to the target engine and executing it. DCT will create and manage the environment where the job is copied onto.

Example of executing a MaskingJob on engine with ID 2:

```
Unset
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-485d-a388-44bc52087ead/execute' \ -H 'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "engine_id": "2" }'
```

Copy

This will return a DCT job that can be further polled for status updates. The job will only transition to the COMPLETED state when the entirety of the sync and execution has completed on the target engine.

When a MaskingJob is executed via DCT and the job is synced to the target engine, the default Connector is used for execution. Masking job sync never copies credentials, for security reasons. Since having credentials set on the target connector is required for execution, DCT enables this by allowing users to store connector credentials within DCT itself. A DCT MaskingJob now contains properties for the connector credentials. The expectation is that users will pre-store the credentials by using the UPDATE API on the MaskingJob. MaskingJob execution has a hard requirement that credentials be saved within a MaskingJob prior to allowing execution.

Example of updating a MaskingJob with connector credentials:

```
Unset
curl -X 'PATCH' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-485d-a388-44bc52087ead' \ -H 'accept: application/json' \ -H
'Authorization: <API_KEY>' \ -H 'Content-Type: application/json' \ -d '{ "connector_username": "user123", "connector_password": "password123" }'
```

Copy

Once a MaskingJob execution has been initiated, the EXECUTION APIs can be used to view and cancel running executions as well as search through execution history. Note that canceling an execution is a best-effort action that does not interrupt any of the job sync that may occur prior to the execution.

Example of searching for executions of a particular MaskingJob:

```
Unset
'https://<APPLIANCE_ADDRESS>/v3/executions/search' \ -H
'accept: application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "filter_expression":
"masking_job_id eq
'\''d53812ce-9186-485d-a388-44bc52087ead'\'' }'
```

Copy

Example of canceling an execution if and only if it is in the RUNNING state (denoted by the expected_status query parameter):

```
Unset
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/executions/11397caa-6006-4e
ba-b575-ae3ad00c3762/cancel' \ -H 'accept: */*' \ -H
'Authorization: <API_KEY>' \ -H 'Content-Type:
application/json' \ -d '{ "expected_status": "QUEUED" }'
```

Copy

User interface

Execute a compliance job with the Execute action, available in the action menu on the top right corner of the job details page. This will open a window that lists Compliance engines with which a job needs to be executed. Once selected, click the "Execute" button to start the job on the selected engine. The screenshot below shows a selected engine.


Migrate job



Compliance Engines limit any syncing operations while a profiling or masking job is running. When using DCT job move, execute, or migrate operations, please ensure that

the target Compliance Engine is in an idle state. Future Compliance enhancements to DCT will remove this limitation.

The Migrate endpoint moves a job from one engine to another without any duplicates. This endpoint is useful for consolidating masking jobs (i.e. moving jobs to a fresh engine ahead of the original being retired or consolidating two development engines into a single one for administrative simplicity). This means that a job will continue to have only a single instance with no additional jobs being created. This job will maintain its same reference within DCT.



Example of finding all MaskingJobs originating from engine with ID 2:

Unset

```
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/source-engines
/search' \ -H 'accept: application/json' \ -H 'Authorization:
<API_KEY>' \ -H 'Content-Type: application/json' \ -d '{
"filter_expression": "source_enigne_id eq '\''2'\'' }'
```

Copy

Example of migrating a MaskingJob to new source engine with ID 3 and placing it in the 'prod-env' environment:

Unset

```
curl -X 'POST' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-
485d-a388-44bc52087ead/migrate' \ -H 'accept:
application/json' \ -H 'Authorization: <API_KEY>' \ -H
'Content-Type: application/json' \ -d '{ "target_engine_id":
"3", "target_environment_id": "prod-env" }'
```

Delete job

Calling the DELETE API on a MaskingJob will effectively remove the record from DCT (and its execution history) as well as delete the actual masking job on the source engine and on any other engine where the job has been copied to (as a result of execution). The API includes a force option to prevent the action from failing in the event that an engine is unreachable.

Example of deleting a MaskingJob with the force option:

Unset

```
curl -X 'DELETE' \
'https://<APPLIANCE_ADDRESS>/v3/masking-jobs/d53812ce-9186-485d-a
388-44bc52087ead?force=true' \ -H 'accept: application/json' \ -H
'Authorization: <API_KEY>'
```

Copy

This will return a DCT Job that can be further polled for status updates. Note that if the force option is used and there are ignored errors, details about those errors will be included in the error_details and warning_message fields of the DCT Job as follows:

Unset

```
{ "job": { "id": "722ba51cf70e4e32adbd192b07304bb5", "status":
"COMPLETED", "type": "MASKING_JOB_DELETE", "error_details": "Unable
to connect to the engine.", "warning_message": "Failed to remove local
MaskingJob, engineId: 3 localMaskingJobId: 7.", "target_id":
"d53812ce-9186-485d-a388-44bc52087ead", "start_time":
"2022-01-02T05:11:24.148000+00:00", "update_time":
"2022-01-02T06:11:24.148000+00:00" } }
```

Copy

Hyperscale Orchestrator UI Overview

The Hyperscale UI is Controlled Availability, meaning that Delphix highly encourages interested customers to reach out to Delphix Product and Engineering for a guided onboarding. Please contact your account team if interested.

Data Control Tower has the ability to connect to one or more [Hyperscale Compliance Orchestrators](#), to serve as a complimentary user interface. The current Compliance Engine/Hyperscale Orchestrator/DCT workflow is as follows:

1. Build the foundational objects (rule sets, connectors, inventories, etc.) within the Compliance Engine.
2. Build a data set on the Hyperscale cluster by either:
 - a. Importing a compliance job from a Continuous Compliance Engine.
 - b. Building the dataset via the connector, dataset, and jobs API on the Hyperscale cluster.
3. Set up the DCT-to-Hyperscale connection by following simple steps in the [Connecting/authenticating](#) article. DCT will then create references for any data sets (registered as Hyperscale Jobs in DCT), cluster details (e.g. mount points, etc.), and pre-existing engine connections to the Hyperscale Orchestrator.
4. Create a Hyperscale Job on the Hyperscale cluster, which consists of specifying a dataset and execution parameters, followed by executing that job via the Hyperscale API.
5. DCT will recognize this job execution and map that to its representation in the Jobs UI. You can visually monitor progress as the job execution continues.

Implementation introduction

The first step in working with Hyperscale is to register a Hyperscale Orchestrator with DCT. DCT connects to all Hyperscale Orchestrators over HTTPS, some configurations might be required to ensure DCT can communicate successfully.

Begin the Hyperscale Orchestrator registration flow, as well as view currently registered Hyperscale Orchestrators under the Compliance -> Hyperscale Orchestrators section. The registration wizard will guide you through the steps of the process, some of which are described in further detail below.

Truststore for HTTPS

If the CA certificate that signed the Hyperscale Orchestrator's HTTPS certificate is not a trusted root CA certificate present in the JDK, then custom CA certificates can be provided to DCT. If these certificates are not provided, a secure HTTPS connection

cannot be established and registering the Hyperscale Orchestrator will fail. The `insecure_ssl` Hyperscale Orchestrator registration parameter available as a checkbox option in the registration wizard can be used to bypass the check, however, this should not be used unless the risks are understood.

Get the public certificate of the CA that signed the Hyperscale Orchestrator's HTTPS certificate in PEM format. Your IT team might be required to get the correct certificates. Base64 encode the certificate with:

Unset

```
cat mycertfile.pem | base64 -w 0
```

Copy

Copy the Base64 encoded value from the previous step and configure in the `values.yaml` file under the `truststoreCertificates` section. For example, the section might look like this:

Unset

```
truststoreCertificates: <certificate_name>.crt: <base64  
encode certificate string value in single line>
```

Copy

`<certificate_name>` can be any logically valid string value, like "hyperscale".


All certificates configured in the `truststoreCertificates` section will be read and included in the trustStore, which would then be used for SSL/TLS communication between DCT and Hyperscale.

Authentication with Hyperscale Orchestrators

All authentication with a Hyperscale Orchestrator is done with an API Key corresponding to an admin Hyperscale user. The API will be stored and encrypted on DCT itself. The use of a vault to store Hyperscale credentials is currently not supported.

Editing and unregistering Hyperscale Orchestrators

Making edits to a Hyperscale o\Orchestrator's hostname and API Key can be done via the UI, in the Orchestrator's overview page via the Edit action in the Details tile.




Other configuration changes, such as name TLS settings, must be done via the UPDATE API. For example:

```
Unset
curl -X 'PATCH' \
'https://<DCT_APPLIANCE_ADDRESS>/v3/hyperscale-instances/<HYPERSCALE_ORCHESTRATOR_ID>' \
-H 'accept: application/json' \
-H 'Authorization: <DCT_API_KEY>' \
-H 'Content-Type: application/json' \
-d '{ "name": "<NEW_NAME>" , "api_key": "<NEW_HYPERSCALE_API_KEY>" }'
```

Copy

Unregistering a Hyperscale Orchestrator and removing all its data from DCT can be done via the DELETE API or directly in the UI via the Actions menu.



Managing Hyperscale objects

Introduction

After registering a Hyperscale Orchestrator, DCT will begin to ingest all relevant data discovered on that Hyperscale instance. In turn, this data becomes modeled in the DCT world with APIs and a UI to manage all the corresponding objects. Currently, a lot of this data can be navigated to and viewed from the main overview details page of a Hyperscale Orchestrator.

The screenshot shows the DCT interface for managing Hyperscale objects. At the top, there's a navigation bar with links for Home, Data, Compliance (which is underlined), Insights, and Admin. Below the navigation, the title 'Hyperscale Orchestrators > hyperscale-prod' is displayed, along with the ID 'ID: b5d7299c-a8b1-468c-ba94-9c88e466b90c'. A sidebar on the left lists 'Hyperscale Orchestrators' and has a back arrow. The main content area has tabs for Overview (which is selected), Job Executions, Associated Jobs, Engine Pool, Mount Points, Connector Configurations, and Access. Two large blue boxes are prominently displayed: one on the left showing 'Number of Jobs' with the value '2', and one on the right showing 'Running Job' with the value 'the-big-job'. Below these boxes are two smaller sections: 'Details' which includes 'Created: Sep 7, 2023 12:58 PM PDT' and 'Host: eyal-hps.dlpxdc.co'; and 'Tags' which says 'No tags added'.

Hyperscale executions

A view of all current and past Hyperscale job executions present on a particular Hyperscale Orchestrator can be found under the Job Executions tab. The View link will display additional information, especially for in-progress or failed executions.

Hyperscale Orchestrators > hyperscale-prod
hyperscale-prod
ID: b5d7299c-a8b1-468c-ba94-9c88e466b90c

Status	Job Name	Start Time	End Time	Duration	Rows Masked	
Running	the-big-job	Aug 21, 2023 12:40 ...	-	18 days 7 hrs 31 mins	201	View >
Completed	the-job	Aug 8, 2023 2:43 A...	Aug 8, 2023 2:48 A...	4 mins 51 secs	2	View >
Failed	the-big-job	Aug 18, 2023 1:28 A...	Aug 18, 2023 1:29 A...	52 secs		View >
Failed	the-big-job	Aug 18, 2023 1:53 A...	Aug 18, 2023 7:35 A...	5 hrs 41 mins 56 secs	1999	View >
Failed	the-big-job	Aug 21, 2023 12:22 ...	Aug 21, 2023 12:25 ...	2 mins 57 secs	451	View >

1 to 5 of 5 | Page 1 of 1

Hyperscale jobs

A view of all Hyperscale jobs discovered on a Hyperscale Orchestrator can be found under the Associated Jobs tab.

Hyperscale Orchestrators > hyperscale-prod
hyperscale-prod
ID: b5d7299c-a8b1-468c-ba94-9c88e466b90c

Last Run Status	Name	Last Completed	Tags
Running	the-big-job	None	Add Tags > View >
Completed	the-job	Aug 8, 2023 2:48 AM PDT	Add Tags > View >

1 to 2 of 2 | Page 1 of 1

The View link will take you to the Compliance Jobs details page where more information about the job can be found.

The screenshot shows the Data Control Tower (DCT) web application. At the top, there is a navigation bar with the DCT logo, a search bar, and links for Home, Data, Compliance (which is underlined), Insights, and Admin. On the far right of the header is a user icon.

The main content area has a breadcrumb navigation path: Compliance Jobs > the-big-job. Below this, the job name "the-big-job" is displayed, followed by its ID: b5d7299c-a8b1-468c-ba94-9c88e466b90c-2.

Below the job name are three tabs: Overview (which is selected and underlined), History, and Access.

The central part of the screen displays the job's status as "In Progress". It shows the start time as "Started at 12:40 AM". To the right, it indicates a "Run Time: 18 days 7 hrs 39 mins" and a "Progress: 31%". A progress bar is shown at 31%, and a link "View Job Execution Details >" is provided.


Below the status section are three cards:

- Details**:
 - Type: Hyperscale
 - Description: Job created by Hyperscale Masking
 - Data Retention Setting: No
- Hyperscale Data Set Details**:
 - Mount Point: test_mount
- Tags**:
 - No tags added



Hyperscale jobs are not separate entities in DCT, but rather are combined with standard Compliance jobs. Hence, this Hyperscale job details page can be navigated to from Compliance -> Compliance Jobs. There is a type attribute (Hyperscale or standard) which helps differentiate between the different types.

Configuration and dataset details can be edited directly in the job's Overview page.




Hyperscale job table configuration

The Table Configuration tab contains the early stages of inventory management. You can see the Hyperscale dataset tables and their settings in the screenshot below. The left side shows the list of tables and allows you to search and paginate through the results.

The screenshot shows the Data Control Tower interface with the following details:

- Header:** DATA CONTROL TOWER, Home, Data, **Compliance**, Insights, Admin.
- Breadcrumbs:** Compliance Jobs > the-big-job
- Job ID:** 7162dftb9-b3e7-4ba0-8e93-cc8f11c2a657-2
- Actions:** A dropdown menu labeled "Actions".
- Navigation:** Overview, History, **Table Configuration** (highlighted), Access.
- Tables:** A list of tables including TEST_1 (selected), TEST_10, TEST_100, TEST_1000, TEST_1001, and TEST_1002.
- TEST_1 Settings:** A detailed configuration panel for the selected table.
 - Filter Key:** (No value shown)
 - Column Array Rows:** (No value shown)
 - Unload Split:** 1
 - Stream Size (Bytes):** 65536
- Pagination:** Items per page: 25, 1 – 25 of 1999.

The right side shows you the settings and allows you to make changes via the Edit action.



Executing Hyperscale jobs

A Hyperscale job can be executed via the Actions menu.

The screenshot shows the Data Control Tower interface with the 'Compliance' tab selected. A compliance job named 'job_4' is displayed. The job details include:

- Details:**
 - Type: Hyperscale
 - Description: Job created by Hyperscale Masking
 - Data Retention Setting: No
 - Max Memory: 1.00KB
 - Min Memory: 0.00B
 - Max Concurrent Source Connections: 30
 - Max Concurrent Target Connections: 30
- Hyperscale Data Set Details:**
 - Mount Point: test_mount
- Tags:** No tags added

An 'Actions' dropdown menu with a 'Run' option is visible.

Once a job has started, a progress bar with details will appear in the Overview page.

The screenshot shows the Data Control Tower interface with the 'Compliance' tab selected. A compliance job named 'the-big-job' is displayed, currently in progress. The job details include:

- In Progress:** Started on Aug 21, 2023 12:40 AM PDT
- Run Time:** 12 hrs 27 mins
- Progress:** 31%
- Overview:** A progress bar showing 31% completion.
- View Job Execution Details >** Link to view execution details.
- Details:**
 - Type: Hyperscale
 - Description: Job created by Hyperscale Masking
 - Data Retention Setting: No
 - Max Memory: 1.00KB
 - Min Memory: 0.00B
- Hyperscale Data Set Details:**
 - Mount Point: test_mount
- Tags:** No tags added

Click the View Job Execution Details link to go to the Execution Details page to see job execution progress, as well as an Actions menu to Stop or Re-Run a job.

Compliance Jobs > the-big-job > Selected Execution Details

the-big-job

ID: f382be84-4e97-42b9-8632-b4f0ada234b

In Progress

Started on Aug 21, 2023 12:40 AM PDT

Run Time: 12 hrs 27 mins

31%

Step 0 - Unload
Run Time: 2 mins 9 secs Completed Rows: 1442 100%

Step 1 - Masking
Run Time: 12 hrs 27 mins Completed Rows: 201 11%

Step 2 - Load
Run Time: 12 hrs 25 mins Completed Rows: 201 11%

Step 3 - Post Load

Actions ▾

- Re-Run
- Stop

Details of a failed job will also be displayed in the Execution Details page.

Compliance Jobs > new_job > History > Selected Execution Details

new_job

ID: 99358430-070e-4271-9b1c-dc793ae0f736

Failed

Started on Sep 22, 2023 2:30 AM PDT

Run Time: 1 min 56 secs

100%

Step 0 - Unload
Run Time: 1 min 56 secs Completed Rows: 1000 100%

Step 1 - Masking
Run Time: 1 min 48 secs Completed Rows: 1000 100%

Step 2 - Load
Run Time: 41 secs Completed Rows: 1000 **X** dbo.testdata_DEFAULT The given value of type VARCHAR(108) from the data source cannot be converted to type varchar(64) of the specified target column.
View Error >

Step 3 - Post Load

Actions ▾

- Re-Run
- Stop

Hyperscale Compliance Engines

A view of all Compliance Engines registered with a Hyperscale Orchestrator can be found under the Engine Pool tab.

The screenshot shows the DCT interface with the following details:

- Header:** DATA CONTROL TOWER, Home, Data, **Compliance**, Insights, Admin.
- Breadcrumbs:** Hyperscale Orchestrators > hyperscale-dev
- Page Title:** hyperscale-dev
- ID:** ID: 34796877-6387-4367-8876-9e10c7d9f0bf
- Tab Navigation:** Overview, Job Executions, Associated Jobs, **Engine Pool**, Mount Points, Connector Configurations, Access.
- Search Bar:** Search (All) dropdown.
- Table Headers:** Status, Name, Type, Host, Tags.
- Table Data:**

Status	Name	Type	Host	Tags
Active	em-masking	Continuous Compliance 15.0.0.0	em-masking.dcol2.delphix....	Add Tags > Actions :
- Pagination:** 1 to 1 of 1, Page 1 of 1.

When DCT discovers the engines registered with a Hyperscale Orchestrator, it will create DCT RegisteredEngine entities out of them (if they don't already exist in DCT, as uniquely identified by the hostname). The result is a unified model where DCT RegisteredEngine objects are what make up the "engine pool" in a Hyperscale Orchestrator. The same engines will appear under the Compliance -> Compliance Engines page.



Engine credentials will not be retrieved from the Hyperscale Orchestrator, so the created engines must be updated with credentials, along with any relevant security settings. The discovered engines will remain in the OFFLINE status until updated.

The screenshot shows the Delphix Data Control Tower interface. The top navigation bar includes links for Home, Data, Compliance (which is underlined, indicating it's the active tab), Insights, and Admin. On the far right of the header is a user profile icon. The main content area has a left sidebar with three items: Compliance Engines (selected), Hyperscale Orchestrators, and Compliance Jobs. The main panel title is "Compliance Engines" with a "Connect Engine" button. Below the title is a sub-header: "Overview of all compliance engines in your Delphix ecosystem." A search bar with placeholder text "Search" and a "Search (All)" button are present. A table lists two engines:

Status	Name/UUID	Type	Running Jobs	Masking Usage/Total	Masking Available Cores	Tags
● Online	em-masking	Masking	0 15.0.0.0	0% 2.00GB	2	Add Tags > View >
● Offline	eyal-masking	Masking	0 15.0.0.0			Add Tags > View >



The created DCT engine entities are permanent, in the sense that even if the origin Hyperscale Orchestrator is unregistered, the engines in DCT remain as if they had been registered independently of Hyperscale.

Hyperscale mount points

A view of all mount points on a Hyperscale Orchestrator can be found under the Mount Points tab.

Mount Point Name	Host Address	Type	Path	Actions
my-mp1-1	mp1.delphix.com	NFS3	/tmp/foo	Actions
test_mount	e-nfs.dlpxdc.co	NFS4	/var/tmp/masking-mount/	Actions
test_mount_2	e-nfs3.dlpxdc.co	NFS3	/var/tmp/masking-mount/	Actions

Creating new mount points can be done via the + Mount Point button.

Add Mount Point

Mount Point Name _____

Host Address _____

Path _____

Type

CIFS

NFS3

NFS4

Options _____

Cancel Add Mount Point

This will result in a new mount point being created directly on the Hyperscale Orchestrator.

Editing and Deleting a mount point can be done for a particular row via the Action menu in the last column of the table.

The screenshot shows the Data Control Tower interface for a Hyperscale Orchestrator named "hps-mssql". The "Mount Points" tab is selected. A table lists three mount points:

Mount Point Name	Host Address	Type	Path
my-mp1-1	mp1.delphix.com	NFS3	/tmp/foo
test_mount	e-nfs.dlpxdc.co	NFS4	/var/tmp/masking-mount/
test_mount_2	e-nfs3.dlpxdc.co	NFS3	/var/tmp/masking-mount/

Actions dropdown for the third row (test_mount_2):

- Edit
- Delete

Page navigation: 1 to 3 of 3 | Page 1 of 1

Hyperscale connector configurations


A view of all connectors on a Hyperscale Orchestrator can be found under the Connector Configurations tab.

The screenshot shows the Data Control Tower interface for a Hyperscale Orchestrator named "hps-mssql". The "Connector Configurations" tab is selected. A table lists four connector configurations:

Connector ID	Source JDBC URL	Target JDBC URL	Actions
380b1797-89a0-4d75-a1b4-607935a31997-1	jdbc:sqlserver://10.110.229.231:49854;database=F...	jdbc:sqlserver://10.110.192.63:49854;database=Fe...	Actions
380b1797-89a0-4d75-a1b4-607935a31997-2	jdbc:sqlserver://10.110.229.27:59871;database=S...	jdbc:sqlserver://10.110.193.10:59871;database=S...	Actions
380b1797-89a0-4d75-a1b4-607935a31997-3	jdbc:sqlserver://10.110.242.215:59871;database=S...	jdbc:sqlserver://10.110.244.26:59871;database=S...	Actions
380b1797-89a0-4d75-a1b4-607935a31997-4	jdbc:sqlserver://10.110.249.67:59871;database=S...	jdbc:sqlserver://10.110.238.133:59871;database=S...	Actions

Page navigation: 1 to 4 of 4 | Page 1 of 1

Creating new connectors can be done via the + Connector button.



Editing and Deleting a connector can be done for a particular row via the Actions menu in the last column of the table.

Connector Configurations						
Connector ID	Source JDBC URL	Target JDBC URL	Actions			
380b1797-89a0-4d75-a1b4-607935a31997-1	jdbc:sqlserver://10.110.229.231:49854;database=F...	jdbc:sqlserver://10.110.192.63:49854;database=Fe...	Edit	Remove		
380b1797-89a0-4d75-a1b4-607935a31997-2	jdbc:sqlserver://10.110.229.27:59871;database=S...	jdbc:sqlserver://10.110.193.10:59871;database=S...	Edit	Remove		
380b1797-89a0-4d75-a1b4-607935a31997-3	jdbc:sqlserver://10.110.242.215:59871;database=S...	jdbc:sqlserver://10.110.244.26:59871;database=S...	Edit	Remove		
380b1797-89a0-4d75-a1b4-607935a31997-4	jdbc:sqlserver://10.110.249.67:59871;database=S...	jdbc:sqlserver://10.110.238.133:59871;database=S...	Edit	Remove		

Integrations

Data Control Tower provides a global integration layer for a connected Delphix ecosystem, whether that is a single or dozens of globally distributed engines, DCT drives a scalable approach to integrating Delphix into any custom script or automation toolchain.

Aside from the comprehensive API layer (see [API references](#) for more detail), DCT powers automation through Delphix-built and supported integrations with popular applications such as Terraform, ServiceNow, etc.

To see a current list of Delphix integrations, please visit [Delphix Integrations](#) for more detail.

DCT concepts

Introduction

Data Control Tower (DCT) provides new and novel approaches to general Delphix workflows, delivering a more streamlined developer experience. This article will introduce these concepts to Delphix and how they work with DCT.



For VDB Provisioning, the UI supports these data platforms:

- Oracle Single Instance Single Tenant
- Oracle Single Instance Multi Tenant (for Linked CDB only)
- MSSql Single Instance

For Infrastructure Connection Wizard, only UNIX standalone environments can be added via the UI.


Concepts

Virtual Database (VDB) groups

Virtual Database (VDB) groups are a new concept to Delphix, which enable the association of one or more VDBs as a single VDB group. This allows for bulk operations to be performed on the grouped VDBs, such as bookmark, provision, refresh, rewind, and others. This will assist in complex application testing scenarios (e.g. integration and functional testing) that require multiple data sources to properly complete testing.

With VDB groups, developers can now maintain data synchronicity between all grouped VDBs, which is particularly useful for complex timeflow operations. For example, updating VDBs to reflect a series of schema changes across data sources, or to reflect an interesting event in all grouped datasets. In order to maintain synchronicity among

grouped datasets, timeflow operations (refresh, rewind, etc.) must use a bookmark reference.



In the above example, a VDB Group reference is created for three VDBs. At the end of the above timeline group, a developer decides to rollback those VDBs to a previous snapshot. By issuing a single command via the VDB groups endpoint, DCT will move all three back, ensuring that they all maintain referential synchronicity.

Bookmarks and VDB groups are loosely related; a VDB group can exist in the absence of any bookmarks, and a bookmark can exist without any VDB group. It is important to note that the bookmark represents data, while the VDB group represents the databases to make this data available.



DCT will automatically stop an operation from executing if one or more objects are incompatible (e.g. provisioning a VDB group into a set of environments, where one of the VDBs is incompatible, such as an Oracle on Linux VDB provisioned onto a Windows environment).

VDB groups based operations will return a single job to monitor the overall status of the series of individual VDB operations. If one of those individual operations is unable to complete, DCT will report a “fail”, but any individual operations that are able to successfully complete will still do so.

Comparing Self-Service containers to VDB groups

As mentioned above, VDB groups are a crucial DCT concept that enable Self-Service functionality outside of the Self-Service application. Consider VDB groups acting similarly to Self-Service containers, in that it provides grouping and synchronization among VDBs, but VDB groups can provide a more flexible approach for users. Here are some additional points for example:

- The same VDB can be included in multiple VDB groups
- Including a VDB in a VDB group does not prevent operations on the VDB individually
- VDBs can be added to or removed from VDB groups
- VDB groups do not have their own timeline

Bookmarks

DCT Bookmarks are a new concept that represents a human-readable snapshot reference that is maintained within DCT. This is not to be confused with Self-Service bookmarks, maintained separately within the Self-Service application. With DCT Bookmarks, developers can now reference meaningful data (e.g. capturing a schema version reference to pair with an associated code version, capturing test failure data so that developers can reproduce the error in a developer environment, etc.) and use those references for any number of use-cases (e.g. versioning data as code, quickly provisioning a break/fix environment with relevant data, etc.). DCT Bookmarks are compatible with both VDBs and VDB groups, and can be used as a reference for common timeflow operations such as:

- Provisioning a VDB or VDB group from a bookmark
- Refreshing a VDB or VDB group to a bookmark
- Rewinding a VDB or VDB group to a bookmark



DCT Bookmarks have associated retention policies, the default value is 30 days, but policies can be customized anywhere from a day to an infinite amount of time. Once the Bookmark expires, DCT will delete the bookmark.

Bookmarks are compatible with individual VDBs and VDB groups. Bookmark Sharing is only available for engines on version 6.0.13 and above.

DCT Bookmarks, when created, initiate a snapshot operation on each and every VDB in order to maintain synchronicity between each VDB. In that same vein, bookmark-based VDB group operations will have each VDB-specific sub-process run in parallel (as opposed to sequentially) to reduce drift between grouped VDBs.

Jobs

Jobs in DCT are the primary means of providing operation feedback (PENDING, STARTED, TIMEDOUT, RUNNING, CANCELED, FAILED, SUSPENDED, WAITING, COMPLETED, ABANDONED) for top-level operations that are run on DCT. Top-level operations represent the parent operation that may have one or more child-based jobs (e.g. refreshing a VDB group is the parent job to all of the individual refresh jobs for the grouped VDBs under the VDB group reference).



Top-level jobs will report a “FAILED” status if one or more child jobs fail. For child jobs that can complete, DCT will continue to complete those jobs even if a parent job reports a failure.

Tags

DCT Tags enable a new business metadata layer for users and consumers to filter, sort, and identify common Delphix objects, to power any number of business-driven workflows. A tag is comprised of a (Key:Value) pair that associates business-level data (e.g. location, application, owner, etc.) with supported objects. DCT 2.0 and above support the following Tags:

- Continuous Data Engines
- Environments
- dSources
- VDBs

Developers and administrators add and remove tags using tag-specific object endpoints (e.g. /v dbs/{vdbId}/tags) and can leverage tags as search criteria when using the object-specific search endpoints (e.g. using filtering language to narrow results).

Some sample tag-based use-cases include:

- Refreshing all the VDBs owned by a specific App Team using an “Application: Payment Processing” tag. This would be accomplished by querying “what VDBs have the (Application: Payment Processing) tag” and feeding those VDB IDs into the refresh endpoint.
- Driving accountability for VDB ownership by tagging primary and secondary owners for each VDB (e.g. (primary_owner: John Smith), (secondary_owner: Jane Brown)). That way, if a VDB is overdue for a refresh, tracking down an owner is a simple tag query.



Tags are registered as an attribute that is specific to an object as opposed to a central tagging service. As a result, tag-based querying can only be done on a per-object type basis.

A supported object can contain any number of tags.

Tag-based filtering

All taggable objects support tag-based filtering for API queries that adhere to the search standards documented in [API References](#). A few examples of how tag-based filtering can be used are as follows:

List all VDBs of type 'Oracle', of which IP address contains the '10.1.100' string and which have been tagged with the 'team' tag, 'app-dev-1'.

Unset

```
database_type EQ 'Oracle' AND ip_address CONTAINS '10.1.100' and
tags CONTAINS { key EQ 'team' AND value EQ 'app-dev-1' }
```

[Copy](#)

Nuances

Stateful APIs

All applicable DCT APIs are stateful so that running complex queries against a large Delphix deployment can be done rapidly and efficiently. DCT accomplishes this by periodically gathering and hosting telemetry-based Delphix metadata from each engine.

Local data availability

DCT currently relies on existing Continuous Data and Compliance constructs around data-environment-engine relationships. This means that DCT operations require VDBs to live on the engine where the parent dSource lives and so on.

Engine-to-DCT API mapping

Wherever possible, DCT has looked to provide an easier-to-consume developer experience. This means that in some cases, an API on DCT could have an identical API on an engine. However, there are many instances of providing a higher level abstraction for ease of consumption; one example is the data inventory APIs on DCT (sources, dSources, VDBs), which are a simplified representation of data represented by the source, sourceconfig, and repository endpoints on the local engine (source, dSource, and VDB detail are all combined under those three endpoints).

Local references to global UUIDs

In order to avoid collision of identically-named and referenced objects, DCT generates Universally Unique IDentifiers (UUID) for all objects. For existing objects on engines like dSources and VDBs, DCT will concatenate the local engine reference with the engine UUID (e.g. 'Oracle-1' on engine '3cec810a-ee0f-11ec-8ea0-0242ac120002' will be represented as 'Oracle-1-3cec810a-ee0f-11ec-8ea0-0242ac120002' on DCT).

Environment representations

Environments within Delphix serve as a reference for the combination of a host and instance. This is coupled with the fact that environments can be leveraged by multiple engines at the same time and that engines often have a specific context to some of the elements that comprise an environment. For example, an environment could have both an Oracle and ASE instance installed and that Engine A leverages an Oracle-based workflow and Engine B leverages an ASE workflow. DCT will create two identifiers to represent the specific host and instance combinations. Thus, in DCT, Engine A will be connected to a different uniquely identified Environment than Engine B.

As mentioned earlier with Engine-to-DCT API mapping, DCT aims to simplify the user experience with Delphix APIs by combining different Continuous Data endpoints into a simplified DCT API. The Environment API does this by combining environment, repository, and host endpoints so that writing queries against Delphix data is a much simpler process. One example would be identifying all environments that have a compatible Oracle home for provisioning:

Unset

```
repositories CONTAINS { database_type EQ 'Oracle' and  
allow_provisioning EQ true AND version CONTAINS '19.2.3' }
```

Copy

Supported data sources/configurations

DCT is compatible with all Delphix-supported data sources and configurations.

Process feedback

Whenever a DCT request completes, it will return a JOB ID as its response. This Job ID can be used in conjunction with the jobs endpoint to query the operation status.

DCT Toolkit

Introduction

DCT Toolkit (dct-toolkit) is the command line application specifically designed to interact with a particular DCT instance. It aims to simplify and ease out interacting with DCT instances while making the process intuitive, with minimal configuration and setup. dct-toolkit abstracts all of the API level implementation complexities and provides a user friendly LINUX-like interface, which can be run from any terminal.

Compatibility

dct-toolkit is designed to be compatible with any DCT product version, but is fully supported from DCT version 8.0.0 onwards. While dct-toolkit can be used in testing or development environments against any DCT versions, Delphix highly recommends at least DCT version 8.0.0 for using it in the production environment. Some of the value added features are only supported from DCT 8.0.0 version onwards.

dct-toolkit does not need to be upgraded with every new version of DCT. All of the new APIs that are part of the newer DCT releases will automatically be available in dct-toolkit. This is possible because dct-toolkit reads the api specification from the DCT instance (configurable) it is configured to connect to and dynamically generates the list of commands and their respective options.

New features

Version 1.2.0

- **-json/-js option**
dct-toolkit now supports a `--json/-js` option for all of the commands. If this option is specified, all properties from the DCT response are printed in JSON format. This option is mutually exclusive with the `--all-columns/-A` and `--columns/-c` options, but can be used along with the `--jsonpath/-jp` and `--expand/-ex` options.
- **-csv/-cs option**
dct-toolkit now supports a `--csv/-cs` option for all of the commands. If this option is specified, all properties from the DCT response are printed in CSV format. This option can be used along with the `--columns/-c` option only to output particular properties from the DCT response. This option can also be specified along with the `--jsonpath/-jp` and `--expand/-ex` options.
 - This option is only applicable to list API responses where the response is printed in table format by default. For all other APIs that return a single object, this option is ignored.

Installation and setup

Installation

dct-toolkit is currently supported on Linux, Windows, and macOS platforms. There are no special system requirements for running it.

To install dct-toolkit, download the executable binaries from the [Delphix download site](#) and extract it to the machine from which it needs to run. Once the executable binary is extracted, grant the execute permission to the binary file.

On Linux and macOS this can be done from Terminal with the following command:

```
Unset  
chmod 777 ./dct-toolkit
```

Copy

For Windows this can be done from cmd with the following command:

```
Unset  
CACLS files /e /p <username>:F
```

Copy

Where `<username>` is the user to whom the permission must be granted and `F` is the Full Control permission that needs to be granted.



The binary is not currently verified for macOS and will give a warning that the binary is untrusted. To get around this issue, you will need to open the binary and explicitly whitelist it. One easy way to achieve this is by pressing the ctrl key and clicking on the binary file, then select Open. On the resulting warning message box, select Open. Now the binary is allowed to be executed from the terminal.

Setup

A plain text configuration file is needed to get started. The recommended way to create this configuration file is via the `create_config` command, available in dct-toolkit.

For creating a typical configuration with only the required properties, use the following command:

Unset

```
dct-toolkit create_config dctUrl=<URL of DCT instance> apiKey=<api  
key value>
```

Copy

This will create the configuration file in the default location under the user's home directory. The full path for the configuration file will be `<users home
directory>/ .dct-toolkit/dct-toolkit.properties`.

The `create_config` command takes in the options mentioned below:

Option name	Required/optional	Description
<code>dctUrl</code>	Required	HTTP/S URL of the DCT instance.
<code>apiKey</code>	Required	API key of the account used to connect to the DCT instance pointed by the <code>dctUrl</code> option.

<code>configFileOutputLocation</code>	Optional	Fully qualified path of the properties file. If this option is not specified, the properties file will be created in the <code>.dct-toolkit</code> folder under the user's home directory. If this option is specified, the <code>DCT_TOOLKIT_CONFIG_FILE</code> environment variable needs to be exported to point to the config file, in order for the config file to be effective.
<code>apiVersion</code>	Optional	API version to be used for DCT APIs. If this is not set, the latest API version from the DCT instance will be used.
<code>apiYamlLocation</code>	Optional	Location of the local api.yaml file. If this is not set, the latest api.yaml file will be downloaded from the DCT instance that is configured.
<code>--insecureSSL</code>	Optional	Whether to use insecure SSL connection to the DCT instance. By default, this will be set to false.
<code>--unsafeHostnameCheck</code>	Optional	Whether to disable hostname verifier checks for SSL connection to the DCT instance. By default, this will be set to false.
<code>sslCertificate</code>	Optional	PEM format SSL certificate path to be used for SSL connection to DCT instance.
<code>logLevel</code>	Optional	Log level to set. Can be one of OFF, ERROR, WARN, INFO, DEBUG, TRACE, ALL. By default, the log level will be INFO.
<code>logDir</code>	Optional	Directory where the logs should be written. By default, logs will be written to the logs directory created under the <code>.dct-toolkit</code> folder in the user's home directory.

All of these options and help can be requested with the following command:

Unset

```
./dct-toolkit create_config -h
```

Copy

All of the above properties can also be individually specified using environment variables.

Environment variable mappings for each of the above properties are as follows:

Property name	Environment variable name
dctUrl	DCT_TOOLKIT_DCT_URL
apiKey	DCT_TOOLKIT_API_KEY
apiVersion	DCT_TOOLKIT_API_VERSION
apiYamlLocation	DCT_TOOLKIT_API_YAML_LOCATION
--insecureSSL	DCT_TOOLKIT_SSL_INSECURE
--unsafeHostnameCheck	DCT_TOOLKIT_SSL_UNSAFE_HOSTNAME_CHECK
sslCertificate	DCT_TOOLKIT_SSL_CERT
logLevel	DCT_TOOLKIT_LOG_LEVEL
logDir	DCT_TOOLKIT_LOG_DIR

Configuring non-sensitive properties in a properties file and sensitive properties (like `apiKey`) via an environment variable is acceptable. Properties set via environment variable will take precedence over the ones specified in the properties file.

Once the required properties are available via either the properties file or the environment variable, `dct-toolkit` is ready for use.

Usage guide

All of the DCT APIs are available as commands in dct-toolkit. To find the list of all commands which are available, use the following command:

Unset

```
./dct-toolkit -h
```

Copy

This will print the list of all commands grouped by the appropriate entity names.

Examples

- The list of available options for a particular command can be requested with the following command:

Unset

- ```
./dct-toolkit <command_name> -h
```

- Copy
- There are currently many options for provisioning a VDB, some options are only valid for a particular DB type. For example, the unique\_name option is only applicable to Oracle DBs. For better ease of use, dct-toolkit has subcommands created under the provisioning command, with options that are relevant to that particular subcommand. For example, these are the subcommands under the provision\_vdb\_by\_snapshot command:

Unset

- ```
oracle sybase mssql appdata postgres
```

- Copy
- For provisioning an Oracle VDB, use the following command:

Unset

- ```
dct-toolkit provision_vdb_by_snapshot oracle
```

```
source_data_id=<dsouceId> --auto_select_repository
unique_name=<uniqueName>
```

- Copy
- For provisioning a Sybase-ASE VDB, use the following command:

Unset

- ```
dct-toolkit provision_vdb_by_snapshot sybase  
source_data_id=<dsouceId> --auto_select_repository  
--truncate_log_on_checkpoint
```

- Copy
- For getting the list of registered engines, use the following command:

Unset

- ```
dct-toolkit get_registered_engines
```

- Copy
- The above command will only print important fields in the response.  
For printing all of the fields in the response, use the following command:

Unset

- ```
-A/--all-columns
```

- Copy

Unset

- ```
dct-toolkit get_registered_engines -A
```

- Copy
- To list only the selected columns that are useful to the user, use the following command:

Unset

- `--columns/-c`

- Copy

Unset

- `dct-toolkit get_registered_engines --columns=id,name,cpu_core_count...`

- Copy
- For advanced use cases, dct-toolkit also provides an option to specify a [jsonpath](#) expression to extract required objects from the JSON response. This can be requested with the following command:

Unset

- `--jsonpath/-jp`

- Copy

Unset

- `dct-toolkit get_registered_engines --jsonpath=<json path expression starting with $>`

- Copy
- Note, these options are available for all of the commands available in dct-toolkit.
- For commands that use a request body, dct-toolkit provides -body, which can be used to specify a JSON body (instead of using individual options).

Unset

- `dct-toolkit token_info --body=<JSON body to POST to DCT>`

- Copy
- Help regarding the exact structure of JSON request and response body can be requested for all of the commands with the following command:

Unset



```
-jh/--jsonhelp
```

- Copy

Unset



```
dct-toolkit token_info -jh
```

- Copy
- dct-toolkit provides an easy to use and understand format for specifying tags. For example, the following command adds two tags – {key=purpose, value=testing} and {key=key1, value=value1}:

Unset



```
dct-toolkit create_environment_tags
environmentId=<envId> tags purpose=testing key1=value1
```

- Copy
- Some of the DCT APIs trigger an asynchronous job and return a jobId in response. dct-toolkit, by default, will wait for the asynchronous job to be completed and will report the end state of the job.
  - There is an option to not wait for the completion of an asynchronous job. Use the following command with the --no-wait option:

Unset



```
dct-toolkit refresh_environment
environmentId=<envId> --no-wait
```

- Copy
- If the user intends on specifying the API key via an environment variable, dct-toolkit provides a command to get the encrypted version of the API key.

Unset

- 

```
./dct-toolkit encrypt_api_key apiKey=<DCT api key>
dctUrl=<DCT instance URL>
```

- Copy

## --json/-js and --csv/-cs option examples

- For the --json/-js option, to print the DCT response as it is received from DCT instance users can use following command:

Unset

- 

```
./dct-toolkit get_environments --json ./dct-toolkit
get_environment_by_id environmentId=<environment Id>
--json
```

- Copy
- To print the repositories object from environment object in JSON format users can use following command:

Unset

- 

```
./dct-toolkit get_environments --json
--expand=repositories
```

- Copy

- 
- For the --csv/-cs option, to print the DCT response in CSV format users can use the following command:

Unset

- 

```
./dct-toolkit get_environments --csv
```

- Copy

- To print the repositories object from the environment object in CSV format users can use the following command:

```
Unset
```

- ```
./dct-toolkit get_environments --csv  
--expand=repositories
```

API key encryption

Overview

dct-toolkit currently authenticates HTTP requests with an API key. The API key can be configured in plain text or specified via an environment variable.

Implementation

Starting from 1.2.0 version, dct-toolkit supports encrypting an API key via a separate command and also via the `create_config` command used to generate the configuration file. The `create_config` command now stores the API key in encrypted format using the AES/GCM algorithm, where the key and IV are generated from the following two inputs:

1. Local hostname of the machine from where the `dct-toolkit` command is run.
2. DCT URL used to connect to the DCT instance.

For users who want to supply the API key via an environment variable, `dct-toolkit` provides the `encrypt_api_key` command which takes in the API key and DCT URL as inputs and returns an encrypted API key, which can then be exported to an environment variable. As an example, please refer to the section below.



The encryption key (not to be confused with the DCT API key) used for encryption is reproducible, hence, it is possible to encrypt and decrypt the DCT API key without storing the encryption key on the file system. Anyone with access to the logic to create an encryption key and knows the inputs for that logic will be able to generate the encryption key, and consequently, will be able to decrypt the DCT API key.

Backward compatibility

The dct-toolkit API key encryption feature is fully backward compatible with previous versions of dct-toolkit. dct-toolkit first tries to decrypt the API key; if it fails to decrypt the API key, then the key is used as configured.

Example

If the user intends on specifying the API key via an environment variable, then dct-toolkit provides a command to get the encrypted version of the API key:

```
Unset  
./dct-toolkit encrypt_api_key apiKey=<DCT api key> dctUrl=<DCT instance URL>
```

Configure multiple DCT instances in dct-toolkit

Overview

This page describes a setup for a case where users need to connect to multiple DCT instances via dct-toolkit on a single engine. This would be useful in a case like upgrade testing. The user would upgrade the DCT instance in a lower environment (like a development environment) first, then run test APIs with dct-toolkit. Once all of the tests are successful, the user can upgrade the higher environment (like a production environment) and run checks via dct-toolkit. Being able to switch between DCT instances without hassle can be easily configured in dct-toolkit, as described below.

Example

The user will first need to create separate dct-toolkit configuration files for the environments that need to connect via dct-toolkit. This can be done by using the configFileChooserLocation option available for the create_config command:

```
Unset  
./dct-toolkit create_config url=https://prod.... api_key=....  
configFileChooserLocation=<prod config file path> ./dct-toolkit
```

```
create_config url=https://dev.... api_key=....  
configFileOutputLocation=<dev config file path>
```

Copy

Once the configuration files are created, users can create separate aliases for the config files generated above:

```
Unset  
alias dct-toolkit-prod="DCT_TOOLKIT_CONFIG_FILE=<prod config  
file path>" alias  
dct-toolkit-dev="DCT_TOOLKIT_CONFIG_FILE=<dev config file  
path>"
```

Copy

Once the aliases are set up, users can then switch between production and development environments by invoking the corresponding aliases.

To get sources from the production environment, use the following command:

```
Unset  
dct-toolkit-prod ./dct-toolkit get_sources
```

Copy

To get sources from the development environment, use the following command:

```
Unset  
dct-toolkit-dev ./dct-toolkit get_sources
```

Logging

dct-toolkit has inbuilt logging support, which will export all of the logs to a default location under the user's home directory. The full path will be `<user home directory>/ .dct-toolkit/logs`. dct-toolkit creates a separate log file for every date.

Log level and log directory are both configurable and can be specified in the configuration file or via the environment variable. Please refer to the Installation and setup page for more information.

Developer resources

[API requests and reporting](#)

[API references](#)

API requests and reporting

Introduction

This article showcases example requests to the various data APIs supported by DCT.

DCT provides interactive API documentation that allows users to experiment with the APIs in their web browser. The interactive API documentation can be accessed by entering the hostname for DCT and the /api path into a browser's address bar. For example, if DCT is running on host gateway.example.com, then enter https://gateway.example.com/api into the browser's address bar.

To simplify development, Python and Go programming libraries are available. The Python bindings can be found on PyPi [here](#). The latest version can be installed with the following command:

Unset

```
pip install delphix-dct
```

Copy

The Go bindings can be found on go.dev [here](#).

Engines

This section showcases some examples of querying the Engines endpoint for information about connected Delphix Virtualization Engines. These examples leverage the generated Python bindings:

Unset

```
import delphix.api.gateway import delphix.api.gateway.configuration
import delphix.api.gateway.api.management_api
cfg = delphix.api.gateway.configuration.Configuration()
cfg.host = "https://localhost/v2" # For example purposes
cfg.verify_ssl = False
# Replace the string with your own API key
cfg.api_key['ApiKeyAuth'] = 'apk 3.tEd4DXFce'
api_client = delphix.api.gateway.ApiClient(configuration=cfg)
engines_api =
```

```
delphix.api.gateway.api.management_api.ManagementApi(api_client)
print(environments_api.get_registered_engines())
```

Copy

The result should appear similar to the following:

```
Unset
{'items': [ {'connection_status': 'ONLINE', 'cpu_core_count': 2,
'data_storage_capacity': 23404216320, 'data_storage_used':
11589626880, 'hostname': 'avm.delphix.com', 'id': 1,
'insecure_ssl': True, 'memory_size': 8589934592, 'name':
'vemname', 'password': '*****', 'status': 'CREATED', 'tags': [],
'type': 'UNSET', 'unsafe_ssl_hostname_check': False,
'username': 'admin', 'uuid':
'ec2fbfea-928b-07f8-94c4-29fea614624f', 'version':
'6.1.0.0'}]}
```

Copy

API references

Expand a version dropdown to see the corresponding API documentation.

DCT 11.0.0

DCT 10.0.0

DCT 9.0.0

DCT 8.0.0

DCT 7.0.0