



## Mini infographic project

SCOP

42 staff [staff@42.fr](mailto:staff@42.fr)

*Summary: “So Corporate OpenGL Program”*

*“Self Congratulation OpenGL Program”*

*This mini project is a first step towards the use of OpenGL.*

# Contents

<b>I</b>	<b>Foreword</b>	<b>2</b>
<b>II</b>	<b>Subject</b>	<b>3</b>
II.1	It does not hurt to feel good. . . . .	3
II.2	What you need to do . . . . .	3
<b>III</b>	<b>Bonus</b>	<b>5</b>
<b>IV</b>	<b>Beautifulz</b>	<b>6</b>

# Chapter I

## Foreword



It's really because we've never done that one yet!

# Chapter II

## Subject

### II.1 It does not hurt to feel good.

Once in a while, it feels good to feel good. So we are going to create a small app to feel great.

It's also time to start with a bit of Open GL. This project is also organized for you to use a bit of elbow grease. So we have a few restrictions in place.

### II.2 What you need to do

Your goal is to create a small program that will show a 3D object conceived with a modélisation program like Blender. The 3D object is stored in a *.obj* file. You will be at least in charge of parsing to obtain the requested rendering.

In a window, your 3D object will be displayed in perspective (which means that what is far must be smaller), rotate on itself around its main symmetrical axis (middle of the object basically...). By using various colors, it must be possible to distinguish the various sides. The object can be moved on three axis, in both directions.

Finally a texture must be applicable simply on the object when we press a dedicated key, and the same key allows to go back to the different colors. A soft transition between the two is requested.

The technical constraints are as follows:

- Code on the imacs in C using the norm: the first OpenGL API is in C, start there. Some adds-on in some languages will do tons of stuff automatically, it would be too easy!
- Have a classic Makefile (everything you usually put in there).
- Use the MODERN OpenGL: version 4.0 minimum, with mandatory shaders.
- You can use external libraries (other than OpenGL, libm and lib C) ONLY to manage the windows and the events. You are allowed to use your libft. If unsure,

use the MinilibX with its extension OpenGL. No libraries allowed to load the 3D object, nor to make your matrixes or to load the shaders.

As this is a program to auto-congratulate ourselves, it is crucial that you can present during defence at least the 42 logo given as resources, turning around its central axis (careful, not around one of its corners), with some shades of gray on the sides and a texture of poneys, kitten or unicorn your choice.

During defence, naturally more 3D objects will be tested.

# Chapter III

## Bonus

Here are a few ideas of bonuses:

- The correct management of some ambiguous *.obj* files, concave, non coplanar... The teapot given with as resources exists in two versions: the first is the original, with some strange border effects. The second is an import-export in Blender, with no human touch, but normalized a little by the program. It's about rendering correctly the first version.
- A more subtle application of the texture. It cannot be stretched on any of the sides.
- There are got to be more bonuses that you can implement.

Good luck!

# Chapter IV

## Beautifulz




Figure IV.1: The 42 logo with different colors depending on sides



Figure IV.2: From the back, with a texture




Figure IV.3: The teapot