pquillot

(https://profile.intrav2.42.fr) ofile.intrav2,42.fr.)s (/) All projects ៖ forgifoject, N-puzzle (/projects/n-puzzle) (/projects/list) Git repository projects arning.intray242.fr) vogsp**/គ្រាទ្ធម**ុខ**ទ្រូវជាក្រុស្)**e.42.fr:intra/2015/activities/n_puzzle/yyang ve a productive and tolerable grading session, we ask that you : projects/exam-c) teous, polite, respectful and constructive during this session. The bond of 1eta. [145] between the head of the 42 community depends on it; Take care to see the problems you notice, and explain them as best you can; - Accept that Rushe smay be differences in interepretation on the featureset and/or what the (sprigetate aprires. Starp p) en-minded, try to honestly determine who is right and who is not, and grade accordingly. Rushes Guidelines/rushes) Remember that you must ONLY grade what's on the turn-in repository! You have to rejects heathers sitory, and grade what's on it, AND ONLY WHAT IS ON chasse-au-tresor) IT. (S) strace (/projects/strace)

Ratings

Define the type of error (if there is an error), which ended the correction.

Ok Empty woi Incomplete wi No author f Invalid compila: 🖺 Normi Cheat Crash

Attachments
Subject (https://cdn.intrav2.42.fr/pdf/pdf/103/npuzzle.pdf)
Puzzle generator (/uploads/document/document/99/npuzzle-gen.py)

Sections

First and foremost

Preliminary checks

Check the following elements:

- There is something in the git repository
- The "auteur" file, if required by the subject, is present and valid
- The Makefile, if required, is present and has the required rules
- If the project is coded in C, the Norm has to be respected, the Norminette being considered the reference

If one of these elements is not in confirmity with what the subject requires, the session stops. You may still debate on the project, but you are not to grade the student(s).

During the rest of this session, if the program has an inappropriate behaviour (Segfault, bus error, double-free, uncaught exception, etc ...), the session stops.



Actually running the program

Output correctness

The students have the output required by the subject, which is:

- Complexity in time
- Complexity in size
- Number of moves from initial state to solution

- Ordered sequence of states that make up the solution

Or, if the puzzle is unsolvable, it has to be displayed, and the program has to exit cleanly.

✓ Yes No.

Solution

Test the program on some puzzles, some from the students (the subject requires that they bring some) and some using the generator in the subject.

The program has to find a solution when it is possible, and if the puzzle is unsolvable, it has to tell the user and exit cleanly.

The solution has to be valid: Check that the program does not "cheat".

If the generator says the puzzle is solvable, then it IS solvable, so no excuses.

>>> IF YOU DO NOT ANSWER YES TO THIS QUESTION, THE SESSION ENDS, DO NOT GRADE THE REST. <<<

✓ Yes
No

Bare-minimum time efficiency

The program is able to find a solution to a solvable 3-puzzle in under a few seconds. More than 10 seconds is unacceptable.

✓ Yes
No

Search algorithm

A* algorithm

The students implemented the A* algorithm or one of its variants (B*, IDA*, etc ...) AND are able to explain it comprehensibly.

Heuristics

The students let the user choose between at least 3 (relevant) heuristic functions AND are able to explain how their heuristics work AND are able to explain why their heuristics are admissible.

Data structures.

Open set

The students have implemented their "open" set with a relevant data structure.

- A priority queue (i.e a queue that gives you the high-priority elements first, here "high-priority" means "low-cost"), or another container that allows for immediate retrieval of the lowest-cost item, is worth 5
- A map/dict/hash of (cost) -> (node list) is worth 3
- Another container with a kind of mechanism to easily find the highest priority element is worth 2
- Any other container, such as list/vector/etc ... is worth 0

Also, the students must be able to explain the relevance of their choice. If they can not, this is worth 0



Rate it from 0 (failed) through 5 (excellent)

Closed set

The students have implemented their "closed" set with a relevant data structure.

- A container that easily allows to check whether a node currently is in the set or not is worth 5
- Any other container, such as list/vector/etc ... is worth 0

Also, the students must be able to explain the relevance of their choice. If they can not, this is worth 0



Rate it from 0 (failed) through 5 (excellent)

Data structures - Following

Greedy search.

The students have implemented an option to do a greedy search and are able to explain it.



No

Greedy search - Following

The students have implemented an option to do a uniform-cost search and are able to explain it.



No

Other interesting bonuses

The students have implemented other interesting bondses. I point per identifiable bonds feature that you deem relevant and/or interesting. Rate it from 0 (failed) through 5 (excellent)

Conclusion		
Leave a comment on	this correction	
* (required) Comment		
	Finish correction	