	Consector when it is a says 1750	T	1 1	- J.	<u> </u>			
	Genepteryx rhamni (Linnaeus, 1758)		+	*				
	Gonepteryx farinosa (Zeller, 1847)		+					
——	Gonepteryx cleopatra (Linnaeus, 1767)		+ +					
	Leptidea sinapis (Linnaeus, 1758)		+					
	Leptidea juvernica Williams, 1946		+					
	Leptidea duponcheli (Staudinger, 1871)		\vdash	*				
	Danaus chrysippus (Linnaeus, 1758)		+					
	Hamearis lucina (Linnaeus, 1758)		+					
	Libythea celtis (Laicharting, 1782)		\vdash					
	Thecla betulae (Linnaeus, 1758)		-					
-	Favonius quercus (Linnaeus, 1758)							
	Satyrium ledereri (Boisduval, 1848)	B1ab(ii,iii)+2ab(ii,iii)	EN					
	Satyrium acaciae (Fabricius, 1787)							
	Satyrium ilicis (Esper, 1779)							
	Satyrium w-album (Knoch, 1782)							
	Satyrium pruni (Linnaeus, 1758)			*				
	Satyrium spini ([Denis & Schiffermüller], 1775)							
	Callophrys rubi (Linnaeus, 1758)							
	Lycaena phlaeas (Linnaeus, [1760])							
	Lycaena dispar ([Haworth], 1802)	A3c	VU			*	*	*
	Lycaena virgaureae (Linnaeus, 1758)		-					
	Lycaena alciphron (Rottemburg, 1775)							
	Lycaena ottomana (Lefèbvre, [1831])		 					
	Lycaena tityrus (Poda, 1761)		\vdash					
	Lycaena thersamon (Esper, 1784)		1					
	Lycaena thetis Klug, 1834			*				
	Lycaena candens (Herrich-Schäffer, 1844)							
	Zizeeria karsandra (Moore, 1865)		-	*				
	Lampides boeticus (Linnaeus, 1767)							
	Leptotes pirithous (Linnaeus, 1767)		+					
	Cacyreus marshalli Butler, 1898		+					
-	Tarucus balkanicus (Freyer, 1844)							
	Cupido decoloratus (Staudinger, 1886)		\vdash					
	Cupido alcetas (Hoffmansegg, 1804)							
-	Cupido argiades (Pallas, 1771)		-					
	Cupido minimus (Fuessly, 1775)							
	Cupido osiris (Meigen, 1829)							
	Clausersuch a relation (Pada, 1761)							
	Glaucopsyche alexis (Poda, 1761)	24 1 (2		ji.				
	Turanana taygetica (Rebel, 1902)	B1ab(ii,iii)+2ab(i,ii,iii)	CR	*				
	Phengaris alcon ([Denis & Schiffermüller], 1775)		-			*		*
	Phengaris arion (Linnaeus, 1758)					^		*
	Iolana iolas (Ochsenheimer, 1816)							
	Pseudophilotes vicrama (Moore, 1865)			ąĮ,			*	*
	Pseudophilotes bavius (Eversmann, 1832)			*			*	*
	Scolitantides orion (Pallas, 1771)			ąĮ,				
	Freyeria trochylus (Freyer, 1844)			*				
	Kretania sephirus (Frivaldszky, 1835)							
	Plebejus argus (Linnaeus, 1758)		-					
. 70	Plebejus idas (Linnaeus, [1760])		1			I	I	

00	Plebejus argyrognomon (Bergsträsser, 1779)				<u> </u>		
	Plebejidea loewii (Zeller, 1847) Kretania psylorita (Freyer, 1845)			*			
	Kretania eurypilus (Freyer, 1851)	D4 = - ('' ''') + 2 = - ('' ''')	ENI	••			
	Agriades dardanus (Freyer, 1843)	B1ab(ii,iii)+2ab(ii,iii)	EN				
—	Aricia agestis ([Denis & Schiffermüller], 1775)	B1ab(ii,iii)+2ab(ii,iii)	EN				
	Aricia artaxerxes (Fabricius, 1793)						
——	Aricia anteros (Freyer, 1838)						
-	Eumedonia eumedon (Esper, 1780)						
	Cyaniris semiargus (Rottemburg, 1775)			*			
	Polyommatus damon ([Denis & Schiffermüller], 1775)						
	Polyommatus iphigenia (Herrich-Schäffer, 1847)	B1ab(ii,iii)+2ab(ii,iii)	EN				
	Polyommatus admetus (Esper, 1783)		LIN	*			
	Polyommatus aroaniensis (Brown, 1976)						
	Polyommatus ripartii (Freyer, 1830)			*			
	Polyommatus timfristos Lukhtanov, Vishnevskaya & Sha	anoval 2016					
-	Polyommatus orphicus Kolev, 2005	B1ab(ii,iii)+2ab(ii,iii)	CR				
	Polyommatus nephohiptamenos (Brown & Coutsis, 197		CIT				
	Neolysandra coelestina (Eversmann, 1843)						
	Polyommatus daphnis ([Denis & Schiffermüller], 1775)						
	Lysandra coridon (Poda, 1761)						
	Lysandra bellargus (Rottemburg, 1775)						
	Polyommatus escheri (Hübner, [1823])						
	Polyommatus amandus (Schneider, 1792)						
	Polyommatus thersites (Cantener, 1835)						
-	Polyommatus dorylas ([Denis & Schiffermüller], 1775)						
	Polyommatus eros (Ochsenheimer, 1808)	B1ab(ii,iii)+2ab(ii,iii)	EN	*			*
107	Polyommatus icarus (Rottemburg, 1775)						
108	Charaxes jasius (Linnaeus, 1767)			*			
109	Apatura iris (Linnaeus, 1758)			*			
110	Apatura ilia ([Denis & Schiffermüller], 1775)			*			
111	Apatura metis Freyer, 1829					*	*
112	Limenitis populi (Linnaeus, 1758)	B1ab(ii,iii)+2ab(ii,iii)	VU				
113	Limenitis camilla (Linnaeus, 1764)	B1ab(ii,iii)+2ab(ii,iii)	VU				
114	Limenitis reducta Staudinger, 1901						
115	Neptis sappho (Pallas, 1771)	B1ab(ii,iii)+2ab(ii,iii)	VU				
	Neptis rivularis (Scopoli, 1763)	B1ab(ii,iii)+2ab(ii,iii)	VU				
117	Nymphalis xanthomelas ([Denis & Schiffermüller], 177;	A3c, B1ab(ii,iii)+2ab(ii,iii	VU				
118	Nymphalis polychloros (Linnaeus, 1758)						
	Nymphalis antiopa (Linnaeus, 1758)						
	Aglais io (Linnaeus, 1758)						
	Vanessa atalanta (Linnaeus, 1758)						
	Vanessa cardui (Linnaeus, 1758)						
	Aglais urticae (Linnaeus, 1758)						
	Polygonia c-album (Linnaeus, 1758)						
	Polygonia egea (Cramer, 1775)						
	Araschnia levana (Linnaeus, 1758)						
	Argynnis pandora ([Denis & Schiffermüller], 1775)						
	Argynnis paphia (Linnaeus, 1758)						
129	Speyeria aglaja (Linnaeus, 1758)						

E 1 · · · 1: (FD · 0.0.1:00 ··11.1.1775)				1	Ι		
130 Fabriciana adippe ([Denis & Schiffermüller], 1775)							
131 Fabriciana niobe (Linnaeus, 1758)							
132 Issoria lathonia (Linnaeus, 1758)							
133 Brenthis hecate ([Denis & Schiffermüller], 1775)							
134 Brenthis daphne ([Denis & Schiffermüller], 1775)							
135 Boloria graeca (Staudinger, 1870)				*			
136 Boloria euphrosyne (Linnaeus, 1758)							
137 Boloria selene ([Denis & Schiffermüller], 1775)							
138 Boloria dia (Linnaeus, 1767)				*			
139 Melitaea cinxia (Linnaeus, 1758)							
140 Melitaea arduinna (Esper, 1783)							
141 Melitaea phoebe ([Denis & Schiffermüller], 1775)							
142 Melitaea ornata Christoph, 1893							
143 Melitaea didyma (Esper, 1778)							
144 Melitaea trivia ([Denis & Schiffermüller], 1775)							
145 Melitaea athalia (Rottemburg, 1775)							
146 Melitaea aurelia Nickerl, 1850							
147 Euphydryas aurinia (Rottemburg, 1775)					*	*	
148 Melanargia russiae (Esper, 1783)				*			
149 Melanargia larissa (Geyer, [1828])							
150 Melanargia galathea (Linnaeus, 1758)							
151 Hipparchia fagi (Scopoli, 1763)							
152 Hipparchia syriaca (Staudinger, 1871)							
153 Hipparchia senthes (Fruhstorfer, 1908)				*			
154 Hipparchia volgensis (Mazokhin-Porshnyakov, 1952)							
155 Hipparchia cretica (Rebel, 1916)							
156 Hipparchia christenseni Kudrna, 1977	B1ab(ii,iii)	VU	EN				
157 Hipparchia mersina (Staudinger, 1871)							
158 Hipparchia statilinus (Hufnagel, 1766)							
159 Hipparchia fatua Freyer, 1843							
160 Chazara briseis (Linnaeus, 1764)							
161 Pseudochazara tisiphone Brown, [1981]	B1ab(ii,iii)+2ab(ii,iii)	VU					
162 Pseudochazara orestes De Prins & van der Poorten, 199		EN					
163 Pseudochazara amymone Brown, 1976	B1ab(ii,iii)+2ab(ii,iii)	EN	EN				
164 Pseudochazara graeca (Staudinger, 1870)				*			
165 <i>Pseudochazara geyeri</i> (Herrich-Schäffer, 1846)	B1ab(ii,iii)+2ab(ii,iii)	EN					
166 <i>Pseudochazara anthelea</i> (Hübner, [1824])							
167 Pseudochazara amalthea (Frivaldszky, 1845)							
168 Satyrus ferula (Fabricius, 1793)							
169 Minois dryas (Scopoli, 1763)	B1ab(ii,iii)+2ab(ii,iii)	VU					
170 Brintesia circe (Fabricius, 1775)		,,,					
171 Arethusana arethusa ([Denis & Schiffermüller], 1775)							
172 Erebia ligea (Linnaeus, 1758)				*			
173 Erebia euryale (Esper, 1805)	1						
174 Erebia aethiops (Esper, 1777)	B1ab(ii,iii)+2ab(ii,iii)	VU					
175 Erebia medusa ([Denis & Schiffermüller], 1775)	2 ± 0 × (11) 111 / 1 ± 0 × (11) 111 /	VO					
176 Erebia epiphron (Knoch, 1783)	B1ab(ii,iii)+2ab(ii,iii)	EN					
177 Erebia ottomana Herrich-Schäffer, 1847	DEGREE CONTRACTOR OF THE PROPERTY OF THE PROPE	L14		*			
178 Erebia neleus (Freyer, 1832)	B1ab(ii,iii)+2ab(ii,iii)	CR		*			
178 <i>Erebia neteus</i> (11eyet, 1632) 179 <i>Erebia oeme</i> (Hübner, [1804])	B1ab(ii,iii,iv)+2ab(ii,iii,iv)						
1 1/3 Li Coia Ocine (11aonei, [1007])	DIAD(II,III,IV) TZAD(II,III,IV)	/ V U					

180	Erebia rhodopensis Nicholl, 1900	B1ab(ii,iii)+2ab(ii,iii)	EN				
	Erebia melas (Herbst, 1796)	Diab(II,III) Zab(II,III)	LIN	*			
-	Proterebia phegea (Borkhausen, 1788)						
	Ypthima asterope (Klug, 1832)						
	Maniola jurtina (Linnaeus, 1758)						
	Maniola halicarnassus Thomson, 1990						
	Maniola telmessia (Zeller, 1847)						
	Maniola chia Thomson, 1987						
-	Maniola megala (Oberthür, 1909)	B1ab(ii,iii)+2ab(ii,iii)	EN				
——	Hyponephele lupina (Costa, 1836)	Diab(II,III) Zab(II,III)	LIN				
	Hyponephele lycaon (Kühn, 1774)						
	Aphantopus hyperantus (Linnaeus, 1758)						
-	Pyronia tithonus (Linnaeus, 1771)						
	Pyronia cecilia (Vallantin, 1894)						
-	Coenonympha thyrsis (Freyer, 1845)						
	Coenonympha pamphilus (Linnaeus, 1758)						
	Coenonympha arcania (Linnaeus, [1760])						
	Coenonympha orientalis Rebel, 1909						
	Coenonympha leander (Esper, 1784)			*			
	Coenonympha glycerion (Borkhausen, 1788)	B1ab(ii,iii,iv)+2ab(ii,iii,iv)	\/				
	Coenonympha rhodopensis Elwes, 1900	DIAD(II,III,IV) 1 ZAD(II,III,IV)	VO				
	Pararge aegeria (Linnaeus, 1758)						
	Lasiommata megera (Linnaeus, 1767)						
	Lasiommata maera (Linnaeus, 1758)						
———	Lasiommata petropolitana (Fabricius, 1787)						
	Kirinia climene (Esper, 1783)						
	Kirinia roxelana (Cramer, 1777)						
	Pyrgus malvae (Linnaeus, 1758)						
	Pyrgus alveus (Hübner, [1803])						
-	Pyrgus armoricanus (Oberthür, 1910)						
	Pyrgus serratulae (Rambur, 1839)						
	Pyrgus sidae (Esper, 1784)						
-	Pyrgus cinarae (Rambur, 1839)			*			
	Pyrgus carthami (Hübner, [1813])						
	Spialia orbifer (Hübner, [1823])						
	Spialia phlomidis (Herrich-Schäffer, 1845)			*			
	Muschampia tessellum (Hübner, [1803])			*			
	Muschampia cribrellum (Eversmann, 1841)						
	Muschampia proto (Ochsenheimer, 1808)						
	Carcharodus alceae (Esper, 1780)						
	Carcharodus orientalis Reverdin, 1913						
	Carcharodus lavatherae (Esper, 1783)						
	Carcharodus floccifera (Zeller, 1847)						
	Carcharodus stauderi Reverdin, 1913						
	Erynnis tages (Linnaeus, 1758)						
	Erynnis marloyi (Boisduval, 1834)						
	Carterocephalus palaemon (Pallas, 1771)	B1ab(ii,iii)+2ab(ii,iii)	VU				
——	Thymelicus acteon (Rottemburg, 1775)			*			
	Thymelicus lineola (Ochsenheimer, 1808)						
	Thymelicus sylvestris (Poda, 1761)						
223			<u> </u>		<u> </u>		<u> </u>

The list of the 235 butterflies of Greece with species included in: THE RED BOOK OF THREATENED ANIMALS OF GREECE

230	Thymelicus hyrax (Lederer, 1861)					
231	Hesperia comma (Linnaeus, 1758)					
232	Ochlodes sylvanus (Esper, 1777)					
233	Gegenes pumilio (Hoffmansegg, 1804)					
234	Gegenes nostrodamus (Fabricius, 1793)					
235	Pelopidas thrax (Hübner, [1821])	B1ab(ii,iii)+2ab(ii,iii)	EN			