	T	T			1	1	1		1	ı	ı	1
				dd								
				of 32								
				<u>۔</u> +								
				iti Ç								
				ibu								
				str Sp								
				l di ga,	81							
		(THE RED BOOK OF		and alag	61		=	_	≥			
		THREATENED ANIMAL		St Si	67/1		l÷	×	$\bar{\mathbf{x}}$			
		IN GREECE) ΛΕΓΑΚΙΣ,		atı N,	29		en	Z	Z			
		ΑΝΑΣΤΑΣΙΟΣ:		st UC	∇⊔		dc	Æ	Æ			
		Ασπόνδυλα. In:		he S. I			₹	NE NE	N/E			
		ΛΕΓΑΚΙΣ Α. και Π.		E e	GREECE:		z	ΙĒ	ΙĒ			
				)16 erf	H		l은	Æ(	Ä.			
		Μαραγκού (επιμέλεια		(2C utt	₹		z	▤	▤			
		έκδοσης), Το κόκκινο		a d c			K	TS	TS			
		βιβλίο των		et eai	<b>≤</b>		Z	_	_			
		απειλούμενων Ζώων		an :	LAW IN	1	$\mho$	۸BI	۸BI			
		της Ελλάδας. Ελληνική	JS	۸, ( err	5	1	프	主	主			
		Ζωωλογική Εταιρεία.	Ĭ	ğij	ш	ES	R N	43	′43			
	ΟΝΟΜΑ ΕΙΔΟΥΣ NAME OF SPECIES	Αθήνα 2009	STATUS	NUMA, C., et al (2016). The status and distribution of Mediterranean butterflies. IUCN, Malaga, Spain. $\rm x+32$	王	CITES	BERNE CONVENTION Appendix II	92/43 HABITATS DIRECTIVE ANNEX II	92/43 HABITATS DIRECTIVE ANNEX IV			
1	Iphiclides podalirius (Linnaeus, 1758)	1			1	Ť	<del>-</del>	<del></del>	<u> </u>			
2					1	1						
	Papilio macnaon Linnaeus, 1758 Papilio alexanor Esper, 1800		1		*	1	*		*			
					*	-	*		*			
	Zerynthia polyxena ([Denis & Schiffermüller], 1775)				*	-						
	Zerynthia cerisy (Godart, [1824])		-				-					
	Zerynthia cretica (Rebel, 1904)				*		<u> </u>					
	Archon apollinus (Herbst, 1798)				*							
	Parnassius apollo (Linnaeus, 1758)				*	*	*		*			
9	Parnassius mnemosyne (Linnaeus, 1758)				*		*		*			
	Aporia crataegi (Linnaeus, 1758)											
	Pieris brassicae (Linnaeus, 1758)											
	Pieris rapae (Linnaeus, 1758)							1			İ	
	Pieris mannii (Mayer, 1851)					1						
	Pieris ergane (Geyer, [1828])				*	1	1					
							1					
	Pieris napi (Linnaeus, 1758)		-			1	1	-				
	Pieris balcana Lorković, [1969]				-t-	<u> </u>		ļ				
	Pieris krueperi Staudinger, 1860				*		<b> </b>					
	Pontia edusa (Fabricius, 1777)					<u> </u>						
	Pontia chloridice (Hübner, [1813])	B1ab(ii,iii)+2ab(ii,iii)	EN		*		<b></b>					
	Euchloe ausonia (Hübner, [1804])				<u> </u>		L	<u> </u>	<u> </u>			
21	Euchloe penia (Freyer, 1851)											
	Anthocharis gruneri Herrich-Schäffer, 1851				*							
	Anthocharis cardamines (Linnaeus, 1758)											
24	Anthocharis damone Boisduval, 1836				*							
	Colias crocea (Geoffroy, 1785)											
	Colias aurorina Herrich-Schäffer, 1850				*	1						
	Colias caucasica Staudinger, 1871			EN				-				
	8 /			EN		1	-	-				
	Colias alfacariensis Ribbe, 1905					├	-	-				
	Colias erate (Esper, [1805])					1	<b> </b>					
	Gonepteryx rhamni (Linnaeus, 1758)				*		<u> </u>					
	Gonepteryx farinosa (Zeller, 1847)					1	<b></b>					
32	Gonepteryx cleopatra (Linnaeus, 1767)											
33	Leptidea sinapis (Linnaeus, 1758)					$\perp$	LĪ		L			
	Leptidea juvernica Williams, 1946											
	Leptidea duponcheli (Staudinger, 1871)				*							
	Danaus chrysippus (Linnaeus, 1758)											
	Hamearis lucina (Linnaeus, 1758)				1	1						
					1	1	1					
	Libythea celtis (Laicharting, 1782)					1	-	-				
	Thecla betulae (Linnaeus, 1758)		-			├	-					
	Favonius quercus (Linnaeus, 1758)	D4 1 (11 111) - 1 1 111111				1		-				
	Satyrium ledereri (Boisduval, 1848)	B1ab(ii,iii)+2ab(ii,iii)	EN				<u> </u>					
	Satyrium acaciae (Fabricius, 1787)					1	<b></b>					
	Satyrium ilicis (Esper, 1779)											
44	Satyrium w-album (Knoch, 1782)							<u> </u>				
45	Satyrium pruni (Linnaeus, 1758)				*							
	Satyrium spini ([Denis & Schiffermüller], 1775)											
	Callophrys rubi (Linnaeus, 1758)											
	Lycaena phlaeas (Linnaeus, [1760])					1						
	Lycaena dispar ([Haworth], 1802)	A3c	VU		1	1	*	*	*			
		nJC	70			1						
	Lycaena virgaureae (Linnaeus, 1758)				-	1	1	-				
	Lycaena alciphron (Rottemburg, 1775)				<u> </u>	1						
52	Lycaena ottomana (Lefèbvre, [1831])		<u> </u>			1-	<u> </u>	<b> </b>	<u> </u>			
	Lycaena tityrus (Poda, 1761)				1	1	1	ı	ı	ı	Ī	i

54	Lycaena thersamon (Esper, 1784)								
55	Lycaena thetis Klug, 1834			*					
	Lycaena candens (Herrich-Schäffer, 1844)								
	Zizeeria karsandra (Moore, 1865)			*					
	Lampides boeticus (Linnaeus, 1767)								
	Leptotes pirithous (Linnaeus, 1767)								
	Cacyreus marshalli Butler, 1898								
	Tarucus balkanicus (Freyer, 1844)								
62	Cupido decoloratus (Staudinger, 1886)								
63	Cupido alcetas (Hoffmansegg, 1804)								
64	Cupido argiades (Pallas, 1771)								
65	Cupido minimus (Fuessly, 1775)								
	Cupido osiris (Meigen, 1829)								
	Celastrina argiolus (Linnaeus, 1758)								
	Glaucopsyche alexis (Poda, 1761)	D4 1 (** ***) - 2 - 1 (* ** ***)	CD	*					
	Turanana taygetica (Rebel, 1902)	B1ab(ii,iii)+2ab(i,ii,iii)	CR	т					
	Phengaris alcon ([Denis & Schiffermüller], 1775)								
71	Phengaris arion (Linnaeus, 1758)				*		*		
72	Iolana iolas (Ochsenheimer, 1816)								
73	Pseudophilotes vicrama (Moore, 1865)								
	Pseudophilotes bavius (Eversmann, 1832)			*		*	*		
	Scolitantides orion (Pallas, 1771)								
	Freveria trochylus (Frever, 1844)			*					
			<u> </u>						
	Kretania sephirus (Frivaldszky, 1835)		-			-			-
	Plebejus argus (Linnaeus, 1758)		<b> </b>						
	Plebejus idas (Linnaeus, [1760])		ļ						
	Plebejus argyrognomon (Bergsträsser, 1779)								
81	Plebejidea loewii (Zeller, 1847)		L			<u></u>			
82	Kretania psylorita (Freyer, 1845)			*					
	Kretania eurypilus (Freyer, 1851)	B1ab(ii,iii)+2ab(ii,iii)	EN						
	Agriades dardanus (Freyer, 1843)	B1ab(ii,iii)+2ab(ii,iii)	EN						
	Aricia agestis ([Denis & Schiffermüller], 1775)	D105(11,111) · 205(11,111)	,,						
	Aricia artaxerxes (Fabricius, 1793)								
	Aricia anteros (Freyer, 1838)								
	Eumedonia eumedon (Esper, 1780)								
89	Cyaniris semiargus (Rottemburg, 1775)			*					
90	Polyommatus damon ([Denis & Schiffermüller], 1775)								
91	Polyommatus iphigenia (Herrich-Schäffer, 1847)	B1ab(ii,iii)+2ab(ii,iii)	EN						
	Polyommatus admetus (Esper, 1783)			*					
	Polyommatus aroaniensis (Brown, 1976)								
	Polyommatus ripartii (Freyer, 1830)			*					
		1 2016							
	Polyommatus timfristos Lukhtanov, Vishnevskaya & Sh		CD						
		B1ab(ii,iii)+2ab(ii,iii)	CR						
	Polyommatus nephohiptamenos (Brown & Coutsis, 197	8)							
	Neolysandra coelestina (Eversmann, 1843)								
99	Polyommatus daphnis ([Denis & Schiffermüller], 1775)								
100	Lysandra coridon (Poda, 1761)								
	Lysandra bellargus (Rottemburg, 1775)								
	Polyommatus escheri (Hübner, [1823])								
	Polyommatus amandus (Schneider, 1792)								
	Polyommatus thersites (Cantener, 1835)								
			<b> </b>			-			
	Polyommatus dorylas ([Denis & Schiffermüller], 1775)	D4-b(:::::) - 2 -b (:::::)		*		-	*		
	Polyommatus eros (Ochsenheimer, 1808)	B1ab(ii,iii)+2ab(ii,iii)	EN	*			*		
	Polyommatus icarus (Rottemburg, 1775)								
108	Charaxes jasius (Linnaeus, 1767)			*					
109	Apatura iris (Linnaeus, 1758)			*					
	Apatura ilia ([Denis & Schiffermüller], 1775)			*					
	Apatura metis Freyer, 1829				*		*		
	Limenitis populi (Linnaeus, 1758)	B1ab(ii,iii)+2ab(ii,iii)	VU						
	Limenitis camilla (Linnaeus, 1736)	B1ab(ii,iii)+2ab(ii,iii)	VU						
		D = 40 (11,111)   2	70						
	Limenitis reducta Staudinger, 1901	D1ab(ii iii) - 2-1 ('' ''')	\//-						
	Neptis sappho (Pallas, 1771)	B1ab(ii,iii)+2ab(ii,iii)	VU						
	Neptis rivularis (Scopoli, 1763)	B1ab(ii,iii)+2ab(ii,iii)	VU						
117	Nymphalis xanthomelas ([Denis & Schiffermüller], 1775	A3c, B1ab(ii,iii)+2ab(ii,ii	VU						
118	Nymphalis polychloros (Linnaeus, 1758)		<u> </u>						
	Nymphalis antiopa (Linnaeus, 1758)								
119								-	<b></b>
119 120	Aglais io (Linnaeus, 1758)								
119 120 121	Aglais io (Linnaeus, 1758) Vanessa atalanta (Linnaeus, 1758)								
119 120 121 122	Aglais io (Linnaeus, 1758) Vanessa atalanta (Linnaeus, 1758) Vanessa cardui (Linnaeus, 1758)								
119 120 121 122 123	Aglais io (Linnaeus, 1758) Vanessa atalanta (Linnaeus, 1758) Vanessa cardui (Linnaeus, 1758) Aglais urticae (Linnaeus, 1758)								
119 120 121 122 123 124	Aglais io (Linnaeus, 1758)  Vanessa atalanta (Linnaeus, 1758)  Vanessa cardui (Linnaeus, 1758)  Aglais urticae (Linnaeus, 1758)  Polygonia c-album (Linnaeus, 1758)								
119 120 121 122 123 124 125	Aglais io (Linnaeus, 1758)  Vanessa atalanta (Linnaeus, 1758)  Vanessa cardui (Linnaeus, 1758)  Aglais urticae (Linnaeus, 1758)  Polygonia c-album (Linnaeus, 1758)  Polygonia egea (Cramer, 1775)								
119 120 121 122 123 124 125 126	Aglais io (Linnaeus, 1758)  Vanessa atalanta (Linnaeus, 1758)  Vanessa cardui (Linnaeus, 1758)  Aglais urticae (Linnaeus, 1758)  Polygonia c-album (Linnaeus, 1758)  Polygonia egea (Cramer, 1775)  Araschnia levana (Linnaeus, 1758)								
119 120 121 122 123 124 125 126	Aglais io (Linnaeus, 1758)  Vanessa atalanta (Linnaeus, 1758)  Vanessa cardui (Linnaeus, 1758)  Aglais urticae (Linnaeus, 1758)  Polygonia c-album (Linnaeus, 1758)  Polygonia egea (Cramer, 1775)  Araschnia levana (Linnaeus, 1758)  Argynnis pandora ([Denis & Schiffermüller], 1775)								
119 120 121 122 123 124 125 126	Aglais io (Linnaeus, 1758)  Vanessa atalanta (Linnaeus, 1758)  Vanessa cardui (Linnaeus, 1758)  Aglais urticae (Linnaeus, 1758)  Polygonia c-album (Linnaeus, 1758)  Polygonia egea (Cramer, 1775)  Araschnia levana (Linnaeus, 1758)								

129	Speveria aglaja (Linnaeus, 1758)										
130	Fabriciana adippe ([Denis & Schiffermüller], 1775)										
<b>-</b>	Fabriciana niobe (Linnaeus, 1758)						l				
<b>-</b>											
	Issoria lathonia (Linnaeus, 1758)										
133	Brenthis hecate ([Denis & Schiffermüller], 1775)										
134	Brenthis daphne ([Denis & Schiffermüller], 1775)										
135	Boloria graeca (Staudinger, 1870)				*						
	Boloria euphrosyne (Linnaeus, 1758)										
	Boloria selene ([Denis & Schiffermüller], 1775)										
_					*						
<b>-</b>	Boloria dia (Linnaeus, 1767)						-				
<b>-</b>	Melitaea cinxia (Linnaeus, 1758)										
140	Melitaea arduinna (Esper, 1783)										
141	Melitaea phoebe ([Denis & Schiffermüller], 1775)										
142	Melitaea ornata Christoph, 1893										
<b>-</b>	Melitaea didyma (Esper, 1778)										
	Melitaea trivia ([Denis & Schiffermüller], 1775)										
_											
	Melitaea athalia (Rottemburg, 1775)						-				
	Melitaea aurelia Nickerl, 1850										
	Euphydryas aurinia (Rottemburg, 1775)						*	*			
148	Melanargia russiae (Esper, 1783)				*						
	Melanargia larissa (Geyer, [1828])										
	Melanargia galathea (Linnaeus, 1758)										
	Hipparchia fagi (Scopoli, 1763)										
			1								
	Hipparchia syriaca (Staudinger, 1871)		-		*	<u> </u>	<del>                                     </del>				
_	Hipparchia senthes (Fruhstorfer, 1908)				-		<u> </u>				
	Hipparchia volgensis (Mazokhin-Porshnyakov, 1952)										
155	Hipparchia cretica (Rebel, 1916)		<u></u>			<u></u>	<u></u>				<u> </u>
	Hipparchia christenseni Kudrna, 1977	B1ab(ii,iii)	VU	EN							
	Hipparchia mersina (Staudinger, 1871)										
_	Hipparchia statilinus (Hufnagel, 1766)						1				
<b>-</b>	11										
<b>-</b>	Hipparchia fatua Freyer, 1843						-				
<b>-</b>	Chazara briseis (Linnaeus, 1764)										
		B1ab(ii,iii)+2ab(ii,iii)	VU								
162	Pseudochazara orestes De Prins & van der Poorten, 198	B1ab(ii,iii)	EN								
		B1ab(ii,iii)+2ab(ii,iii)	EN	EN							
	Pseudochazara graeca (Staudinger, 1870)				*						
	Pseudochazara geyeri (Herrich-Schäffer, 1846)	B1ab(ii,iii)+2ab(ii,iii)	EN								
_		Blab(II,III)+Zab(II,III)	LIV								
<b>-</b>	Pseudochazara anthelea (Hübner, [1824])										
167	Pseudochazara amalthea (Frivaldszky, 1845)										
168	Satyrus ferula (Fabricius, 1793)										
169	Minois dryas (Scopoli, 1763)	B1ab(ii,iii)+2ab(ii,iii)	VU								
170	Brintesia circe (Fabricius, 1775)										
	Arethusana arethusa ([Denis & Schiffermüller], 1775)										
	Erebia ligea (Linnaeus, 1758)				*						
	Erebia euryale (Esper, 1805)	D4 -1 (** ***) -2 -1 (** ***)	\ // I								
		B1ab(ii,iii)+2ab(ii,iii)	VU								
	Erebia medusa ([Denis & Schiffermüller], 1775)										
176	Erebia epiphron (Knoch, 1783)	B1ab(ii,iii)+2ab(ii,iii)	EN								
	Erebia ottomana Herrich-Schäffer, 1847		L		*	L	L				
<b>-</b>	Erebia neleus (Freyer, 1832)	B1ab(ii,iii)+2ab(ii,iii)	CR		*						
	Erebia oeme (Hübner, [1804])	B1ab(ii,iii,iv)+2ab(ii,iii,iv	VU								
	Erebia rhodopensis Nicholl, 1900	B1ab(ii,iii)+2ab(ii,iii)	EN				l				
	,	D = 40 (11,111) 1 Z 40 (11,111)	LIV		*	<u> </u>	<del>                                     </del>				
	Erebia melas (Herbst, 1796)					<b> </b>	<b> </b>				
	Proterebia phegea (Borkhausen, 1788)					<u> </u>	<u> </u>			ļ	
	Ypthima asterope (Klug, 1832)					<u> </u>	<u> </u>				
	Maniola jurtina (Linnaeus, 1758)										
	Maniola halicarnassus Thomson, 1990		L			L	L				
_	Maniola telmessia (Zeller, 1847)										
	Maniola chia Thomson, 1987										
	Maniola megala (Oberthür, 1909)	B1ab(ii,iii)+2ab(ii,iii)	EN				1				
		z zastnimi i zastnimi	_,4								
	Hyponephele lupina (Costa, 1836)		-			<b> </b>	<del>                                     </del>				
	Hyponephele lycaon (Kühn, 1774)					ļ	ļ				
	Aphantopus hyperantus (Linnaeus, 1758)										
192	Pyronia tithonus (Linnaeus, 1771)		<u></u>			<u></u>	<u></u>				<u> </u>
	Pyronia cecilia (Vallantin, 1894)										
_	Coenonympha thyrsis (Freyer, 1845)										
	Coenommuha namuhihir (Linnaeur 1758)		1			-	<del>                                     </del>				
	Coenonympha pamphilus (Linnaeus, 1758)										1
	Coenonympha arcania (Linnaeus, [1760])										
197 (	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909										
197 ( 198 (	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909 Coenonympha leander (Esper, 1784)				*						
197 ( 198 ( 199 (	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909 Coenonympha leander (Esper, 1784) Coenonympha glycerion (Borkhausen, 1788)	B1ab(ii,iii,iv)+2ab(ii,iii,iv	VU		*						
197 ( 198 ( 199 (	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909 Coenonympha leander (Esper, 1784)	B1ab(ii,iii,iv)+2ab(ii,iii,iv	VU		*						
197 ( 198 ( 199 ( 200 (	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909 Coenonympha leander (Esper, 1784) Coenonympha glycerion (Borkhausen, 1788) Coenonympha rhodopensis Elwes, 1900	B1ab(ii,iii,iv)+2ab(ii,iii,iv	VU		*						
197 ( 198 ( 199 ( 200 ( 201 )	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909 Coenonympha leander (Esper, 1784) Coenonympha glycerion (Borkhausen, 1788) Coenonympha rhodopensis Elwes, 1900 Pararge aegeria (Linnaeus, 1758)	B1ab(ii,iii,iv)+2ab(ii,iii,iv	VU		*						
197 ( 198 ( 199 ( 200 ( 201 )	Coenonympha arcania (Linnaeus, [1760]) Coenonympha orientalis Rebel, 1909 Coenonympha leander (Esper, 1784) Coenonympha glycerion (Borkhausen, 1788) Coenonympha rhodopensis Elwes, 1900	B1ab(ii,iii,iv)+2ab(ii,iii,iv	/ VU		*						

The list of the 236 butterflies of Greece with species included in: THE RED BOOK OF THREATENED ANIMALS OF GREECE (and STATUS), Numa C. et al. for Mediterranean butterflies, THE LAW IN GREECE, CITES, BERNE CONVENTION and 92/43 HABITAS DIRECTIVE of EU

	T	T						1	
	Lasiommata petropolitana (Fabricius, 1787)								
205	Kirinia climene (Esper, 1783)								
	Kirinia roxelana (Cramer, 1777)								
207	Pyrgus malvae (Linnaeus, 1758)								
208	Pyrgus alveus (Hübner, [1803])								
209	Pyrgus armoricanus (Oberthür, 1910)								
210	Pyrgus serratulae (Rambur, 1839)								
211	Pyrgus sidae (Esper, 1784)								
212	Pyrgus cinarae (Rambur, 1839)				*				
213	Pyrgus carthami (Hübner, [1813])								
214	Spialia orbifer (Hübner, [1823])								
215	Spialia phlomidis (Herrich-Schäffer, 1845)				*				
216	Muschampia tessellum (Hübner, [1803])				*				
217	Favria cribrellum (Eversmann, 1841)								
	Muschanpia alta (Schwingenschuss, 1942)								
219	Muschampia proteides (Wagner, 1929)								
	Carcharodus alceae (Esper, 1780)								
221	Muschampia orientalis (Reverdin, 1913)								
222	Muschampia lavatherae (Esper, [1783])								
	Muschampia floccifera (Zeller, 1847)								
224	Muschampia stauderi (Reverdin, 1913)								
225	Erynnis tages (Linnaeus, 1758)								
226	Erynnis marloyi (Boisduval, 1834)								
227	Carterocephalus palaemon (Pallas, 1771)	B1ab(ii,iii)+2ab(ii,iii)	VU						
228	Thymelicus acteon (Rottemburg, 1775)				*				
229	Thymelicus lineola (Ochsenheimer, 1808)								
230	Thymelicus sylvestris (Poda, 1761)								
	Thymelicus hyrax (Lederer, 1861)								
232	Hesperia comma (Linnaeus, 1758)								
233	Ochlodes sylvanus (Esper, 1777)								
234	Gegenes pumilio (Hoffmansegg, 1804)								
235	Gegenes nostrodamus (Fabricius, 1793)							 	
236	Pelopidas thrax (Hübner, [1821])	B1ab(ii,iii)+2ab(ii,iii)	EN						
				,					