

Performing Spatial Joins

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://www.spatialthoughts.com>

Performing Spatial Joins

Spatial Join is a classic GIS problem - transferring attributes from one layer to another based on their spatial relationship. In QGIS, this functionality is available through the **Join Attributes by Location** tool.

Overview of the task

We will use 2 layers - A shapefile of borough boundaries of New York city and another shapefile of nursing home locations in New York city. We will use spatial join technique to find the total nursing home capacity for each of the buroughs.

Other skills you will learn

- Deleting columns from the attribute table of a layer.

Get the data

[NYC Open Data Portal](#) is an excellent source of free data for New York city.

1. Download the [Borough Boundaries](#) zip file using the Export option on the portal.

The screenshot shows the NYC Open Data Portal's interface for the 'Nursing Homes' dataset. The main area is a map of New York City and surrounding areas, with numerous red circular markers representing nursing home locations. The map includes labels for many neighborhoods and towns. To the right of the map is a sidebar with several sections:

- Export:** A button labeled 'Export' is circled in red.
- Download:** A section for downloading geospatial data, with 'Shapefile' selected and 'Original' highlighted.
- Download Tabular Layers:** Options for CSV, JSON, PDF, and RDF.

The top of the page features the NYC Open Data logo and a banner stating '1100+ Datasets Available'. The bottom right corner includes copyright information: '© 2013 The City of New York' and links to 'Contact Us | FAQs | Privacy Statement | Terms of Use | Site Map'.

2. Download the [Nursing Homes](#) zip file using the Export option on the portal.



NYC



Sign Up Sign In

Borough Boundaries
GIS data: Boundaries of Boroughs (water areas excluded)

Map data ©2014 Google

Export (button circled)
More Views Filter Visualize
Google Bing ESRI
Discuss Embed About

Download
Download Geospatial Data
Download As
KML
KMZ
Shapefile (Original circled)
Download Tabular Layers
Download As
CSV
JSON
PDF
RDF
RSS

© 2013 The City of New York
Contact Us | FAQs | Privacy Statement | Terms of Use | Site Map

For convenience, you may directly download a copy of the datasets from the links below:

[nybb_12c.zip](#)


[OEM_NursingHomes_001.zip](#)

Procedure

3. Go to Layer ▶ Add Vector Layer. Browse to the downloaded zip file nybb_12c.zip and select Open.



4. Select the layer nybb.shp and click OK.



5. Repeat the steps 3 and 4 for the another file OEM_NursingHomes_001.zip and load the OEM_NursingHomes_001.shp layer. Once both the layers are loaded, right-click on the OEM_NursingHomes_001 layer and select Open Attribute Table.



6. Examine the attributes available for each feature. Since our task is to calculate the total nursing home capacity for each borough, we can use the attribute **Capacity** which can join to the boundaries layer.

Attribute table - OEM_NursingHomes_001 :: Features total: 177, filtered: 177, selected: 0


| | Label | Name | Address | City | Zipcode | PFI | OpCert | Capacity | Ba |
|----|------------------|-------------------|--------------------|----------|---------|---------------------|-------------------|----------|----|
| 0 | BISHOP MUGAVE... | BISHOP FRANCI... | 155 DEAN STREET | BROOKLYN | 11217 | 5546.000000000... | 7001377.000000... | 288 | |
| 1 | ROBERT MAPPLE... | ROBERT MAPPLE... | 327 EAST 17TH S... | NEW YORK | 10003 | 4807.00000000000... | 7002351.000000... | 28 | |
| 2 | NY CRN | NY CENTER FOR ... | 26-13 21ST STRE... | ASTORIA | 11102 | 6384.000000000... | 7003405.000000... | 280 | |
| 3 | ATLANTIS | ATLANTIS REHAB... | 140 ST EDWARD... | BROOKLYN | 11201 | 1405.000000000... | 7001389.000000... | 400 | |
| 4 | BISHOP HUCLES | BISHOP HENRY B... | 835 HERKIMER ST | BROOKLYN | 11233 | 7069.000000000... | 7001379.000000... | 240 | |
| 5 | BROOKLYN METH... | BROOKLYN UNIT... | 1485 DUMONT A... | BROOKLYN | 11208 | 1368.000000000... | 7001308.000000... | 120 | |
| 6 | BROOKLYN-QUEE... | BROOKLYN-QUEE... | 2749 LINDEN BLVD | BROOKLYN | 11208 | 277.00000000000... | 7001382.000000... | 140 | |
| 7 | BUENA VIDA | BUENA VIDA CO... | 48 CEDAR STREET | BROOKLYN | 11221 | 6248.000000000... | 7001383.000000... | 240 | |
| 8 | CABS | CABS NURSING ... | 270 NOSTRAND ... | BROOKLYN | 11205 | 1367.00000000000... | 7001307.000000... | 157 | |
| 9 | CATON PARK | CATON PARK NU... | 1312 CATON AVE... | BROOKLYN | 11226 | 1380.000000000... | 7001366.000000... | 119 | |
| 10 | COBBLE HILL | COBBLE HILL HE... | 380 HENRY STRE... | BROOKLYN | 11201 | 1381.000000000... | 7001323.000000... | 520 | |
| 11 | CONCORD | CONCORD NURS... | 300 MADISON ST... | BROOKLYN | 11216 | 1404.000000000... | 7001348.000000... | 140 | |
| 12 | DITMAS PARK | DITMAS PARK C... | 2107 DITMAS AV... | BROOKLYN | 11226 | 1576.000000000... | 7001393.000000... | 200 | |
| 13 | FOUR SEASONS | FOUR SEASONS ... | 1555 ROCKAWA... | BROOKLYN | 11236 | 3227.00000000000... | 7001385.000000... | 270 | |
| 14 | HAYM SALOMON | HAYM SALOMON ... | 2340 CROPSEY A... | BROOKLYN | 11214 | 1361.000000000... | 7001369.000000... | 240 | |
| 15 | HOLY FAMILY | HOLY FAMILY HO... | 1740 84TH STREET | BROOKLYN | 11214 | 1406.000000000... | 7001365.000000... | 200 | |
| 16 | KESER | KESER NURSING ... | 40 HEYWARD ST... | BROOKLYN | 11211 | 1409.000000000... | 7001387.000000... | 200 | |
| 17 | LUTHERAN AUG... | LUTHERAN AUGU... | 5434 SECOND A... | BROOKLYN | 11204 | 1372.000000000... | 7001313.000000... | 240 | |
| 18 | MARCUS GARVEY | MARCUS GARVE... | 810-20 ST MARK... | BROOKLYN | 11213 | 1407.00000000000... | 7001353.000000... | 295 | |
| 19 | MENORAH | MENORAH HOME... | 1516 ORIENTAL ... | BROOKLYN | 11235 | 2539.000000000... | 7001372.000000... | 320 | |
| 20 | MJG | METROPOLITAN ... | 4915 10TH AVE | BROOKLYN | 11219 | 1403.000000000... | 7001347.000000... | 354 | |
| 21 | NEW CARLTON | NEW CARLTON R... | 405 CARLTON AVE | BROOKLYN | 11238 | 1379.000000000... | 7001386.000000... | 148 | |
| 22 | NY CONGREGATI... | NY CONGREGATI... | 135 LINDEN BLVD | BROOKLYN | 11226 | 1369.000000000... | 7001309.000000... | 200 | |

Show All Features ▾

7. Go to Vector ▶ Data Management Tools ▶ Join attributes by location.



8. The Target vector layer is the one we want to add the attributes to. In our case, this will be the boroughs boundary nybb layer. The Join vector layer will be the nursing homes OEM_NursingHomes_001 layer. As we want to sum the capacity of nursing homes, select Take summary of intersecting features and choose Sum. Name the output file as nyc_borough_join.shp. In the Output table select Keep all records`.



- Once the process finishes, select Yes when asked if you want to add the layer to TOC. The new layer `nyc_borough_join` would have the features from `nybb` layer along with spatially joined attributes from `OEM_NursingHomes_001` layer. Right-click on the layer and select Open Attribute Table.



10. You will see a column **SUMCapacit** in the attribute table. This is the sum of the **Capacity** attribute for the nursing homes that fall within each borough feature.

Attribute table - nyc_borough_join :: Features total: 5, filtered: 5, selected: 0

| | BoroCode | BoroName | Shape_Leng | Shape_Area | SUMPFI | SUMOpCert | SUMCapacit | SUMBaselin | SUMAIDS |
|---|----------|---------------|-------------------|-------------------|-------------------|--------------------|--------------------|-------------------|------------------|
| 0 | 5 | Staten Island | 330454.8066070... | 1623846991.529... | 22348.00000000... | 77047456.00000... | 3149.000000000... | 11.00000000000... | 1.00000000000... |
| 1 | 1 | Manhattan | 357176.1325809... | 636397842.6720... | 57680.00000000... | 154051568.00000... | 7049.000000000... | 22.00000000000... | 5.00000000000... |
| 2 | 2 | Bronx | 464475.0676990... | 1186823812.599... | 83624.00000000... | 322016239.00000... | 11853.000000000... | 46.00000000000... | 8.00000000000... |
| 3 | 3 | Brooklyn | 742297.8304019... | 1937844335.480... | 95770.00000000... | 294056538.00000... | 10502.000000000... | 42.00000000000... | 1.00000000000... |
| 4 | 4 | Queens | 874225.1394040... | 3048478676.510... | 140279.0000000... | 392188459.00000... | 12297.000000000... | 56.00000000000... | 0.00000000000... |

11. This is the answer we are looking for. But there are extra columns that we do not need in our output. Let's clean up our output. Click on the Toggle editing button and then the Delete column button.

Attribute table - nyc_borough_join :: Features total: 5, filtered: 5, selected: 0

The screenshot shows an attribute table window with the following columns:

| | BoroCode | BoroName | Shape_Leng | Shape_Area | SUMOpCert | SUMCapacit | SUMBaselin | SUMAIDS | |
|---|----------|---------------|-------------------|-------------------|--------------------|--------------------|--------------------|-------------------|------------------|
| 0 | 5 | Staten Island | 330454.8066070... | 1623846991.52... | 77047456.00000... | 3149.000000000... | 11.00000000000... | 1.00000000000... | |
| 1 | 1 | Manhattan | 357176.1325809... | 636397842.6720... | 57680.000000000... | 154051568.00000... | 7049.000000000... | 22.00000000000... | 5.00000000000... |
| 2 | 2 | Bronx | 464475.0676990... | 1186823812.599... | 83624.000000000... | 322016239.00000... | 11853.000000000... | 46.00000000000... | 8.00000000000... |
| 3 | 3 | Brooklyn | 742297.8304019... | 1937844335.480... | 95770.000000000... | 294056538.00000... | 10502.000000000... | 42.00000000000... | 1.00000000000... |
| 4 | 4 | Queens | 874225.1394040... | 3048478676.510... | 140279.0000000... | 392188459.00000... | 12297.000000000... | 56.00000000000... | 0.00000000000... |

Buttons at the top include: New, Open, Save, Delete, Refresh, and Help.

12. Press Control-A to select all columns in the Delete Attributes dialog. Next hold the Control key and de-select the columns you want to keep. Click OK.



13. In the attribute table, click Toggle editing button again to save the changes.

The screenshot shows the QGIS Attribute Table window titled "Attribute table - nyc_borough_join :: Features total: 5, filtered: 5, selected: 0". The table contains five rows of data, each representing a borough. The columns are labeled "Index", "Name", and "SUMCapacit". The data is as follows:

| Index | Name | SUMCapacit |
|-------|-----------------|-------------------|
| 0 | 5 Staten Island | 3149.00000000... |
| 1 | 1 Manhattan | 7049.00000000... |
| 2 | 2 Bronx | 11853.00000000... |
| 3 | 3 Brooklyn | 10502.00000000... |
| 4 | 4 Queens | 12297.00000000... |

14. Back in the QGIS Canvas, use the Identify tool to verify that the output file has the desired attributes for each burough feature.

