MasterFile Description

Created 21 Feb, 2023

General description of the MasterFile.

Tasks means BAT, TAP, or Movement Indexing starts at 1, unless specified.

1   Common data

Data that is common to all tasks and trials

Name	Description
userID	Unique user identifyer
sequenceTrials	Order in which tasks (bat, tap, and movement) were presented to the participant.
nodeIndex	Index of current task within sequenceTrials (see above). If sequenceTrials == tap,bat,movement, and nodeIndex == 1, the current task is *tap*.
nodeName	Name of current task. Always equal to sequenceTrial, at the index of nodeIndex. Redundant information, only for sannity checking.
outputLatencyBegin	Time (s) between the browser passing an audio buffer out of an audio graph over to the host system's audio subsystem to play, and the time at which the first sample in the buffer is actually processed by the audio output device. Measured in the beginning of the trial. Web documentation
outputLatencyEnd	Time (s) between the browser passing an audio buffer out of an audio graph over to the host system's audio subsystem to play, and the time at which the first sample in the buffer is actually processed by the audio output device. Measured in the end of the trial. Web documentation
baseLatencyBegin	Time (s) of processing latency incurred by the AudioContext passing the audio from the AudioDestinationNode to the audio subsystem. It does not include any additional latency that might be caused by any other processing between the output of the AudioDestinationNode and the audio hardware. Measured in the beginning of the trial. Web Audio API official documentation.
baseLatencyEnd	Time (s) of processing latency incurred by the AudioContext passing the audio from the AudioDestinationNode to the audio subsystem. It does not include any additional latency that might be caused by any other processing between the output of the AudioDestinationNode and the audio hardware. Measured in the end of the trial. Web Audio API official documentation.
timeBegin	Time (unix) at which participant started the current trial. Only for tapping task, timestamp indicates when the first trial is started.
timeEnd	Time (unix) at which participant finished the current trial. Only for tapping task, timestamp indicates when the last trial is finished.
stimulus	Song presented to participant in the current trial. ATENCAO: Mofidy BAT task from batSong to stimulus

2   Task-specific data

2.1   Accelerometer

Name	Description
t	Time (ms) passed since the beginning of the trial until the moment at which the accelerometer measurement is taken. Javascript method: every time the *devicemotion* event is triggered, *performance.now()* is called and subtracted from the variable *currentTrialStartTime*, declared as performance.now() at the beginning of each trial.
timeAudio	Time (s) of the song at which the accelerometer measurement occured, measured with audioContext. Javascript method: every time the *devicemotion* event is triggered, context.currentTime is called and subtracted from the time at which the context was created (also measured with *context.currentTime*). Accuracy is automatically reduced by the browser. Use t (above) as accurate measurement of time. Difference between the first t and the first *timeAudio* for a given track indicates when, in relation to the audio, the accelerometer started to record movement.
x, y, z	Amount of acceleration (m/s²). The acceleration value does not include the effect of the gravity force. We cannot know which axis corresponds to horizontal and vertical planes, because it depends on the position of the phone. Official documentation of devicemotion event.
alpha, beta, gamma	Rotation rate (degrees per second) at alpha, beta, and gamma planes. Official documentation of devicemotion event.

2.2   BAT

Name	Description
initialOffset	Initial offset between the song's beat and the underlying metronome. Offsets can be between 1 and 7, with the exception of 4. Each unit of offset translates to a quarter-note.
offset	Final offset chosen by the participant.
nChanges	Number of adjustments to the metronome offset made by participants from the beginning to the end of the trial. If nChanges == 0, offset is equal to initialOffset.

2.3   TAP

Name	Description
rt	List of timestamps (ms) corresponsing to the time that has passed between the beginning of the trial (performance.now()), and the moment that a click/tap occured (performance.now()).
rtAudio	List of timestamps (s) corresponding to the time of the song at which the tap occured. Measured with audioContext. Javascript method: every time the *click* event is triggered, context.currentTime is called and subtracted from the time at which the context was created (also measured with *context.currentTime*).