

SOFTWARE TESTING

MASTERCLASS

Smoke, Sanity and Regression Testing

Advance Testing Concepts

Smoke, Sanity and Regression Testing

Smoke testing is an approach that is usually carried out during the initial development stages of the software development lifecycle. Its purpose is to make sure that the core functionalities of the program are working fine without any issues

Executed
before any
detailed
functional
tests

Verify that the
core or main
functionalities
works fine


Testing team
does not
waste time on
broken builds



Advance Testing Concepts Smoke, Sanity and Regression Testing

We are testing a banking application
with important functions

We'll be logging into the banking app
and making a money transfer. If the
money is not sent to the other user, we
will stop testing.





Advance Testing Concepts

Smoke, Sanity and Regression Testing

When to perform smoke testing:

- Developers provide a fresh build to the Quality Assurance team
- New module is added to the existing functionality

Advance Testing Concepts

Smoke, Sanity and Regression Testing

Sanity testing is performed to check whether the software product is working correctly

It does a **quick evaluation** of the **quality** of the software release to determine whether it is **eligible** for further rounds of **testing** or not


Performed
after
receiving a
stable build

Sanity
testing =
surface level
testing



Advance Testing Concepts

Smoke, Sanity and Regression Testing



Copyright © Testsigma Technologies.



Advance Testing Concepts

Smoke, Sanity and Regression Testing

When to perform sanity testing:


- When the build is received after many regressions or if there is a minor change in the code
- The build is received after a bug fix
- Before deployment on production






Advance Testing Concepts


Smoke, Sanity and Regression Testing



Regression testing is the process of verifying that the software still performs correctly after changes were introduced



Bug fix does
not effected
the previous
build



New tests
are not
created



Advance Testing Concepts

Smoke, Sanity and Regression Testing



Once **sanity testing** of the changed functional is completed, all the impacted features of the application require complete testing. This is called **regression testing**

New
features
being
introduced

Defects
being
fixed

Performance
fixes

change in
requirement



Advance Testing Concepts

Smoke, Sanity and Regression Testing

Some ideas for areas to test during regression testing:

- Areas exposed to a high number of users
- Areas that have frequent defects
- Core features
- High complex functionality
- Areas that have undergone recent changes
- Critical integrations



Advance Testing Concepts

Smoke, Sanity and Regression Testing

Smoke Testing	Sanity Testing	Regression Testing
Performed on initial builds	Performed on stable builds	Performed on stable builds
To test the stability of new build	To test the stability of new functionality or code changes in the existing build	To test the functionality of all affected areas after new functionality/code changes in the existing build
Covers end to end basic functionalities	Covers certain modules, in which code changes have been made	Covers detailed testing targeting all the affected areas after new functionalities are added
Executed by testers & sometimes also by developers	Executed by testers	Executed by testers, sometimes via automation
A part of basic testing	A part of regression testing	Regression Testing is a super set of Smoke and Sanity Testing