Cognitive Manipulation Detection Framework (CMDF)

A UTC-Based System for AI and Human Defense

Kevin T.N.
Independent Researcher
jkdkr2439@gmail.com

March 12, 2026

Disclaimer

This is a **theoretical framework** extracted from the principles of Universal Translation Convention (UTC) by Kevin T.N.
Status: Not yet empirically validated.
Call for collaboration: The community is invited to experiment, test, refine, and update this framework. Contributions, critiques, and improvements are welcomed.

Contents

1 Core Problem Statement **3**
1.1 The Manipulation Landscape . . . 3
1.2 Why AI Systems Need This . . . 3

2 Detection Principles (From UTC) **3**
2.1 Principle 1: Frame-Indexing Requirement . . . 3
2.2 Principle 2: Stratum Declaration . . . 3
2.3 Principle 3: Invariant Specification . . . 4
2.4 Principle 4: Ego-State Detection . . . 4
2.5 Principle 5: Entropy Direction Check . . . 4

3 Manipulation Patterns Taxonomy **5**
3.1 Frame Manipulation . . . 5
3.2 Stratum Manipulation . . . 5
3.3 Ego Manipulation . . . 5
3.4 Entropy Manipulation . . . 5

4 Detection Algorithms **6**
4.1 Algorithm 1: Frame-Index Check . . . 6
4.2 Algorithm 2: Stratum Conflation Detector . . . 6
4.3 Algorithm 3: Ego Manipulation Detector . . . 7
4.4 Algorithm 4: Entropy Direction Analyzer . . . 7

5 Practical Applications **8**
5.1 For AI Systems . . . 8
5.2 For Humans . . . 8

6 Implementation Guide **9**
6.1 Integration Points . . . 9
6.2 Deployment Strategy . . . 9

7 Limitations & Constraints **9**
7.1 Known Limitations . . . 9
7.2 Ethical Considerations . . . 10

8 Validation Metrics **10**
8.1 Framework Quality . . . 10
8.2 Self-Consistency Check . . . 10

9 Release Package **11**
9.1 Repository Structure . . . 11
9.2 Documentation Requirements . . . 11

10 Call to Action **11**
10.1 Target Audiences . . . 11
10.2 Contribution Areas . . . 12

A Quick Reference Card: Red Flags Checklist **12**

1 Core Problem Statement

1.1 The Manipulation Landscape

Modern cognitive manipulation operates through subtle, systematic distortions of epistemic structure. Key mechanisms include:

- **Frame omission**: Hiding or obscuring reference contexts
- **Stratum conflation**: Mixing subjective (R1), intersubjective (R2), and absolute (R3) levels
- **Unreferenced propositions**: Making claims without frame declaration
- **Ego exploitation**: Manipulating ego states to block learning or destroy agency
- **Entropy induction**: Moving discourse away from epistemic ground toward confusion

1.2 Why AI Systems Need This

Current AI systems demonstrate critical vulnerabilities:

× Pattern-match cultural baggage without frame-awareness (e.g., "mature", "good", "progress")

× Accept unreferenced claims as valid

× Cannot systematically detect frame violations

× Propagate manipulation patterns absorbed from training data

Need: A systematic detection mechanism grounded in clear epistemic principles.

2 Detection Principles (From UTC)

2.1 Principle 1: Frame-Indexing Requirement

DETECT

Every proposition MUST declare:

- **RF**: Which reference frame(s)?
- **Q**: What question does it answer?
- **L**: What level of description?

RED FLAG

- Universal claims without frame ("X is true")
- Context-free assertions
- "Obvious" statements (whose obvious?)

2.2 Principle 2: Stratum Declaration

DETECT

Every claim MUST specify:

- **R1**: Subjective (personal experience)
- **R2**: Intersubjective (consensus-validated)
- **R3**: Absolute (unknowable directly)

RED FLAG

- R2 claims presented as R3 ("absolute truth")
- R1 claims generalized to R2 ("everyone feels...")
- R3 claims with no epistemic humility

2.3 Principle 3: Invariant Specification

DETECT

Definitions MUST specify:

- What structure is preserved?
- Under what transformations?
- In what context?

RED FLAG

- Vague concepts treated as concrete
- No operational definition
- Circular definitions
- Essentialist claims ("X is inherently Y")

2.4 Principle 4: Ego-State Detection

DETECT

Communication pattern reveals:

- Ego high (defensive, certain)
- Ego low (open, uncertain)
- Ego adaptive (context-responsive)

RED FLAG — Manipulation Markers

- Force ego high: "You're special/chosen"
- Force ego low: "You're inadequate without X"
- Block adaptation: "Never doubt, never change"

2.5 Principle 5: Entropy Direction Check

DETECT

Information flow direction:

- Toward ground (low entropy, epistemic humility)
- Away from ground (high entropy, complexity without clarity)

RED FLAG

- Jargon without mechanism
- Complexity as authority signal
- "Deep" without operational meaning
- Moving from simple truth to complex confusion

3 Manipulation Patterns Taxonomy

3.1 Frame Manipulation

Type A: Frame Omission

Example: "This is the right way to live"

Missing: Right according to which frame? (culture, religion, context?)

Type B: Frame Switching (Motte-and-Bailey)

Example: Claim X in frame A, defend in frame B when challenged

Type C: Frame Collapse

Example: Treating all perspectives as equally valid (radical relativism)

3.2 Stratum Manipulation

Type A: R2→R3 Inflation

Example: "Science proves..." (R2 consensus as R3 absolute)

Type B: R1→R2 Generalization

Example: "I feel unsafe, therefore it's objectively dangerous"

Type C: R3 Inaccessibility Denial

Example: "I know absolute truth" (claims direct R3 access)

3.3 Ego Manipulation

Type A: Ego Inflation Attack

- *Target:* Raise ego → close learning
- *Method:* "You're enlightened/special/chosen"
- *Result:* Victim stops accepting feedback

Type B: Ego Deflation Attack

- *Target:* Lower ego → destroy agency
- *Method:* "You're broken/inadequate/sinful"
- *Result:* Victim becomes dependent

Type C: Ego Fixation Attack

- *Target:* Lock ego in one state
- *Method:* "Never doubt" or "Never be certain"
- *Result:* Victim loses adaptability

3.4 Entropy Manipulation

Type A: Complexity Smoke Screen

- *Method:* Jargon → confusion → "trust the expert"
- *Detection:* High entropy, no reduction to mechanism

Type B: False Simplicity

- *Method:* Reduce complex to slogan
- *Detection:* Loss of critical structure

Type C: Groundlessness Induction

- *Method:* Stack abstractions with no anchor
- *Detection:* Cannot trace back to operational definition

4 Detection Algorithms

4.1 Algorithm 1: Frame-Index Check

```
def check_frame_indexing(proposition):
    """
    Detect unreferenced propositions
    """
    flags = []

    # Check for universal quantifiers without frame
    if has_universal_claim(proposition):
        if not has_frame_declaration(proposition):
            flags.append("UNIVERSAL_WITHOUT_FRAME")

    # Check for normative claims without standard
    if has_normative_claim(proposition):
        if not has_standard_declaration(proposition):
            flags.append("NORMATIVE_WITHOUT_STANDARD")

    # Check for definite articles without context
    if has_definite_article(proposition):
        if not has_context_declaration(proposition):
            flags.append("DEFINITE_WITHOUT_CONTEXT")

    return flags
```

4.2 Algorithm 2: Stratum Conflation Detector

```
def detect_stratum_conflation(proposition):
    """
    Detect mixing of R1/R2/R3 levels
    """
    flags = []

    # Detect R2->R3 inflation
    if has_consensus_claim(proposition):
        if presented_as_absolute(proposition):
            flags.append("R2_TO_R3_INFLATION")

    # Detect R1->R2 generalization
    if has_subjective_experience(proposition):
        if generalized_to_objective(proposition):
            flags.append("R1_TO_R2_GENERALIZATION")

    # Detect R3 access claim
```

```
    if claims_absolute_knowledge(proposition):
        if no_epistemic_humility(proposition):
            flags.append("FALSE_R3_ACCESS")

    return flags
```

4.3 Algorithm 3: Ego Manipulation Detector

```
def detect_ego_manipulation(text):
    """
    Detect attempts to manipulate ego state
    """
    flags = []

    # Inflation markers
    inflation_patterns = [
        "you're special", "chosen", "enlightened",
        "most people don't understand", "elite"
    ]
    if contains_patterns(text, inflation_patterns):
        flags.append("EGO_INFLATION_ATTEMPT")

    # Deflation markers
    deflation_patterns = [
        "you're broken", "inadequate", "need fixing",
        "without X you're nothing"
    ]
    if contains_patterns(text, deflation_patterns):
        flags.append("EGO_DEFLATION_ATTEMPT")

    # Fixation markers
    fixation_patterns = [
        "never doubt", "absolute certainty required",
        "questioning is weakness"
    ]
    if contains_patterns(text, fixation_patterns):
        flags.append("EGO_FIXATION_ATTEMPT")

    return flags
```

4.4 Algorithm 4: Entropy Direction Analyzer

```
def analyze_entropy_direction(communication):
    """
    Detect if moving toward or away from epistemic ground
    """
    score = 0

    # Toward ground (negative entropy)
    if reduces_to_mechanism(communication):
        score -= 1
    if provides_operational_definition(communication):
        score -= 1
    if admits_uncertainty_where_appropriate(communication):
        score -= 1
    if simplifies_without_loss_of_structure(communication):
        score -= 1
```

```
    # Away from ground (positive entropy)
    if increases_jargon_without_clarity(communication):
        score += 1
    if stacks_abstractions(communication):
        score += 1
    if claims_certainty_beyond_warrant(communication):
        score += 1
    if complexity_without_reduction(communication):
        score += 1

    if score > 2:
        return "ENTROPY_INDUCTION_DETECTED"
    elif score < -2:
        return "GROUNDING_COMMUNICATION"
    else:
        return "NEUTRAL"
```

5 Practical Applications

5.1 For AI Systems

Use Case 1: Content Moderation

- Detect manipulation in social media
- Flag unreferenced claims
- Identify ego exploitation patterns

Use Case 2: AI Safety

- Prevent AI from propagating manipulation
- Ensure AI responses are frame-indexed
- Maintain epistemic humility

Use Case 3: Educational Tools

- Teach critical thinking
- Train frame-awareness
- Build cognitive immunity

5.2 For Humans

Use Case 1: Personal Defense

- Recognize when being manipulated
- Check own thinking for violations
- Maintain epistemic ground

Use Case 2: Media Literacy

- Analyze news for frame omissions
- Detect stratum conflations

- Identify ego manipulation tactics

Use Case 3: Institutional Analysis

- Check organizational communication
- Detect systemic manipulation patterns
- Maintain transparency

6 Implementation Guide

6.1 Integration Points

For LLMs:

- Pre-processing: Check input for manipulation
- Generation: Ensure output is frame-indexed
- Post-processing: Verify stratum clarity

For Applications:

- Content filters
- Recommendation systems
- Educational platforms
- Social media

6.2 Deployment Strategy

Phase 1: Detection Only

- Flag potential violations
- Build dataset
- Refine algorithms

Phase 2: User Alerts

- Warn users of detected patterns
- Explain violations
- Educate on principles

Phase 3: Active Defense

- Block clear manipulation
- Require frame-indexing
- Enforce epistemic standards

7 Limitations & Constraints

7.1 Known Limitations

Cannot detect:

- Novel manipulation patterns
- Highly sophisticated frame hiding
- Culture-specific manipulations (need localization)

Requires:

- Context understanding
- Cultural knowledge
- Continuous updating

7.2 Ethical Considerations

Must balance:

- Protection vs Censorship
- Detection vs False positives
- Standardization vs Pluralism

Principles:

- Transparency in detection
- User agency maintained
- Appeals process available

8 Validation Metrics

8.1 Framework Quality

Metrics:

- Detection accuracy (precision/recall)
- False positive rate
- Coverage of manipulation types
- Cross-cultural validity

8.2 Self-Consistency Check

The framework itself must:

✓ Be frame-indexed

✓ Declare stratum

✓ Specify invariants

✓ Accept being wrong

✓ Self-correct

→ Reflective coherence maintained

9 Release Package

9.1 Repository Structure

```
/cognitive-manipulation-detection/
 README.md
 principles/
    utc_core.md
    frame_indexing.md
    stratum_theory.md
    ego_dynamics.md
 detectors/
    frame_check.py
    stratum_check.py
    ego_check.py
    entropy_check.py
 datasets/
    manipulation_examples.json
    clean_examples.json
    edge_cases.json
 tests/
    validation_suite.py
 examples/
     social_media_analysis.ipynb
     news_analysis.ipynb
     self_check.ipynb
```

9.2 Documentation Requirements

Must include:

- Clear UTC principles explanation
- Manipulation taxonomy
- Detection algorithms
- Usage examples
- Limitations
- Ethical guidelines
- Contribution guide

10 Call to Action

10.1 Target Audiences

1. AI Researchers

- Integrate into safety frameworks
- Extend detection algorithms
- Validate across domains

2. Developers

- Build applications
- Create tools
- Deploy defenses

3. **Educators**
   - Teach principles
   - Train critical thinking
   - Build cognitive immunity
4. **General Public**
   - Use tools
   - Learn patterns
   - Spread awareness

10.2 Contribution Areas

Needed:

- Cross-cultural validation
- More manipulation patterns
- Better detection algorithms
- Educational materials
- Translation to languages
- Real-world testing

A Quick Reference Card: Red Flags Checklist

☐ Universal claim without frame declaration
☐ "Absolute truth" without epistemic humility
☐ Normative claim without standard specified
☐ R2 presented as R3
☐ R1 generalized to R2
☐ "You're special" (ego inflation)
☐ "You're broken" (ego deflation)
☐ "Never doubt" (ego fixation)
☐ Jargon without mechanism
☐ Complexity without reduction
☐ Vague concepts treated as concrete
☐ Circular definitions
☐ Cannot trace to operational definition

Repository: `cognitive-manipulation-detection`

Tagline: "UTC-Based Framework for Detecting and Preventing Cognitive Manipulation"