

AWF 1.10.0 design: integration queue and integration evidence

Date: Revision 3.1
Status:

Origin:
Prerequisites:

-
- AWF GitHub App identity capability

Problem

The invariant being changed

- Today: → → →
- Proposed: → → →

Evidence objects

Object	Definition
base_r	
head_r	
R	git diff base_r head_r
base_q	predecessor candidate C
C	head_r base_q
I	git diff base_r base_q

Object	Definition
<code>R'</code>	
<code>drift</code>	<code>R</code> <code>R</code>
<code>impact</code>	
<code>gen</code>	

data-review input

`R` `R'` `drift` `I`

candidate generations and

- What starts a new generation.

`base_q`

`gen+1`

`none`

`review`

Declared integration domains.

R I

Always-review paths.

I

Drift.

git patch-

id --stable R

R'

Unmapped paths. I

R

The domain map.

propose

Queue CI on C is mandatory in every case.

impact = none

Queue backends

- Detection.

integration_backend = native | awf | unavailable

merge_queues

- The AWF backend is the primary backend.

jkinlay/agent-ic-workflow-framework

jkinlay/signal-lab

- awf/queue/<target>/<gen>/<n>
-
-
-
-

- AWF backend lifecycle.

- Speculative depth
- Branches:

awf/queue/*

- Outside pushes:

- The native backend

merge_group

- Merge method.

head_r

Authorisation

The required c

While wor

When it

o

c)

Signed digest authorisation (several PRs, one action)

- Canonical form.
- Each entry contains: `head_r` `gen` `impact` `C`
- Hash and signature.
- What it covers. `(PR, head_r)`
 - `head_r` `C`
 - `head_r`
- Expiry.

GitHub authorisation (per PR)

- The rule.
- Presentation. `list` `no`

Delta findings and the amendment cycle

- A clean delta review
- A delta-review finding blocks the gate.
 - `leaves the queue`
 - `head_r`
- The 1.9.3 invariant still holds.

Stacked PRs: deferred (future compatibility invariant, not a 1.10.0 criterion)

- What is reviewed.
- After the parent lands, `base_q`

Defaults and rollout

- **Default mode.** `integration.mode: serial`
`native`
`integration.backend: awf`
- **App permissions.** `checks` `statuses: write`
`merge_queues`
- **Changing the default.**

Draft acceptance criteria

ID	Criterion
	<code>base_q</code> <code>base_q</code> <code>C</code> <code>R'</code> <code>git diff base_q C</code> <code>I</code> <code>git diff base_r base_q</code>
	<code>C</code> <code>I</code> <code>R'</code> <code>impact</code>
	<code>head_r</code>
	<code>awf-final-gate</code>
	<code>head_r</code> <code>C</code>
	<code>I</code>
	<code>C</code> <code>impact = none</code>
	<code>head_r</code>
	<code>(PR, head_r)</code>

ID	Criterion
	<code>integration_backend</code> <code>awf</code>
	<code>integration.mode</code> <code>serial</code>
	<code>awf-final-gate</code>
	<code>(head_r, base_q)</code> <code>INTEGRATION_CONFLICT</code>
	<code>I</code>
	<code>awf/queue/*</code>

Future compatibility invariant (stacked PRs, not a 1.10.0 release criterion).

Resolved questions (Revision 3.1)

Domain map:

Drift:

AWF backend lifecycle:

Digest batching:

Invariant to preserve during implementation

`head_r`
`never`

Revision notes

Revision 3.1

- `awf-final-gate`

- `INTEGRATION_CONFLICT`
-
-

-

Revision 3

- `base_q` `R' = git diff base_q C`
-
- `awf-final-gate`
-
-
-
-
- `native | awf | unavailable`
-

Revision 2:

Revision 1: