DOCUMENTATION

Raw HTML5 Template

By UDTHEMES

udthemes.com

NOTE : This documentation is also available [online].
For documentation updates, please check the online version.

Welcome

Thank you for purchasing this WordPress theme. If you have any questions that are beyond the scope of this documentation, please visit our dedicated forum at support.udthemes.com.To access the forum you will need your Item Purchase Code. Need help finding your item purchase code? Click here. Thank you!

In this Documentation

- Home
- Setup
- Full Width Slider
- Contact Form
- Content Styling
    - Columns
    - Blockquotes
    - Dropcaps
    - Buttons
    - Highlights
    - Lists
    - Tabs
    - Accordions
    - Pricing Tables
    - Chart
    - Image
    - Video
    - Slider
    - Twitter Timeline Widget
    - Social Links
    - Google Map
- Changelog
- Credits

Setup

Getting Started

To install this HTML template you will need to upload all files and folders using an FTP client. We recommend using [FileZilla](#) ftp client. To upload your template you will need the following:
- Domain
- FTP Username
- FTP Password

Once connected make sure to upload **ALL** files and folders within the HTML folder of your download.

[Visit FileZilla Software Tutorial](#)

Full Width slider

Constructed

```html
<section class="slider-full-width clearfix">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
        <ul id="slides">
            <li data-image="imageURL">
                <div class="es-caption" style="" data-caption="impact" data-caption-position="center"
data-caption-width="550">
                    <p><span class="size-2">LOREM IPSUM</span>
                        <span class="size-6" >Lorem Ipsum Dolor</span>
                    </p>
                </div>
            </li>
            <li data-image="imageURL">
                <div class="es-caption" style="" data-caption="elegant"
data-caption-position="bottom-left" data-caption-width="350">
                    <p>
                         <span class="size-2">LOREM IPSUM</span><br />
                        Lorem ipsum dolor sit amet.
                    </p>
                </div>
            </li>
        </ul>
    </div>
</section>
```

Note: *All slider settings for both the full width homepage and project slider are set in the settings.js file. Each setting and its possible values are clearly indicated in this file.*

Slider Images
Slider images are defined through the "data-image" attribute.

For example:

```html
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
        <ul id="slides">
            <li data-image="imageURL"></li>
        </ul>
    </div>
</section>
```

Slider Caption Types

The slider offers the following caption styles:
1. Boxed Background (entered as: boxed-background)
2. Elegant (entered as: elegant)
3. Impact (entered as: impact)
4. Single Border (entered as: single-border)
5. Striped (entered as: striped)

Note: *A caption style is defined through the "data-caption" attribute.*

For example:

```html
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" data-caption="elegant">
                                    Caption
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Slider Caption Positions

Captions can be positioned as follows:
1. Top Left (entered as: top-left)
2. Center Left (entered as: center-left)
3. Bottom Left (entered as: bottom-left)
4. Top Right (entered as: top-right)
5. Center Right (entered as: center-right)
6. Bottom Right (entered as: bottom-right)
7. Center (entered as: center)
8. Bottom Center (entered as:bottom-center)
9. Top Center (entered as:top-center)

Note: *A caption style is defined through the "data-caption-position" attribute.*

For example:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
        <ul id="slides">
            <li data-image="imageURL">
                <div class="es-caption" data-caption-position="bottom-left">
                    Caption
                </div>
            </li>
        </ul>
    </div>
</section>
```

Slider Caption Width

Caption width is defined through the "data-caption-width" attribute.

For example:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
        <ul id="slides">
            <li data-image="imageURL">
                <div class="es-caption" data-caption-width="350">
                    Caption
                </div>
            </li>
        </ul>
    </div>
</section>
```

Slider Caption Sizes

Caption text can be variated in size using the following classes:
1. size-1
2. size-2
3. size-3
4. size-4
5. size-5
6. size-6

For example:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" data-caption="striped">
                                    <span class="size-1" >SIZE 1</span><br />
                                    <span class="size-2" >SIZE 2</span><br />
                                    <span class="size-3" >SIZE 3</span>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Working Examples

Below are some working examples on how to construct each caption.

Boxed Background

Constructed:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
          <ul id="slides">
                   <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="boxed" data-caption-position="center"
data-caption-width="350">
                                    <p>
                                           <span class="size-2" >Boxed Caption</span><br />
                                           An awsome boxed caption...
                                    </p>
                            </div>
                    </li>
          </ul>
    </div>
</section>
```

Elegant

Constructed:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="elegant" data-caption-position="bottom-left"
data-caption-width="250">
                                    <p>
                                            <span class="size-2" >An Elegant Caption</span><br />
                                            An awsome boxed caption...
                                    </p>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Impact

Constructed:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="impact" data-caption-position="center"
data-caption-width="300">
                                    <p>
                                            <span class="size-2" >THE FIELDS OF AFRICA</span><br />
                                    </p>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Single Border

Constructed:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="single-border" data-caption-position="bottom-left"
data-caption-width="300">
                                    <p>
                                            <span class="size-2" >A Single Border Caption</span><br />
                                            Lorem ipsum dolor sit amet...
                                    </p>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Striped

Constructed:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="striped" data-caption-position="top-left"
data-caption-width="300">
                                    <p>
                                            <span class="size-2" >An Awesome</span><br />
                                            <span class="size-2" >Striped</span><br />
                                            <span class="size-2" >Caption</span>
                                    </p>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Further Examples

You can style your captions further by adding dividers and buttons. Below is a working example of an impact caption with a divider and button:

Constructed:

```
<section class="slider-full-width slider-homepage">
   <div id="epicSlider1" class="epic-slider slider-wrapper">
          <ul id="slides">
                   <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="impact" data-caption-position="center"
data-caption-width="500">
                                    <p>
                                            <span class="size-2" >IMPACT CAPTION</span><br />
                                            <span class="divider"></span><br />
                                            Lorem ipsum dolor sit amet...<br />
                                            <a class="submit submitDarkGray">And a Button</a>
                                    </p>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Background Video
Constructed:

```
<section class="slider-full-width slider-homepage">
    <div id="epicSlider1" class="epic-slider slider-wrapper">
            <ul id="slides">
                    <li data-image="imageURL">
                            <div class="es-caption" style="" data-caption="impact" data-caption-position="center"
data-caption-width="500">
                                    <p>
                                            <span class="size-2" >IMPACT CAPTION</span><br />
                                            <span class="divider"></span><br />
                                            Lorem ipsum dolor sit amet...<br />
                                            <a class="submit submitDarkGray">And a Button</a>
                                    </p>
                            </div>
                            <div class="es-video-background-wrapper">
                                    <video id="fs1" class="es-video-background">
                                            <source src="images/portfolio/beach-woman.m4v" type="video/mp4" />
                                            <source src="images/portfolio/beach-woman.webm" type="video/webm" />
                                            <source src="images/portfolio/beach-woman.ogv" type="video/ogg" />
                                    </video>
                            </div>
                    </li>
            </ul>
    </div>
</section>
```

Note: Slider background videos are created using the HTML5 <video> tag. You will need to give each <video> tag a unique id and add the class "es-video-background".

To ensure cross browser compatibility you will need to include the following file formats for your video:

1. mp4/m4v
2. webm
3. ogg

File Format Broswer Support

Broswer	MP4/m4v	WebM	Ogg
IE 9 and 10	YES	NO	NO
Chrome	YES	YES	YES
Firefox	NO	YES	YES
Safari	YES	NO	NO
Opera	NO	YES	YES

Contact Form

Form Messages

The following form messages can be set:
1. Required field message
2. Form warning message
3. Email warning message
4. Error message
5. Success message
6.

Note: *All form settings are set in the settings.js file.*

Recipient E-mail

You can set the recipient e-mail address as well as CC and BCC values in the contact-config.php file.

Contact Page Version

The template comes with two version of the contact page, HTML and PHP. We recommend using the PHP version if possible. You can set your preference in the contact-config.php file.

Columns

Halfs

Constructed:

```
<div class="column_one_half">
   <p>content</p>
</div>

<div class="column_one_half last">
   <p>content</p>
</div>
```

Thirds

Constructed:

```
<div class="column_one_third">
<p>Content</p>
</div>

<div class="column_one_third">
<p>Content</p>
</div>

<div class="column_one_third last">
<p>Content</p>
</div>
```

Fourths

Constructed:

```
<div class="column_one_fourth">
<p>Content</p>
</div>

<div class="column_one_fourth">
<p>Content</p>
</div>

<div class="column_one_fourth">
<p>Content</p>
</div>

<div class="column_one_fourth last">
<p>Content</p>
</div>
```

Two Thirds

Constructed:

```html
<div class="column_one_third">
<p>Content</p>
</div>

<div class="column_two_thirds last">
<p>Content</p>
</div>
```

Three Fourths

Constructed:

```html
<div class="column_one_fourth">
<p>Content</p>
</div>

<div class="column_three_fourths last">
<p>Content</p>
</div>
```

Blockquotes

Constructed:

```
<blockquote class="boxed-background left">Quote
    <p class="blockquote_cite">Name</p>
</blockquote>
<p>Content</p>
```

The template offers the following blockquote classes:

1. elegant
2. boxed
3. boxed-background
4. overlayed
5. striped

Note: A blockquote class is applied by adding it to the <blockquote> tag, written in lowercase.
Blockquotes can be aligned using the following alignment classes:

1. Left
2. Right

Note: As with the blockquote styles, alignment classes are added directly to the <blockquote> tag, written in lowercase.

Drop Caps

Constructed:

<p>Content</p>

The template offers the following preset color classes:

1. yellow
2. orange
3. red
4. green
5. blue
6. navy
7. turquoise
8. purple
9. gray
10. white

Note*: A dropcap is created by adding the "dropcap" class and the preset color class to a tag, written in lowercase.*

Buttons

Constructed:

Button Text

The template offers the following button size classes:

1. *submitSmall*
2. *submitLarge*

Note*: A button size class is applied by adding it to the <a> tag, written in camel case.*
The template offers the following preset button color classes:

1. *submitTheme*
2. *submitDarkGray*
3. *submitGray*
4. *submitWhite*
5. *submitYellow*
6. *submitOrange*
7. *submitRed*
8. *submitGreen*
9. *submitBlue*
10. *submitTurquoise*
11. *submitPurple*
12. *submitPink*

Note*: A button color class is applied by adding to the <a> tag, written in camel case.*

Highlights

Constructed:

<strong class="yellow">cupidatat non

The template offers the following highlight styles:
1. Bold
2. Italic

Note: *A bold highlight is created by wrapping text with the <strong> tag. An italicized highlight is created by wrapping text with the <em> tag.*

The template offers the following preset colors:

1. gray
2. white
3. yellow
4. orange
5. red
6. green
7. blue
8. turquoise
9. purple
10. pink

Note: *A color class is applied by adding it to either the <strong> or <em> tag, written in lowercase.*

Lists

Constructed:

```
<ul class="yellowTick">
        <li>Lorem ipsum</li>
        <li>Lorem ipsum</li>
        <li>Lorem ipsum</li>
        <li>Lorem ipsum</li>
        <li>Lorem ipsum</li>
        <li>Lorem ipsum</li>
</ul>
```

The template offers the following preset list color classes:

1. darkGray
2. gray
3. white
4. yellow
5. orange
6. red
7. green
8. blue
9. turquoise
10. purple
11. pink

And the following list styles:

1. Dot
2. Arrow1
3. Arrow2
4. Tick
5. Plus
6. Dash

Note: A list style and color is applied by adding it as a class to the <ul> tag, written in camel case. For example, "yellowTick".

Tabs

Constructed:

```html
<div class="tabs">
        <ul class="tabs_nav">
        <li><a href="#" data-label_ref="1">Tab Title 1</a></li>
        <li><a href="#" data-label_ref="2">Tab Title 2</a></li>
        </ul>
        <div class="tabs_content" data-label_ref="1">
        <h4>Title</h4>
        <p>Content</p>
        </div>
        <div class="tabs_content" data-label_ref="2">
        <h4>Title</h4>
        <p>Content</p>
        </div>
</div>
```

Note: *To associate a tab with its content we add the data attribute "data-label_ref" to both the tab and its content, followed by the order in which they appear. For example, the first tab and its content would have a "data-label_ref" equal to 1, the second tab and its content a "data-label_ref" equal to 2 and so on.*

Accordions

Constructed:

```
<dl class="accordion">
        <dt><a href="#"><span>+</span> A Title Here</a></dt>
        <dd>
        Content
        </dd>
        <dt><a href="#"><span>+</span> And Another Title Here</a></dt>
        <dd>
        Content
        </dd>
        <dt><a href="#"><span>+</span> And Another Title Here</a></dt>
        <dd>
        Content
        </dd>
</dl>
```

Pricing Tables

Constructed:

```
<div class="pricing_table pricing_table_two_cols" style="margin-bottom:30px;">
        <div class="pricing_table_col">
        <ul>
        <li>Column Title</li>
        <li><span class="price">Price</span><span class="price_affix" >/affix</span></li>
        <li>Column Info</li>
        <li>Column Info</li>
        <li>Column Info</li>
        <li><a href="http://google.com" class="submit submitGray"  title="Button">Button</a></li>
        </ul>
        </div>
        <div class="pricing_table_col">
        <ul>
        <li>Column Title</li>
        <li><span class="price">Price</span><span class="price_affix" >/affix</span></li>
        <li>Column Info</li>
        <li>Column Info</li>
        <li>Column Info</li>
        <li><a href="http://google.com" class="submit submitGray"  title="Button">Button</a></li>
        </ul>
        </div>
</div>
```

Defining the number of columns

When creating a pricing table you will need to specify the number of columns required. You have four choices to choose from :

1. Two Columns (entered as pricing_table_two_cols)
2. Three Columns (entered as pricing_table_three_cols)
3. Four Columns (entered as pricing_table_four_cols)
4. Five Columns (entered as pricing_table_five_cols)

Note: The number of columns is specified by adding one of the above classes to the pricing table <div> tag.

Creating an individual column

A column is created by wrapping an unordered list in a <div> with the class "pricing_table_col". Each <li> tag represents a table row.

Styling Price

We define a price row using a <span> tag with the class "price". If you want to add additional information about the price, such as perpetuity (i.e. /month, /year etc.) you can wrap this information in a <span> tag and give it the "price_affix" class.

Chart

Constructed:

```
<div class="chart-container">
   <ul class="chart">
        <li>
                <h6>Graphic Design</h6>
                <div class="bar-track">
                        <div style="width:50%;" class="bar">50%</div>
                </div>
        </li>
        <li>
                <h6>Javascript Development</h6>
                <div class="bar-track">
                        <div style="width:90%;" class="bar">90%</div>
                </div>
        </li>
        <li>
                <h6>WordPress and Joomla</h6>
                <div class="bar-track">
                        <div style="width:40%;" class="bar">40%</div>
                </div>
        </li>
        <li>
                <h6>Photoshop</h6>
                <div class="bar-track">
                        <div style="width:30%;" class="bar">30%</div>
                </div>
        </li>
        <li>
                <h6>Illustrator</h6>
                <div class="bar-track">
                        <div style="width:20%;" class="bar">20%</div>
                </div>
        </li>
        <li>
                <h6>Android Application Development</h6>
                <div class="bar-track">
                        <div style="width:60%;" class="bar">60%</div>
                </div>
        </li>
   </ul>
</div>
```

Note*: Bar width is set as an inline style directly on the <div> tag that represents the bar. Width is specified in %.*

Image & Captions

Constructed:

```
<div class="display-image">
    <img width="100%" src="imageURL" />
    <a class="linked-display-image" title="RAW OH YEAH" href="http://udthemes.com">RAW OH YEAH</a>
    <div style="width:300px;" class="caption boxed-background top-left">
            <p>
                    <span class="size-6">Boxed Caption</span> An awesome boxed caption positioned top left. This is a <a
target="_blank" href="http://udthemes.com">link
                    </a>.
            </p>
    </div>
</div>
```

Caption Types

The template offers five caption styles for images:

1. Boxed Background (entered as: boxed-background)
2. Elegant (entered as: elegant)
3. Impact (entered as: impact)
4. Single Border (entered as: single-border)
5. Striped (entered as: striped)

Note: A caption style is applied by adding it as a class to a <div> tag. Styles with multiple words are entered as hyphenated classes.

For example:

```
<div style="width:300px;" class="caption boxed-background">
    <p>
    Boxed Caption. An awesome boxed caption positioned top left. This is a <a target="_blank" href="http://udthemes.com">link
    </a>.
    </p>
</div>
```

Positions

Captions can be positioned as follows:

1. Top Left (entered as: top-left)
2. Center Left (entered as: center-left)
3. Bottom Left (entered as: bottom-left)
4. Top Right (entered as: top-right)

5. Center Right (entered as: center-right)
6. Bottom Right (entered as: bottom-right)
7. Center (entered as: center)
8. Bottom Center (entered as:bottom-center)
9. Top Center (entered as:top-center)

Note: *A caption position is applied by adding it as a class to a <div> tag. Position with multiple words are entered as hyphenated classes.*

For example:

```
<div style="width:300px;" class="caption top-left">
  <p>
  Boxed Caption. An awesome boxed caption positioned top left. This is a <a target="_blank" href="http://udthemes.com">link
  </a>.
  </p>
</div>
```

Sizes
Caption text can be variated in size using the following classes:

1. size-1
2. size-2
3. size-3
4. size-4
5. size-5
6. size-6

For example:

```
<div style="width:300px;" class="caption top-left">
  <p>
  <span class="size-1">Size 1</span>
    <span class="size-2">Size 2</span>
    <span class="size-3">Size 3</span>
  </p>
</div>
```

Working Examples

Below are some working examples on how to construct each caption.

Boxed Background

Constructed:

```html
<div style="width:100%; height:auto; " class="display-image left">
    <img width="100%" src="imageURL">
    <a class="linked-display-image" title="Link Title" href="http://udthemes.com">Link</a>
    <div class="centered-caption-wrapper">
            <div class="caption-table">
                    <div class="caption-table-cell">
                            <div style="width:300px;" class="caption boxed center">
                                    <p>
                                            <span class="size-6">Boxed Caption</span> An awesome boxed
caption positioned center. This is a <a target="_blank" href="http://udthemes.com">link</a>.
                                    </p>
                            </div>
                    </div>
            </div>
    </div>
</div>
```

Elegant

An Elegant Caption

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt

Constructed:

```
<div style="width:100%; height:auto; " class="display-image left">
    <img width="100%" src="imageURL">
    <a class="linked-display-image" title="Link Title" href="http://udthemes.com">Link</a>
    <div style="width:300px;" class="caption elegant bottom-left">
            <p>
                        <span class="size-6">An Elegant Caption</span> Lorem ipsum dolor...
            </p>
    </div>
</div>
```

Impact

Constructed:

```
<div style="width:100%; height:auto; " class="display-image left">
    <img width="100%" src="imageURL">
    <a class="linked-display-image" title="Link Title" href="http://udthemes.com">Link</a>
    <div class="centered-caption-wrapper">
            <div class="caption-table">
                    <div class="caption-table-cell">
                            <div style="width:300px;" class="caption impact center">
                                    <p><span class="size-2">THE FIELDS OF AFRICA </p>
                            </div>
                    </div>
            </div>
    </div>
</div>
```

Single Border

Constructed:

```
<div style="width:100%; height:auto; " class="display-image left">
    <img width="100%" src="imageURL">
    <a class="linked-display-image" title="Link Title" href="http://udthemes.com">Link</a>
    <div style="width:300px;" class="caption single-border bottom-left">
            <p>
                        <span class="size-6">A Single Border Caption</span> Lorem ipsum dolor...
            </p>
    </div>
</div>
```

Striped

Constructed:

```
<div style="width:100%; height:auto; " class="display-image left">
    <img width="100%" src="imageURL">
    <a class="linked-display-image" title="Link Title" href="http://udthemes.com">Link</a>
    <div style="width:200px;" class="caption striped top-left">
                    <span class="size-6">An awesome</span>
                    <span class="size-6">Striped Caption</span>
                    <span class="size-6">Top Left</span>
    </div>
</div>
```

Further Examples

You can style your captions further by adding dividers and buttons. Below is a working example of an impact caption with a divider and button:

Constructed:

```
<div style="width:100%; height:auto; " class="display-image left">
    <img width="100%" src="imageURL"><div class="centered-caption-wrapper">
    <div class="caption-table">
           <div class="caption-table-cell">
                  <div style="width:500px;" class="caption impact center">
                        <p>
                                   <span class="size-2">IMPACT CAPTION</span>
                        </p>
                        <div style="margin-top:0px; margin-bottom:30px; " class="divider"></div>
                        <p>Use the impact caption to make a point and draw your user's attention.</p>
                        <p>
                                   <a title="" class="submit submitDarkGray" href="http://udthemes.com">And a button</a>
                        </p>
                  </div>
           </div>
    </div>
</div>
```

Lightbox

Constructed:

```
<div class="thumb">
    <a class="lightbox" title="This is a lightbox title" href="lightboxImageUrl">
            <img alt="" src="imageUrl" />
    </a>
</div>
```

Note: To display images in the lightbox we give the <a> tag a class called "lightbox". To display iframe content (i.e videos) we give the <a> tag a class called "lightbox-iframe".

Lightbox with YouTube Video

To display a YouTube video in the lightbox you will need the iframe url that you can get under the embed tab on youtube.com. The url will look similar to this:

http://youtu.be/Bo_deCOd1HU

Lightbox with Vimeo Video

To display a Vimeo video in the lightbox you will need the iframe url that you can get by clicking the 'share' icon on any Vimeo video. The url will look similar to this:

http://player.vimeo.com/video/72837125

Lightbox with SoundCloud

To display a SoundCloud player in the lightbox you will need the iframe url that you can get by clicking the 'share' button under any song on soundcloud.com. The url will look similar to this:

https://w.soundcloud.com/player/?url=https%3A//api.soundcloud.com/tracks/91969663

Video

Youtube and Vimeo

Constructed

```
 <div class="video" style="width:100%; height:auto; margin-bottom:0;">
    <iframe width="100%" height="auto" src="http://player.vimeo.com/video/58449984" frameborder="0" webkitAllowFullScreen
mozallowfullscreen allowFullScreen>
    </iframe>
</div>
```

Note: *To display a Youtube or Vimeo video, wrap the iframe embed code from either YouTube or Vimeo within a <div> with the class "video".*

Selft hosted videos

Constructed

```
<video width="640" height="360" poster="posterImageUrl.jpg" controls="controls" preload="none">
    <source type="video/mp4" src=your-video.mp4" />
    <source type="video/webm" src="your-video.webm" />
    <source type="video/ogg" src="your-video.ogv" />
    <object width="640" height="360" type="application/x-shockwave-flash" data="mediaelement/build/flashmediaelement.swf">
            <param name="movie" value="mediaelement/build/flashmediaelement.swf" />
            <param name="flashvars" value="controls=true&file=your-video.mp4" />
            <img src="images/portfolio/poster.jpg" width="640" height="360" title="No video playback capabilities" />
    </object>
</video>
```

To ensure cross browser compatibility you will need to include the following file formats for your video:

1. mp4/m4v
2. webm
3. ogg

File Format Broswer Support

Broswer	MP4/m4v	WebM	Ogg
IE 9 and 10	YES	NO	NO
Chrome	YES	YES	YES
Firefox	NO	YES	YES

Safari	YES	NO	NO
Opera	NO	YES	YES

Slider

Constructed

```
<div style="" class="flexslider">
    <ul class="slides">
        <li>
                <img alt="" src="imageURL">
        </li>
        <li>
                <img alt="" src="imageURL">
                <p class="flex-caption">
                        A caption...and a <a
href="http://demo.udthemes.com/raw/wordpress/white">link</a>
                </p>
        </li>
    </ul>
</div>
```

Note: *All slider settings are set in the settings.js file. Each setting and its possible values are clearly indicated in this file.*

SoundCloud

Constructed

<iframe width="100%" height="166" scrolling="no" frameborder="no"
src="https://w.soundcloud.com/player/?url=https%3A//api.soundcloud.com/tracks/31351497
hide_related=false&show_artwork=true"></iframe>

Note : To display a SoundCloud player in the lightbox you will need the iframe url that you can get by clicking the 'share' button under any song on soundcloud.com.

You can style the player further by adding a range of parameters to the url. Below is a list of commonly used parameters that can be added:

1. **color** = (hex code without #, like 27CCC0) color play button and other controls
2. **theme_color** =(hex code without #, like 33ff00) color player background etc.
3. **auto_play** = true/false
4. **show_artwork** = true/false
5. **show_playcount** = true/false
6. **show_comments** = true/false
7. **sharing** = true/false (show hide share buttons)
8. **download** = true/false (show hide download buttons)
9. **show_bpm** = true/false (show hide bpm display in player)
10. **show_playcount** = true/false (show hide number of track plays)
11. **show_user** = true/false (show or hide the uploader name, useful e.g. in tiny players to save space)

Below is a working example of a custom player using some of the above parameters:

http://api.soundcloud.com/tracks/252562&color=27CCC0&sharing=false&buying=false&show_comments=false

Twitter Timeline Widget

Constructed

```
<a class="twitter-timeline"  href="https://twitter.com/udfrance"
data-widget-id="0000000000000000">Tweets by @udfrance</a>
<script>!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0],p=/^http:/.test(d.location)?'http':'https';if(!d.getElementById(id)){js=
d.createElement(s);js.id=id;js.src=p+"://platform.twitter.com/widgets.js";fjs.parentNode.insertBefore(js,fjs)
;}}(document,"script","twitter-wjs");
</script>
```

Creating and Accessing the Twitter Timeline Widget Code

Step 1. Log into your account and click on 'Settings' from the menu as seen below.

Step 2. Click on 'Widget' in the menu on the left.

Step 3. Click on 'Create New' in the top left hand corner

Step 4. The widget configurator will now appear. Click on 'Create widget'

Step 5. Copy the Twitter Timeline Widget Code.

Copy and paste the code into the HTML of your site.

Social Networks

Constructed

```
<ul style="" class="socialSmall white">
    <li>
        <a target="_blank" href="url" class="dribbble"></a>
    </li>
    <li>
        <a target="_blank" href="url" class="facebook"></a>
    </li>
    <li>
        <a target="_blank" href="url" class="flickr"></a>
    </li>
</ul>
```

The template offers the following social network icons:

1. Behance
2. Deviant Art
3. Dribbble
4. Facebook
5. Flickr
6. Forrst
7. Google+
8. LinkedIn
9. MySpace
10. Pinterest
11. RSS
12. Skype
13. SoundCloud
14. Spotify
15. Tumblr
16. Twitter
17. Vimeo
18. Vine
19. YouTube

Note: *A social network icon is created by adding its name as a class to an <a> tag, written in lowercase.*

Google Map

Constructed

<div class="map" id="map_canvas" style="width:100%; height:300px;" data-map-lat="40.712845" data-map-long="-73.762207" data-map-zoom="15" data-map-marker="custom" data-map-info-title="Raw New York" data-map-info-content=" Tel: +1 55 65 15 45 85
 Fax:+1 65 98 56 45 45
NY 5th Avenue, Brooklyn, NY."></div>

Data Attributes

Map information is specified using the following data attributes:

1. data-map-lat (map latitude)
2. data-map-long (map longitude)
3. data-map-zoom (map zoom level)
4. data-map-marker (enter "custom" to use custom map marker)
5. data-map-info-title (map tooltip title)
6. data-map-info-content (map tooltip content)

Note: *Map marker URL and the use of Map Controls can be set in the settings.js file.*

Credits

Preview Photos:

A special thanks to photographers Ethan Yang (http://www.ethanyangphotography.com/blog/),
art director H1 (http://h1.io/) and Christina Stoll (http://christinastoll.wordpress.com/) for granting
us permission to use their photos! Please note these photos are copyrighted by the respective
photographers and can therefore NOT be included in the download file. Stock photography used in
this theme is also NOT included in the download.

And to the team of Ethan Yang and H1:

- Karis Noh – Producer – Visit Website
- MK Chung – Visit Website
- Jina – Hair – Visit Website
- Human Potential – Wardrobe – Visit Website
- Temptation – Accessories – Visit Website
- Caterina Leaness – Model – Visit Website

Preview Videos from H1:

Videos:

- True Skin

Credits

- Written & Directed by: Stephan Zlotescu
- Director of Photography: H1
- Original Music: J-Punch
- Producer: Christopher Sewall
- Manager: Scott Glassgold / IAM Entertainment
- An N1ON Production
- N1ON.COM

Preview Videos:

Video 1: Rick Genest aka Rico the Zombie – Embrace Everything That Is Different

Credits:

- Production: Artists and Organisation / Camera and Editing: Jens Schwengel / Interview: Jan Joswig / Special Effect Make-Up: Twilight Creations, Tamar Aviv, and Anke Schiffl / Photography: Nadine Elfenbein / Assistent Photography: Daniel Wilkniss / Modeling: IZAIO Models / Styling: Linda Ehrl (Acne Jeans, Adidas by Jeremy Scott, Adidas Silver, Awareness and Conciousness, Bless, Bjørg, Butterflysoulfire, JuliaandBen, Miranda Keyes, Moga e Mago, Vibe Harsløf, Y-3) / Music: Walera Goodman
- Visit their website: http://www.theavantgardediaries.com/

Video 2: Let's Talk about love | seungRi mini album TEASER clip | Directors cut

Credits:

- Foundation : YG Ent
- Artist : SeungRi (BigBang)
- YG X VM Project | seungRi comeback teaser shot clip video
- "LET'S TALK ABOUT LOVE" TEASER SPOT (EXPLICIT)
- foundation YG Ent
- Film Director Beomjin jo // eunbi shin
- Film AD Jason kim
- Styling & Object Direction Boyoung bae
- make-up ihwa park
- object setting seokyung lee

Video 3: New York Biotopes

Credits:

- Lena Steinkühler
-

Video 4: The Street Aesthetic of New York City

Credits:

Lena Steinkühler

Video 5: The Supreme Life

Credits:

BLKGLD

Music: "Westside, Right On Time" – by Kendrick Lamar feat. Young Jeezy

Directed and Edited by: Christopher Singam of BLKGLD.

Cameras: Christian Lorenzini and Joshua Escueta of BLKGLD.

Graphics

Social Icons, logos, brand mockups, badges and insignias displayed in projects and in posts are provided exclusively by Fresh Ideas – *enjoythefresh.com*

Please note these graphics are copyrighted by FreshIdeas and can therefore NOT be included in the download file.

Third Party Scripts

Tyler Smith – Flex Slider Script – Visit Website

Janis Skarnelis – Fancybox – Visit Website

Coding Jack – Swipe Script - Visit Website

Jonathan Sharp – Scrollbar Width Script – Visit Website

All other photos are either stock photography or graphics created by UDTHEMES.