Data Science - Data Prep with SQL - Quick Reference

DATASET PROFILING

Volume	SELECT **COUNT**(*) FROM t;
Velocity	SELECT t.date1, COUNT(*) FROM t **GROUP by** t.date1 ORDER BY t.date1 desc;
Attribute Selection	SELECT attr1, attr2, attr3, attr4 FROM t;
Incomplete Records	SELECT * FROM t WHERE t.attr1 **IS NULL** AND t.attr2 IS NULL;

VALIDATE ATTRIBUTES

Domain	SELECT **DISTINCT**(attr1) FROM t;
Missing Values	SELECT * FROM t WHERE t.attr1 **IS NULL**;
Range	SELECT **MIN**(attr1), **MAX**(attr1), **AVG**(attr1) FROM t;
Data Type	SELECT * FROM information_schema.**tables** WHERE table_name = 't';
Outliers (95% confidence)	WITH dev_cte AS (SELECT **STDDEV**(attr1) sdev FROM t) SELECT attr1, attr2 FROM t CROSS JOIN dev_cte c WHERE t.attr1 > c.sdev * 2;
Distribution	SELECT attr1, **WIDTH_BUCKET**(attr1,100,500,5) FROM t;

STANDARDIZE ATTRIBUTES

Data Types	SELECT **CAST**(attr1 AS DATE), CAST(attr2 AS INT) FROM t;
Patterns	SELECT **CASE** WHEN attr1 = …, **REPLACE**(attr2,'Street','St') FROM t;
Formatting	SELECT **UPPER**(attr1), **REPLACE**(attr2,'-','') FROM t;
Scaling	SELECT attr1, attr2/(**MAX**(attr2) OVER (**PARTITION** BY attr1)) FROM t;

CREATE INTERFACE

Create view	CREATE **VIEW** AS SELECT…

CLEAN ATTRIBUTES

Outliers (Quantitative)	SELECT **CASE** WHEN attr1 < 0 THEN 0 WHEN attr1 > 1000 THEN 1000 ELSE attr1 END as attr1 FROM t;
Missing Values (At Random)	SELECT **COALESCE**(attr1,AVG(attr1) OVER ()), **COALESCE** (attr1,'Unknown') FROM t;
Missing Values (Not at Random)	SELECT **COALESCE**(attr1,0) FROM t;
Incorrect Values	SELECT **REPLACE**(attr1,'bad','good') FROM t;

DERIVE ATTRIBUTES

Buckets\Binning	SELECT attr1, **CASE** WHEN attr1 <= 50 THEN 'bin1' WHEN attr1 > 50 THEN 'bin2' ELSE 'bin3' END as attr1_bin FROM t;
Date Parts	SELECT **DAYOFMONTH**(date1), **MONTHOFYEAER**(date1) FROM t;
Date Difference	SELECT **DATEDIFF**(date1,date2) FROM t;
Last Period	SELECT **DATEADD**(year,-1,date1) FROM t;
Dummy Encoding (One Hot)	SELECT attr1, **CASE** WHEN attr1 = 'Male' THEN 1 ELSE 0 as male_gender FROM t;

COMBINE DATASETS

Join Horizontally (Full Match)	SELECT t1.attr1, t2.attr2 FROM t1 **INNER JOIN** t2 ON t1.ID = t2.ID;
Join Horizontally (Optional Match)	SELECT t1.attr1, t2.attr2 FROM t1 **LEFT JOIN** t2 ON t1.ID = t2.ID;
Union Vertically (Deduplicate)	SELECT attr1, attr2 FROM t1 **UNION** SELECT attr1, attr2 FROM t2
Union Vertically (No Deduplicate)	SELECT attr1, attr2 FROM t1 **UNION ALL** SELECT attr1, attr2 FROM t2

SPLIT DATASETS

Simple Filter	SELECT attr1, attr2 FROM t **WHERE** attr1 IS NOT NULL;
Filter Based on Aggregation	SELECT attr1, SUM(attr2) FROM t GROUP BY attr1 **HAVING** SUM(attr2) > 10;
Sampling (Random)	SELECT attr1, **ROW_NUMBER**() OVER (ORDER BY RANDOM()) as random FROM t;
Sampling (Non-Random)	SELECT attr1, **NTILE**(4) OVER (ORDER BY date()) as quartile FROM t;