

On Boundaries of Evidence

Boundary-State Calculus for Typed Observation, Admissible Transfer, and Falsifiable Persistence

J. Tree · Independent researcher · 30 July 2026

Development version 1.3.0-dev · Concept DOI 10.5281/zenodo.21541160

The problem

Scientific claims often fail not within either of two descriptions, but in the passage between them: interior state to boundary data, one instrument to another, a fine model to a coarse model, a learned operator to a dynamical claim, or a topological invariant to a physical quantity. The paper develops Boundary-State Calculus (BSC) as a typed audit calculus for this passage.

BSC is not proposed as an ontology, a unified physical theory, or a proof of holography, quantum gravity, consciousness, or QCD. Its unit of evaluation is one claimed transfer. That transfer must state what moves, which observables remain meaningful, what information is destroyed, whether target equations remain satisfied, which diagrams fail to commute, what physically implements the passage, and what evidence licenses the result.

System and boundary discipline

The paper transcribes the BSC corpus's original finite-system tuple and its later measurable repair rather than replacing them retrospectively (§3). The hash-identified internal sources are not independently inspectable in the public release, so this lineage is source-local and cannot be replayed by the reader. The repaired system separates raw state from exact observational equivalence and includes controls, outputs, physical context, legal filtration, dynamics, observation, comparison geometry, viability, transformation registries, and a boundary ledger. A companion record supplies reconstruction data, provenance, and certificate state without silently changing the inherited tuple. Instrument, controller, observer or reference frame, clock, and calibration are physical configuration variables, not metadata.

An ideal trace, finite sensor layer, boundary response, reconstruction relation, and selected extension are kept distinct (§5). A boundary response supports an interior claim only relative to a governing equation, coefficient class, equivalence or gauge class, regularity, data regime, and stability theorem.

The transfer record

The central added object is (§7)

$$\mathfrak{M}_{\ell \rightarrow m} = (T_{\ell m}, T_{\ell m}^{\sharp}, K_{\ell m}, R_{\ell m}, \Theta_{\ell m}, \delta_{\ell m}, C_{\ell m}, \text{Cert}_{\ell m}).$$

$T_{\ell m}$ transports states; $T_{\ell m}^{\sharp}$ pulls target observables in the reverse direction. $K_{\ell m}$ is post-processing or a simulation channel. $R_{\ell m}$ records target-equation failure. $\Theta_{\ell m}$ is a declared naturality defect. $\delta_{\ell m}$ is directed Blackwell–Le Cam deficiency: the best error when the source experiment simulates the target. Zero

deficiency means arbitrarily accurate simulation; exact Blackwell simulation additionally requires an attaining kernel or an applicable randomization theorem. $C_{\ell m}$ records carrier, controller, instrument, reference frame, clock, resources, and boundary conditions. $\text{Cert}_{\ell m}$ binds assumptions, tolerances, sources, proof or execution artifacts, hashes, open obligations, and status.

For a declared claim, admissibility requires a well-formed and evaluated record, certified upper enclosures within every applicable tolerance, true hard gates, and adequate readiness. An enclosure that straddles a tolerance is inconclusive: it blocks certification but does not prove a violation. These coordinates do not collapse into one score. Equation residual, observation defect, statistical deficiency, quotient loss, and viability failure occupy different spaces and obey different propagation laws (§8). A missing carrier or undefined observable pullback is a blocked transfer, not a small numerical error.

Simulation evidence. The version 1.2.0 profile separates statistical simulation, numerical execution, and surrogate deployment. It records intended use, typed losses and gates, estimator/oracle semantics on a joint law, source-to-loss propagation, proxy proofs, factored identity, and compatibility reserves. If $\ell_j^1 \leq \ell_j^0 + \rho_j$, admission requires $U_j^0 + \rho_j \leq \tau_j$, without recounting uncertainty in U_j^0 . Zero failure probability is not determinism without pointwise bounds. The prefix theorem propagates surrogate error through host and horizon. Its fixed-interface quantum/classical corollary uses trace distance, total variation, and a POVM boundary; downstream processing cannot resurrect lost distinctions, while normalized postselection needs a separate bound. Further corollaries audit driven energy, scalar Bernoulli information, and one-identity alignment. Four July 2026 studies are source-bound probes: neither 137 nor full quantum closure follows.

Composition and persistence

For compatible partial stochastic transfers, state kernels compose only on points whose intermediate law is supported in the next domain; observable pullbacks then compose in reverse through the corresponding restricted pullback. Observation defects have a contraction-weighted bound; directed deficiencies satisfy a triangle inequality; deterministic equation residuals propagate only with a compatible equation-space map (§7.1; §15). Incompatible clocks, interfaces, resources, or boundary conditions make the composite undefined.

Persistence is defined through induced path laws (§9). Endpoint return is insufficient. Every required prefix must remain within operational-identity, viability

ity, residual, deficiency, and certificate budgets. “A persistent object is a recursively maintained finite boundary-state” is therefore a target-relative organizing principle. Its promotion to a universal physical law remains conjectural, untested, and unexecuted.

Provenance and status

- **Imported mathematics.** Markov kernels and operational quotients; Blackwell–Le Cam comparison; boundary trace and Calderón-type response; Koopman residual methods and stated learnability limits; periodic homogenization; sheaf descent; structured cospans; non-invertible defects; and proof checking. These are not claimed as new BSC discoveries.
- **Paper-level consequences.** Assumption-bound results include quotient and exact-decision descent; paired state–observable probability preservation; defect, deficiency, and deterministic residual propagation; simulation-evidence typing, compatibility-bounded deployment, and coupled-surrogate and fixed-interface operational-channel propagation; no-resurrection, driven-energy, Bernoulli-information, and same-identity corollaries; normalized-scale rate decomposition and covariance; singular-set and slice visibility; analytic zero transfer; the zeta-specific tail, pointwise exponent/rate split, ambient and fixed- β singular sets, contour count, and local root drift; prefix persistence; conditional structured-cospan composition; readiness caps; and the topology-to-charge block. The full quantum-morphism composition theorem remains open. No empirical status is inherited.
- **Open work.** Open problems include universal persistence, empirical validation, stochastic residuals, closure under composition for the full quantum variant (BSC-QOP-03), reconstruction with instrument uncertainty, QRF descent, certified recurrence, a coherent decoration functor for BSC, physical charge bridges, a complete analysis of quantum advantage for zeta algorithms, temperature and origin bridges, and a machine-checked kernel. Their statuses remain conjectural, untested, unexecuted, blocked, or open.

Ten fixtures

The exact fixtures (§16) are:

1. torus winding $(2, -3)$, with electric charge blocked without a physical bridge;
2. distinct one-dimensional conductivities with one Dirichlet-to-Neumann map;
3. binary experiments with directed deficiencies 0 and $1/4$;
4. Koopman residual $\sqrt{2/N}$ separated from polluted zero eigenvalues;
5. two invariant, correlated Bell states with common reduced state $I/2$ whose finite $\mathbb{Z}_2$ frame transforms reduce to orthogonal outputs;
6. locally nonempty parity constraints with no global section;
7. the off-shell residual m^2c of a massive-field shift;
8. an exact receipt for $x = -1$ refuting $\sqrt{x^2} = x$;
9. a finite zeta-coherence identity while leaving the broader framework and application theorems unexecuted and blocking exact-zero, thermodynamic-DQPT, RH, and physical-origin promotions; and
10. one $1/100$ surrogate error stays within tolerance in a stable $a = 1/2$ host but first violates it at step 7 in a stable $a = 9/10$ host.

Fixtures 1–7 and 9 have mathematical derivations but no separate execution receipts. Fixtures 8 and 10 have deterministic CPython receipts. F10 is one-coordinate finite-recurrence code verification, not full admissibility or physical validation. This remains a preprint with audit artifacts, not a complete implementation.

Normalized scales and zeta-DQPT

A certified scale family keeps finite systems, inter-scale comparisons, ideal carriers A_N , nonzero normalizers Z_N , normalized observables $L_N = A_N/Z_N$, and estimator laws distinct. The framework proves normalization collapse, additive logarithmic rates, normalization covariance, lower-margin rate stability, exceptional-set and slice visibility, contour/root transfer, and total-variation decision bounds. It does not manufacture an infinite-system state or physical phase.

For $s = \beta_{\text{eff}} + it$, the engineered finite model gives the exact identity

$$Z_N(\beta_{\text{eff}})\mathcal{L}_N(\beta_{\text{eff}}, t) = -S_N(s),$$

$$S_N(s) = \sum_{n=1}^N (-1)^{n+1} n^{-s}.$$

Abel summation yields

$$|\eta(s) - S_N(s)| \leq N^{-\sigma} \left(1 + \frac{|s|}{\sigma}\right),$$

$$\sigma = \Re s > 0.$$

Together with a certified nonzero boundary margin, this gives a bounded Rouché zero-count transfer. It does not turn fitted finite minima into exact zeros, a finite recurrence into a thermodynamic singularity, selected zeros into RH, β_{eff} into the 305 K laboratory temperature, or an engineered encoding into an independent physical origin. Indeed, for fixed $0 < \beta_{\text{eff}} \leq 1$, the raw normalized $\mathcal{L}_N \rightarrow 0$ for every t . For $0 < \beta_{\text{eff}} < 1$, its fixed- s decay exponent is $1 - \beta_{\text{eff}}$ off the eta zero set and 1 on it. With $N = 2^d$, this proves the source’s pointwise rate values $(1 - \beta_{\text{eff}}) \log 2$ and $\log 2$, respectively. The rate discontinuities are exactly the zeta zeros, with jump $\beta_{\text{eff}} \log 2$; confinement of all such points to $\beta_{\text{eff}} = 1/2$ is equivalent to, not a proof of, RH. At a fixed multiplicity- m zero, the m finite partial-sum roots localize at scale $N^{-\beta_{\text{eff}}/m}$, with an explicit signed leading displacement for a simple zero. A fixed- β real-time slice sees exactly the zero ordinates on that line. No uniform-in-height or finite-size empirical conclusion follows. The renormalized limit is $Z_N \mathcal{L}_N$.