Javad Komijani

jkomijani@gmail.com

Zurich, Switzerland

INSPIRE HEP | arXiv | Google Scholar

Preprints and Accepted Manuscripts

[1] J. Komijani, "Sampling SU(N) gauge theory on a 2D lattice from independent plaquettes via holonomies and corner reweighting," *Phys. Rev. D* (accepted) [arXiv:2610.09147].
INSPIRE-HEP entry

[2] J. Komijani, "Noise scheduling and linear dynamics in diffusion models on Lie groups," [arXiv:2605.17326].
INSPIRE-HEP entry

[3] J. Komijani, M. K. Marinkovic and L. Turgut, "Diffusion model for SU(N) gauge theories," *JHEP* (accepted) [arXiv:2605.06134].
INSPIRE-HEP entry

Peer-reviewed Publications

[1] O. Vega, J. Komijani, A. El-Khadra and M. K. Marinkovic, "Group-equivariant diffusion models for lattice field theory," *JHEP 07, 213 (2026)* [arXiv:2510.26081].
INSPIRE-HEP entry

[2] A. Manzi *et al.*, "interTwin: Advancing Scientific Digital Twins through AI, Federated Computing and Data", *Future Generation Computer Systems, 179, 108312 (2026)*.

[3] A. Altherr *et al.*, "Comparing QCD+QED via full simulation versus the RM123 method: U-spin window contribution to a_μ^{HVP}," *JHEP 10, 158 (2025)* [arXiv:2506.19770].
INSPIRE-HEP entry

[4] R. Aliberti *et al.*, "The anomalous magnetic moment of the muon in the Standard Model: an update," *Phys. Rept. 1143, 1-158 (2025)* [arXiv:2505.21476].
INSPIRE-HEP entry

[5] C. M. Bender and J. Komijani, "Addendum: Painlevé transcendents and PT-symmetric Hamiltonians," *J. Phys. A: Math. Theor. 55, 109401 (2022)* [arXiv:2107.04935].
INSPIRE-HEP entry

[6] J. Komijani, "First-order nonlinear eigenvalue problems involving functions of a general oscillatory behavior," *J. Phys. A: Math. and Theor. 54, 465202 (2021)* [arXiv:2107.02475].
INSPIRE-HEP entry

[7] J. Komijani, P. Petreczky and J. H. Weber, "Strong coupling constant and quark masses from lattice QCD," *Prog. Part. Nucl. Phys. 113, 103788 (2020)* [arXiv:2003.11703].
INSPIRE-HEP entry

[8] L. J. Cooper *et al.*, "$B_c \to B_{s(d)}$ form factors from lattice QCD," *Phys. Rev. D 102, 014513 (2020)* [arXiv:2003.00914].
INSPIRE-HEP entry

[9] C. M. Bender, J. Komijani, Q. Wang, "Nonlinear eigenvalue problems for generalized Painlevé equations," *J. Phys. A: Math. and Theor. 52, 315202 (2019)* [arXiv:1903.10640].
INSPIRE-HEP entry

[10] C. T. H. Davies *et al.*, "Determination of the quark condensate from heavy-light current-current correlators in full lattice QCD," *Phys. Rev. D 100, 034506 (2019)* [arXiv:1811.04305].
INSPIRE-HEP entry

[11] N. Brambilla, H. S. Chung and J. Komijani, "Inclusive decays of η_c and η_b at NNLO with large n_f resummation," *Phys. Rev. D 98, 114020 (2018)* [arXiv:1810.02586].
INSPIRE-HEP entry

[12] A. Bazavov *et al.*, "$|V_{us}|$ from $K_{\ell 3}$ decay and four-flavor lattice QCD," *Phys. Rev. D 99, 114509 (2019)* [arXiv:1809.02827].
INSPIRE-HEP entry

[13] A. Bazavov *et al.*, "Up-, down-, strange-, charm-, and bottom-quark masses from four-flavor lattice QCD," *Phys. Rev. D 98, 054517 (2018)* [arXiv:1802.04248].
INSPIRE-HEP entry

[14] A. Bazavov *et al.*, "B- and D-meson leptonic decay constants from four-flavor lattice QCD," *Phys. Rev. D 98, 074512 (2018)* [arXiv:1712.09262].
INSPIRE-HEP entry

[15] N. Brambilla , J. Komijani, A.S. Kronfeld, A. Vairo, "Relations between Heavy-light Meson and Quark Masses," *Phys. Rev. D 97, 034503 (2018)* [arXiv:1712.04983].
INSPIRE-HEP entry

[16] J. Komijani, "A discussion on leading renormalon in the pole mass," *JHEP 1708, 062 (2017)* [arXiv:1701.00347].
INSPIRE-HEP entry

[17] J.A. Bailey *et al.*, "$B \to K l^+ l^-$ decay form factors from three-flavor lattice QCD," *Phys. Rev. D 93, 025026 (2016)* [arXiv:1509.06235].
INSPIRE-HEP entry

[18] J.A. Bailey *et al.*, "$|V_{ub}|$ from $B \to \pi \ell \nu$ decays and (2+1)-flavor lattice QCD," *Phys. Rev. D 92, 014024 (2015)* [arXiv:1503.07839].
INSPIRE-HEP entry

[19] J.A. Bailey *et al.*, "$B \to D \ell \nu$ form factors at nonzero recoil and $|V_{cb}|$ from 2+1-flavor lattice QCD," *Phys. Rev. D 92, 034506 (2015)* [arXiv:1503.07237].
INSPIRE-HEP entry

[20] A. Bazavov *et al.*, "Gradient flow and scale setting on MILC HISQ ensembles," *Phys. Rev. D 93, 094510 (2016)* [arXiv:1503.02769].
INSPIRE-HEP entry

[21] C. M. Bender and J. Komijani, "Painlevé Transcendents and $\mathcal{PT}$-Symmetric Hamiltonians," *J. Phys. A: Math. and Theor. 48, 475202 (2015)* [arXiv:1502.04089].
INSPIRE-HEP entry

[22] A. Bazavov *et al.*, "Charmed and light pseudoscalar meson decay constants from four-flavor lattice QCD with physical light quarks," *Phys. Rev. D 90, 074509 (2014)* [arXiv:1407.3772].
INSPIRE-HEP entry

[23] C. M. Bender, A. Fring and J. Komijani, "Nonlinear Eigenvalue Problems," *J. Phys. A: Math. and Theor. 47, 235204 (2014)* [arXiv:1401.6161].
INSPIRE-HEP entry

[24] C. Bernard and J. Komijani, "Chiral Perturbation Theory for All-Staggered Heavy-Light Mesons," *Phys. Rev. D 88, 094017 (2013)* [arXiv:1309.4533].
INSPIRE-HEP entry

[25] A. Bazavov *et al.*, "Lattice QCD ensembles with four flavors of highly improved staggered quarks," *Phys. Rev. D 87, 054505 (2013)* [arXiv:1212.4768].
INSPIRE-HEP entry

[26] J. Komijani, J. Rashed-Mohassel and A. Mirkamali, "Dyadic Green Functions for a Dielectric Layer on a PEMC Plane," *Progress in Electromagnetics Research M 6, pp. 9-22 (2009)*.

[27] J. Komijani and J. Rashed-Mohassel, "Symmetrical Properties of Dyadic Green's Functions for Mixed Boundary Conditions and Integral Representations of the Electric Fields for Problems Involving a PEMC," *IEEE Transactions on Antennas and Propagation, vol. 57, issue 10, pp. 3199-3204 (2009)*.

Selected Conference Proceedings

[1] M. K. Marinkovic *et al.*, "Comparing RM123 and non-perturbative QCD+QED approaches to the HVP with C-periodic boundary conditions," *PoS Lattice 2025, 198* [arXiv:2605.01085].
INSPIRE-HEP entry

[2] J. Komijani and M. K. Marinkovic, "Normalizing flows for SU(N) gauge theories employing singular value decomposition," *PoS Lattice 2024, 050* [arXiv:2501.18288].
INSPIRE-HEP entry

[3] A. Altherr *et al.*, "O(a)-improved QCD+QED Wilson Dirac operator on GPUs," *PoS Lattice 2024, 280* [arXiv:2502.02490].
INSPIRE-HEP entry

[4] L. Parato *et al.*, "Update on the isospin breaking corrections to the HVP with C-periodic boundary conditions," *PoS Lattice 2024, 119* [arXiv:2502.14845].
INSPIRE-HEP entry

[5] S. Rosso *et al.*, "Partially connected contributions to baryon masses in QCD+QED," *PoS Lattice 2024, 427* [arXiv:2502.03961].
INSPIRE-HEP entry

[6] J. Komijani and M. K. Marinkovic, "Generative models for scalar field theories: how to deal with poor scaling?" *PoS Lattice 2022, 019* [arXiv:2301.01504].
INSPIRE-HEP entry

[7] A. Altherr *et al.*, "Strange and charm contributions to the HVP from C* boundary conditions," *PoS Lattice 2022, 281* [arXiv:2301.04385].
INSPIRE-HEP entry

[8] A. Altherr *et al.*, "Hadronic vacuum polarization with C* boundary conditions," *PoS Lattice 2022, 312* [arXiv:2212.11551].
INSPIRE-HEP entry

[9] G. Abbiendi *et al.*, "Space-like and Time-like determination of the Hadronic Leading Order contribution to the Muon $g-2$," *Mini-Proceedings of the STRONG2020 Virtual Workshop* [arXiv:2201.12102].
INSPIRE-HEP entry

[10] L. Cooper *et al.*, "$B_c \to B_{s(d)}$ form factors," *PoS Lattice 2019, 103* [arXiv:1911.04282].
INSPIRE-HEP entry

[11] R. Li *et al.*, "D meson Semileptonic Decay Form Factors at $q^2 = 0$," *PoS Lattice 2018, 269* [arXiv:1901.08989].
INSPIRE-HEP entry

[12] A. Bazavov *et al.*, "B- and D-meson leptonic decay constants and quark masses from four-flavor lattice QCD" [arXiv:1810.00250].
INSPIRE-HEP entry

[13] C. M. Bender, J. Komijani, Q. Wang, "Nonlinear eigenvalue problems," In: *Resurgence, Physics and Numbers, CRM Series, vol 20, pp. 67-89, 2017*.

[14] T. Primer *et al.*, "D meson semileptonic form factors with HISQ valence and sea quarks," *PoS Lattice 2016, 305*.
INSPIRE-HEP entry

[15] J. Komijani *et al.*, "Decay constants f_B and f_{B_s} and quark masses m_b and m_c from HISQ simulations," *PoS Lattice 2016, 294* [arXiv:1611.07411].
INSPIRE-HEP entry

[16] E. Gamiz *et al.*, "Kaon semileptonic decays with N_f =2+1+1 HISQ fermions and physical light-quark masses," *PoS Lattice 2016, 286* [arXiv:1611.04118].
INSPIRE-HEP entry

[17] T. Primer *et al.*, "D-Meson Semileptonic Form Factors at Zero Momentum Transfer in (2+1+1)-Flavor Lattice QCD," *PoS Lattice 2015, 338* [arXiv:1511.04000].
INSPIRE-HEP entry

[18] A. Bazavov *et al.*, "Decay constants f_B and f_{B_s} from HISQ simulations," *PoS Lattice 2015, 331* [arXiv:1511.02294].
INSPIRE-HEP entry

[19] S. Basak *et al.*, "Electromagnetic effects on the light hadron spectrum," *J. Phys. Conf. Ser. 640, 012052 (2015)* [arXiv:1510.04997].
INSPIRE-HEP entry

[20] A. Bazavov *et al.*, "Charmed and light pseudoscalar meson decay constants from HISQ simulations," *PoS Lattice 2014, 382* [arXiv:1411.2667].
INSPIRE-HEP entry

[21] A. Bazavov *et al.*, "Gradient Flow Analysis on MILC HISQ Ensembles," *PoS Lattice 2014, 090* [arXiv:1411.0068].
INSPIRE-HEP entry

[22] S. Basak *et al.*, "Finite-volume effects and the electromagnetic contributions to kaon and pion masses," *PoS Lattice 2014, 116* [arXiv:1409.7139].
INSPIRE-HEP entry

[23] A. Bazavov *et al.*, "The D_s , D^+, B_s, and B^+ decay constants from 2+1 flavor lattice QCD," *PoS Lattice 2013, 394* [arXiv:1403.6796].
INSPIRE-HEP entry

[24] A. Bazavov *et al.*, "Charmed and strange pseudoscalar meson decay constants from HISQ simulations," *PoS Lattice 2013, 405* [arXiv:1312.0149].
INSPIRE-HEP entry

[25] J. Komijani and C. Bernard, "Staggered chiral perturbation theory for all-staggered heavy-light mesons," *PoS Lattice 2012, 199* [arXiv:1211.0785].
INSPIRE-HEP entry

[26] J. Komijani, A. Mirkamali and J. Nateghi, "Combining multiple knife-edge diffraction and ground reflections for terrain path loss diffraction," *Proceedings of the Fourth European Conference on Antennas and Propagation, 2010.*
IEEE

[27] J. Komijani, J. Rashed-Mohassel and H. Hadidian-Moghadam, "Green function for a horizontal source over a dielectric slab with a PEMC ground," *Proceedings of the Third European Conference on Antennas and Propagation, 2009.*
IEEE