

CPS pair	Relationship	Serotype	Structural difference	Modification difference	Figure
K2/K2	Near-identical	same	—	acetylation	Fig 3.3A
K22/K37	Near-identical	distinct	—	acetylation	Fig 3.3D
K30/K33	Near-identical	distinct	—	acetyl occupancy (33% vs 100%)	Fig 3.3C
K30/K69	Near-identical	distinct	—	pyruvylation (ketal bond position)	Fig 3.3C
K33/K69	Near-identical	distinct	—	acetyl occupancy, pyruvylation (33% vs 100%; ketal bond)	Fig 3.3C
K82/SK1	Near-identical	unassigned	—	acetylation, glutamylation	Fig 3.3B
K8/K82	Near-identical	distinct	residue addition (Gal) (branch)	glutamylation	Fig 3.3B
SK1/K8	Near-identical	unassigned	residue addition (Gal) (branch)	acetylation	Fig 3.3B
K2/K13	Core-shared	distinct	residue addition (Gal) (branch)	acetylation, pyruvylation (20% occupancy)	Fig 3.4A
K74/K80	Core-shared	distinct	residue swap (Gal to Rha) (branch)	pyruvylation (distinct bond)	Fig 3.4B
K16/K58	Core-shared	distinct	branch relocation, anomeric (branch)	acetylation, pyruvylation (core)	Fig 3.4C
K8/K8	Branch-shared	same	residue displacement (core)	pyruvylation (core)	Fig 3.5A
K21a/K21b	Branch-shared	same	residue swap (Man to Rha) (core)	acetylation	Fig 3.5B
K27a/K27b	Branch-shared	same	anomeric configuration (core)	—	Fig 3.5C

Near-identical
Branch-shared
Core-shared
Same serotype
Distinct serotype
No serotype assigned