

```
mysql> create database Employee;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> use Employee;
Database changed
```

```
mysql> Create Table Employee(EmpID int primary key, EmpName varchar(100), Department varchar(100),Department
varchar (100),Salary int);
```

```
ERROR 1060 (42S21): Duplicate column name 'Department'
```

```
mysql> Create Table Employee(EmpID int primary key, EmpName varchar(100), Department varchar(100),Salary int);
```

```
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> INSERT INTO Employee
```

```
-> VALUES(1,'ALICE','HR',50000),(2,'BOB','FINANCE',60000),(3,'CHARLIE','IT',80000);
```

```
Query OK, 3 rows affected (0.06 sec)
```

```
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM Employee;
```

```
+-----+-----+-----+-----+
| EmpID | EmpName | Department | Salary |
+-----+-----+-----+-----+
| 1 | ALICE | HR | 50000 |
| 2 | BOB | FINANCE | 60000 |
| 3 | CHARLIE | IT | 80000 |
+-----+-----+-----+-----+
```

```
3 rows in set (0.00 sec)
```

```
mysql> ALTER TABLE Employee ADD Phone VARCHAR(15);
```

```
Query OK, 0 rows affected (0.03 sec)
```

```
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM Employee;
```

```
+-----+-----+-----+-----+-----+
| EmpID | EmpName | Department | Salary | Phone |
+-----+-----+-----+-----+-----+
| 1 | ALICE | HR | 50000 | NULL |
| 2 | BOB | FINANCE | 60000 | NULL |
| 3 | CHARLIE | IT | 80000 | NULL |
+-----+-----+-----+-----+-----+
```

```
3 rows in set (0.00 sec)
```

```
mysql> UPDATE Employee SET Salary=Salary+5000 WHERE Department='IT';
```

```
Query OK, 1 row affected (0.00 sec)
```

```
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> SELECT * FROM Employee;
```

```
+-----+-----+-----+-----+-----+
| EmpID | EmpName | Department | Salary | Phone |
+-----+-----+-----+-----+-----+
| 1 | ALICE | HR | 50000 | NULL |
| 2 | BOB | FINANCE | 60000 | NULL |
| 3 | CHARLIE | IT | 85000 | NULL |
+-----+-----+-----+-----+-----+
```

```
3 rows in set (0.00 sec)
```

```
mysql> GRANT SELECT ON Employee TO user1;
```

```
ERROR 1410 (42000): You are not allowed to create a user with GRANT
```

```
mysql> BEGIN TRANSACTION;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server
version for the right syntax to use near 'TRANSACTION' at line 1
```

```
mysql> DELIMITER //
mysql> BEGIN TRANSACTION;
-> DELETE FROM Employee WHERE EmpID=3;
-> ROLLBACK;
-> //
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server
version for the right syntax to use near 'TRANSACTION;
DELETE FROM Employee WHERE EmpID=3;
ROLLBACK' at line 1
mysql> DELIMITER ;
mysql> SELECT * FROM Employee;
+-----+-----+-----+-----+
| EmpID | EmpName | Department | Salary | Phone |
+-----+-----+-----+-----+
| 1 | ALICE | HR | 50000 | NULL |
| 2 | BOB | FINANCE | 60000 | NULL |
| 3 | CHARLIE | IT | 85000 | NULL |
+-----+-----+-----+-----+
3 rows in set (0.01 sec)
```

```
mysql> CREATE TABLE EMPLOYEE_UNF(EMPID INT, EMPNAME VARCHAR(100),SKILLS VARCHAR(255));
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> INSERT INTO EMPLOYEE_UNF
-> VALUES(1,'ALICE','SQL','JAVA'),(2,'BOB','EXCEL','FINANCE'),(3,'CHARLIE','PYTHON','SQL');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql> INSERT INTO EMPLOYEE_UNF VALUES(1,'ALICE','SQL,JAVA'),(2,'BOB','EXCEL,FINANCE'),
(3,'CHARLIE','PYTHON,SQL');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM EMPLOYEE_UNF;
+-----+-----+-----+
| EMPID | EMPNAME | SKILLS |
+-----+-----+-----+
| 1 | ALICE | SQL,JAVA |
| 2 | BOB | EXCEL,FINANCE |
| 3 | CHARLIE | PYTHON,SQL |
+-----+-----+-----+
3 rows in set (0.01 sec)
```

```
mysql> CREATE TABLE EMPLOYEE_1NF( EMPID INT,EMPNAME VARCHAR(100),SKILL VARCHAR(100));
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> INSERT INTO EMPLOYEE_1NF
-> VALUES(1,'ALICE','SQL'),(1,'ALICE','JAVA'),(2,'BOB','EXCEL'),(2,'BOB','FINANCE'),(3,'CHARLIE','PYTHON'),
(3,'CHARLIE','SQL');
Query OK, 6 rows affected (0.00 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM EMPLOYEE_1NF;
+-----+-----+-----+
| EMPID | EMPNAME | SKILL |
+-----+-----+-----+
| 1 | ALICE | SQL |
| 1 | ALICE | JAVA |
| 2 | BOB | EXCEL |
| 2 | BOB | FINANCE |
| 3 | CHARLIE | PYTHON |
```

```
| 3 | CHARLIE | SQL |
+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql> CREATE TABLE EMPLOYEE_2NF(EMPID INT PRIMARY KEY,EMPNAME VARCHAR(100));
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> INSERT INTO EMPLOYEE_2NF
-> VALUES(1,'ALICE'),(2,'BOB'),(3,'CHARLIE');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> CREATE TABLE EMPLOYEE_SKILLS_2NF(EMPID INT,SKILL VARCHAR(200),FOREIGN KEY(EMPID) REFERENCES
EMPLOYEE_2NF(EMPID));
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> INSERT INTO EMPLOYEE_SKILLS_2NF
-> VALUES(1,'SQL'),(1,'JAVA'),(2,'EXCEL'),(2,'FINANCE'),(3,'PYTHON'),(3,'SQL');
Query OK, 6 rows affected (0.01 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM EMPLOYEE_2NF;
+-----+-----+
| EMPID | EMPNAME |
+-----+-----+
| 1 | ALICE |
| 2 | BOB |
| 3 | CHARLIE |
+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM EMPLOYEE_SKILLS_2NF;
+-----+-----+
| EMPID | SKILL |
+-----+-----+
| 1 | SQL |
| 1 | JAVA |
| 2 | EXCEL |
| 2 | FINANCE |
| 3 | PYTHON |
| 3 | SQL |
+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql> CREATE TABLE EMPLOYEE_3NF( EMPID INT PRIMARY KEY,EMPNAME VARCHAR(100),DEPTID INT,FOREIGN
KEY(DEPTID) REFERENCES DEPARTMENT(DEPTID));
ERROR 1824 (HY000): Failed to open the referenced table 'DEPARTMENT'
mysql> CREATE TABLE DEPARTMENT(DEPTID PRIMARY KEY,DEPTNAME VARCHAR(50),DEPTHEAD VARCHAR(100));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server
version for the right syntax to use near 'PRIMARY KEY,DEPTNAME VARCHAR(50),DEPTHEAD VARCHAR(100))' at line 1
mysql> CREATE TABLE DEPARTMENT(DEPTID INT PRIMARY KEY,DEPTNAME VARCHAR(50),DEPTHEAD VARCHAR(100));
Query OK, 0 rows affected (0.05 sec)
```

```
mysql> CREATE TABLE EMPLOYEE_3NF( EMPID INT PRIMARY KEY,EMPNAME VARCHAR(100),DEPTID INT,FOREIGN
KEY(DEPTID) REFERENCES DEPARTMENT(DEPTID));
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> INSERT INTO DEPARTMENT
-> VALUE(101,'HR','MR.A'),(102,'FINANCE','MS.B'),(103,'IT','MR.C');
```

Query OK, 3 rows affected (0.00 sec)  
Records: 3 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO EMPLOYEE_3NF  
-> VALUES(1,'ALICE',101),(2,'BOB',102),  
-> (3,'CHARLIE',103);
```

Query OK, 3 rows affected (0.00 sec)  
Records: 3 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM DEPARTMENT;
```

DEPTID	DEPTNAME	DEPTHEAD
101	HR	MR.A
102	FINANCE	MS.B
103	IT	MR.C

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM EMPLOYEE_3NF;
```

EMPID	EMPNAME	DEPTID
1	ALICE	101
2	BOB	102
3	CHARLIE	103

3 rows in set (0.01 sec)

```
mysql>
```