```
QObject
             Δ
       # mVisible
  # mParentPlot
  # mParentLayerable
 # mLayer
  # mAntialiased
  + QCPLayerable()
    ~QCPLayerable()
  + visible()
+ parentPlot()
  + parentLayerable()
  + layer()
  + antialiased()
  + setVisible()
  + setLayer()
  + setLayer()
  + setAntialiased()
  + selectTest()
  + realVisibility()
  # parentPlotInitialized()
 # selectionCategory()
  # clipRect()
  # applyDefaultAntialiasing
  Hint()
 # draw()
 # selectEvent()
 # deselectEvent()
  # initializeParentPlot()
  # setParentLayerable()
 # moveToLayer()
  # applyAntialiasingHint()
             Д
    QCPLayoutElement
 # mParentLayout
 # mMinimumSize
 # mMaximumSize
 # mRect
 # mOuterRect
 # mMargins
 # mMinimumMargins
 # mAutoMargins
 # mMarginGroups
 + QCPLayoutElement()
   ~QCPLayoutElement()
 + layout()
 + rect()
 + outerRect()
 + margins()
 + minimumMargins()
 + autoMargins()
 + minimumSize()
 + maximumSize()
 and 16 more...
 # calculateAutoMargin()
 # mousePressEvent()
 # mouseMoveEvent()
 # mouseReleaseEvent()
 # mouseDoubleClickEvent()
 # wheelEvent()
 # applyDefaultAntialiasing
 Hint()
 # draw()
 # parentPlotInitialized()
             Δ
        QCPLayout
 + QCPLayout()
 + update()
 + elements()
 + elementCount()
 + elementAt()
 + takeAt()
 + take()
 + simplify()
 + removeAt()
 + remove()
 + clear()
 # updateLayout()
 # sizeConstraintsChanged()
 # adoptElement()
 # releaseElement()
 # getSectionSizes()
             Δ
      QCPLayoutGrid
# mElements
# mColumnStretchFactors
# mRowStretchFactors
# mColumnSpacing
# mRowSpacing
+ QCPLayoutGrid()
+ ~QCPLayoutGrid()
+ rowCount()
+ columnCount()
+ columnStretchFactors()
+ rowStretchFactors()
+ columnSpacing()
+ rowSpacing()
+ setColumnStretchFactor()
+ setColumnStretchFactors()
and 19 more...
# getMinimumRowColSizes()
# getMaximumRowColSizes()
        QCPLegend
 # mBorderPen
 # mlconBorderPen
 # mBrush
 # mFont
 # mTextColor
 # mlconSize
 # mlconTextPadding
 # mSelectedParts
 # mSelectableParts
 # mSelectedBorderPen
 # mSelectedIconBorderPen
 # mSelectedBrush
 # mSelectedFont
 # mSelectedTextColor
 + QCPLegend()
   ~QCPLegend()
 + borderPen()
 + brush()
 + font()
 + textColor()
 + iconSize()
 + iconTextPadding()
 + iconBorderPen()
 + selectableParts()
 and 32 more..
 # parentPlotInitialized()
 # selectionCategory()
  ap
 Hint()
 # draw()
 # selectEvent()
 # deselectEvent()
 # getBorderPen()
 # getBrush()
```