```
QObject
            Δ
     QCPLayerable
# mVisible
# mParentPlot
# mParentLayerable
# mLayer
# mAntialiased
+ QCPLayerable()
   ·QCPLayerable()
+ visible()
+ parentPlot()
 parentLayerable()
+ layer()
+ antialiased()
+ setVisible()
+ setLayer()
+ setLayer()
+ setAntialiased()
+ selectTest()
+ realVisibility()
# parentPlotInitialized()
# selectionCategory()
# clipRect()
# applyDefaultAntialiasing
Hint()
# draw()
# selectEvent()
# deselectEvent()
# initializeParentPlot()
# setParentLayerable()
# moveToLayer()
# applyAntialiasingHint()
            Δ
    QCPAbstractItem
# mClipToAxisRect
# m(
     ClipAxisRect
# mPositions
# mAnchors
# mSelectable
# mSelected
+ QCPAbstractItem()
+ ~QCPAbstractItem()
+ clipToAxisRect()
+ clipAxisRect()
+ selectable()
+ selected()
+ setClipToAxisRect()
+ setClipAxisRect()
+ setSelectable()
+ setSelected()
and 6 more.
# selectionCategory()
# clipRect()
# applyDefaultAntialiasing
Hint()
# draw()
# selectEvent()
# deselectEvent()
# anchorPixelPoint()
# distSqrToLine()
# rectSelectTest()
# createPosition()
# createAnchor()
    QCPItemBracket
    left
  + right
   center
 # mPen
 # mSelectedPen
  # mLength
  # mStyle
  + QCPItemBracket()
  + ~QCPItemBracket()
  + pen()
    selectedPen()
  + length()
  + style()
  + setPen()
  + setSelectedPen()
  + setLength()
  + setStyle()
+ selectTest()
 # draw()
  # anchorPixelPoint()
  # mainPen()
```