```
Δ
                       QCPLayerable
                  # mVisible
                  # mParentPlot
                  # mParentLayerable
                  # mLayer
                  # mAntialiased
                  + QCPLayerable()
                  + ~QCPLayerable()
                  + visible()
                  + parentPlot()
                  + parentLayerable()
                  + layer()
                  + antialiased()
                  + setVisible()
                  + setLayer()
                  + setLayer()
                  + setAntialiased()
                  + selectTest()
                  + realVisibility()
                  # parentPlotInitialized()
                  # selectionCategory()
                  # clipRect()
                  # applyDefaultAntialiasing
                  Hint()
                  # draw()
                  # selectEvent()
                  # deselectEvent()
                  # initializeParentPlot()
                  # setParentLayerable()
                  # moveToLayer()
                  # applyAntialiasingHint()
                             Д
                     QCPLayoutElement
                 # mParentLayout
                 # mMinimumSize
                 # mMaximumSize
                 # mRect
                 # mOuterRect
                 # mMargins
                 # mMinimumMargins
                 # mAutoMargins
                 # mMarginGroups
                 + QCPLayoutElement()
                 + ~QCPLayoutElement()
                 + layout()
                 + rect()
                 + outerRect()
                 + margins()
                 + minimumMargins()
                 + autoMargins()
                 + minimumSize()
                 + maximumSize()
                 and 16 more...
                 # calculateAutoMargin()
                 # mousePressEvent()
                 # mouseMoveEvent()
                 # mouseReleaseEvent()
                 # mouseDoubleClickEvent()
                 # wheelEvent()
                 # applyDefaultAntialiasing
                 Hint()
                 # draw()
                 # parentPlotInitialized()
                             Д
                         QCPLayout
                 + QCPLayout()
                 + update()
                 + elements()
                 + elementCount()
                 + elementAt()
                 + takeAt()
                 + take()
                 + simplify()
                 + removeAt()
                 + remove()
                 + clear()
                 # updateLayout()
                 # sizeConstraintsChanged()
                 # adoptElement()
                 # releaseElement()
                 # getSectionSizes()
      QCPLayoutGrid
                                       QCPLayoutInset
# mElements
# mColumnStretchFactors
                                    # mElements
# mRowStretchFactors
                                    # mlnsetPlacement
# mColumnSpacing
                                    # mlnsetAlignment
# mRowSpacing
                                    # mlnsetRect
+ QCPLayoutGrid()
                                    + QCPLayoutInset()
+ ~QCPLayoutGrid()
                                    + ~QCPLayoutInset()
+ rowCount()
                                    + insetPlacement()
+ columnCount()
                                    + insetAlignment()
+ columnStretchFactors()
                                    + insetRect()
+ rowStretchFactors()
                                    + setInsetPlacement()
+ columnSpacing()
                                    + setInsetAlignment()
+ rowSpacing()
                                    + setInsetRect()
+ setColumnStretchFactor()
                                    + updateLayout()
+ setColumnStretchFactors()
                                    + elementCount()
and 19 more...
                                    and 7 more...
# getMinimumRowColSizes()
# getMaximumRowColSizes()
        QCPLegend
 # mBorderPen
 # mlconBorderPen
 # mBrush
 # mFont
 # mTextColor
 # mlconSize
 # mlconTextPadding
 # mSelectedParts
 # mSelectableParts
 # mSelectedBorderPen
 # mSelectedIconBorderPen
 # mSelectedBrush
 # mSelectedFont
 # mSelectedTextColor
 + QCPLegend()
 + ~QCPLegend()
 + borderPen()
 + brush()
 + font()
 + textColor()
 + iconSize()
 + iconTextPadding()
 + iconBorderPen()
 + selectableParts()
 and 32 more..
 # parentPlotInitialized()
 # selectionCategory()
 # applyDefaultAntialiasing
```

Hint()
draw()
selectEvent()
deselectEvent()
getBorderPen()
getBrush()

QObject