20261112 Quiz

for (MATH261) Discrete Mathematics


Jungwoo Kim
Department of Mathematics
Pohang University of Science and Technology

Problem 1.

(a) Draw the directed graph represented by the given adjacency matrix.


(b) Find the adjacency matrix of the given directed multigraph.

$$\mathbf{A} = \begin{pmatrix} 0 & 1 & 3 & 0 & 4 \\ 1 & 2 & 1 & 3 & 0 \\ 3 & 1 & 1 & 0 & 1 \\ 0 & 3 & 0 & 0 & 2 \\ 4 & 0 & 1 & 2 & 3 \end{pmatrix}.$$



Solution.

(a) Since the matrix is symmetric, its off-diagonal entries give equal numbers of arcs in opposite directions. Each pair of opposite arrows below represents one arc in each direction; a number specifies the multiplicity in *each* direction, while an unlabeled pair has multiplicity one.




There are 2, 1, and 3 loops at vertices 2, 3, and 5, respectively.

(b) With rows and columns ordered as a, b, c, d, the adjacency matrix is

$$\mathbf{A} = \begin{pmatrix} 1 & 1 & 2 & 1 \\ 1 & 0 & 0 & 2 \\ 1 & 0 & 1 & 1 \\ 0 & 2 & 1 & 0 \end{pmatrix}.$$

□

Problem 2. Find all paths (starting at vertex a and ending at vertex b or vertex c) in the following directed graph. What are their lengths? Find the circuits starting at vertex a in the following directed graph.



Solution. A path has no repeated vertices. All paths satisfying the stated endpoints, with their lengths in parentheses, are

Ending at b	Ending at c
(a, b) (1)	(a, c) (1)
(a, c, b) (2)	(a, e, c) (2)
(a, e, b) (2)	(a, b, e, c) (3)
(a, e, c, b) (3)	(a, e, d, c) (3)
(a, e, d, b) (3)	(a, b, e, d, c) (4)
(a, e, d, c, b) (4)	

These are exhaustive: from a the first step is toward b, c, or e; subsequent steps must follow the indicated arrows without revisiting a vertex.

A circuit is a closed trail, so vertices may repeat but arcs may not. All circuits starting at a can be specified without listing them individually. The outgoing arcs are

Current vertex	a	b	c	d	e
Next vertex	a, b, c, e	a, e	b	a, b, c, d	b, c, d

Start with (a). From the last vertex v, append each possible w for which the arc $v \to w$ has not been used. Record every positive-length extension ending at a, but continue exploring unused arcs. This yields all circuits exactly once: every sequence of distinct arcs is explored. For instance, (a, b, a, e, d, a) is a circuit even though it revisits a. Counting distinct vertex sequences beginning and ending at a, the numbers of circuits by length are

Length	1	2	3	4	5	6	7	8	9	10	Total
Number	1	1	5	11	20	37	55	80	86	36	332


□


Problem 3. Show that isomorphism of simple graphs is an equivalence relation.

Solution. For every simple graph G, the identity on $V(G)$ is an isomorphism, so the relation is reflexive. If $f\colon V(G) \to V(H)$ is an isomorphism, then $f^{-1}\colon V(H) \to V(G)$ is also one, proving symmetry. Finally, if $f\colon V(G) \to V(H)$ and $g\colon V(H) \to V(K)$ are isomorphisms, so is $g \circ f$, proving transitivity. Thus graph isomorphism is an equivalence relation.

□

Problem 4. Determine whether the given pair of graphs is isomorphic. Exhibit an isomorphism or provide a rigorous argument that none exists.






Solution. The graphs are *not* isomorphic. Read the vertex subscripts modulo 8. In the left graph, u_i is adjacent to $u_{i\pm1}$, $u_{i\pm3}$, and u_{i+4}. Hence its complement consists of

$$u_1u_3u_5u_7u_1 \qquad \text{and} \qquad u_2u_4u_6u_8u_2,$$


two disjoint 4-cycles. In the right graph, v_i is adjacent to $v_{i\pm1}$, $v_{i\pm2}$, and v_{i+4}, so its complement contains precisely the edges $v_iv_{i\pm3}$. Since $\gcd(3,8) = 1$, these form a single 8-cycle. The complements have different numbers of connected components and therefore cannot be isomorphic. It follows that the original graphs are not isomorphic.

□


Problem 5. Determine which pairs of the following graphs are isomorphic. For each pair, either exhibit an isomorphism or provide a rigorous argument that none exists.




G_1



G_2



G_3



G_4

Solution. Only $G_2 \cong G_3$.

To exhibit an isomorphism, label the outer vertices of G_2 by x_0, x_1, x_2, x_3, x_4, clockwise from the top, and its corresponding inner vertices by y_0, y_1, y_2, y_3, y_4. In G_3, label the nine outer vertices by $z_0, \ldots, z_8$, clockwise from the top, and the central vertex by z_9. The following bijection preserves all 15 edges:

Vertex	x_0	x_1	x_2	x_3	x_4
Image	z_0	z_1	z_2	z_3	z_9
Vertex	y_0	y_1	y_2	y_3	y_4
Image	z_8	z_5	z_7	z_4	z_6

The outer 5-cycle maps to $z_0z_1z_2z_3z_9z_0$. The five spokes map to z_0z_8, z_1z_5, z_2z_7, z_3z_4, and z_9z_6; the inner edges map to z_8z_7, z_8z_4, z_5z_4, z_5z_6, and z_7z_6. These are exactly the edges of G_3, so $G_2 \cong G_3$.

For the remaining pairs, G_1 contains a 4-cycle, while G_2 has none. Indeed, the two 5-cycles of G_2 are joined by a matching; a 4-cycle using two matching edges would require the same pair of indices to be adjacent in both 5-cycles, which is impossible (outer edges join consecutive indices, and inner edges join indices differing by two). Since $G_2 \cong G_3$, neither G_2 nor G_3 is isomorphic to G_1. Moreover, G_4 is bipartite: it consists of a 10-cycle together with five chords joining vertices at distance 5 along that cycle, all of which join opposite parts of the alternating bipartition. By contrast, G_1, G_2, and G_3 each contain a 5-cycle, so none is bipartite. Consequently, G_4 is not isomorphic to any of them.

□