Specification for 27 inch floor-standing windows os digital signage

| Product Feature	
	*Support High resolution content file, MAX to 4K;
	* Support Information Publishing System;
	* Support Vertical and Horizontal;
	*Network configuration: Fixed IP, DHCP or Domain.
	*RJ45 and Wireless internet access;
	*Language: Chinese, English, other language is available if required;
	*Extended function: multi touch feature, adding printer, scanner, barcode reader, pos machine etc.

Product Show

Product dimension(27 inch)

Panel Parameter

Panel brand	LG A+ original industrial panel
Aspect Ratio	16:9
Resolution	1920x1080
Color	8Bit,16.7M
Brightness (nits)	450cd/㎡
Contrast	3000:1
Visual angle (H/V)	178。/178。

PC configuration	
OS	Windows 7/8/10 or Linux
CPU	Intel i3
RAM	4GB
SSD	128GB
WIFI	WIFI Module+WIFI Antenna
Interface	HDMI*1, VGA*1, USB2.0*2, USB3.0*2, RJ45, SIM slot*1

Touchscreen

Touch technology	Capacitive touch
Position accuracy	Approximately 3 mm absolute, 1 mm relative. No drift
Alignment	Software drivers provide a calibration facility
Speed of response	5ms
Sensitivity	It can be programmed for different thickness of glass and even use with gloved hands.
	Standard configuration functions with non-metal.
	single construction glass 16mm thick. Double glazing option up to 25mm available

Other Hardware	
Surface	Toughened glass
Frame	Aluminium alloy
Back cover	Metal shell
Speaker	2*5W speakers inside
Power input	AC110~240V
Power in standby	≤3W
Power in working	30W-180W
Operation temperature	-20℃-60℃