

```

DATASET ACTIVATE DataSet1.
DATASET CLOSE DataSet2.
GET
  FILE='C:\Users\Karlo\Desktop\YIC\RESULTS\STAT_PIR.sav'.
DATASET NAME DataSet3 WINDOW=FRONT.
EXAMINE VARIABLES=Signal BY PIR
  /PLOT BOXPLOT STEMLEAF NPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 99
  /MISSING LISTWISE
  /NOTOTAL.

```

Explore

[DataSet3] C:\Users\Karlo\Desktop\YIC\RESULTS\STAT_PIR.sav

Warnings

Signal is constant when PIR = 1. It will be included in any boxplots produced but other output will be omitted.

Signal is constant when PIR = 2. It will be included in any boxplots produced but other output will be omitted.

PIR

Case Processing Summary

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
Signal	1	30	100.0%	0	0.0%	30	100.0%
	2	30	100.0%	0	0.0%	30	100.0%

Descriptives^{a,b}

--	--

- a. Signal is constant when PIR = 1. It has been omitted.
- b. Signal is constant when PIR = 2. It has been omitted.

Tests of Normality^{a,b}

--	--

- a. Signal is constant when PIR = 1. It has been omitted.
b. Signal is constant when PIR = 2. It has been omitted.

Signal

