Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources

(Redirected from SIP API for Custom Websites)

With OnCore 2025.1, we've designed a new Advarra Research Portal (ARP) to replace SIP. As part of this change to ARP, we've added a REST API to query OnCore ARP data to be included in a custom website. Users of ARP/SIP in OnCore 2025.1 can use the ARP REST API.

- For more information on transitioning from the SIP to ARP API, see the **SIP to ARP API Transition Guide**∇.
- For an overview of the Advarra Research Portal API, see the **Advarra Research Portal API Overview**∇.
- For more information on using the REST API, see the **Advarra Research Portal API Specification** ∇.

Note that SIP functionality is still available and continues to work.

Overview

This page describes how to query OnCore SIP data for inclusion in a custom website. In past versions of OnCore, such as OnCore 14, recommendations were given with a SIP Kit, which included customization at multiple levels and was installed on the OnCore application server. For current versions of OnCore/SIP, we recommend the use of custom websites using SIP as an API, querying and consuming XML data as needed.

Making CORS Exceptions

Default configurations of OnCore and SIP will respond with security warnings if trying to include content in an external site. To make a CORS exception, an Apache configuration can be added for the external site. For example, on the OnCore application server:

```
/opt/forte/apache2.4/conf.d/70-cors.conf
```

This file would have Apache directives for allowing the website to query SIP data. For example:

Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources

For OnCore applications hosted on Advarra Managed Infrastructure, contact your Product Support Specialist to request a CORS exception for your website.

SIP Query Basics

The following functions can be used to query SIP for information. The format for the strings below assumes a hostname relative to your center's application server. (The hostname has been left off for readability.)

For the host oncore.mydomain.edu, the full URL looks like:

```
https://xyz-oncore-prod.forteresearchapps.com/sip/SIPBrowseServlet?
hdn_function=some_parameters
```

Data Formats and XML

By default, queries to SIP return data in HTML format. For building custom websites, a more versatile solution would be to query this data in a raw XML format. In the SIP functions listed below, raw XML can be returned instead by adding another parameter.

To return the raw xml, the parameter "format=xml" should be appended to the desired functions. For example, to return the raw xml in the above URL, it could be modified as follows.

```
https://xyz-oncore-prod.forteresearchapps.com/sip/SIPBrowseServlet?
hdn_function=some_parameters&format=xml
```

For OnCore instances on Advarra Cloud, HTML responses are not supported. The parameter "format=xml" must be appended to return an xml response.

Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources

Browse Functions

These functions are normally used for the "Browse" buttons in the SIP interface and return all the options for a search field.

This query string gives the list of all the drugs for all the protocols displayed on SIP:

```
/sip/SIPBrowseServlet?
hdn_function=DOMAIN_BROWSE&param_name=drug&category=DRUG&category_description=Drug
```

This query string gives the list of all the study sites for all the protocols displayed on SIP:

```
/sip/SIPBrowseServlet?
hdn_function=DOMAIN_BROWSE&param_name=study_site&category=STUDY_SITE&category_descri
ption=Study%20Site
```

This query string gives the list of all the disease sites for all the protocols displayed on SIP:

```
/sip/SIPBrowseServlet?
hdn_function=DISEASE_BROWSE&param_name=disease_site&category=DISEASE_SITE&category_d
escription=Disease%20Site
```

This query string gives the list of all the PIs:

```
/sip/SIPBrowseServlet?
hdn_function=STAFF_BROWSE&param_name=principal_investigator&staff_role=PI&staff_role
_description=Physician
```

Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources


```
/sip/FlowchartExternalControlServlet?hdn_function=SELECT_FLOW_CHART
```

This returns all available flowcharts including `widget_ids` that can be used when querying specific tree node content.

Get all protocol data for a given node ID:

```
/sip/FlowchartExternalControlServlet?hdn_function=GET_NODE_CONTENT&node_id=21
```

Note: The `node_id` and `root_id` refer to the `widget_ids` returned from the `SELECT_FLOW_CHART` response.

Get flowchart tree data for a given root ID:

```
/sip/FlowchartExternalControlServlet?hdn_function=GET_FLOW_CHART&root_id=1
```

Embedded Browse Options

There are several parameters available if you don't want to use the pop-up browse window for various form elements and want to use classic HTML drop-downs instead. Normally, the data needed to populate the browse pick list is used only in the "DOMAIN_BROWSE" functions listed above.

These parameters cause the same data to be added to the front SIP page and are not on by default because they significantly increase the size of the XML file transferred to render the page.

```
/sip/SIPMain?GET_STUDY_SITES=true
```

Include a "study_site" element in the XML similar to "hdn_function=DOMAIN_BROWSE&param_name=study_site" function above.

Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources

Include a "principal_investigator" element in the XML similar to "hdn_function=DOMAIN_BROWSE&param_name=principal_investigator" function above.

```
/sip/SIPMain?GET_DRUGS=true
```

Include a "drug" element in the XML similar to "hdn_function=DOMAIN_BROWSE&param_name=drug" function above.

```
/sip/SIPMain?GET_DISEASE_SITES=true
```

Include a "disease_site" element in the XML similar to "hdn_function=DOMAIN_BROWSE&param_name=disease_site" function above.

Protocol Searches

Protocol Summary:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_SUMMARY&protocol_no=050599
```

Protocol Listings:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS
```

It can take additional parameters to limit the search results by, as detailed below.

Age Group:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&age_group=A
```

Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources

Drug:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&drug=avastin
```

Therapy:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&therapy=Chemotherapy
```

Oncology Group:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&oncology_group=2
```

Management Group:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&management_group=2
```

Protocol No:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&protocol_no=050599
```

Principal Investigator:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&principal_investigator=JoeSmith
```

Study Site:

Page Contents

- Overview
- Making CORS Exceptions
- SIP Query Basics
- Data Formats and XML
- SIP Functions
  - Browse Functions
  - Flowchart Browse Functions
  - Embedded Browse Options
  - Protocol Searches
- Additional Resources


```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&department=Oncology
```

Library:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&library=Cardiology
```

Organizational Unit:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&org_unit=Cancer%20Center
```

Phase:

```
/sip/SIPMain?hdn_function=SIP_PROTOCOL_LISTINGS&phase=2
```

Additional Resources

SIP Pages Configuration spreadsheet

Retrieved from "https://oncore-docs.advarra.com/index.php?title=ARP-SIP_API_for_Custom_Websites&oldid=71705"

Categories:

- 2025.3
- 2025.4

©2026 Advarra. All rights reserved.