# Advarra Research Portal API Specification

## Version 2025.4.0

CONFIDENTIAL

# Table of Contents


URI scheme . . . 1
Operations . . . 1
- Browse . . . 1
  - List biomarker category values associated with ARP-enabled protocols . . . 1
  - List available device category values associated with ARP-enabled protocols . . . 1
  - List disease sites on ARP-enabled protocols . . . 2
  - List drug category values associated with ARP-enabled protocols . . . 2
  - List management group category values associated with ARP-enabled protocols . . . 3
  - List oncology group category values associated with ARP-enabled protocols . . . 3
  - List phase category values associated with ARP-enabled protocols . . . 4
  - List principal investigators associated with ARP-enabled protocols . . . 4
  - List study sites associated with ARP-enabled protocols . . . 5
  - List therapy category values associated with ARP-enabled protocols . . . 5
  - List protocols associated with ARP-enabled protocols . . . 6
- Flowchart . . . 7
  - Retrieve a node's direct child nodes. . . . 7
  - Retrieve available flowcharts. . . . 8
  - Retrieve details for the given flowchart node. . . . 8
- Protocol . . . 9
  - Retrieve details of a specified protocol . . . 9
- ProtocolAttachment . . . 9
  - Retrieve file attachment or URL for a given protocol attachment ID . . . 9

Definitions . . . 10
- Attachment . . . 10
- CategoryBrowseResult . . . 10
- CategoryItem . . . 10
- Drug . . . 11
- Flowchart . . . 11
- FlowchartNode . . . 11
- FlowchartProtocol . . . 12
- GenericError . . . 12
- GeneticInformation . . . 12
- NodeDetails . . . 12
- PrincipalInvestigator . . . 13
- PrincipalInvestigatorBrowseResult . . . 13
- ProtocolItem . . . 13
- ProtocolSearchResult . . . 14
- ProtocolSummaryResult . . . 14
- StaffMember . . . 16

StudySite . . . . . 16
StudySiteContact . . . . . 16

# URI scheme

```
BasePath: /arp/api
```

# Operations

## Browse

### List biomarker category values associated with ARP-enabled protocols

```
GET /browse/biomarker
```

#### Description

Returns the available biomarker category values for ARP-enabled protocols.

#### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue**<br>*optional* | Limits results to biomarkers with names that contain the searchValue (case-insensitive). | `null` | string |

#### Response Body `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of biomarkers matching the search criteria. | CategoryBrowseResult |

### List available device category values associated with ARP-enabled protocols

```
GET /browse/device
```

#### Description

Returns the available device category values for ARP-enabled protocols

#### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue**<br>*optional* | Limits results to devices with descriptions that contain the searchValue (case-insensitive). | `null` | string |


CONFIDENTIAL

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of device values matching the search criteria. | CategoryBrowseResult |

## List disease sites on ARP-enabled protocols

```
GET /browse/diseaseSite
```

### Description

Returns disease sites associated with ARP-enabled protocols.

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to disease sites with descriptions that contain the searchValue (case-insensitive). | `null` | string |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of disease sites matching the search criteria. | CategoryBrowseResult |

## List drug category values associated with ARP-enabled protocols

```
GET /browse/drug
```

### Description

Returns the available drug category values for ARP-enabled protocols

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to drugs with descriptions that contain the searchValue (case-insensitive). | `null` | string |


CONFIDENTIAL

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of drugs matching the search criteria. | CategoryBrowseResult |

## List management group category values associated with ARP-enabled protocols

```
GET /browse/managementGroup
```

### Description

Returns the available management group category values for ARP-enabled protocols.

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to management groups with names that contain the searchValue (case-insensitive). | `null` | string |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of management groups matching the search criteria. | CategoryBrowseResult |

## List oncology group category values associated with ARP-enabled protocols

```
GET /browse/oncologyGroup
```

### Description

Returns the available oncology group category values for ARP-enabled protocols

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to oncology groups with descriptions that contain the searchValue (case-insensitive). | `null` | string |


CONFIDENTIAL

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of oncology groups matching the search criteria. | CategoryBrowseResult |

## List phase category values associated with ARP-enabled protocols

```
GET /browse/phase
```

### Description

Returns phases for ARP-enabled protocols

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to phases with descriptions that contain the searchValue (case-sensitive). | `null` | string |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of phases matching the search criteria. | CategoryBrowseResult |

## List principal investigators associated with ARP-enabled protocols

```
GET /browse/principalInvestigator
```

### Description

Returns the principal investigators related to ARP-enabled protocols.

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to principal investigators with names that contain the searchValue (case-insensitive). | `null` | string |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of principal investigators matching the search criteria. | PrincipalInvestigatorBrowseResult |

## List study sites associated with ARP-enabled protocols

```
GET /browse/studySite
```

### Description

Returns the study sites related to ARP-enabled protocols.

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to study sites with names that contain the searchValue (case-insensitive). | `null` | string |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of study sites matching the search criteria. | CategoryBrowseResult |

## List therapy category values associated with ARP-enabled protocols

```
GET /browse/therapy
```

### Description

Returns the available therapy category values for ARP-enabled protocols

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **searchValue** *optional* | Limits results to therapies with names that contain the searchValue (case-insensitive). | `null` | string |


CONFIDENTIAL

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of therapies matching the search criteria. | CategoryBrowseResult |

## List protocols associated with ARP-enabled protocols

```
GET /protocol/search
```

### Description

Returns protocols that are ARP-enabled.

### Request Parameters

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **ageGroup** *optional* | Limits results to protocols that contain the ageGroup. | `null` | array |
| **Query** | **diseaseSite** *optional* | Limits results to protocols with one or more disease sites that are an exact match. | `null` | array |
| **Query** | **studySite** *optional* | Limits results to protocols with one or more study sites matching a given code value. | `null` | array |
| **Query** | **protocolNo** *optional* | | `null` | array |
| **Query** | **therapy** *optional* | | `null` | array |
| **Query** | **excludeFlag** *optional* | | `null` | boolean |
| **Query** | **drug** *optional* | | `null` | array |
| **Query** | **principalInvestigatorId** *optional* | | `null` | array |
| **Query** | **keyword** *optional* | | `null` | string |
| **Query** | **status** *optional* | | `null` | array |
| **Query** | **phase** *optional* | | `null` | array |


CONFIDENTIAL

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **cancerPrevention**<br>*optional* | | `null` | boolean |
| **Query** | **cancerControl**<br>*optional* | | `null` | boolean |
| **Query** | **oncologyGroup**<br>*optional* | | `null` | array |
| **Query** | **managementGroup**<br>*optional* | | `null` | array |
| **Query** | **department**<br>*optional* | | `null` | array |
| **Query** | **library**<br>*optional* | | `null` | array |
| **Query** | **organizationalUnit**<br>*optional* | | `null` | array |
| **Query** | **biomarker**<br>*optional* | | `null` | array |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of protocol IDs and protocol numbers matching the search criteria. | ProtocolSearchResult |

## Flowchart

### Retrieve a node's direct child nodes.

```
GET /flowchart/nodeTree
```

**Description**

Returns direct children of the requested flowchart node.

**Request Parameters**

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **nodeId**<br>*required* | Flowchart node to examine. | `null` | integer |


CONFIDENTIAL

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | A list of nodes that are direct children of the requested node. | < FlowchartNode > array |
| **400** | Generic error. | GenericError |
| **404** | Generic error. | GenericError |

## Retrieve available flowcharts.

```
GET /flowchart
```

**Description**

Returns a list of top level flowchart nodes.

**Request Parameters**

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | Returns a list of available flowcharts. | < Flowchart > array |
| **400** | Generic error. | GenericError |

## Retrieve details for the given flowchart node.

```
GET /flowchart/nodeDetails
```

**Description**

Returns details of the requested flowchart node.

**Request Parameters**

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **nodeId** *required* | Flowchart node to examine. | `null` | integer |


CONFIDENTIAL

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | Details of the flowchart node including protocols and child nodes. | NodeDetails |
| **400** | Generic error. | GenericError |
| **404** | Generic error. | GenericError |

## Protocol

### Retrieve details of a specified protocol

```
GET /protocol
```

**Description**

Returns details for the given protocolNo

**Request Parameters**

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Query** | **protocolNo** *required* | Specifies the protocol number (case-insensitive). | `null` | string |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | Returns protocol details for the given protocolNo. | ProtocolSummaryResult |
| **404** | Generic error. | GenericError |
| **400** | Generic error. | GenericError |

## ProtocolAttachment

### Retrieve file attachment or URL for a given protocol attachment ID

```
GET /protocol/attachment/attachmentId
```

**Description**

Returns file or URL (if S3 enabled) for the given attachmentId

**Request Parameters**

| Type | Name | Description | Default | Schema |
|---|---|---|---|---|
| **Path** | **attachmentId**<br>*required* | Specifies the protocol attachment ID. | `null` | integer |

**Response Body** `application/json`

| HTTP Code | Description | Schema |
|---|---|---|
| **200** | Returns an attachment file for the given protocol attachment ID. | No Content |
| **302** | Returns S3 attachment URL for the given protocol attachment ID. | No Content |
| **400** | Generic error. | GenericError |
| **404** | Generic error. | GenericError |

# Definitions

## Attachment

A web attachment.

| Name | Description | Default | Schema |
|---|---|---|---|
| **attachmentId**<br>*optional* | | `null` | integer |
| **filename**<br>*optional* | | `null` | string |
| **url**<br>*optional* | | `null` | string |

## CategoryBrowseResult

A collection of category items.

| Name | Description | Default | Schema |
|---|---|---|---|
| **count**<br>*optional* | | `null` | integer |
| **values**<br>*optional* | | `null` | < CategoryItem > array |

## CategoryItem

A single category value.

| Name | Description | Default | Schema |
|---|---|---|---|
| **itemCode**<br>*optional* | | `null` | string |
| **itemDescription**<br>*optional* | | `null` | string |

## Drug

A drug and associated parent description (if it exists) on a protocol.

| Name | Description | Default | Schema |
|---|---|---|---|
| **drugName**<br>*optional* | | `null` | string |
| **drugParentDescription**<br>*optional* | | `null` | string |

## Flowchart

The top level node of a flowchart.

| Name | Description | Default | Schema |
|---|---|---|---|
| **nodeId**<br>*optional* | | `null` | integer |
| **title**<br>*optional* | | `null` | string |

## FlowchartNode

A node in a flowchart.

| Name | Description | Default | Schema |
|---|---|---|---|
| **nodeId**<br>*optional* | | `null` | integer |
| **title**<br>*optional* | | `null` | string |
| **sortOrder**<br>*optional* | | `null` | string |
| **hasChildren**<br>*optional* | | `null` | boolean |
| **protocolCount**<br>*optional* | A count of protocols at this node and all child nodes. | `null` | integer |

## FlowchartProtocol

Basic protocol information for flowcharts.

| Name | Description | Default | Schema |
|---|---|---|---|
| **protocolNo**<br>*optional* | | `null` | string |
| **title**<br>*optional* | | `null` | string |
| **shortTitle**<br>*optional* | | `null` | string |
| **sortOrder**<br>*optional* | | `null` | string |
| **keyEligibility**<br>*optional* | | `null` | string |
| **correlates**<br>*optional* | | `null` | string |
| **status**<br>*optional* | | `null` | string |
| **excluded**<br>*optional* | If true, the protocol is not available from the getProtocolSummary endpoint. | `null` | boolean |

## GenericError

An error thrown while processing the request.

| Name | Description | Default | Schema |
|---|---|---|---|
| **errorMessage**<br>*optional* | The error message accompanying this response. Example - Not found | `null` | string |

## GeneticInformation

A biomarker alteration.

| Name | Description | Default | Schema |
|---|---|---|---|
| **biomarkerName**<br>*optional* | | `null` | string |
| **alterationName**<br>*optional* | | `null` | string |

## NodeDetails

Details of a flowchart node.

| Name | Description | Default | Schema |
|---|---|---|---|
| **nodeId**<br>*optional* | | `null` | integer |
| **parentNodeId**<br>*optional* | | `null` | integer |
| **title**<br>*optional* | | `null` | string |
| **sortOrder**<br>*optional* | | `null` | string |
| **childNodes**<br>*optional* | | `null` | < FlowchartNode > array |
| **protocols**<br>*optional* | | `null` | < FlowchartProtocol > array |

## PrincipalInvestigator

A principal investigator.

| Name | Description | Default | Schema |
|---|---|---|---|
| **lastName**<br>*optional* | | `null` | string |
| **firstName**<br>*optional* | | `null` | string |

## PrincipalInvestigatorBrowseResult

A collection of principal investigators.

| Name | Description | Default | Schema |
|---|---|---|---|
| **count**<br>*optional* | | `null` | integer |
| **values**<br>*optional* | | `null` | < StaffMember > array |

## ProtocolItem

A single protocol ID and number.

| Name | Description | Default | Schema |
|---|---|---|---|
| **protocolNo**<br>*optional* | | `null` | string |

| Name | Description | Default | Schema |
|---|---|---|---|
| **title**<br>*optional* | | `null` | string |
| **status**<br>*optional* | | `null` | string |

## ProtocolSearchResult

A collection of protocol IDs and numbers.

| Name | Description | Default | Schema |
|---|---|---|---|
| **count**<br>*optional* | | `null` | integer |
| **values**<br>*optional* | | `null` | < ProtocolItem > array |

## ProtocolSummaryResult

A protocol summary.

| Name | Description | Default | Schema |
|---|---|---|---|
| **protocolNo**<br>*optional* | | `null` | string |
| **status**<br>*optional* | | `null` | string |
| **title**<br>*optional* | | `null` | string |
| **objective**<br>*optional* | | `null` | string |
| **secondaryProtocolNos**<br>*optional* | | `null` | < string > array |
| **nctId**<br>*optional* | | `null` | string |
| **sponsorTypes**<br>*optional* | | `null` | < string > array |
| **ageGroup**<br>*optional* | | `null` | string |
| **protocolType**<br>*optional* | | `null` | string |
| **treatment**<br>*optional* | | `null` | string |

| Name | Description | Default | Schema |
|---|---|---|---|
| **phase**<br>*optional* | | `null` | string |
| **cancerControl**<br>*optional* | | `null` | boolean |
| **cancerPrevention**<br>*optional* | | `null` | boolean |
| **scope**<br>*optional* | | `null` | string |
| **diseaseSites**<br>*optional* | | `null` | < string > array |
| **geneticInformation**<br>*optional* | | `null` | < GeneticInformation > array |
| **therapies**<br>*optional* | | `null` | < string > array |
| **drugs**<br>*optional* | | `null` | < Drug > array |
| **layDescription**<br>*optional* | | `null` | string |
| **principalInvestigators**<br>*optional* | | `null` | < PrincipalInvestigator > array |
| **studySites**<br>*optional* | | `null` | < StudySite > array |
| **keyEligibility**<br>*optional* | | `null` | string |
| **detailedEligibility**<br>*optional* | | `null` | string |
| **eligibilityDocument**<br>*optional* | | `null` | Attachment |
| **dowgNames**<br>*optional* | | `null` | < string > array |
| **dowgConfigLabel**<br>*optional* | The configured category display name for disease oriented working groups. | `null` | string |


CONFIDENTIAL

| Name | Description | Default | Schema |
|---|---|---|---|
| **managementGroups**<br>*optional* | | `null` | < string > array |
| **contacts**<br>*optional* | | `null` | < StudySiteContact > array |
| **protocolAttachments**<br>*optional* | | `null` | < Attachment > array |

## StaffMember

A single staff record.

| Name | Description | Default | Schema |
|---|---|---|---|
| **staffId**<br>*optional* | | `null` | integer |
| **firstName**<br>*optional* | | `null` | string |
| **lastName**<br>*optional* | | `null` | string |
| **homeOrganization**<br>*optional* | | `null` | string |

## StudySite

A study site name and institution ID.

| Name | Description | Default | Schema |
|---|---|---|---|
| **siteName**<br>*optional* | | `null` | string |
| **siteCode**<br>*optional* | | `null` | string |
| **organizationUrl**<br>*optional* | | `null` | string |

## StudySiteContact

A site contact.


CONFIDENTIAL

| Name | Description | Default | Schema |
|---|---|---|---|
| **lastName**<br>*optional* | | `null` | string |
| **firstName**<br>*optional* | | `null` | string |
| **title**<br>*optional* | | `null` | string |
| **phone**<br>*optional* | | `null` | string |
| **fax**<br>*optional* | | `null` | string |
| **pager**<br>*optional* | | `null` | string |
| **email**<br>*optional* | | `null` | string |
| **credentials**<br>*optional* | | `null` | string |


CONFIDENTIAL