

Survey on the Analysis of User Interactions and Visualization Provenance

K. Xu¹, A. Ottley², C. Walchshofer³, M. Streit³, R. Chang⁴ and J. Wenskovitch⁵

¹Middlesex University, UK; ²Washington University in St. Louis, USA; ³Johannes Kepler University Linz, Austria;

⁴Tufts University, USA.; ⁵Virginia Tech, USA.

Abstract

There is fast-growing literature on provenance-related research, covering aspects such as its theoretical framework, use cases, and techniques for capturing, visualizing, and analyzing provenance data. As a result, there is an increasing need to identify and taxonomize the existing scholarship. Such an organization of the research landscape will provide a complete picture of the current state of inquiry and identify knowledge gaps or possible avenues for further investigation. In this STAR, we aim to produce a comprehensive survey of work in the data visualization and visual analytics field that focus on the analysis of user interaction and provenance data. We structure our survey around three primary questions: (1) WHY analyze provenance data, (2) WHAT provenance data to encode and how to encode it, and (3) HOW to analyze provenance data. A concluding discussion provides evidence-based guidelines and highlights concrete opportunities for future development in this emerging area.

1. Introduction

The definition of *provenance* is “The place of origin or earliest known history of something” [oxf]. The term is often used in the context of “the history of ownership of a valued object or work of art or literature” [mer]. The notion of provenance has been adopted and extended in the field of Computer Science and applied to concepts such as data, computation, user interaction, and reasoning. In this context, provenance is no longer limited to origin or history, but also includes the process and other contextual information. Provenance is a quickly-growing topic in the visualization and visual analytics subfields, and includes the development of systems to visualize provenance data, analyzing such data to understand user behavior, and personalizing systems in response to user interactions.

One of the key goals of visualization and visual analytics is to support data analysis and *Sensemaking* – “how we structure the unknown so as to be able to act in it” [Anc12]. In the context of data analysis, sensemaking involves understanding the data, generating hypotheses, selecting analysis methods, creating novel solutions, and critical thinking and learning wherever needed. Due to its exploratory and creative nature, the research and development of visualization approaches and techniques to support sensemaking lags behind the quickly-growing user needs. As a result, sensemaking is often performed manually and the limitations of human cognition can become a bottleneck [LS10].

Provenance can support a variety of sensemaking tasks. For example, provenance can be used for recalling the analysis process by visualizing the provenance information that includes the sequence of the investigations performed and their context information (such as parameters and motivation). Provenance consists of not only the results of each analysis stage (including the final results), but also the process that leads from data to conclusion. Thus, such information can also be used to communicate analysis outcomes. Examples

include providing an overview of what has been examined, revealing gaps such as unexplored data or solution possibilities, and supporting collaborative sensemaking and communication by sharing the rich context of the analysis process.

The literature on provenance analysis research is growing rapidly, covering aspects such as its conceptual framework, use cases and user requirements, and techniques that are designed to capture, visualize, and analyze provenance data. As a result, there is an increasing need to better organize the provenance-related research landscape, categorizing and connecting current work, and identifying knowledge gaps. In this state-of-the-art report, we structure our survey of provenance-related research around three primary questions: *WHY* analyze provenance data, *WHAT* provenance data to encode and how to encode it, and *HOW* to analyze provenance data. Those three aspects can be embedded along the overall process of analytical provenance outlined in Figure 1.

Through our survey, we identified a broad variety of purposes that underlie the analysis of provenance data, ranging from user-centric goals such as storytelling and modeling to system-centric goals like creating adaptive systems and evaluating algorithms. To perform such analysis, we note four overarching methods for encoding provenance data: sequences, grammars, models, and graphs. Given such data, researchers then analyze user provenance through a variety of classification and probabilistic models, pattern analysis, and program synthesis. We note that fuzzy boundaries exist in our categorization schema, as these methods of provenance analysis often overlap and blur.

Following our survey of provenance-related research, we discuss opportunities for future research in provenance analysis, including both fundamental problems and long-standing challenges. These include active areas of research such as inferring high-level provenance from low-level data, identifying groups within interaction




Figure 1: A summary of the flow and structure of provenance-related research activities. We organize the survey around three primary questions: *WHY* analyze provenance data, *WHAT* provenance data to encode and how to encode it, and *HOW* to analyze provenance data.

sequences, and the use of provenance data to create truly adaptive systems. We discuss the need within the community for provenance standards, cross-tool integration, and reproducibility.

2. Related Work

In Computer Science, provenance has been studied in many fields, often under different names. The Human-Computer Interaction community, for example, relies on the analysis of *protocols* to understand user behaviors and intentions [DFAB03, PSR15], such protocols include audio/video recording, computer logging, and user notebooks. Their analysis goals are similar to those of provenance. The Database, Semantic Web, and e-Science communities have been studying provenance for almost two decades now [BTC19]. *Data lineage* [BF05] and *data provenance* [LPG05] are often used interchangeably in the discussion of the provenance-related work [HDBL17] targeting issues such as process debugging, data quality, and accountability. This is closely related to work in reproducible science community that aims to make complex scientific experiment re-usable [FKSS08, ODOB18] and repeatable [CF17, IT18].

There is also active ongoing research within the visualization research community, from both the scientific visualization [SFC07] and information visualization/visual analytics perspective [NCE*11, XAJK*15, RESC15]. Many of the existing work focuses on capturing [NXW*16] and visualizing [WSD*13, SLSG16] the provenance. There are few surveys or overviews on visualization-related provenance work. Xu et al. [XAJK*15] discussed the common techniques and open questions during the process of provenance analysis, namely the modeling, capture, visualization, and its application in collaboration and trust. The work by Ragan et al. [RESC15] categorizes existing work based on the types of provenance information (data, visualization, interaction, insight, and rationale) and the purposes of the provenance (*recall*, *replication*, *action recovery*, *collaborative communication*, *presentation*, and *meta-analysis*). At a recent Dagstuhl workshop [FJKT19b], leading researchers from the various provenance-related disciplines discussed the open challenges and outlined directions for possible solutions.

3. Definition and Scope

In this survey we focus on the **analysis of user interactions and provenance data**, whose main purpose is similar to the “meta-analysis” as defined by Ragan et al. [RESC15]. However, instead of a comprehensive review on all aspects of analytic provenance and the visualization of user histories, this survey focuses on the **analysis** of interaction and provenance in the field of visualization. As such, we only include existing work that incorporates **non-trivial meta-analysis based on user-generated (interaction) provenance data with the high-level goal of improving, enhancing, or understanding a visual analysis system, visualization process, or visual artifact**.

Non-trivial meta-analysis needs to include advanced machine learning algorithms or statistical methods applied to provenance data. A student’s *t*-test calculated based on observational data acquired in a user study does not qualify as non-trivial. Similarly, we exclude work on collaborative sensemaking, if there is no additional analysis of the provenance information performed beyond recording and sharing.

To be included in this survey, we require the provenance data to constitute a cohort of recorded information from multiple users, a series of information from the same user, or both. As a result, a paper is not included if it only involves the analysis of a single piece of information provided by a user during an interactive visual analysis session. The same is true for non-trivial machine learning approaches, such as active learning methods. Here, the criteria is not the level of sophistication of the machine learning approach, but the amount and complexity of user input required. For example, it is not included if a sophisticated active learning technique only requires simple yes/no decisions from a user and requires no meta-analysis of the interaction data.

4. Structure of Survey

The structure of our survey is based on a high-level provenance analysis model (Figure 1) we created to describe the important factors and their relationships in provenance analytics. All the included works are based on user-generated (interaction) provenance data, wherefore we assume that the user interacts with a system. Analysis goals (WHY) are the reasons for provenance analysis and

give rise to requirements such as what data to capture and how the data is encoded (WHAT). The encoded provenance data is then further evaluated by analysis techniques (HOW) such as classification methods or probabilistic models. At the end of this process, user gains either user-specific or system-specific knowledge that can be used to improve or adapt any of the process model component to enhance the overall provenance analysis iteratively.







Based on this model, our survey aims to address the three main questions that will be faced by anyone conducting provenance analysis:

- WHY to analyze provenance data?
- WHAT types of provenance data to encode and how?
- HOW to evaluate provenance data?

Driven by these questions, we structured our survey as follows. Section 5 provides an overview of the spectrum for possible reasons for conducting meta-analyses and outline six essential drivers for provenance analysis (WHY), followed by the encoding, representation, and storing of provenance data (WHAT) in Section 6. Section 7 continues the discussions by categorizing current provenance analysis methods according to their different approaches (HOW). Our survey approach and methodology are discussed in Section 8, before ending the survey by summarizing our observations on goals, encoding methods, and analysis approaches (Section 9) and examining opportunities for further research (Section 10).

5. Goals: WHY Analyze Provenance Data

The spectrum of possible reasons for conducting meta-analyses on provenance data is broad. Our goal is to provide a comprehensive overview of existing body of literature that analyze provenance data for specific purposes. At a high-level, we can categorize the goals of the existing work as:

-  Understanding the User
-  Evaluation of System and Algorithms
-  Adaptive Systems
-  Model Steering and Active Learning
-  Replication, Verification, and Re-Application
-  Report Generation and Storytelling

5.1. Understanding the User

The goal of visualization is to create visual tools to support the user's reasoning and decision-making with data. Consequently, one of the primary reasons for analyzing provenance data is to *understand the user* and their sensemaking process [PJUP09]. The ultimate goal of this category of research is to create theoretical and computational models that can describe the human analytical reasoning process. Some of the earlier work in the area sort to uncover analysis patterns from interaction log data. For example, Dou et al. [DJS*09] demonstrated that it is possible to recover analysts' findings and strategies from log data. More recent work use computational methods to uncovering analysis patterns and workflows (e.g., [FPH19], [MRB19], and [LWD*17]). A promising set of work has also started to learn individual user characteristics, such



as expertise, personality traits, and cognitive abilities from provenance data [BOZ*14, KWRK12, OYC15, SCC13]. Also in this category is work on modeling attention [OGW19] and exploration biases [GSC16, LDH*19, WBF17] during analysis.

5.2. Evaluation of System and Algorithms

A few of the prior work have leveraged provenance data to understand the visualization system itself and to evaluate its usefulness [BKO*17, GL12, SML*09]. Here, it is important to distinguish between conducting statistical analysis on coarse user study metrics (e.g., speed, accuracy, and preference) and the *non-trivial analysis of provenance data for the primary purpose of evaluating a visualization design or system*. For instance, Bylinskii et al. [BKO*17] trained a neural network on mouse click data to create an automated model that learns the relative importance of visual elements for a given design. Smuc et al. captured the provenance to identify when users have insights [SML*09]. Gomez and Laidlaw modeled tasks performance on crowd workers to evaluate system design and help guide encoding choices [GL12]. Blascheck et al. [BJK*16] created a visual analytics system for evaluating an interactive visualization system. Among other techniques, they used pattern matching methods to uncover similarities within the provenance data of multiple users.



5.3. Adaptive Systems

A better understanding of the system and the user's analytic process give rise to opportunities to create *adaptive systems*. Such approaches are prominent in the existing literature and seek to improve the usability and performance of a visualization system, or the collaborative potential of the visual analytics tool. The body of prior work include a wide variety of systems that recommend visualizations based on inferred tasks [GW09], provide guidance for a given interface [CGM*17, CGM19, CAS*18], or prefetch data to improve system performance [BCS16, KN19]. For example, Gotz and Wen [GW09] proposed behavior-driven visualization recommendation that infers a user's task in real-time and suggests an alternative visualization that might support the task better. A similar approach was adopted by Mutlu et al. [MVT16] by adapting visualization recommendations to the users' preferences. Fan et al. [FH18] trained a convolutional neural network on interaction data to create a faster and more accurate scatter plot brushing tool. By analyzing real-time interactions, Battle et al. [BCS16] demonstrated that incorporating provenance data into the prefetching pipeline improved system latency by 430%. To explore event sequences predictions, Guo et al. [GDM*19] preserve and aggregate records by their top prediction. In order to achieve a higher acceptance rate of the predictions, they showed multiple predictions and let the user choose.



5.4. Model Steering

Modeling steering leverages provenance data to improve the underlying data representations, machine learning models, or projection calculations in the case



of high-dimensional datasets. Much of the work in this area uses active and reinforcement learning methods to learn from real-time interaction data and interactively improve the visualization. One noteworthy approach to model steering is *Semantic Interaction* which defines the process of inferring model parameters as users directly manipulate data visualization components [EFN12a, EFN12b, ECNZ15]. For example, the *IN-SPIRE* system allows the user to directly manipulate the spatial layout of text document to express perceived document similarity. Similarly, with *Dis-Function* [BLBC12], an analyst can update the parameters of a distance function in a 2-dimensional data projection by adjusting the positions of visual points. A similar approach is used by Hu et al. [HBM*13] with a spatialization algorithm to preserve semantics by allowing the user to move objects or highlight unmoved ones. Other research have applied model steering to refine data simulations [RWF*13, SWR*13] or to steer approximation models of real-time streaming data [PLvdM*17].

5.5. Replication, Verification, and Re-Application

Another usage of provenance data is to verify, replicate or re-apply analysis sessions. Here, we consider the body of work that goes beyond action recovery such as undo/redo. This category of research uses interaction logs to perform real-time or post-hoc quantification to validate the analysis results or to replicate the process when a similar problem arises. For example, the *Harvest* [SGL09] system tracks interactions with data elements and recommends notes and relevant views based on previous analyses in a collaborative environment. It is also common to convert the user interactions into executable scripts using a process called *program synthesis* – generating a script or executable sets of operations. *Wrangler* [KPHH11], for example, creates data transformation scripts based on passive observations of the user interactions. The scripts can then be re-applied to similar datasets. *KnowledgePearls* [SGP*19] allows users to rank and retrieve previous visualization states by formulating a string-based query. The query operates on a provenance graph containing automatically recorded user interactions and visualizations.



5.6. Report Generation and Storytelling





Finally, research has analyzed provenance data to automatically generate summary reports of an analysis session. Since a user's interaction history can be long and varied, “chunking” [HMSA08] to reduce the complexity of the history log, and “authoring” to generate reports and stories to reflect the relevant of the analysis are two common challenges. For example, the *Click2Annotate* [CBY10] uses low-level tasks results to create insight summaries with automated annotations. Similarly, *InsideInsights* [MHK*19] produces automated data-driven reports that allow the analyst to edit and structure insights into hierarchical views. *Chart Constellations* [XBL*18] generates summary insights from observations in a collaborative system. Lastly, *CLUE* [GLG*16] supports a user to directly interact with the history (provenance) graph to generate a *story* from the user's analysis history.



6. Encodings: WHAT Types of Provenance Data to Analyze


Now that we have considered the different reasons WHY researchers analyze provenance data (see Section 5), the next challenge is to determine how the user's interactions can be encoded, represented, and stored. The choice of the encoding has a direct impact on the downstream analysis of the provenance data as well as the expected outcome. For example, recording the user's interactions as low-level keystroke or mouse movement events is apt for the goal of reproducibility but isn't adequate for higher level analysis for the purpose of real-time analysis recommendation or guidance. Conversely, representing a user's interactions as a sequence of discrete events has been successful for the purpose of user modeling. However, this encoding isn't as flexible as a grammar-based approach that allows for future modification and reuse of the analysis process.

From the perspective of analysis techniques (see Section 7), the decision of how to encode the provenance data can also dictate the types of analyses that can be applied. For example, string analysis such as sequential pattern mining are best applied to sequence-based encoding; whereas signal-based analysis such as the use of Fourier and wavelet transform would assume that the data is represented as a continuous stream. Given the importance of encoding, in this section we categorize how provenance data have been represented in existing literature. In particular, we find four common encoding schemes:

-  Sequence
-  Grammar
-  Model
-  Graph

6.1. Sequence

Perhaps the most common of the encoding schemes, a *sequence-based* encoding records a user's interactions with a visualization tool in to a temporally ordered list. This list is often represented as a *string* that consists of a discrete number of *symbols* in which each symbol represents a type of interaction event.



Depending on the goal, the choice of the symbols may differ. For example, the symbols may be used to represent the interactive elements in a specific visualization (e.g., range selection in scatterplot), the data elements that the user interacted with (e.g., a page from a clickstream data), captured information about a user (e.g., the user's eye gaze movement), etc. In this section, we group the representation of sequence-based encoding into six types: **Interaction Type**, **Application State**, **User State**, **Taxonomy-Based Abstraction**, **Image Space**, and **Temporal Signal**.

6.1.1. Interaction Type

Arguably the most direct approach for recording a user's interactions with a visualization interface, this encoding approach can be considered as a log of all user's actions. Typically this log is generated from recording the callback functions executed during a user's session interacting with a visualization.

In some cases, the logged information can be low-level, such as keystrokes and the (x, y) positions of the mouse [GL12]. While these types of interactions do not contain semantic information, researchers have found that the analysis of such information can be used to classify types of users [BOZ*14]. More typically, interactions are captured at a higher semantic level that reflect the specific capabilities afforded by the visualization tool itself. For example, Battle and Heer record user's interactions with Tableau that include actions such as "shelf-add," "shelf-remove," "show-me," etc. which are interaction elements specific to Tableau [BH19].

Since the captured interactions are application-specific, the analysis of the provenance data is largely focused on the understanding of the user and their reasoning processes. For example, Dou et al. [DJS*09] logged interactions of expert financial analysts to examine how much of their reasoning process can be recovered. Similarly, Brown et al. [BOZ*14], Cho et al. [CWK*17], and Feng et al. [FPH19] use the interaction logs to classify users based on their performance, whether they might be under the influence of anchoring bias, and exploration strategies, respectively.

6.1.2. Application State

Opposite to logging the user's interactions with a visualization, a system can conversely log the resulting state of the visualization. The reason for choosing an *Application-State*-based encoding over an *Interaction*-based encoding is often because the visualization itself affords few interaction elements to differentiate a user's exploration or analysis intent.

For example, clickstream data from a user's web-browsing history has low granularity in terms of a user's interactions (i.e., there are few types of actions that a user can perform, such as click on a link, refresh, go-back, etc.), but can be very rich if the system logs the specific (types of) websites that the user examined. In the work by Wei et al. to analyze users' purchase patterns on eBay [WSSM12], the authors encode the clickstream data into categories such as Title, Description, Pricing, Shipping, Picture, etc. Related, work by Liu et al. [LKD*17] and Liu et al. [LWD*17] use a similar approach to analyze branching behaviors and detect uncommon patterns in clickstream data.

Beyond clickstream data, researchers have used the *Application State* encoding approach in a variety of other contexts. Cavallo and Demiralp [CD18] log changes to a machine learning model (and its corresponding changes in performance metrics) in a collaborative data analysis task. Stitz et al. [SGP*19] record past visualization states and allow a user to retrieve the state (and the visualization) by querying the system. Guo et al. [GDM*19] use the recorded application-state log to predict and recommend possible visualizations using a recurrent deep learning model. Moritz et al. [MHHH15] capture the query execution trace to help improve query performance.

6.1.3. User State

In addition to recording user interactions or the states of the application, there are often additional data and information generated from the use of a visualization such as insights, annotations, etc. In our survey, we identify two types of such information: *active*

user annotations and labels and *passive* user information such as eye-tracking data.

Active Actions: Instead of analyzing interaction history, Smuc et al. [SML*09] developed a tool to analyze the insights of the user as sequential data. The tool takes into account three such sequences: insights about the tool, insights about the data, and interactions with the tool. Similarly, work by Choe et al. [CLs15] correlate fitness track data with the user's annotations of their health state.

Related, researchers can manually code users' analysis sessions to identify patterns, commonalities, etc. For example, Boukhefifa et al. [BBT*19] performed an exploratory study on how experts collaboratively perform sensemaking with machine learning models. The experts' interactions are encoded as one of six possible high-level operations: initial exploration, new exploration, refine, compare, alternative, storytelling.

Passive Actions: In contrast to user's annotations and self-reported insights – which are data *actively* generated by the user – researchers have also included the use of *passive* data such as eye-tracking information and brain signals into the analysis of interaction logs. Work by Blascheck et al. [BJK*16, BBB*16] combine a number data sources, including eye-tracking, audio, video, and other provenance information into an analysis environment to better understand and evaluate how a user uses a visual analytics tool.

Eye-tracking data have also been used in the visualization for other inferencing tasks. Bylinkskii et al. [BKO*17] use eye-tracking data to learn visually salient features in graphic and visualization design. Steichen et al. [SCC14] and Smith et al. [SLMK18] demonstrate that analysis of eye-tracking data can be used to infer task difficulty and the user's confidence, respectively. Ottley et al. [OKCP19] track user's eye movements when reading texts that are embedded with visualizations and find that users do not integrate information well across the two representation styles.

In addition to eye-tracking data, recently researchers began using brain-sensing technologies to monitor a user's mental state when using a visualization. For example, Anderson et al. [APM*11] analyze EEG signal to determine a user's cognitive load when using different designs of box plots. Similarly, Peck et al. [PYO*13] use fNIRS to compare users' levels of cognitive effort when using bar charts and pie charts.

6.1.4. Taxonomy-Based Abstraction

One shortcoming of an *Interaction Type* encoding strategy is that the interaction logs are specific to the application. As a result, if the goal of analyzing the provenance data is to compare users using different visualization systems, the use of an application-specific encoding strategy would be ineffective.

To generalize the user's interactions, researchers have made use of taxonomies in the visualization of interaction types [YaKS07, LS10], tasks types [BM13], and analysis models [PC05]. Instead of recording each of the user's interactions at the application level, each interaction is first converted to an element in the taxonomy, thus unifying the symbols used to encode users' interactions in multiple visualizations.

In particular, Pohl et al. [PWM*12] and Guo et al. [GGZL15] encode user's interactions using the taxonomy by Yi et al. [YaKS07]

to compare analysis paths from the use of different visualizations and identify interaction trails that lead to user insights, respectively. Xu et al. [XBL*18] develop a tool that organizes a user's analysis history (and the corresponding visualizations) using the task taxonomy by Brehmer and Munzner [BM13]. Loorak et al. [LTC18] take a similar approach to examine changes between visualizations in using Tableau. However, instead of utilizing an existing taxonomy, the authors proposed their own categorization consisting of six task types: encoding, filtering, analytics, arrange, data, and formatting.

Also using a model, Perry et al. [PJUP09] take a different approach from the previously described work. Instead of encoding a user's interactions using an existing taxonomy, the authors first associate a user's interaction with one of the analysis states in the Sensemaking Loop by Pirolli and Card [PC05]. Treating the Sensemaking Loop as a Markov model, over time the system learns the transition probability of the edges and can therefore predict or recommend future analysis actions.

6.1.5. Image Space

Since many of the operations in a visualization relate to the user's interactions with the visual representations, these interactions can be encoded directly in the image space. Most common use cases of image-based encoding are visualization systems that support sketch-based query construction. In these systems, a user draws a pattern in the visualization and the system searches through the data to find data items that exhibit similar patterns. This technique has been demonstrated to work well for querying temporal [Wat01, CG16, MVCJ16] and spatial data [WCW*14].

In addition to sketches, Fuches et al. [FWG09] present a system that uses a genetic algorithm to learn interesting visual features from user-highlighted regions in the generated visualizations. Battle et al. [BCS16] analyze images produced by a visualization and extract features to predict a user's interests and future actions.

6.1.6. Temporal Signal

Lastly, we find one example of a sequence-based encoding scheme that makes use of temporal aspect of the interaction logs. Instead of converting the interaction log into a string of discrete symbols, in the work by Feng et al. [FPH19], the authors treat the sequence as a continuous temporal signal. As a result the authors are able to apply signal analysis techniques such as wavelet transform to analyze the interaction data.

6.2. Grammar

While the *Sequence-based* encoding scheme is robust and faithful in recording a user's interactions with a visualization, it is a static representation that does not afford future modifications and therefore reuse. In cases where a user's provenance information needs to be examined and re-applied to automate future analyses, researchers have developed techniques for recording the user's actions using rules and grammars. An early example of this approach is the *Home Finder* system by Williamson and Shneiderman [WS92]: a user's interactions with the *Home Finder* visualization result in the generation of SQL queries that are then executed by a back-end database.



Outside of the visualization community, one popular example of a *Grammar-based* encoding scheme is *Excel's* AutoFill and Flash Fill techniques. In *Excel*, a user can provide a few example values in cells and “drag” those values to other cells that are then automatically populated. Under the hood, *Excel* uses the few examples to learn regular expression rules [Gul11, GHS12] that are then applied to the empty cells – a technique in the programming languages community known as program synthesis.

In this section, we examine research in visualization and analytic provenance that encodes user interactions using a *Grammar-based* approach. We group these techniques into three categories: **Logic Rules**, **Languages and Scripts**, and **Specifications**.

6.2.1. Logic Rules

A common approach, especially when encoding a user's interactions with a multiple coordinated visual analytics system, is to encode each user interaction as a simple rule using first-order logic. For example, a user brushing over a range of values in the x-axis of a scatter plot can result in the rule $(x < 5)$. These rules can then be chained together using Boolean or first-order logic that can be stored, modified, and reused. A paper by Weaver describes this type of encoding in a visualization system as “Conjunctive Visual Forms” [Wea09].

In the paper by Xiao et al. [XGH06], the authors apply this method to perform network traffic analysis. A user's interactions with their system results in queries in first-order logic with domain-specific clauses relating to network information (e.g., IP source, IP destination, etc.). Garg et al. [GNRM08] adopt a similar first-order logic representation based on Prolog, but uses an Inductive Logic Programming method for learning the rules. Srinivasan et al. [SPEB18] presents the *Graphiti* system that learns Boolean logic rules based on a user's interactions when constructing a graph from a tabular data. Lastly, using a more explicit approach (instead of the implicit learning of rules), Koch et al. present a system that allows a user to interactively construct (Boolean logic) queries in patent search [KBGE09].

In a slightly different vein, Mutlu et al. [MVT16] uses rules extracted from past visualization examples to recommend new visualization. Their system, *VizRec*, learns visual-data mappings from previous visualizations generated by the user and stores them as rules. These rules are then used to automatically map data attributes in a new dataset to visual attributes.

6.2.2. Languages and Scripts

In addition to first-order logic, researchers have used a range of other grammars and domain-specific languages to represent the user's interactions. While a full treatment of formal languages and their power is beyond the scope of this paper, the encoding methods using these grammars and languages often have higher expressive power over the use of first-order logic for capturing the nuances in a user's interactions with a visualization. For example, in the paper by Dabek and Caban [DC16], the authors encode the user's interactions as a deterministic finite automaton and leverage existing algorithms to learn a compact grammar from the user's interactions. These learned grammars encode sequence information that cannot be easily captured using the *Logic Rules* approaches.

Beyond formal grammars, researchers have developed their own domain-specific languages to encode the user's interactions with their system. In the papers by Kadivar et al. [KCD*09] and Chen et al. [CQW*14], the authors present the *CzSaw* system that generates a reusable script based on the user's interactive analysis of graphs. Kandel et al. [KPHH11] propose the *Wrangler* system that helps a user perform data cleaning. In *Wrangler*, the system generates multiple plausible scripts from a user's interaction. A user can choose one of those scripts and apply them to the rest of the data (similar to AutoFill) or make modifications to them before the application. Muthumanickam et al. [MVCJ16] and the *Zenvisage* system by Siddiqui et al. [SKL*16] apply a similar technique to querying temporal data. Using a sketch-by-example approach, a user's drawing of a desired temporal pattern is first converted into a shape grammar whose design is inspired by regular expression. A user can edit and modify the expression to further refine the degree of smoothing and approximation of the query.

Lastly, although not strictly a grammar or language, in the work by Hoque et al. [HSTD18] and Setlur et al. [SBT*16a], the authors make use of principles from linguistic theory to disambiguate natural language queries. These systems augment a user's query with annotation functions like Continue, Retain, Shift to maintain the context of a continuous analysis session and make potentially ambiguous user queries meaningful to the visualization system.

6.2.3. Specifications

In some cases, each user interaction with the visualization might not be meaningful or relevant to the user's goal. Instead, through iterative interactions with the visualization, the user aims to populate a specification that in turn can be used for generative purposes.

For example, similar to the *Home Finder* example [WS92], in the work in Ferreira et al. [FPV*13] for visual exploration of large-scale urban data, the user's interactions are translated into parts of the WHERE clause in a SQL query. In this case, each of the user's interaction is not of particular relevance and does not need to be recorded. Instead, it's the final constructed query that is of interest to the system and the analysis. Walker et al. [WSD*13] take a similar approach in developing their visual analytics tool to analyze "human terrain" information. Users' interactions and analysis states are stored in a specification format called *ProvML* that is XML-based extension of the Open Provenance Model. Similarly, Rubel et al. [RB18] store user analysis of mass spectrometry imaging (MSI) data in a format proposed by the authors to enable sharing and reproducibility of analysis. Lastly, *Voyager*, a system by Wongsuphasawat et al. [WMA*16], can recommend new visualizations based on the user's previous exploration pattern. In *Voyager*, visualizations are specified using the *Vega-Lite* specifications [SMWH16] and the system identifies patterns between these specifications to make future recommendations.

Recently, there has been a number of papers on the interactive specification and generation of bespoke visualizations. Although the goals of these research projects are not for the purpose of analytic provenance or tracking of the user's interaction histories, some of them use similar encoding techniques. For example, Lyra [SH14] uses the *Vega* specification [SRHH15] and the framework of *Charitulator* [RLB19] is a new specification proposed by its authors.

In both cases, a user's interaction with the systems result in populating fields in these specifications which are then used to generate a bespoke visualization design.

6.3. Model

In visual analytics systems, the goal of provenance and interaction analysis is often expressed as the (machine learning) model that a user is constructing, steering, or exploring. In these cases, how the user interacts with the data or the visualization might not be the primary focus and are therefore not directly encoded. Instead, the visual analytics system performs *inferencing* over the user's interactions that results in updates to the underlying models.



Sometimes known as interactive model steering, in this section we identify publications that: (1) use a sequence of interactions to derive the model, (2) make explicit, quantitative, and recordable representations of these models, or (3) present novel inferencing techniques for analyzing a user's interaction. We categorize papers in this section into two groups: **Machine Learning Models** and **User Models**.

6.3.1. Machine Learning Models

In interactive model steering, a common way to record the history of the analysis process is to encode the state of the model itself. An example of such model steering is the work in learning a distance function for a 2D projection of high dimensional data by Endert et al. [EHM*11] and Brown et al. [BLBC12]. In these systems, the user manipulates the positions of data points in a 2D projection and the system learns the parameters of the underlying distance function that would make such a projection possible. For example, when using a weighted Euclidean distance function, the model can be represented as a vector where each value in the vector represents the weight of a dimension. Users' provenance data from interacting with such a system can then be visualized as trails for the purpose of cohort analysis and comparison [BYC*19].

Similar model steering technique can be applied to other types of models, such as those to learn the relative importance of documents and keywords in texts [BNHL14, EFN12b], temporal sequences [KC14], ranking [WDC*18], projection planes [KCPE16, KKW*17], concept graphs [CCI*15, MSW10], visual features [FWG09], and visualization recommendation [BCBL13].

While most of these works do not directly model the user's interactions, in the work by Hossain et al. [HOG*12] the authors explicitly models a user's interactions with the underlying clustering model as a matrix of constraints. Each row and column of the matrix represents one cluster, and by toggling on or off each cell the user can interactively "gather" or "scatter" the data points and steer the clustering model.

6.3.2. User Models

In some cases, the purpose of tracking a user's analysis behavior is to learn a model about the user. For example, Gotz et al. [GSC16] model a user's interactions with a visual analytics system to detect selection bias during a user's analysis of high-dimensional data.

Each of the user's interactions is modeled as a probability distribution over the data space, and bias is defined by measuring differences in these distributions. Wall et al. [WBF17] take a similar approach to detect bias but instead model the user's interactions as Markov chains.

Similarly, Healey and Dennis [HB12] and Ottley et al. [OGW19] both aim to model "user interests" in a visualization. Healey and Dennis develop a Bayesian user model using a boosted Bayesian network classifier that takes into account the user's explicit and implicit inputs on their interests in the shown visualization and the underlying data attributes. Ottley et al. use a Hidden Markov Model approach that models the user's attention where low-level features in a visualization (e.g., color, size, positions, etc.) are modeled as hidden states and the user's interactions as the observable states in the model.

Lastly, Nguyen et al. [NHC*20] models a user's interactions as probability distributions over analysis sessions. Using Latent Dirichlet Allocation, each of the user's interactions is considered a "word" and each analysis session is a "document." With this model, the authors can generate hierarchical profiles of users based on their analysis behaviors.

6.4. Graph

Since the purpose of using a visualization is to explore data, discover patterns and relations, and eventually build knowledge, many visualization systems encode the user's interactions as knowledge graphs, concept graphs, or history graphs. In most cases, the nodes in these graphs represent a data item (e.g., a document, a location, an entity), an abstract concept (e.g., user annotations), or a visualization state (e.g., user histories). Edges then represent connections or relations between these entities. In this section, we group papers that use *Graph-based* encoding into two categories: **Entity and Concept Graphs** and **History Graphs**.

6.4.1. Entity and Concept Graphs

The use of entity or concept graphs is most commonly associated with sensemaking and collaboration. In these applications, the user's interactions with a visualization or visual analytics system result in some modification to the graph. Similar to the *Model-Based* encoding strategy, since the goal of the visual analysis process is defined (in this case, the construction of the graph itself), a user's interaction log can be modeled as changes to the graph over time.

In these systems, the choice of the representations of the nodes and edges reflect the purpose of the system. For example, the *VizCept* system [CYM*10] is designed for the purpose of collaboratively sensemaking. In *VizCept*, a node represents a concept, which can be an entity such as a name, a location, an object (extracted from text documents) or a word that a user types in. Multiple users can simultaneously interact with these nodes by connecting them, forming relations. The *CLIP* system by Mahyar and Tory [MT14] and the *KTGraph* system by Zhao et al. [ZGI*18] use a similar encoding of nodes and edges. The *CLIP* system has an additional emphasis on the temporal order of events over the *VizCept* system,

whereas the *KTGraph* system is designed specifically for asynchronous collaboration.

We find one example where the authors make additional use of an entity or concept map beyond sensemaking. In the *Candid* system by Shadoan and Weaver [SW13], the user interactively constructs an entity (attribute) relations graph, which is then translated into a hypergraph querying language that can express complex n-ary multi-dimensional conjunctive relations.

6.4.2. History Graphs

Closely related to *Sequences of Application States*, the *History Graph* encoding strategy records a user's interactions as a graph structure instead of a linear list of temporal events in the *Sequence-based* approach. Although more complex, the graph-based approach can reveal patterns in the graph structure that cannot be easily found in a sequence-based representation, such as cycles (representing repeated analysis steps), high vertex connectivity (representing a commonly re-visited analysis state), cliques (potentially representing detailed analysis), etc. Further, with additional analysis to identify semantically meaningful labels for the nodes, these graph representation can be used for the purpose of reporting and storytelling.

In *Graphical Histories* by Heer et al. [HMSA08], each node in the graph represents an action taken by the user. The system then performs "chuncking" to reduce the size and complexity of the graph. Dabek and Caban [DC16] take a similar approach, but uses a finite automaton (which is a directed acyclic graph) as its internal representation. Also using a directed acyclic graph (or more precisely a hierarchy), Dextras-Romagnino and Munzner [DM19] present the *Segmentifier* system that helps a user iteratively refine sequences of interaction data into meaningful segments.


For the purpose of reporting and storytelling, in the work by Gratzl et al. [GLG*16] a user directly interacts with the history (provenance) graph to generate a *story* from the user's analysis. Mathisen et al. [MHK*19] presents the *InsideInsights* system that generates a report of a user's analysis by first annotating the visualization states and aggregating the states into narrative schemas.

History graphs can also be used to represent steps in data transformation and cleaning. In the work by Bors et al. [BGM19], data cleaning (wrangling) operations are stored as a directed acyclic graph. The user can explore the graph and evaluate the quality of the data cleaning along the process. Similarly, Schlinder et al. [SWR*13] present a dataflow model for data transformation. Although this model is not specific to recording user interactions, it uses a graphical encoding to represent the stages of data transform and analysis that is similar to provenance graphs.

Lastly, we find one example of a hybrid approach that combines both a concept graph with a history graph. In the work by Shrinivasan et al. [SvW08, SvW09, SGL09], the authors present systems that track and maintain a history graph while allowing a user to manually construct a concept graph that represents the user's analysis process. The two graphs are coordinated such that a user clicking on a node in the concept graph will take the user back to the corresponding analysis step(s) in the history.


7. Techniques: HOW to Analyze Provenance Data

User interactions collected from a visual data exploration or analysis session can be analyzed in a variety of ways. In the most simplistic cases, the user interaction data can be stored as part of the “undo/redo” mechanism with little data processing required. In this section, we focus on complex analysis methods that researchers apply to the interaction data to derive insight into the user’s analysis intent, re-purpose past analyses, predict future user actions, or create analysis summaries. We organize the observed methods into five primary categories:



7.1. Classification Models

The most common technique for evaluating provenance data is perhaps the use of classification and statistical modeling techniques to differentiate sequences of user actions [BOZ*14, WBF17, GGZL15, KPS*17, OYC15, BCN*19, DC16]. The overarching goal of such techniques is to map a user action to one or more categories. A number of surveys in the literature have demonstrated the application of these techniques to a variety of data types relevant to provenance analysis, including text [AZ12, SYD*14] and images [LW07, NMK*14]. Indeed, many of the common types of insights that users wish to identify in data necessitate a classification phase, including comparison, correlation, distribution, and trend insights [CLs15].



Perhaps the most frequently applied method for classification in general research is k -means clustering. The goal of this unsupervised method is to partition a collection of observations into k clusters such that each observation is assigned to the cluster with the nearest mean. The standard algorithm for k -means is straightforward to implement, leading to the popularity of this technique. However, k -means has limitations, best able to identify clusters that are convex and with similar covariance [Llo82]. The algorithm is found in systems such as *Chart Constellations* [XBL*18], which permits an analyst to interact with a collection of charts, projecting, clustering, filtering, and connecting results. Sherkat et al. [SNMM18] develop an interactive k -means approach to permit users to interact with eye-gaze patterns. A similar approach that is less-frequently used is the k -nearest neighbors classifier, in which an observation is assigned to the class most common among the k nearest observations. Pezzotti et al. [PLvdM*17] use a similar Forest of Randomized KD-Trees approach to create a steerable t-SNE (t-Distributed Stochastic Neighbor Embedding) method for data exploration.

Another common supervised method for classification is regression analysis, which attempts to determine the relationship between a dependent variable and a collection of independent variable inputs. Regression models appear in a variety of forms, including linear, logistic, and polynomial regression. The difference between

these models lies in the type of function used to model the dependent variable. Toker et al. [TLC17] experiment with linear regression, among other techniques, to predict the phase of a user’s skill acquisition when interacting with bar graphs, but separately use logistic regression in a previous experiment with similar eye tracking data and goals [TSG*14]. Hu et al. [HDG*19] also make use of linear regression in their *VizNet* experiments, working to understand the influence of user task and data distribution on visual encoding effectiveness.

Support-vector machines (SVMs) present another method for classification analysis, though the goal of the algorithm switches from approximating a relationship to identifying an optimal boundary between classes. SVMs can also efficiently perform non-linear classification by means of a kernel function that maps the input space into another that is more computationally tractable. SVMs are found classifying provenance data in a study processing eye-gaze data by Steichen et al. [SCC14], as well as in “Finding Waldo” [BOZ*14]. Toker et al. [TLC17] also test SVMs against linear regression in their prediction study.


Dimensionality reduction (DR) techniques follow a similar approach to how the kernel function in SVMs performs a mapping between spaces. The goal of these techniques is to reduce the number of variables under consideration, simplifying the analysis and often enabling the outcome to be more easily visualized in a two-dimensional projection [ECNZ15]. Boukhefifa et al. [BBT*19] use DR to reduce the model exploration space, aiding analysts in exploring complex model results. Topic modeling techniques such as Latent Dirichlet Allocation (LDA) and Non-negative Matrix Factorization (NMF) can be considered a type of DR, as the goal is to reduce a broad collection of terms into a smaller collection of topics. Both LDA and NMF are used by Sherkat et al. [SNMM18] in their adaptive clustering implementation. Latent Semantic Analysis (LSA) and Latent Semantic Modeling (LSM) work similarly, demonstrated by Wegba et al. [WLLW18] as their work identifies a relationship between users and movie recommendations.

Artificial neural networks are learning methods inspired by biological neural networks. These come in a broad variety of forms, such as the Fully Convolutional Networks (FCNs) used by Bylinskii et al. [BKO*17] to predict important regions in an interface, enabling automatic design retargeting and thumbnailing by analyzing user interactions. Steichen et al. [SCC14] and Toker et al. [TLC17] also experiment with neural networks in their studies.

Hierarchical techniques such as decision trees model sequences of decisions and their consequences. The techniques are particularly suited for provenance analysis, as sequences of interactions include similar branching behavior, as seen in *CoreFlow* [LKD*17]. Similarly, hierarchies can be used to map low-level interactions to higher-level intents and reasoning processes [BWD*19, DJS*09].

7.2. Pattern Analysis

Pattern analysis refers to the detection of patterns in data or logs. Such analysis often comes in two forms. First, **Automated Pattern Analysis** often consists of the stages leading up to a prediction or classification, mapping the detected patterns in the provenance data to an outcome



either as part of a continuing automated process or as a preprocessing step before an analyst begins exploration of the patterns. Second, **Manual Pattern Analysis** refers to user-driven exploration and analysis of provenance data. When considering the analysis of provenance data, detecting patterns in interaction logs by either the manual or automated approach can enable systems to predict future interactions, as well as providing users with insight into their own behaviors.

7.2.1. Automated Pattern Analysis

One common method for automated pattern analysis is to traverse a graph representation of the provenance data. For example, Dabek et al. [DC16] encode a collection of user interactions as a directed acyclic graph, and then extracting common sequences from the graph for later analysis. Shrinivasan et al. also traverse a graph generated from provenance data to identify patterns and sequences for the purpose of automated annotation and recommendation [SGL09]. Shadoan et al. [SW13] take a similar approach, representing user queries as a hyper-graph that can be later used in future analysis.

Systems and studies also use machine learning and similar intelligent approaches to identify patterns in provenance data. Gotz et al. [GSC16, GSC*17] uses Adaptive Contextualization, monitoring and modeling a user's data selection activity and computing metrics over that model. Bylinskii et al. [BKO*17] use a neural network to extract and prune patterns that are later presented to users for interaction. Nguyen et al. [NTA*18] make use of the Generalized Sequential Patterns algorithm to identify frequent patterns from a set of user sessions.

Other approaches for automated pattern analysis include techniques such as the automatic extraction and visualization of branching patterns in event sequences as seen in *CoreFlow* [LKD*17]. In a similar visualization-centric approach, Liu et al. [LWD*17] use sequence clustering and sequential pattern matching on collections of websites visited by users, permitting patterns to be automatically extracted and pruned before presenting the patterns to users for interaction. *HARVEST* is used by Shrinivasan et al. [SGL09] to create a context-based retrieval algorithm that uses notes, views, and concepts from past analyses to identify patterns most relevant to a user, providing these patterns to a user within a web-based visual analytic system.

7.2.2. Manual Pattern Analysis


Sketches are a common means for manually presenting patterns to a system, representing a user-driven approach for pattern matching. The type of sketch varies across systems. Wang et al. [WCW*14] permit users to sketch 2D maps for querying trajectory information. Both Correll et al. [CG16] and Muthumanickam et al. [MVCJ16] support sketches of time series, which are then converted to queries for pattern retrieval.

Rule-based systems are a second approach for user-driven pattern matching. Cappers et al. [CvW18] present a system that allows users to construct rules to encode events, after which queries are automatically generated into a format similar to regular expressions. The *KnowledgePearls* system [SGP*19] supports a similar query-based approach for searching for past visualization states.

A variety of other techniques also permit analysts to query information about patterns in past interactions. *Segmentifier* [DM19] iteratively refines collections of interactions into meaningful sequences, which can subsequently be queried through a visual interface. *Perfopticon* [MHHH15] provides a similar interactive tool to explore query execution traces in distributed databases, while MacInnes et al. [MSW10] present an expert-guided clustering technique to identify patterns and link those patterns to their semantic meaning.

7.3. Probabilistic Models / Prediction

Precise classifications are not necessarily the only predictions that can result from the analysis of provenance data. Indeed, the nuance and randomness inherent in interpreting and inferring from such imprecise data often necessitates probabilistic interpretations [MA19].



The most straightforward probabilistic approaches rely on traditional statistical models. For example, the approximated and steerable t-SNE created by Pezzotti et al. relies on the underlying t-distribution to model data via this dimensionality reduction strategy [PLvdM*17]. Similarly, Feng et al. explore multiple metrics for visualization interaction behavior to cluster groups of users, including the chi-square distribution among others such as frequency counts and TF-IDF [FPH19].

The next stage beyond basic probabilistic approaches is the use of Bayesian probability and inference. Naive Bayes classifiers are relatively simple probabilistic classifiers that incorporate substantial independence assumptions between the features under consideration, and are used as one of the models tested in the pupillometry and head distance analysis by Toker et al [TLC17]. Healey et al. [HB12] also make use of Bayesian classification to identify data items within large datasets that are of potential interest to the user.

The output of the neural networks discussed in Section 7.1 are often fuzzy classification results, not precise predictions. The Time-Aware Neural Networks (TRNNs) used by Guo et al. [GDM*19] and the Convolutional Neural Networks used by Smith et al. [SLMK18] demonstrate two separate prediction approaches, supporting the ability to predict tasks as distinct as next actions and user confidence. Probabilistic prediction models can be simpler than neural networks as well, even including probabilistic views on regression approaches such as logistic [BCN*19] and linear [MSM*17] prediction models.

Markov models are used to model randomly changing systems, assuming that future states are only dependent on the current state rather than events that occurred previously. Predicting such future states often makes use of a state-based approach, in which edges represent transitions between the states [PWM*12, PSM12, BCS16, PJUP09]. Ottley et al. use a hidden Markov model to learn from and anticipate mouse interactions during exploratory data analysis [OGW19], while Wei et al. [WSSM12] follow a similar approach for Web clickstream data.

The nuances in provenance data are also apparent in natural language interfaces. These systems must interpret ambiguous or complex instructions provided by users [SBT*16b], who could adopt

a number of different means to express the same goal. Such approaches range from the use of standard libraries such as word2vec for keyword tagging [XBL*18] to the use of topic modeling, a classification method also addressed in Section 7.1 that is probabilistic in nature [CWK*17, NHC*20]. Linguistic theory can aid in the analysis of sentences to understand queries that are generated by users for these approaches [HSTD18].

7.4. Program Synthesis

Another provenance analysis approach is to perform program synthesis – generating a script or executable sets of operations based on past user interactions. In these systems, a common goal is to convert the user interactions into an executable script that can be applied to a new dataset. However, it is also possible to perform additional analyses over these higher-level scripts or grammar to extract additional information.



There is substantial overlap between the first stage of this approach and the discussion of grammar-based encodings in Section 6.2, as the use of a grammar-based approach [DC16], or the design of a domain specific language [KPHH11, KCD*09, CQW*14] often underlies this approach. These approaches are varied, with analysis taking place on encodings ranging from text-based approaches such as SQL queries [FPV*13] and regular expressions [MVCJ16] to more complex forms like graphs [KCD*09, SPEB18] and Boolean logic [KBGE09, Wea09]. We point the reader to Section 6.2 for a more thorough discussion of these encodings.

Expanding the discussion in this section more broadly than only the analysis of these scripts and grammars, we find studies detailing ways in which reviewing provenance data permits a user to both better explore past actions and to understand the effects of potential future actions within a system. For example, Ragan et al. [RGT15] performed a controlled study to evaluate how the presence of a visual history aid affects the memory of a user with recalling the details of their exploration process, finding that providing such an aide for a user to explore their past interactions was a substantial benefit. A similar conclusion was reached by Chen et al. [CQW*14] in their propagation-based parametric model approach, also noting that analysts were better able to recall the chronological states of the analysis process with their symbolic model. In terms of future effects, *Wrangler* [KPHH11] enables analysts to understand the effects of a variety of potential operations in the interaction space.

Understanding the cognitive behavior and strategies of users from interaction logs is a further benefit in this area. A think-aloud study by Dou et al. [DJS*09] was able to identify several strategies, methods, and findings of an analysis process through the examination of an analyst's interaction log. Similarly, Blascheck et al. performed [BVV*18] an analysis of interaction logs and eye movement data to identify analyst exploration strategies. An interview study of data analysts by Madanagopal et al. [MRB19] further demonstrated that the need for provenance information changes during the course of the analysis process and dependent upon the role of the analyst who is performing that analysis.

7.5. Others

Beyond these common methods, researchers have also explored other types of data representations and analysis methods for a variety of purposes. Here, we briefly summarize several of these themes. There are a wide variety of internal representations and user interactions that can be supported for provenance analysis, as demonstrated by Liu et al [LS10].

7.5.1. Semantic Interaction

Semantic interaction is a demonstrational technique for model manipulation introduced by Endert et al [EFN12a]. Analysts provide feedback to an underlying learning routine by demonstrating a relationship that they seek in the visualization, and the system in turn attempts to produce this relationship across all observations by altering the models that produce the visualization. As such, these models are indirectly the altered analysis object, leading to a great deal of overlap with the Model discussion in Section 6.3.1.

The interaction techniques supported by these semantic interaction systems are the direct means by which an analyst evaluates and updates the model state. The variety of supported interactions is quite broad, ranging from interactions on observations in the form of projected glyphs [BLBC12, BNHL14] and table rows [WDC*18] to interactions on the axes [KCPE16] and background [KKW*17] of the plot. These interactions often involve manipulating layout constraints or coordinates [HBR14, KC14], but can also include interactive clustering [HOG*12] or simply highlights regions of interest [FWG09].

7.5.2. Analysis Via Visual Analytics

Semantic interaction represents one portion of the overall space of using visual analytics techniques and systems to analyze provenance data. For example, Blascheck et al. [BBB*16, BJK*16] developed a visual analytics tool to analyze multiple streams of user interaction data, including audio, video, eye gaze, content of analysis, and more. Similarly, both *InsideInsights* [MHK*19] and *SenseMap* [NXB*16] provide web-based interfaces for the analysis and exploration of provenance data. These techniques further allow for the exploration of large provenance data collections, which can benefit safety and security tasks [SMvdWvW15] as well as scientific research [GLG*16]. The analysis can also be collaborative, as seen in the study using RCloud by North et al [NSUW15].

A further set of systems made use of graph-based approaches, in which the graph is central as both an interaction target and analysis goal. Continuing the collaborative theme, Mahyar et al. create an evidence graph or collaborative sensemaking, making use of visual analytics techniques on this graph to gain insight from its structure [MT14]. Zhao et al. further discuss the construction of a knowledge graph for the purpose of collaborative analysis [ZGI*18], while *Vizcept* records user insights in a concept graph structure for further analysis [CYM*10].

Using visual analytics approaches for evaluating provenance data is not only limited to the creation of visualization and interaction techniques. Indeed, other systems make use of provenance

analysis as an analysis component connecting the visualization output to the underlying models. Setlur et al. [STD19] demonstrate this in their technique using rule-based inferencing to obtain missing information necessary to process natural language queries, making use of concepts known by the system to refine user utterances. A similar approach is used by *Flux Capacitor* [KN19] to reduce queries, prefetch, and cache data to minimize intensive workloads on databases, using knowledge of user interactions to perform these operations.

7.5.3. Generation and Analysis of Visual Design

The analysis of provenance data can also be used to generate new visualization designs, as well as to analyze the quality of existing visualizations. Smuc et al. [SML*09] develop a methodology that makes use of participatory design processes and formative evaluation strategies to design novel analytical tools, while Choe et al. [CLs15] discuss an empirical study to inform the design of systems for personal data systems. In both cases, the proposed and actual interactions of users drove the design process. New visualizations can also be generated automatically from user interactions, as seen in both the *Visualization-by-Sketching* [SK16] and “Visualization by Demonstration” [SKBE17] techniques.

8. Survey Methodology

Before diving into the review of provenance analytics, we describe our methodology for collecting the research paper we included into this survey. For our literature review, we followed a three-stage systematic process as applied by Beck et al. [BBDW14]. We used tagging as a main instrument, starting with a list of freely assigned reasonable tags that are then iteratively merged, extended, and grouped to categories while working through the literature. As a result, we developed a typology for areas of application (WHY), encoding techniques (WHAT), and analysis methodologies (HOW) of provenance data.

8.1. Corpus

To form the corpus of papers we discuss in this survey, we started by collecting work that we were aware of from our previous research and that were discussed in provenance-related survey papers as well as the report from the recent Dagstuhl workshop on ‘Provenance and Logging for Sense Making’ [FJKT19a] (<https://www.dagstuhl.de/18462>). We continued with a systematic approach by manually scanning all issues from four journals and all proceedings from five conferences/symposium over the last eleven years (2009-2019):

• Journals

- IEEE Computer Graphics and Applications (CG&A)
- ACM Transactions on Interactive Intelligent Systems (TiiS)
- ACM Transactions on Intelligent Systems and Technology (TIST)
- IEEE Transactions on Visualization and Computer Graphics (TVCG)

• Conferences and Symposium

	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
CG&A	3	1	-	-	-	1	2	-	-	-	3
CHI	-	-	1	2	-	-	2	-	-	-	4
EuroVis	-	-	-	-	1	-	2	2	1	3	5
IUI	1	-	-	-	1	1	-	1	3	2	3
TiIS	-	-	-	-	-	2	-	1	1	1	-
TIST	-	1	-	-	-	-	-	-	-	-	-
TVCG	-	-	1	2	3	1	1	1	-	2	1
UIST	-	-	-	-	-	1	1	1	1	-	1
VIS	5	1	-	3	4	3	3	7	3	6	2
Sum Σ	9	3	2	7	9	9	11	13	9	14	19

Figure 2: Number of candidate papers for the four journals and five conferences/symposium we screened from 2009-2019.

- ACM Conference on Human Factors in Computing Systems (CHI)
- EuroVis
- ACM Conference on Intelligent User Interfaces (IUI)
- IEEE Visualization Conference (VIS)
- ACM Symposium on User Interface Software and Technology (UIST)

Figure 2 shows the number of publications per year from these journals and conferences that we included in this survey. The two main visualization conferences VIS and EuroVis have the largest number of relevant papers, which is not surprising. The IUI conference is a close third. Also, the total number of papers per year from all the journals and conferences have been increasing steadily over the ten years, and there is likely to receive even more attention in the near future.

8.2. Coding Process

For the systematic approach by screening the papers from the last eleven years, we continued with the tagging following the three stage process inspired by Beck et al. [BBDW14]:

1. **Explorative Tagging:** Every author screened at least one conference/journal. In the first round, we manually surveyed the title, keywords (e.g., *provenance analytics* and *model steering*), and the abstract and used an open-coding approach to identify potential papers that make use of provenance data. This manual tagging allowed us to get an overview of relevant literature that deals with provenance analytics with the high-level goal of improving, enhancing, or understanding a visual analysis system. In total, this process resulted in a collection of 266 papers. The first coding round allowed us to review the entire body of work and prepared us for the second round of categorizing the tags into the three main sections: WHY to analyze, WHAT provenance data to analyze, and HOW to analyze provenance data.
2. **Category Tagging:** The aim of the second round of coding was to unify the categories and narrow down the scope. To achieve this, we developed a closed set of keywords for the spectrum

of possible reasons (WHY) for doing meta-analysis on provenance data as well as for the state of the art of user interaction analysis (HOW). The process of categorizing the papers reminds of a 'peer-review' like system because two of the authors independently revised the paper collection and coded the papers respectively. They analyzed only those papers from conferences/journals they were not initially assigned to. In the case of an ambiguous and uncertain classification, all authors were in constant exchange. During this stage, we also continuously refined our scope and excluded papers accordingly.

3. **Supplementary Tagging:** In the last stage we decided to further split up the two main categories, WHY and HOW, into subcategories. Therefore, we came up with six subcategories for WHY and five subcategories for the HOW. Some papers showed multiple reasons for conducting meta-analysis, for which we added more than one distinct subcategory to one paper. Similarly, when multiple techniques were applied to analyze provenance data, we accepted both categories. In the course of the analysis, we came to the conclusion that exclusively tagging the HOW section for provenance analytics is not sufficient. To address this, we introduced an additional WHAT aspect that allowed us to characterize the different encodings of provenance data in more detail. Similar to the WHY and the HOW, the WHAT shows double tags as well as no tags at all if no tag were applicable. After going through all three phases, we ended up with 105 papers, as summarized in Table 1.

After finishing the coding process, we evaluated the frequency of use for each category. We were specifically interested in both, the applied methodology for the given purposes, wherefore Table 3 gives an overview as well as in the respective data encoding used, Table 4.

	Grammar	Graph	Model	Sequence	Sum Σ
Classification Models	3	0	8	15	26
Pattern Analysis	3	5	4	11	23
Probabilistic Models	5	1	10	9	25
Program Synthesis	10	2	1	3	16
Other	1	8	2	7	18
Sum Σ	22	16	25	45	

Figure 4: The number of papers in the HOW and WHAT category.

9. Discussion

Table 3 and 4 provide an interesting overview of the WHY, WHAT, and HOW questions among the papers we surveyed. It was to be expected that "Understanding the User" is the most common analysis goal: besides being an interesting research topic itself (particularly in the field of HCI), it is also the foundation of other analysis goals such as 'Adaptive Systems' and 'Evaluation of Systems and Algo-

	Adaptive Systems	Evaluation of Systems and Algorithms	Model Steering and Active Learning	Replication	Report Generation	Understanding the User	Sum Σ
Classification Models	14	4	11	4	5	19	57
Pattern Analysis	9	7	6	5	3	13	43
Probabilistic Models	17	1	11	3	4	20	56
Program Synthesis	3	1	7	2	3	5	21
Other	6	3	7	4	7	10	37
Sum Σ	49	16	42	18	22	67	

Figure 3: The number of papers for each category in the How and Why.

ritms'. These two rely on the user knowledge to provide better support and evaluate analysis performance respectively.

While understanding users is undoubtedly useful, there are potential ethical and privacy concerns. For example, while the data collection and analysis in user studies undergo the scrutiny of ethical approval process, the resulting methods or tools can be potentially used by third parties to recover sensitive data from user provenance or inferring individual characteristics (such as the method described in "Finding Waldo" [BOZ*14]). There is limited work on this so far, and it is an topic certainly deserves more attention for us as a community.

Adaptive systems is the second most common goal. Understandably it is over-represented in the IUI and to a lesser extent CHI community. However, it is often difficult to create effective adaptive systems and there are many examples of failed attempts, with Microsoft Office *Clippy* being the most well-known example. Therefore, the community needs carefully and thoroughly investigate when and how to adapt. Guidance and adaptive systems can also introduce exploration bias into the sensemaking process if not carefully checked.

Our organization of WHAT (*Sequence*, *Grammar*, *Model*, and *Graph*) is meant to provide a broad overview of existing techniques. We acknowledge that encoding techniques can be imprecisely categorized resulting in overlaps or ambiguities. For example, should a user model based on a Bayesian model (such as the work by Healey and Dennis [HB12]) be categorized under *User*

Model or a probabilistic *Graph*? In this survey, we do not clearly define these boundaries and hope that the high-level abstraction of the categories serves the purpose of an overview.

In addition, we recognize that data science “notebooks” such as Jupyter Notebook and RStudio can be considered a form of analysis provenance. Systems like RCloud [NSUW15] that support collaborative analysis with R intrinsically encodes and visualizes user analysis history. While the encoding strategy can be considered as a *Sequence* of commands, we do not include these tools because they are not strictly visualization or visual analytics systems.

Table 3 also demonstrates the diverse application of provenance analysis. More recent topics, particularly the Model Steering and Active Learning, have already received considerable attention within the provenance research community. This reflects the trend of growing popularity of machine learning-related work in the larger Visualization field, and illustrates the effectiveness of provenance as a viable approach to this type of problems.

9.1. WHEN to Analyze Provenance Data

Along the line of WHY, WHAT, and HOW, a few patterns emerged with respect to WHEN to perform provenance analysis. There are three common approaches: *retrospective analyses* that occur after the task is completed, *real-time applications* that happens during analysis, or *hybrid approaches* that mix the two.

Retrospective Analyses. The literature contains numerous examples of techniques for analyzing provenance data from past user sessions. For example, a series of researchers have examined batches of interaction logs to uncover reasoning processes and insights [BH19, DJS*09, FPH19, GGZL15]. The *Inside Insights* [MHK*19] system leveraged observations to generate a report of the user session automatically. When facing the timestamp for the analysis, post-hoc analyses were applied to uncover correlations between user attributes and interaction patterns [BOZ*14, OYC15].

Real-Time Applications. An emerging topic in the provenance literature focuses on leveraging interaction data to perform real-time predictions, system adaptations, or offer guidance to the user. Common examples apply techniques from machine learning and artificial intelligence to make inferences based on behavioral patterns. *ForeCache*, for instance, used provenance data to improve prefetching and system performance [BCS16]. Wall et al. [WBF17] proposed using real-time interaction to identify and mitigate exploration bias, and Ottley et al. [OGW19] inferred future clicks from real-time observations. Brown et al. [BLBC12] and Endert et al. [EFN12a] demonstrated how mouse interaction could steer data projection models.

Hybrid Approaches. Although less common, the growing availability of large interaction datasets has led to hybrid approaches that leverage data from past sessions to refine the analytic process. One example, *Scented Widgets* [WHA07], exploited historical usage data to improve interface controls. Other work by Fan et al. created machine learning models based on past user data to improve the accuracy and speed of a real-time brushing tool [FH18].

10. Opportunities for Future Research

With the fast development within the community, many new provenance use cases emerged in recent years. Examples include many applications in supporting machine learning and such work is discussed under the Model Steering in Section 5. It is not far-fetched to envisage that provenance can also be beneficial to other current topics such as making machine learning models transparent or explainable AI: by capturing and visualizing the provenance of training data, the internal model structure, and how the model responds to different inputs, users can have an improved understanding and more accurate expectation of model behavior, thus enhance model transparency.

Another very interesting and potential impactful use case is *exploration optimization*: analyses, particularly those involved in data science, often require exploration in three different spaces: the *data space*, which is the input data, the *solution space*, which consists of all possible solutions, and the *parameter space*, which can have a large impact on the effectiveness of the (machine learning) algorithms deployed. All these three spaces share two properties: (1) they are often large in size and (2) the space is of very high dimensionality. Without any systematic approach, exploration within these spaces can be time-consuming and ineffective. There are a few attempts that aim to guide user during such exploration by analyzing the results of completed exploration. In the Evolutionary Visual Exploration (EVE) system [BCBL13] uses an evolution algorithm that learns optimization criteria from user interactions to help user explore large multivariate dataset. A similar approach is adopted in GEMSe [FMH16] that provides users with the provenance of exploring the parameter space of multi-channel segmentation algorithms, which was shown to considerably improve the efficiency of finding suitable parameters. The open challenge is to have more general methods that can be adapted to different data, solution, or parameter space. Given the prevalence of exploration optimization problems, such a solution will have significant impact in many fields beyond provenance and visualization.

10.1. Data Granularity

Many of the long-standing challenges in provenance analysis relate to the multi-layer nature of provenance: from the low-level system log such as mouse movement, to more abstract and system-independent analysis actions such as search and compare, to user-related provenance such as insight and rationale [RESC15].

It has been argued that it is increasing difficulty to capture the provenance when moving up the layers: it is often straightforward to record system log, capturing abstract action is much harder, and there is no effective solution to automatically capture insights discovered or user’s reasoning process. However, many of the interesting provenance use cases heavily rely on the high-level provenance. For example, adaptive systems require the knowledge of the user analysis approach and actions to be able to provide customization or prediction. Similarly, user modeling is built upon the understanding user behavior and analysis progress. This is reflected in the discussions about various ways to encode provenance data (Section 6.1), from interaction log to taxonomy-based abstraction, and the relationships among provenance units (Section 6.2).

The existing techniques either attempt to infer higher-level provenance automatically from lower-level data or encourage the externalization of higher-level provenance such as facilitate annotation and note taking. Neither approach has been very successful because of the difficulty in the effective inference and the distraction and cognitive load introduced by the externalization. While there is hierarchical provenance model, such as [BWD*19], that can facilitate such inference, there is no clear evidence of what type of approach will be the most effective for this challenge. Such analysis is often done manually (such as [DJS*09]), and any break through will have significant impact on the entire research field.

10.2. Fundamental Problems

There are still some fundamental provenance analysis problems that await better solutions. One such problem is provenance *chunking*, which groups the steps in an interaction sequence based on the analysis task they belong to. For example, in stock analysis all of the steps that belong to identifying long term trends should be grouped together, whereas steps related to comparing companies will be in a different group. Chunking is key to many other provenance analysis solutions. For example, once the chunking is completed, it will be easier to infer the higher-level abstract task for each group, which is an important open question itself.

Chunking can be treated as either a classification problem, i.e., whether there should be a break between the current and next step, or a clustering problem, i.e., all the consecutive steps belong to the same cluster will be in one chunk. The classification approach is suitable when real-time chunking is needed, as it only requires the knowledge of a number of prior steps, whereas the clustering may work better in post-hoc analysis as the global knowledge of all the steps may help produce higher quality clustering.

To further complicate the matter, the boundary between chunks may not be clear-cut. There can be a transition between two groups of actions, and the steps within such transitions are better served with probabilities of belonging to either of the chunks. Chunking can also be hierarchical due to the hierarchical nature of analysis task. For example in stock analysis, steps belonging to price trend analysis can be separated from company fundamental analysis. Within company fundamental analysis, steps related to company financial status can be separated from those on company executive track record. Such sub-division can have several levels.

10.3. New Paradigm

There are a few emerging provenance modeling paradigms that may bring new solutions to some challenging problems. One such paradigm is modeling provenance as a high-dimensional vector sequence. Each vector in such a sequence is a step in the analysis interaction, and the vector dimensions are information that constitutes provenance, such as the visualization state, data display, user interaction, and any other provenance captured.

The advantage of this provenance modeling approach is that it transforms provenance analysis challenges into problems that have been studied in other fields, which may have some solutions. For example, the chunking problem discussed earlier become a vector

clustering problem or multivariate sequence segmentation problem, which has solutions from different fields. Provenance visualization becomes projecting a sequence from high-dimensional space to 2D (or 3D) space, which provides a perspective that is different from treating the provenance as a text sequence or graph.

10.4. Provenance Standard, Cross-Tool Integration and Reproducibility

Most of the work reviewed here has some provenance format that is designed for specific tool and/or analysis needs. However, real-world analysis is rarely completed within a single tool. To understand such process would require integrating provenance data from multiple tools, which is often not possible because each tool has its unique way of storing provenance.

This leads to the need of supporting provenance capturing from multiple applications and inter-application provenance analysis. Such standard will need to take into consider the multi-level nature of provenance: from the lower-level raw data (tool specific), to higher-level abstract actions, often based on certain taxonomy and tool independent. Both of these layers need to be flexible enough to accommodate different requirements: for example the lower level needs to be compatible with different types of data from different tools, while the higher level will also vary depending on the taxonomy and its perspective on provenance.

There is a trade off between the compatibility and semantic richness. At one end of this spectrum, provenance is captured as a screenshot, which makes it compatible with all visualization system. However, the amount of information that can be used for down-stream analysis is very limited. At the other end of the spectrum, a provenance standard can storage detailed description such as system state, data involve, and abstract user actions and intentions. All these are valuable to down-stream analysis. However, designing a standard that can accommodate different system, data, and user modeling is extremely challenging.

Such inter-application provenance standard can start from existing trace format, such as the provenance format used by popular visual analytics tools or standard such as W3C PROV. It may be useful to learn from the experience of design similar standards in other application domains beyond visual analysis.

Reproducibility is one of the most important use cases for provenance. There is not much discussion on this topic within the survey because there is limited work on the analysis of provenance captured for this purpose and solely recording and storing analysis provenance is considered out of scope. However, what we noticed during the survey is that very few papers make their implementation, methods, or datasets available. This make these works less reproducible. As a field that is a main contributor to the reproducible science research, we as a community should make sure the wide adoption of practices for research transparency and reproducibility.









































































































































































































































































































11. Conclusion

In this survey, we present a systematic review of provenance-related research in data visualization and visual analytics. Focusing on *the analysis of provenance data*, we explore three primary questions:

(1) WHY analyze provenance data, (2) WHAT provenance data to encode, and how to encode it, and (3) HOW to analyze provenance data. However, the work in the paper provides only a narrow perspective of analytic provenance. As outlined by Ragan et al. [RESC15] the field of provenance extends beyond meta-analysis and encompasses other goal such as collaborative communication and presentation.

Beyond visualization, the analysis of user interaction is an active area of research in a variety of domains such as Artificial Intelligence, Machine Learning, Databases, and Human-Computer Interaction. The body of work in this manuscript reveals a clear trend of adapting and extending knowledge from other fields. For example, the majority of the literature employed either machine learning, dimensionality reduction, or even signal processing techniques. These techniques are essential to the provenance analysis innovation, and the research development in these fields can bring considerable improvement to provenance analysis. Similarly, as detailed in Section 6, there are many types of provenance data that we can collect, ranging from sequence and scripts to graphs and images. Storing and managing such data can be an issue (e.g., *Glass-box*), and specialized methods are often required from other fields for their analysis.

Looking forward, capturing and examining provenance data holds the potential to realize many of the untapped capabilities of visualization systems. It will be beneficial for the provenance community to expand collaboration across disciplines, increase the awareness of the provenance literature, and jointly develop new techniques that can be applied to provenance analysis. There is much work ahead for the visualization community, and we detail some of these research opportunities in Section 10. We hope that this report will serve as a central resource for researchers and inspires new investigations that build on the surveyed literature.

	WHY						WHAT				HOW				
	Adaptive Systems 	Evaluation of Systems and Algorithms 	Model Steering and Active Learning 	Replication 	Report Generation 	Understanding the User 	Grammar 	Graph 	Model 	Sequence 	Classification Models 	Pattern Analysis 	Probabilistic Models / Prediction 	Program Synthesis 	Other 
Srinivasan et al. (2018) [SPEB18]															
Setlur et al. (2016) [SBT*16b]															
Dabek and Caban (2016) [DC16]															
Mutlu et al. (2016) [MVT16]															
Chen et al. (2014) [CQW*14]															
Koch et al. (2014) [KBGE09]															
Scheepens et al. (2015) [SMvdWvW15]															
Shrinivasan and van Wijk (2009) [SvW09]															
Gotz and Wen (2009) [GW09]															
Endert (2014) [End14]															
Endert et al. (2012) [EFN12a]															
MacInnes et al. (2010) [MSW10]															
Boukhelifa et al. (2013) [BCBL13]															
Endert (2015) [ECNZ15]															
Ottley et al. (2019) [OGW19]															
Gotz et al. (2016) [GSC16]															
Healey and Bennis (2012) [HB12]															
Hu et al. (2019) [HBL*19]															
Correll and Gleicher (2016) [CG16]															
Setlur et al. (2019) [STD19]															
Steichen et al. (2014) [SCC14]															
Guo et al. (2019) [GDM*19]															
Wang et al. (2014) [WCW*14]															
Lee et al. (2019) [LDH*19]															
Ceneda et al. (2019) [CGM19]															
Ragan et al. (2015) [RESC15]															

© 2020 The Author(s)
Computer Graphics Forum © 2020 The Eurographics Association and John Wiley & Sons Ltd.

References

- [AAM*11] ANDRIENKO G., ANDRIENKO N., MLADENOV M., MOCK M., POELITZ C.: Identifying Place Histories from Activity Traces with an Eye to Parameter Impact. *TVCG* 18, 5 (2011), 675–688. 18
- [Anc12] ANCONA B.: Sensemaking: Framing and acting in the unknown in the handbook of teaching leadership: Knowing, doing and being. scott, s., nohria, n., khurana, r. 2012. 1
- [APM*11] ANDERSON E. W., POTTER K. C., MATZEN L. E., SHEPHERD J. F., PRESTON G. A., SILVA C. T.: A user study of visualization effectiveness using eeg and cognitive load. *Computer graphics forum* 30, 3 (2011), 791–800. 5
- [AZ12] AGGARWAL C. C., ZHAI C.: A Survey of Text Classification Algorithms. In *Mining Text Data*, Aggarwal C. C., Zhai C., (Eds.). Springer US, Boston, MA, 2012, pp. 163–222. URL: http://link.springer.com/10.1007/978-1-4614-3223-4_6, doi:10.1007/978-1-4614-3223-4_6. 9
- [BBB*16] BLASCHECK T., BECK F., BALTES S., ERTL T., WEISKOPF D.: Visual analysis and coding of data-rich user behavior. In *2016 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2016), pp. 141–150. ISSN: null. doi:10.1109/VAST.2016.7883520. 5, 11, 19
- [BBDW14] BECK F., BURCH M., DIEHL S., WEISKOPF D.: The State of the Art in Visualizing Dynamic Graphs. In *Eurographics Conference on Visualization (EuroVis)* (2014), p. 21. 12
- [BBT*19] BOUKHELIFA N., BEZERIANOS A., TRELEA I. C., PERROT N. M., LUTTON E.: An Exploratory Study on Visual Exploration of Model Simulations by Multiple Types of Experts. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems - CHI '19* (Glasgow, Scotland Uk, 2019), ACM Press, pp. 1–14. URL: <http://dl.acm.org/citation.cfm?doid=3290605.3300874>, doi:10.1145/3290605.3300874. 5, 9, 19
- [BCBL13] BOUKHELIFA N., CANCINO W., BEZERIANOS A., LUTTON E.: Evolutionary Visual Exploration: Evaluation With Expert Users. *Computer Graphics Forum* 32, 3pt1 (June 2013), 31–40. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=88800174&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgf.12090. 7, 14, 17
- [BCN*19] BATTLE L., CROUSER R. J., NAKESHIMANA A., MONTOLY A., CHANG R., STONEBRAKER M.: The Role of Latency and Task Complexity in Predicting Visual Search Behavior. *IEEE Transactions on Visualization and Computer Graphics* (2019), 1–1. URL: <https://ieeexplore.ieee.org/document/8809742/>, doi:10.1109/TVCG.2019.2934556. 9, 10
- [BCS16] BATTLE L., CHANG R., STONEBRAKER M.: Dynamic Prefetching of Data Tiles for Interactive Visualization. In *Proceedings of the 2016 International Conference on Management of Data - SIGMOD '16* (San Francisco, California, USA, 2016), ACM Press, pp. 1363–1375. URL: <http://dl.acm.org/citation.cfm?doid=2882903.2882919>, doi:10.1145/2882903.2882919. 3, 6, 10, 14
- [BF05] BOSERAJENDRA, FREWJAMES: Lineage retrieval for scientific data processing: a survey. *ACM Computing Surveys (CSUR)* 37, 1 (Mar. 2005). URL: <https://dl.acm.org/doi/abs/10.1145/1057977.1057978>. 2
- [BGM19] BORS C., GSCHWANDTNER T., MIKSCH S.: Capturing and Visualizing Provenance From Data Wrangling. *IEEE Computer Graphics and Applications* 39, 6 (Nov. 2019), 61–75. doi:10.1109/MCG.2019.2941856. 8, 17
- [BH19] BATTLE L., HEER J.: Characterizing Exploratory Visual Analysis: A Literature Review and Evaluation of Analytic Provenance in Tableau. *Computer Graphics Forum* 38, 3 (2019), 145–159. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cgf.13678>, doi:10.1111/cgf.13678. 5, 14, 19
- [BJK*16] BLASCHECK T., JOHN M., KURZHALS K., KOCH S., ERTL T.: VA2: A Visual Analytics Approach for Evaluating Visual Analytics Applications. *IEEE Transactions on Visualization and Computer Graphics* 22, 1 (Jan. 2016), 61–70. doi:10.1109/TVCG.2015.2467871. 3, 5, 11, 18
- [BKO*17] BYLINSKII Z., KIM N. W., O'DONOVAN P., ALSHEIKH S., MADAN S., PFISTER H., DURAND F., RUSSELL B., HERTZMANN A.: Learning Visual Importance for Graphic Designs and Data Visualizations. *Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology - UIST '17* (2017), 57–69. arXiv: 1708.02660. URL: <http://arxiv.org/abs/1708.02660>, doi:10.1145/3126594.3126653. 3, 5, 9, 10, 18
- [BLBC12] BROWN E. T., LIU J., BRODLEY C. E., CHANG R.: Disfunction: Learning distance functions interactively. In *2012 IEEE Conference on Visual Analytics Science and Technology (VAST)* (2012), IEEE, pp. 83–92. 4, 7, 11, 14, 18
- [BM13] BREHMER M., MUNZNER T.: A Multi-Level Typology of Abstract Visualization Tasks. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (Dec. 2013), 2376–2385. URL: <http://ieeexplore.ieee.org/document/6634168/>, doi:10.1109/TVCG.2013.124. 5, 6
- [BNHL14] BRADEL L., NORTH C., HOUSE L., LEMAN S.: Multi-model semantic interaction for text analytics. In *2014 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2014), pp. 163–172. ISSN: null. doi:10.1109/VAST.2014.7042492. 7, 11, 18
- [BOZ*14] BROWN E. T., OTTLEY A., ZHAO H., LIN Q., SOUVENIR R., ENDERT A., CHANG R.: Finding Waldo: Learning about Users from their Interactions. *IEEE Transactions on Visualization and Computer Graphics* 20, 12 (Dec. 2014), 1663–1672. doi:10.1109/TVCG.2014.2346575. 3, 5, 9, 13, 14, 18
- [BTC19] BUNEMANPETER, TANWANG-CHIEW: Data Provenance: What next? *ACM SIGMOD Record* 47, 3 (Feb. 2019), 5–16. doi:https://doi.org/10.1145/3316416.3316418. 2
- [BVV*18] BLASCHECK T., VERMEULEN L., VERMEULEN J., PERIN C., WILLETT W., ERTL T., CARPENDALE S.: Exploration Strategies for Discovery of Interactivity in Visualization. *TVCG* 25, 2 (2018), 1407–1420. 11, 19
- [BWD*19] BORS C., WENSKOVITCH J., DOWLING M., ATTFIELD S., BATTLE L., ENDERT A., KULYK O., LARAMEE R. S.: A Provenance Task Abstraction Framework. *IEEE Computer Graphics and Applications* 39, 6 (Nov. 2019), 46–60. doi:10.1109/MCG.2019.2945720. 9, 15, 19
- [BYC*19] BROWN E. T., YARLAGADDA S., COOK K. A., CHANG R., ENDERT A.: Modelspace: Visualizing the trails of data models in visual analytics systems. In *IEEE Visualization Workshop on Machine Learning from User Interactions for Visualization and Analytics* (2019). 7
- [CAS*18] COLLINS C., ANDRIENKO N., SCHRECK T., YANG J., CHOO J., ENGELKE U., JENA A., DWYER T.: Guidance in the human-machine analytics process. *Visual Informatics* 2, 3 (Sept. 2018), 166–180. URL: <https://linkinghub.elsevier.com/retrieve/pii/S2468502X1830041X>, doi:10.1016/j.visinf.2018.09.003. 3
- [CBY10] CHEN Y., BARLOWE S., YANG J.: Click2annotate: Automated insight externalization with rich semantics. In *2010 IEEE Symposium on Visual Analytics Science and Technology* (2010), IEEE, pp. 155–162. 4
- [CCI*15] COOK K., CRAMER N., ISRAEL D., WOLVERTON M., BRUCE J., BURTNER R., ENDERT A.: Mixed-initiative visual analytics using task-driven recommendations. In *2015 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2015), pp. 9–16. ISSN: null. doi:10.1109/VAST.2015.7347625. 7, 18
- [CD18] CAVALLO M., DEMIRALP A.: Track Xplorer: A System for Visual Analysis of Sensor-based Motor Activity Predictions. *Computer Graphics Forum* 37, 3 (2018), 339–349. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cgf.13424>, doi:10.1111/cgf.13424. 5, 18

- [CF17] CHIRIGATI F., FREIRE J.: Provenance and Reproducibility. In *Encyclopedia of Database Systems*, Liu L., AÛzsu M. T., (Eds.). Springer, New York, NY, 2017, pp. 1–5. URL: https://doi.org/10.1007/978-1-4899-7993-3_80747-1, doi:10.1007/978-1-4899-7993-3_80747-1. 2
- [CG16] CORRELL M., GLEICHER M.: The semantics of sketch: Flexibility in visual query systems for time series data. In *2016 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2016), pp. 131–140. ISSN: null. doi:10.1109/VAST.2016.7883519. 6, 10, 17
- [CGM*17] CENEDA D., GSCHWANDTNER T., MAY T., MIKSCH S., SCHULZ H.-J., STREIT M., TOMINSKI C.: Characterizing Guidance in Visual Analytics. *IEEE Transactions on Visualization and Computer Graphics* 23, 1 (Jan. 2017), 111–120. doi:10.1109/TVCG.2016.2598468. 3
- [CGM19] CENEDA D., GSCHWANDTNER T., MIKSCH S.: A Review of Guidance Approaches in Visual Data Analysis: A Multifocal Perspective. *Computer Graphics Forum* 38, 3 (2019), 861–879. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cgf.13730>, doi:10.1111/cgf.13730. 3, 17
- [CLs15] CHOE E. K., LEE B., SCHRAEFEL M.: Characterizing Visualization Insights from Quantified Selfers' Personal Data Presentations. *IEEE Computer Graphics and Applications* 35, 4 (July 2015), 28–37. doi:10.1109/MCG.2015.51. 5, 9, 12, 19
- [CQW*14] CHEN Y. V., QIAN Z. C., WOODBURY R., DILL J., SHAW C. D.: Employing a Parametric Model for Analytic Provenance. *ACM Trans. Interact. Intell. Syst.* 4, 1 (Apr. 2014), 6:1–6:32. URL: <http://doi.acm.org/10.1145/2591510>, doi:10.1145/2591510. 7, 11, 17
- [CvW18] CAPPERS B. C., VAN WIJK J. J.: Exploring Multivariate Event Sequences Using Rules, Aggregations, and Selections. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 532–541. doi:10.1109/TVCG.2017.2745278. 10, 18
- [CWK*17] CHO I., WESSLEN R., KARDUNI A., SANTHANAM S., SHAIKH S., DOU W.: The Anchoring Effect in Decision-Making with Visual Analytics. In *Proceedings of IEEE Conference on Visual Analytics Science and Technology* (Oct. 2017). URL: <https://ieeexplore.ieee.org/document/8585665>, doi:10.1109/VAST.2017.8585665. 5, 11, 19
- [CYM*10] CHUNG H., YANG S., MASSJOUNI N., ANDREWS C., KANNA R., NORTH C.: Vizcept: Supporting synchronous collaboration for constructing visualizations in intelligence analysis. In *2010 IEEE Symposium on Visual Analytics Science and Technology* (2010), IEEE, pp. 107–114. 8, 11, 18
- [DC16] DABEK F., CABAN J. J.: A Grammar-based Approach for Modeling User Interactions and Generating Suggestions During the Data Exploration Process. *IEEE Transactions on Visualization and Computer Graphics* (Jan. 2016). URL: <https://www.ncbi.nlm.nih.gov/pubmed/27514057>, doi:10.1109/TVCG.2016.2598471. 6, 8, 9, 10, 11, 17
- [DFAB03] DIX A., FINLAY J., ABOWD G. D., BEALE R.: *Human-Computer Interaction*, 3 edition ed. Prentice Hall, Harlow, England ; New York, Sept. 2003. 2
- [DJS*09] DOU W., JEONG D. H., STUKES F., RIBARSKY W., LIPFORD H. R., CHANG R.: Recovering Reasoning Processes from User Interactions. *IEEE Computer Graphics and Applications* 29, 3 (May 2009), 52–61. doi:10.1109/MCG.2009.49. 3, 5, 9, 11, 14, 15, 19
- [DM19] DEXTRASÄÄROMAGNINO K., MUNZNER T.: Segmentifier: Interactive Refinement of Clickstream Data. *Computer Graphics Forum* 38, 3 (2019), 623–634. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cgf.13715>, doi:10.1111/cgf.13715. 8, 10, 17
- [ECNZ15] ENDERT A., CHANG R., NORTH C., ZHOU M.: Semantic Interaction: Coupling Cognition and Computation through Usable Interactive Analytics. *IEEE Computer Graphics and Applications* 35, 4 (July 2015), 94–99. doi:10.1109/MCG.2015.91. 4, 9, 17
- [EFN12a] ENDERT A., FIAUX P., NORTH C.: Semantic Interaction for Sensemaking: Inferring Analytical Reasoning for Model Steering. *IEEE Transactions on Visualization and Computer Graphics* (Dec. 2012). URL: https://www.cc.gatech.edu/~aendert3/resources/Endert_TVCG2012_.pdf, doi:10.1109/TVCG.2012.260. 4, 11, 14, 17, 18
- [EFN12b] ENDERT A., FIAUX P., NORTH C.: Semantic interaction for visual text analytics. In *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems - CHI '12* (Austin, Texas, USA, 2012), ACM Press, p. 473. URL: <http://dl.acm.org/citation.cfm?doid=2207676.2207741>, doi:10.1145/2207676.2207741. 4, 7
- [EHM*11] ENDERT A., HAN C., MAITI D., HOUSE L., NORTH C.: Observation-level interaction with statistical models for visual analytics. In *2011 IEEE conference on visual analytics science and technology (VAST)* (2011), IEEE, pp. 121–130. 7
- [End14] ENDERT A.: Semantic Interaction for Visual Analytics: Toward Coupling Cognition and Computation. *IEEE Computer Graphics and Applications* 34, 4 (July 2014), 8–15. doi:10.1109/MCG.2014.73. 17
- [FH18] FAN C., HAUSER H.: Fast and Accurate CNN-based Brushing in Scatterplots. *Computer Graphics Forum* 37, 3 (June 2018), 111–120. URL: <http://doi.wiley.com/10.1111/cgf.13405>, doi:10.1111/cgf.13405. 3, 14
- [FJKT19a] FEKETE J.-D., JANKUN-KELLY T. J., TORY M., XU K.: Provenance Analysis for Sensemaking. *IEEE Computer Graphics and Applications* 39, 6 (Nov. 2019), 27–29. doi:10.1109/MCG.2019.2945378. 12
- [FJKT19b] FEKETE J.-D., JANKUN-KELLY T. J., TORY M., XU K.: Provenance and logging for sense making (dagstuhl seminar 18462). *Dagstuhl Reports* 8, 11 (2019), 35–62. URL: <http://drops.dagstuhl.de/opus/volltexte/2019/10355>, doi:10.4230/DagRep.8.11.35. 2
- [FKSS08] FREIRE J., KOOP D., SANTOS E., SILVA C. T.: Provenance for Computational Tasks: A Survey. *Computing in Science Engineering* 10, 3 (May 2008), 11–21. doi:10.1109/MCSE.2008.79. 2
- [FMH16] FRÄÜHLER B., MÄÜLLER T., HEINZL C.: GEMSe: Visualization-Guided Exploration of Multi-channel Segmentation Algorithms. *Computer Graphics Forum* 35, 3 (June 2016), 191–200. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=116877247&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgf.12895. 14, 18
- [FPH19] FENG M., PECK E., HARRISON L.: Patterns and Pace: Quantifying Diverse Exploration Behavior with Visualizations on the Web. *IEEE Transactions on Visualization and Computer Graphics* 25, 1 (Jan. 2019), 501–511. doi:10.1109/TVCG.2018.2865117. 3, 5, 6, 10, 14, 19
- [FPV*13] FERREIRA N., POCO J., VO H. T., FREIRE J., SILVA C. T.: Visual Exploration of Big Spatio-Temporal Urban Data: A Study of New York City Taxi Trips. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (Dec. 2013), 2149–2158. doi:10.1109/TVCG.2013.226. 7, 11, 18
- [FWG09] FUCHS R., WASER J., GROLLER M. E.: Visual Human+Machine Learning. *IEEE Transactions on Visualization and Computer Graphics* 15, 6 (Nov. 2009), 1327–1334. doi:10.1109/TVCG.2009.199. 6, 7, 11, 18
- [GDA*15] GAO T., DONTCHEVA M., ADAR E., LIU Z., KARAHALIOS K. G.: DataTone: Managing Ambiguity in Natural Language Interfaces for Data Visualization. In *Proceedings of the 28th Annual ACM Symposium on User Interface Software & Technology - UIST '15* (Daegu, Kyungpook, Republic of Korea, 2015), ACM Press, pp. 489–500. URL: <http://dl.acm.org/citation.cfm?doid=2807442.2807478>, doi:10.1145/2807442.2807478. 18
- [GDM*19] GUO S., DU F., MALIK S., KOH E., KIM S., LIU Z., KIM D., ZHA H., CAO N.: Visualizing Uncertainty and Alternatives in Event Sequence Predictions. In *Proceedings of the 2019 CHI Conference on Human*

- Factors in Computing Systems - CHI '19* (Glasgow, Scotland Uk, 2019), ACM Press, pp. 1–12. URL: <http://dl.acm.org/citation.cfm?doid=3290605.3300803>, doi:10.1145/3290605.3300803. 3, 5, 10, 17
- [GGZL15] GUO H., GOMEZ S. R., ZIEMKIEWICZ C., LAIDLAW D. H.: A Case Study Using Visualization Interaction Logs and Insight Metrics to Understand How Analysts Arrive at Insights. *IEEE Transactions on Visualization and Computer Graphics* (Aug. 2015). URL: <https://ieeexplore.ieee.org/abstract/document/7192662>, doi:10.1109/TVCG.2015.2467613. 5, 9, 14, 19
- [GHS12] GULWANI S., HARRIS W. R., SINGH R.: Spreadsheet data manipulation using examples. *Communications of the ACM* 55, 8 (2012), 97–105. 6
- [GL12] GOMEZ S., LAIDLAW D.: Modeling task performance for a crowd of users from interaction histories. In *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems - CHI '12* (Austin, Texas, USA, 2012), ACM Press, p. 2465. URL: <http://dl.acm.org/citation.cfm?doid=2207676.2208412>, doi:10.1145/2207676.2208412. 3, 5, 18
- [GLG*16] GRATZL S., LEX A., GEHLENBORG N., COSGROVE N., STREIT M.: From Visual Exploration to Storytelling and Back Again. *Computer Graphics Forum* 35, 3 (June 2016), 491–500. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=116877233&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgf.12925. 4, 8, 11, 18
- [GNRM08] GARG S., NAM J. E., RAMAKRISHNAN I., MUELLER K.: Model-driven visual analytics. In *2008 IEEE Symposium on Visual Analytics Science and Technology* (2008), IEEE, pp. 19–26. 6
- [GSC16] GOTZ D., SUN S., CAO N.: Adaptive Contextualization: Combating Bias During High-Dimensional Visualization and Data Selection. In *Proceedings of the 21st International Conference on Intelligent User Interfaces - IUI '16* (Sonoma, California, USA, 2016), ACM Press, pp. 85–95. URL: <http://dl.acm.org/citation.cfm?doid=2856767.2856779>, doi:10.1145/2856767.2856779. 3, 7, 10, 17
- [GSC*17] GOTZ D., SUN S., CAO N., KUNDU R., MEYER A.-M.: Adaptive Contextualization Methods for Combating Selection Bias During High-Dimensional Visualization. *ACM Trans. Interact. Intell. Syst.* 7, 4 (Nov. 2017), 17:1–17:23. URL: <http://dl.acm.org/10.1145/3009973>, doi:10.1145/3009973. 10, 18
- [Gul11] GULWANI S.: Automating string processing in spreadsheets using input-output examples. *ACM Sigplan Notices* 46, 1 (2011), 317–330. 6
- [GW09] GOTZ D., WEN Z.: Behavior-driven Visualization Recommendation. In *Proceedings of the 14th International Conference on Intelligent User Interfaces* (New York, NY, USA, 2009), IUI '09, ACM, pp. 315–324. event-place: Sanibel Island, Florida, USA. URL: <http://doi.acm.org/10.1145/1502650.1502695>, doi:10.1145/1502650.1502695. 3, 17
- [HB12] HEALEY C., BENNIS B.: Interest Driven Navigation in Visualization. *TVCG* 18, 10 (2012), 1744–1756. 8, 10, 13, 17
- [HBL*19] HU K., BAKKER M. A., LI S., KRASKA T., HIDALGO C.: VizML: A Machine Learning Approach to Visualization Recommendation. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems - CHI '19* (Glasgow, Scotland Uk, 2019), ACM Press, pp. 1–12. URL: <http://dl.acm.org/citation.cfm?doid=3290605.3300358>, doi:10.1145/3290605.3300358. 17
- [HBM*13] HU X., BRADEL L., MAITI D., HOUSE L., NORTH C.: Semantics of directly manipulating spatializations. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (2013), 2052–2059. 4
- [HBR14] HOTTELLIER T., BODIK R., RYOKAI K.: Programming by manipulation for layout. In *Proceedings of the 27th annual ACM symposium on User interface software and technology - UIST '14* (Honolulu, Hawaii, USA, 2014), ACM Press, pp. 231–241. URL: <http://dl.acm.org/citation.cfm?doid=2642918.2647378>, doi:10.1145/2642918.2647378. 11, 18
- [HDBL17] HERSCHEL M., DIESTELKÄMPER R., BEN LAHMAR H.: A survey on provenance: What for? What form? What from? *The VLDB Journal* 26, 6 (Dec. 2017), 881–906. URL: <https://doi.org/10.1007/s00778-017-0486-1>, doi:10.1007/s00778-017-0486-1. 2
- [HDG*19] HU K., DEMIRALP A., GAIKWAD S. N. S., HULSEBOS M., BAKKER M. A., ZGRAGGEN E., HIDALGO C., KRASKA T., LI G., SATYANARAYAN A.: VizNet: Towards A Large-Scale Visualization Learning and Benchmarking Repository. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems - CHI '19* (Glasgow, Scotland Uk, 2019), ACM Press, pp. 1–12. URL: <http://dl.acm.org/citation.cfm?doid=3290605.3300892>, doi:10.1145/3290605.3300892. 9
- [HMSA08] HEER J., MACKINLAY J., STOLTE C., AGRAWALA M.: Graphical histories for visualization: Supporting analysis, communication, and evaluation. *IEEE transactions on visualization and computer graphics* 14, 6 (2008), 1189–1196. 4, 8
- [HOG*12] HOSSAIN M. S., OJILI P. K. R., GRIMM C., MÄJLLER R., WATSON L. T., RAMAKRISHNAN N.: Scatter/gather clustering: Flexibly incorporating user feedback to steer clustering results. *IEEE Transactions on Visualization and Computer Graphics* 18, 12 (2012), 2829–2838. 7, 11, 18
- [HSTD18] HOQUE E., SETLUR V., TORY M., DYKEMAN I.: Applying Pragmatics Principles for Interaction with Visual Analytics. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 309–318. doi:10.1109/TVCG.2017.2744684. 7, 11, 18
- [IT18] IVIE P., THAIN D.: Reproducibility in Scientific Computing. *ACM Computing Surveys (CSUR)* 51, 3 (July 2018). URL: <https://dl.acm.org/doi/abs/10.1145/3186266.2>
- [KAW*13] KODAGODA N., ATTFIELD S., WONG B. W., ROONEY C., CHOUDHURY S.: Using Interactive Visual Reasoning to Support Sense-Making: Implications for Design. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (Dec. 2013), 2217–2226. doi:10.1109/TVCG.2013.211. 19
- [KBGE09] KOCH S., BOSCH H., GIERETH M., ERTL T.: Iterative integration of visual insights during patent search and analysis. In *2009 IEEE Symposium on Visual Analytics Science and Technology* (2009), IEEE, pp. 203–210. 6, 11, 17
- [KC14] KONDO B., COLLINS C.: DimpVis: Exploring Time-varying Information Visualizations by Direct Manipulation. *IEEE Transactions on Visualization and Computer Graphics* 20, 12 (Dec. 2014), 2003–2012. doi:10.1109/TVCG.2014.2346250. 7, 11, 19
- [KCD*09] KADIVAR N., CHEN V., DUNSMUIR D., LEE E., QIAN C., DILL J., SHAW C., WOODBURY R.: Capturing and supporting the analysis process. In *2009 IEEE Symposium on Visual Analytics Science and Technology* (2009), Ieee, pp. 131–138. 7, 11, 18
- [KCP16] KIM H., CHOO J., PARK H., ENDERT A.: InterAxis: Steering Scatterplot Axes via Observation-Level Interaction. *IEEE Transactions on Visualization and Computer Graphics* 22, 1 (Jan. 2016), 131–140. doi:10.1109/TVCG.2015.2467615. 7, 11, 18
- [KKW*17] KWON B. C., KIM H., WALL E., CHOO J., PARK H., ENDERT A.: AxiSketcher: Interactive Nonlinear Axis Mapping of Visualizations through User Drawings. *IEEE Transactions on Visualization and Computer Graphics* 23, 1 (Jan. 2017), 221–230. doi:10.1109/TVCG.2016.2598446. 7, 11, 18
- [KLZ17] KUNKEL J., LOEPP B., ZIEGLER J.: A 3D Item Space Visualization for Presenting and Manipulating User Preferences in Collaborative Filtering. In *Proceedings of the 22nd International Conference on Intelligent User Interfaces - IUI '17* (Limassol, Cyprus, 2017), ACM Press, pp. 3–15. URL: <http://dl.acm.org/citation.cfm?doid=3025171.3025189>, doi:10.1145/3025171.3025189. 18
- [KN19] KHAN M. A., NANDI A.: Flux capacitors for JavaScript deloans: approximate caching for physics-based data interaction. In *Proceedings of the 24th International Conference on Intelligent User Interfaces - IUI '19* (Marina del Ray, California, 2019), ACM Press, pp. 177–185. URL: <http://dl.acm.org/citation.cfm?doid=3301275.3302291>, doi:10.1145/3301275.3302291. 3, 12, 17

- [KPHH11] KANDEL S., PAEPCKE A., HELLERSTEIN J., HEER J.: Wrangler: interactive visual specification of data transformation scripts. In *Proceedings of the 2011 annual conference on Human factors in computing systems - CHI '11* (Vancouver, BC, Canada, 2011), ACM Press, p. 3363. URL: <http://dl.acm.org/citation.cfm?doid=1978942.1979444>, doi:10.1145/1978942.1979444. 4, 7, 11, 18
- [KPS*17] KODAGODA N., PONTIS S., SIMMIE D., ATTFIELD S., WONG B. L. W., BLANDFORD A., HANKIN C.: Using Machine Learning to Infer Reasoning Provenance From User Interaction Log Data: Based on the Data/Frame Theory of Sensemaking. *Journal of Cognitive Engineering and Decision Making* 11, 1 (Mar. 2017), 23–41. URL: <http://journals.sagepub.com/doi/10.1177/1555343416672782>, doi:10.1177/1555343416672782. 9
- [KWRK12] KODAGODA N., WONG B. W., ROONEY C., KHAN N.: Interactive visualization for low literacy users: From lessons learnt to design. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2012), CHI '12, Association for Computing Machinery, p. 1159–1168. URL: <https://doi.org/10.1145/2207676.2208565>, doi:10.1145/2207676.2208565. 3
- [LDH*19] LEE D. J.-L., DEV H., HU H., ELMELEEGY H., PARAMESWARAN A.: Avoiding drill-down fallacies with VisPilot: assisted exploration of data subsets. In *Proceedings of the 24th International Conference on Intelligent User Interfaces - IUI '19* (Marina del Ray, California, 2019), ACM Press, pp. 186–196. URL: <http://dl.acm.org/citation.cfm?doid=3301275.3302307>, doi:10.1145/3301275.3302307. 3, 17
- [LKD*17] LIU Z., KERR B., DONTCHEVA M., GROVER J., HOFFMAN M., WILSON A.: CoreFlow: Extracting and Visualizing Branching Patterns from Event Sequences. *Computer Graphics Forum* 36, 3 (June 2017), 527–538. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=123910133&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgfm.13208. 5, 9, 10, 19
- [Llo82] LLOYD S.: Least squares quantization in PCM. *IEEE Transactions on Information Theory* 28, 2 (Mar. 1982), 129–137. URL: <http://ieeexplore.ieee.org/document/1056489/>, doi:10.1109/TIT.1982.1056489. 9
- [LPG05] L. S., PLALEBETH, GANNONDENNIS: A survey of data provenance in e-science. *ACM SIGMOD Record* 34, 3 (Sept. 2005). URL: <http://dl.acm.org/doi/abs/10.1145/1084805.1084812>. 2
- [LS10] LIU Z., STASKO J.: Mental Models, Visual Reasoning and Interaction in Information Visualization: A Top-down Perspective. *IEEE Transactions on Visualization and Computer Graphics* 16, 6 (Nov. 2010), 999–1008. doi:10.1109/TVCG.2010.177. 1, 5, 11
- [LTC18] LOORAK M., TORY M., CARPENDALE S.: Change-Catcher: Increasing Inter-Author Awareness for Visualization Development. *Computer Graphics Forum* 37, 3 (June 2018), 51–62. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=130628132&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgfm.13400. 6, 18
- [LW07] LU D., WENG Q.: A survey of image classification methods and techniques for improving classification performance. *International Journal of Remote Sensing* 28, 5 (Mar. 2007), 823–870. URL: <https://www.tandfonline.com/doi/full/10.1080/01431160600746456>, doi:10.1080/01431160600746456. 9
- [LWD*17] LIU Z., WANG Y., DONTCHEVA M., HOFFMAN M., WALKER S., WILSON A.: Patterns and Sequences: Interactive Exploration of Clickstreams to Understand Common Visitor Paths. *IEEE Transactions on Visualization and Computer Graphics* 23, 1 (Jan. 2017), 321–330. doi:10.1109/TVCG.2016.2598797. 3, 5, 10, 18
- [MA19] MANNINO M., ABOUZIED A.: Is this Real?: Generating Synthetic Data that Looks Real. In *Proceedings of the 32nd Annual ACM Symposium on User Interface Software and Technology* (New Orleans LA USA, Oct. 2019), ACM, pp. 549–561. URL: <http://dl.acm.org/doi/10.1145/3332165.3347866>, doi:10.1145/3332165.3347866. 10, 19
- [mer] Merriam-Webster Dictionary. URL: <https://www.merriam-webster.com/dictionary/provenance>. 1
- [MH15] MORITZ D., HALPERIN D., HOWE B., HEER J.: Perfpicon: Visual Query Analysis for Distributed Databases. *Computer Graphics Forum* 34, 3 (June 2015), 71–80. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=108442264&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgfm.12619. 5, 10, 18
- [MHK*19] MATHISEN A., HORAK T., KLOKMOSE C. N., GRÄYNBÄCK K., ELMQVIST N.: InsideInsights: Integrating Data-Driven Reporting in Collaborative Visual Analytics. *Computer Graphics Forum* 38, 3 (2019), 649–661. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cgfm.13717>, doi:10.1111/cgfm.13717. 4, 8, 11, 14, 18
- [MRB19] MADANAGOPAL K., RAGAN E. D., BENJAMIN P.: Analytic Provenance in Practice: The Role of Provenance in Real-World Visualization and Data Analysis Environments. *IEEE Computer Graphics and Applications* 39, 6 (Nov. 2019), 30–45. doi:10.1109/MCG.2019.2933419. 3, 11, 19
- [MSM*17] MICALLEF L., SUNDIN I., MARTINEN P., AMMAD-UD DIN M., PELTOLA T., SOARE M., JACUCCI G., KASKI S.: Interactive Elicitation of Knowledge on Feature Relevance Improves Predictions in Small Data Sets. *arXiv:1612.02487 [cs, stat]* (Jan. 2017). arXiv: 1612.02487. URL: <http://arxiv.org/abs/1612.02487>. 10, 17
- [MSW10] MACINNES J., SANTOSA S., WRIGHT W.: Visual Classification: Expert Knowledge Guides Machine Learning. *IEEE Computer Graphics and Applications* 30, 1 (Jan. 2010), 8–14. doi:10.1109/MCG.2010.18. 7, 10, 17
- [MT14] MAHYAR N., TORY M.: Supporting Communication and Coordination in Collaborative Sensemaking. *IEEE Transactions on Visualization and Computer Graphics* 20, 12 (Dec. 2014), 1633–1642. doi:10.1109/TVCG.2014.2346573. 8, 11
- [MVCJ16] MUTHUMANICKAM P. K., VROTSOU K., COOPER M., JOHANSSON J.: Shape grammar extraction for efficient query-by-sketch pattern matching in long time series. In *2016 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2016), pp. 121–130. ISSN: null. doi:10.1109/VAST.2016.7883518. 6, 7, 10, 11, 18
- [MVT16] MUTLU B., VEAS E., TRATTNER C.: VizRec: Recommending Personalized Visualizations. *ACM Trans. Interact. Syst.* 6, 4 (Nov. 2016), 31:1–31:39. URL: <http://doi.acm.org/10.1145/2983923>, doi:10.1145/2983923. 3, 6, 17
- [NCE*11] NORTH C., CHANG R., ENDERT A., DOU W., MAY R., PIKE B., FINK G.: Analytic provenance: process+interaction+insight. In *CHI '11 Extended Abstracts on Human Factors in Computing Systems* (2011), pp. 33–36. URL: <http://dl.acm.org/doi/abs/10.1145/1979742.1979570>. 2
- [NHC*20] NGUYEN P. H., HENKIN R., CHEN S., ANDRIENKO N., ANDRIENKO G., THONNARD O., TURKAY C.: VASABI: Hierarchical User Profiles for Interactive Visual User Behaviour Analytics. *IEEE Transactions on Visualization and Computer Graphics* 26, 1 (Jan. 2020), 77–86. doi:10.1109/TVCG.2019.2934609. 8, 11
- [NMK*14] NATH S. S., MISHRA G., KAR J., CHAKRABORTY S., DEY N.: A survey of image classification methods and techniques. In *2014 International Conference on Control, Instrumentation, Communication and Computational Technologies (ICCICCT)* (Kanyakumari District, India, July 2014), IEEE, pp. 554–557. URL: <http://ieeexplore.ieee.org/document/6993023/>, doi:10.1109/ICCICCT.2014.6993023. 9
- [NSUW15] NORTH S., SCHEIDEGGER C., URBANEK S., WOODHULL G.: Collaborative visual analysis with RCloud. In *2015 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2015), pp. 25–32. ISSN: null. doi:10.1109/VAST.2015.7347627. 11, 14

- [NTA*18] NGUYEN P., TURKAY C., ANDRIENKO G., ANDRIENKO N., THONNARD O., ZOUAOU J.: Understanding User Behaviour through Action Sequences: From the Usual to the Unusual. *TVCG* 25, 9 (2018), 2838–2852. 10, 19
- [NXB*16] NGUYEN P. H., XU K., BARDILL A., SALMAN B., HERD K., WONG B. W.: SenseMap: Supporting browser-based online sensemaking through analytic provenance. In *2016 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2016), pp. 91–100. ISSN: null. doi: 10.1109/VAST.2016.7883515. 11
- [NXW*16] NGUYEN P. H., XU K., WHEAT A., WONG B. W., ATTFIELD S., FIELDS B.: SensePath: Understanding the Sensemaking Process Through Analytic Provenance. *IEEE Transactions on Visualization and Computer Graphics* 22, 1 (Jan. 2016), 41–50. doi:10.1109/TVCG.2015.2467611. 2
- [ODOB18] OLIVEIRA W., DE OLIVEIRA D., BRAGANHOLO V.: Provenance Analytics for Workflow-Based Computational Experiments: A Survey. *ACM Computing Surveys (CSUR)* 51, 3 (May 2018). URL: <https://dl.acm.org/doi/abs/10.1145/3184900.2>
- [OGW19] OTTLEY A., GARNETT R., WAN R.: Follow The Clicks: Learning and Anticipating Mouse Interactions During Exploratory Data Analysis. *Computer Graphics Forum* 38, 3 (2019), 41–52. URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cgf.13670>, doi: 10.1111/cgf.13670. 3, 8, 10, 14, 17
- [OKCP19] OTTLEY A., KASZOWSKA A., CROUSER R. J., PECK E. M.: The Curious Case of Combining Text and Visualization. In *EuroVis 2019 - Short Papers* (2019), Johansson J., Sadlo F., Marai G. E., (Eds.), The Eurographics Association. doi:10.2312/evs.20191181. 5
- [oxf] Oxford English Dictionary. URL: <https://www.lexico.com/en/definition/provenance.1>
- [OYC15] OTTLEY A., YANG H., CHANG R.: Personality as a Predictor of User Strategy: How Locus of Control Affects Search Strategies on Tree Visualizations. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15* (Seoul, Republic of Korea, 2015), ACM Press, pp. 3251–3254. URL: <http://dl.acm.org/citation.cfm?doid=2702123.2702590>, doi:10.1145/2702123.2702590. 3, 9, 14
- [PC05] PIROLLO P., CARD S.: The sensemaking process and leverage points for analyst technology as identified through cognitive task analysis. In *Proceedings of international conference on intelligence analysis* (2005), vol. 5, McLean, VA, USA, pp. 2–4. 5, 6
- [PCC10] PORTEOUS J., CAVAZZA M., CHARLES F.: Applying Planning to Interactive Storytelling: Narrative Control Using State Constraints. *ACM Trans. Intell. Syst. Technol.* 1, 2 (Dec. 2010), 10:1–10:21. URL: <http://doi.acm.org/10.1145/1869397.1869399>, doi:10.1145/1869397.1869399. 18
- [PJUP09] PERRY J., JANNECK C. D., UMOJA C., POTTINGER W. M.: *Supporting Cognitive Models of Sensemaking in Analytics Systems*. Tech. Rep. 2009-12, DIMACS, 2009. 3, 6, 10
- [PLvdM*17] PEZZOTTI N., LELIEVELDT B. P. F., V. D. MAATEN L., HÄLLT T., EISEMANN E., VILANOVA A.: Approximated and user steerable tsne for progressive visual analytics. *IEEE Transactions on Visualization and Computer Graphics* 23, 7 (July 2017), 1739–1752. doi: 10.1109/TVCG.2016.2570755. 4, 9, 10, 18
- [PSM12] POHL M., SMUC M., MAYR E.: The user puzzle—Explaining the interaction with visual analytics systems. *IEEE transactions on visualization and computer graphics* 18, 12 (2012), 2908–2916. 10
- [PSR15] PREECE J., SHARP H., ROGERS Y.: *Interaction Design: Beyond Human-Computer Interaction*, 4th edition ed. John Wiley, Chichester, Feb. 2015. 2
- [PWM*12] POHL M., WILTNER S., MIKSCH S., AIGNER W., RIND A.: Analysing Interactivity in Information Visualisation. *KI - Künstliche Intelligenz* 26, 2 (May 2012), 151–159. URL: <http://link.springer.com/10.1007/s13218-012-0167-6>, doi:10.1007/s13218-012-0167-6. 5, 10
- [PYO*13] PECK E. M. M., YUKSEL B. F., OTTLEY A., JACOB R. J., CHANG R.: Using fNIRS brain sensing to evaluate information visualization interfaces. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (2013), pp. 473–482. 5
- [RB18] RÄJBEL O., BOWEN B. P.: BASTet: Shareable and Reproducible Analysis and Visualization of Mass Spectrometry Imaging Data via Open-MSI. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 1025–1035. doi:10.1109/TVCG.2017.2744479. 7, 18
- [RESC15] RAGAN E. D., ENDERT A., SANYAL J., CHEN J.: Characterizing Provenance in Visualization and Data Analysis: An Organizational Framework of Provenance Types and Purposes. *IEEE Transactions on Visualization and Computer Graphics* (Aug. 2015). URL: <https://ieeexplore.ieee.org/document/7192714>, doi:10.1109/TVCG.2015.2467551. 2, 14, 16, 17
- [RGT15] RAGAN E. D., GOODALL J. R., TUNG A.: Evaluating How Level of Detail of Visual History Affects Process Memory. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15* (Seoul, Republic of Korea, 2015), ACM Press, pp. 2711–2720. URL: <http://dl.acm.org/citation.cfm?doid=2702123.2702376>, doi:10.1145/2702123.2702376. 11, 18
- [RLB19] REN D., LEE B., BREHMER M.: Charticulator: Interactive Construction of Bespoke Chart Layouts. *IEEE Transactions on Visualization and Computer Graphics* 25, 1 (Jan. 2019), 789–799. doi:10.1109/TVCG.2018.2865158. 7, 17
- [RWF*13] RIBIÄÄÄ H., WASER J., FUCHS R., BLÄUSCHL G., GRÄÜLLER E.: Visual analysis and steering of flooding simulations. *IEEE Transactions on Visualization and Computer Graphics* 19, 6 (June 2013), 1062–1075. doi:10.1109/TVCG.2012.175. 4, 18
- [SBT*16a] SETLUR V., BATTERSBY S. E., TORY M., GOSSWEILER R., CHANG A. X.: Eviza: A natural language interface for visual analysis. In *Proceedings of the 29th Annual Symposium on User Interface Software and Technology* (2016), pp. 365–377. 7
- [SBT*16b] SETLUR V., BATTERSBY S. E., TORY M., GOSSWEILER R., CHANG A. X.: Eviza: A Natural Language Interface for Visual Analysis. In *Proceedings of the 29th Annual Symposium on User Interface Software and Technology - UIST '16* (Tokyo, Japan, 2016), ACM Press, pp. 365–377. URL: <http://dl.acm.org/citation.cfm?doid=2984511.2984588>, doi:10.1145/2984511.2984588. 10, 17
- [SCC13] STEICHEN B., CARENINI G., CONATI C.: User-adaptive information visualization: using eye gaze data to infer visualization tasks and user cognitive abilities. In *Proceedings of the 2013 international conference on Intelligent user interfaces - IUI '13* (Santa Monica, California, USA, 2013), ACM Press, p. 317. URL: <http://dl.acm.org/citation.cfm?doid=2449396.2449439>, doi:10.1145/2449396.2449439. 3, 17
- [SCC14] STEICHEN B., CONATI C., CARENINI G.: Inferring Visualization Task Properties, User Performance, and User Cognitive Abilities from Eye Gaze Data. *ACM Trans. Interact. Intell. Syst.* 4, 2 (July 2014), 11:1–11:29. URL: <http://doi.acm.org/10.1145/2633043>, doi: 10.1145/2633043. 5, 9, 17
- [SFC07] SILVA C. T., FREIRE J., CALLAHAN S. P.: Provenance for Visualizations: Reproducibility and Beyond. *Computing in Science Engineering* 9, 5 (Sept. 2007), 82–89. doi:10.1109/MCSE.2007.106. 2
- [SGL09] SHRINIVASAN Y. B., GOTZ D., LU J.: Connecting the dots in visual analysis. In *2009 IEEE symposium on visual analytics science and technology* (2009), IEEE, pp. 123–130. 4, 8, 10, 18
- [SGP*19] STITZ H., GRATZL S., PIRINGER H., ZICHNER T., STREIT M.: KnowledgePearls: Provenance-Based Visualization Retrieval. *IEEE Transactions on Visualization and Computer Graphics* 25, 1 (Jan. 2019), 120–130. doi:10.1109/TVCG.2018.2865024. 4, 5, 10, 18
- [SH14] SATYANARAYAN A., HEER J.: Lyra: An interactive visualization design environment. *Computer Graphics Forum* 33, 3 (2014), 351–360. 7
- [SK16] SCHROEDER D., KEEFE D. F.: Visualization-by-Sketching: An Artist's Interface for Creating Multivariate Time-Varying Data Visualizations. *IEEE Transactions on Visualization and Computer Graphics* 22, 1 (Jan. 2016), 877–885. doi:10.1109/TVCG.2015.2467153. 12

- [SKB*18] SACHA D., KRAUS M., BERNARD J., BEHRISCH M., SCHRECK T., ASANO Y., KEIM D. A.: SOMFlow: Guided Exploratory Cluster Analysis with Self-Organizing Maps and Analytic Provenance. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 120–130. doi:10.1109/TVCG.2017.2744805. 17
- [SKBE17] SAKET B., KIM H., BROWN E. T., ENDERT A.: Visualization by Demonstration: An Interaction Paradigm for Visual Data Exploration. *IEEE Transactions on Visualization and Computer Graphics* 23, 1 (Jan. 2017), 331–340. doi:10.1109/TVCG.2016.2598839. 12
- [SKL*16] SIDDIQUI T., KIM A., LEE J., KARAHALIOS K., PARAMESWARAN A.: Effortless data exploration with zenvisage: an expressive and interactive visual analytics system. *arXiv preprint arXiv:1604.03583* (2016). 7
- [SLMK18] SMITH J., LEGG P., MATOVIC M., KINSEY K.: Predicting User Confidence During Visual Decision Making. *ACM Trans. Interact. Intell. Syst.* 8, 2 (June 2018), 10:1–10:30. URL: <http://doi.acm.org/10.1145/3185524>, doi:10.1145/3185524. 5, 10, 18
- [SLSG16] STITZ H., LUGER S., STREIT M., GEHLENBORG N.: AVO-CADO: Visualization of Workflow-Derived Data Provenance for Reproducible Biomedical Research. *Computer Graphics Forum* 35, 3 (June 2016), 481–490. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=116877232&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgf.12924. 2
- [SML*09] SMUC M., MAYR E., LAMMARSCH T., AIGNER W., MIKSCH S., GÄRTNER J.: To Score or Not to Score? Tripling Insights for Participatory Design. *IEEE Computer Graphics and Applications* 29, 3 (May 2009), 29–38. doi:10.1109/MCG.2009.53. 3, 5, 12, 18
- [SMvdWvW15] SCHEEPENS R., MICHELS S., VAN DE WETERING H., VAN WIJK J. J.: Rationale Visualization for Safety and Security. *Computer Graphics Forum* 34, 3 (June 2015), 191–200. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=108442262&site=ehost-live&authType=sso&custid=s5409946>, doi:10.1111/cgf.12631. 11, 17
- [SMWH16] SATYANARAYAN A., MORITZ D., WONGSUPHASAWAT K., HEER J.: Vega-lite: A grammar of interactive graphics. *IEEE transactions on visualization and computer graphics* 23, 1 (2016), 341–350. 7
- [SNMM18] SHERKAT E., NOURASHRAFEDDIN S., MILIOS E. E., MINGHIM R.: Interactive Document Clustering Revisited: A Visual Analytics Approach. In *23rd International Conference on Intelligent User Interfaces* (New York, NY, USA, 2018), IUI '18, ACM, pp. 281–292. event-place: Tokyo, Japan. URL: <http://doi.acm.org/10.1145/3172944.3172964>, doi:10.1145/3172944.3172964. 9, 18
- [SPEB18] SRINIVASAN A., PARK H., ENDERT A., BASOLE R. C.: Graphiti: Interactive Specification of Attribute-Based Edges for Network Modeling and Visualization. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 226–235. doi:10.1109/TVCG.2017.2744843. 6, 11, 17
- [SRHH15] SATYANARAYAN A., RUSSELL R., HOFFSWELL J., HEER J.: Reactive vega: A streaming dataflow architecture for declarative interactive visualization. *IEEE transactions on visualization and computer graphics* 22, 1 (2015), 659–668. 7
- [STD19] SETLUR V., TORY M., DJALALI A.: Inferencing underspecified natural language utterances in visual analysis. In *Proceedings of the 24th International Conference on Intelligent User Interfaces - IUI '19* (Marina del Ray, California, 2019), ACM Press, pp. 40–51. URL: <http://dl.acm.org/citation.cfm?doid=3301275.3302270>, doi:10.1145/3301275.3302270. 12, 17
- [SvW08] SHRINIVASAN Y. B., VAN WIJK J. J.: Supporting the analytical reasoning process in information visualization. In *Proceedings of the SIGCHI conference on human factors in computing systems* (2008), pp. 1237–1246. 8
- [SvW09] SHRINIVASAN Y. B., VAN WIJK J. J.: Supporting Exploration Awareness in Information Visualization. *IEEE Computer Graphics and Applications* 29, 5 (Sept. 2009), 34–43. doi:10.1109/MCG.2009.87. 8, 17
- [SW13] SHADOAN R., WEAVER C.: Visual Analysis of Higher-Order Conjunctive Relationships in Multidimensional Data Using a Hypergraph Query System. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (Dec. 2013), 2070–2079. doi:10.1109/TVCG.2013.220. 8, 10, 18
- [SWR*13] SCHLINDER B., WASER J., RIBICIC H., FUCHS R., PEIKERT R.: Multiverse Data-Flow Control. *TVCG* 19, 6 (2013), 1006–1018. 4, 8, 18
- [SYD*14] SONG G., YE Y., DU X., HUANG X., BIE S.: Short Text Classification: A Survey. *Journal of Multimedia* 9, 5 (May 2014), 635–643. URL: <http://ojs.academpublisher.com/index.php/jmm/article/view/12635>, doi:10.4304/jmm.9.5.635–643. 9
- [TLC17] TOKER D., LALLÄU S., CONATI C.: Pupillometry and Head Distance to the Screen to Predict Skill Acquisition During Information Visualization Tasks. In *Proceedings of the 22Nd International Conference on Intelligent User Interfaces* (New York, NY, USA, 2017), IUI '17, ACM, pp. 221–231. event-place: Limassol, Cyprus. URL: <http://doi.acm.org/10.1145/3025171.3025187>, doi:10.1145/3025171.3025187. 9, 10, 19
- [TSG*14] TOKER D., STEICHEN B., GINGERICH M., CONATI C., CARENINI G.: Towards facilitating user skill acquisition: identifying untrained visualization users through eye tracking. In *Proceedings of the 19th international conference on Intelligent User Interfaces - IUI '14* (Haifa, Israel, 2014), ACM Press, pp. 105–114. URL: <http://dl.acm.org/citation.cfm?doid=2557500.2557524>, doi:10.1145/2557500.2557524. 9, 17
- [Wat01] WATTENBERG M.: Sketching a graph to query a time-series database. In *CHI '01 Extended Abstracts on Human factors in Computing Systems* (2001), pp. 381–382. 6
- [WBE17] WALL E., BLAHA L. M., FRANKLIN L., ENDERT A.: Warning, Bias May Occur: A Proposed Approach to Detecting Cognitive Bias in Interactive Visual Analytics. In *2017 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Phoenix, AZ, Oct. 2017), IEEE, pp. 104–115. URL: <https://ieeexplore.ieee.org/document/8585669/>, doi:10.1109/VAST.2017.8585669. 3, 8, 9, 14
- [WCW*14] WANG F., CHEN W., WU F., ZHAO Y., HONG H., GU T., WANG L., LIANG R., BAO H.: A visual reasoning approach for data-driven transport assessment on urban roads. In *2014 IEEE Conference on Visual Analytics Science and Technology (VAST)* (Oct. 2014), pp. 103–112. ISSN: null. doi:10.1109/VAST.2014.7042486. 6, 10, 17
- [WDC*18] WALL E., DAS S., CHAWLA R., KALIDINDI B., BROWN E. T., ENDERT A.: Podium: Ranking Data Using Mixed-Initiative Visual Analytics. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 288–297. doi:10.1109/TVCG.2017.2745078. 7, 11, 19
- [Wea09] WEAVER C.: Conjunctive Visual Forms. *IEEE Transactions on Visualization and Computer Graphics* 15, 6 (Nov. 2009), 929–936. doi:10.1109/TVCG.2009.129. 6, 11, 18
- [WGS*13] WILLETT W., GINOSAR S., STEINITZ A., HARTMANN B., AGRAWALA M.: Identifying redundancy and exposing provenance in crowdsourced data analysis. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (2013), 2198–2206. 19
- [WHA07] WILLETT W., HEER J., AGRAWALA M.: Scented Widgets: Improving Navigation Cues with Embedded Visualizations. *IEEE Transactions on Visualization and Computer Graphics* 13, 6 (Nov. 2007), 1129–1136. URL: <http://ieeexplore.ieee.org/document/4376132/>, doi:10.1109/TVCG.2007.70589. 14
- [WLLW18] WEGBA K., LU A., LI Y., WANG W.: Interactive Storytelling for Movie Recommendation Through Latent Semantic Analysis. In *23rd International Conference on Intelligent User Interfaces* (New York, NY, USA, 2018), IUI '18, ACM, pp. 521–533. event-place: Tokyo, Japan. URL: <http://doi.acm.org/10.1145/3172944.3172979>, doi:10.1145/3172944.3172979. 9, 17

- [WMA*16] WONGSUPHASAWAT K., MORITZ D., ANAND A., MACKINLAY J., HOWE B., HEER J.: Voyager: Exploratory Analysis via Faceted Browsing of Visualization Recommendations. *IEEE Transactions on Visualization and Computer Graphics* 22, 1 (Jan. 2016), 649–658. doi: [10.1109/TVCG.2015.2467191](https://doi.org/10.1109/TVCG.2015.2467191). 7, 18
- [WS92] WILLIAMSON C., SHNEIDERMAN B.: The dynamic homefinder: Evaluating dynamic queries in a real-estate information exploration system. In *Proceedings of the 15th annual international ACM SIGIR conference on Research and development in information retrieval* (1992), pp. 338–346. 6, 7
- [WSD*13] WALKER R., SLINGSBY A., DYKES J., XU K., WOOD J.: An Extensible Framework for Provenance in Human Terrain Visual Analytics. *IEEE Transactions on Visualization and Computer Graphics* (2013). URL: [AnExtensibleFrameworkforProvenanceinHumanTerrainVisualAnalytics](https://doi.org/10.1109/TVCG.2013.132), doi:10.1109/TVCG.2013.132. 2, 7, 18
- [WSSM12] WEI J., SHEN Z., SUNDARESAN N., MA K.-L.: Visual cluster exploration of web clickstream data. In *2012 IEEE Conference on Visual Analytics Science and Technology (VAST)* (2012), IEEE, pp. 3–12. 5, 10, 19
- [XAJK*15] XU K., ATTFIELD S., JANKUN-KELLY T., WHEAT A., NGUYEN P. H., SELVARAJ N.: Analytic Provenance for Sensemaking: A Research Agenda. *IEEE Computer Graphics and Applications* 35, 3 (May 2015), 56–64. URL: <http://ieeexplore.ieee.org/document/7111922/>, doi:10.1109/MCG.2015.50. 2
- [XBL*18] XU S., BRYAN C., LI J. K., ZHAO J., MA K.: Chart Constellations: Effective Chart Summarization for Collaborative and Multi-User Analyses. *Computer Graphics Forum* 37, 3 (June 2018), 75–86. URL: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&db=bth&AN=130628134&site=ehost-live&authtype=sso&custid=s5409946>, doi:10.1111/cgf.13402. 4, 6, 9, 11, 18
- [XGH06] XIAO L., GERTH J., HANRAHAN P.: Enhancing visual analysis of network traffic using a knowledge representation. In *2006 IEEE Symposium On Visual Analytics Science And Technology* (2006), IEEE, pp. 107–114. 6
- [YaKS07] YI J. S., A. KANG Y., STASKO J.: Toward a deeper understanding of the role of interaction in information visualization. *IEEE Transactions on Visualization and Computer Graphics* 13, 6 (Nov 2007), 1224–1231. doi: [10.1109/TVCG.2007.70515](https://doi.org/10.1109/TVCG.2007.70515). 5
- [YS20] YU B., SILVA C. T.: FlowSense: A Natural Language Interface for Visual Data Exploration within a Dataflow System. *IEEE Transactions on Visualization and Computer Graphics* 26, 1 (Jan. 2020), 1–11. doi:10.1109/TVCG.2019.2934668. 19
- [ZDFD15] ZGRAGGEN E., DRUCKER S. M., FISHER D., DELINE R.: (slq)eries: Visual Regular Expressions for Querying and Exploring Event Sequences. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15* (Seoul, Republic of Korea, 2015), ACM Press, pp. 2683–2692. URL: <http://dl.acm.org/citation.cfm?doid=2702123.2702262>, doi:10.1145/2702123.2702262. 18
- [ZGI*18] ZHAO J., GLUECK M., ISENBERG P., CHEVALIER F., KHAN A.: Supporting Handoff in Asynchronous Collaborative Sensemaking Using Knowledge-Transfer Graphs. *IEEE Transactions on Visualization and Computer Graphics* 24, 1 (Jan. 2018), 340–350. doi:10.1109/TVCG.2017.2745279. 8, 11