Home (/) > Interviews (/interviews/) > jQuery

# jQuery Interview Questions and Answers (179) - Page 3

Latest and authentic Interview questions. You can also post an interview question (/interviews/postexamquestion.aspx) and win monthly prizes (/misc/page3.aspx) as well as gain community credit points (/misc/page14.aspx#points).

179 records found. 872 readers

872 readers (http://feeds2.feedburner.com/DotnetfundaInterviewQuestions)

Search Interviews

Post (/interviews/postexamquestion.aspx) | limiterview Experiences (/interviews/experiences.aspx) | limiterview FAQs (/interviews/faq/) | limiterviews (/interviews/interviews/interviewst.aspx) | limiterviews (/interviews/interviewst.aspx) | limiterviews/exclusive/)

# Categories 🗏

## What is the use of jQuery Connect?

(/interviews/show/5517/what-is-the-use-of-jquery-connect)

It is used to connect or bind a function to another function. It is use to execute a function whenever a function from another object is executed.

e.g.

```
function FirstFunction(){
    this.Func1 = function(){
        execute1 = 'A class';
    }
}
var firstFunc = new FirstFunction();

function SecondFunction(){
    this.Func2 = function(){
    execute2 = 'Another Class';
    }
}
var secondFunc = new SecondFunction();
$.connect(firstFunc,'Func1',secondFunc,Func2);
```

In this case whevever we invoke secondFunc.Func2, firstFunc.Func1 will also gets executed indicating that Func2 of object secondFunc has been associated/ connected to Func1 of object firstFunc

# What is the use of jQuery disconnect?

(/interviews/show/5518/what-is-the-use-of-jquery-disconnect)

It is used to disconnect a function to another function. It is the opposite of \$.connect.

e.g.

```
$.disconnect(firstFunc,'Func1',secondFunc,Func2);
```

will disconnect Func1 from Func2 where Func1 is the reference function and Func2 is connected one.

## What is the use of jQuery disconnectAll?

(/interviews/show/5519/what-is-the-use-of-jquery-disconnectall)

It is used to disconnect all the connected functions.

e.g.

```
$.disconnectAll(firstFunc,'Func1');
```

will disconnect all the connected function from the reference function Func1.

# What are the minimal/must steps needed to execute JQuery?

(/interviews/show/5520/what-are-the-minimalmust-steps-needed-to-execute-jquery)

- 1. Wait for the DOM of the page to be ready.
- 2. Finds the appropriate HTML elements that needs to be acted on by using selector.
- 3.Add event handlers.

e.g.

# How to debug JQuery?

(/interviews/show/5521/how-to-debug-jquery)

#### 1.Placing debugger keyword

Add the keyword debugger to the line from where we want to start the debugging and then run the Visual Studio in Debug mode by pressing F5 or using the Debug button.

e.g.

```
<script language ="javascript">
$(document).ready(function ()
{

   var btnObject = $('#btnSayHello');
   debugger;
   btnObject.click(function ()
   {

      alert("Hello World...My First JQuery Program");
   });
});
</script>
```

### 2.Inserting a break point after attaching worker process

Press ALT + CTRL + P or tools -> AttachProcess then choose w3wp.exe.

What are the ways by which we can include JQuery in our page? (/interviews/show/5522/what-are-the-ways-by-which-we-can-include-jquery-in-our-page)

- 1.Refer to a local copy using the <script> tag
- 2.Refer to a remote copy on JQuery.com or the remote copy in the Google AJAX API
- 3.Refer to a local copy using Script Manager Control
- 4.Refer to an embedded script using the ClientScript object

## How to invoke Jquery function from code behind?

(/interviews/show/5523/how-to-invoke-jquery-function-from-code-behind)

Suppose we want to change the background color of a div tag from the code behind upon button click. In code behind write the below

```
protected void btnChangecolor_Click(object sender, EventArgs e)
{
    string script = "<script type=\"text/JavaScript\" language=\"javascript\">ChangeDivBack
    groundcolor();</script>";
    Page.ClientScript.RegisterStartupScript(this.GetType(), "ChangeColor", script);
}
```

The aspx file will be as under

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<title></title>
<script type="text/javascript" src="Scripts/jquery-1.7.2.js"></script>
<script type="text/javascript">
function ChangeDivBackgroundcolor()
{
var divObject = $('#divTest');
divObject.css("background-color", "cyan");
}
</script>
</head>
<body>
<form id="form1" runat="server">
<div>
<asp:Button ID="btnChangecolor" runat="server" Text="Say Hello" onclick="btnChangecolor"</pre>
Click" />
 </div>
<div id="divTest">Change the color of this div</div>
</form>
</body>
</html>
```

## What is the significance of document.ready()?

(/interviews/show/5524/what-is-the-significance-of-documentready)

It indicates that the DOM of the page is ready and we can start manipulating the DOM elements even though other parts

of the page content(e.g. images/other external resources) are not fully loaded. As soon as the DOM is loaded,

everything inside the (document).ready() should be load even before the page contents are loaded.

## Why is JQuery faster than Javascript at execution time?

(/interviews/show/5525/why-is-jquery-faster-than-javascript-at-execution-time)

The onLoad function for the window object executes after the entire page is fully loaded.Untill DOM tree is completely created and all images/other associated resources (like audio files, video files etc) are fully loaded, this onLoad function is never executed and hence the script execution needs to wait till the page is loaded.

But the document.ready() method of JQuery indicates that the DOM of the page is ready and we can start manipulating the DOM elements even though other parts of the page content(e.g. images/other external resources) are not fully loaded.As soon as the DOM is loaded, everything inside the (document).ready() should be load even before the page contents are loaded.

It is because of this reason that JQuery code runs faster

## Difference between jQuery-x.x.x.js and jQuery.x.x.x min.js?

(/interviews/show/6545/difference-between-jquery-xxxjs-and-jqueryxxx-minjs)

In terms of functionality, there is no difference between the jQuery-x.x.x.js and jQuery-x.x.x-min.js .jQuery-x.x.x-min.js is also called as minified version of jQuery.

jQuery-1.4.4.js file size is 178 KB and the jQuery-1.4.4-min.js size is 76.7 KB. If you are not using minified version of jQuery, then it will load the 178 kb file(jQuery-1.4.4.js). So it will take the much time to load the page and will hurt the performance.

So we can prefer using jQuery-1.4.4.js during development and jQuery-1.4.4-min.js when we move the code into production environment.

### What is the purpose of jquery-x.x.x-vsdoc.js?

(/interviews/show/6546/what-is-the-purpose-of-jquery-xxx-vsdocjs)

Generally we will use jQuery-x.x.x-vsdoc.js to provide the intellisense support. We can even delete this file. But the thing is that it won't provide the intellisense support if we delete that file.

Which one is the right way to get the TextBox value with id="txtbox" in Jquery? (/interviews/show/7025/which-one-is-the-right-way-to-get-the-textbox-value-with-idtxtbox-in-j)

NOTE: This is objective type question, Please click question title for correct answer.

#### Differentiate between jquery's ready and holdReady?

(/interviews/show/8085/differentiate-between-jquery39s-ready-and-holdready)

jQuery's ready is an event which gets triggered automatically when DOM is ready while holdReady is a signal/flag to hold this triggering. holdReady was included in 1.6 version and it works only if used before the execution/triggering of ready event. Once ready event is fired, it has nothing to do. It is useful in dynamically loading scripts before the ready starts. It release ready event execution when used with a true parameter.

#### Who is the Inventor of Jauery?

(/interviews/show/8323/who-is-the-inventor-of-jquery)

NOTE: This is objective type question, Please click question title for correct answer.

## What is the Scripting technique of JQuery library?

(/interviews/show/8373/what-is-the-scripting-technique-of-jquery-library)

NOTE: This is objective type question, Please click question title for correct answer.

# In JQuery, the function used to execute the starting point of the code is ? (/interviews/show/8374/in-jquery-the-function-used-to-execute-the-starting-point-of-the-code)

NOTE: This is objective type question, Please click question title for correct answer.

# In JQuery, the function used to specify our own character instead of '\$' is ? (/interviews/show/8375/in-jquery-the-function-used-to-specify-our-own-character-instead-of-39)

NOTE: This is objective type question, Please click question title for correct answer.

# In JQuery, the method used to select the class of an element is ? (/interviews/show/8376/in-jquery-the-method-used-to-select-the-class-of-an-element-is)

NOTE: This is objective type question, Please click question title for correct answer.

# In JQuery, the method used to select an Id of an element is?

(/interviews/show/8377/in-jquery-the-method-used-to-select-an-id-of-an-element-is)

NOTE: This is objective type question, Please click question title for correct answer.

# In JQuery, the function used to check whether the element is empty or not ? (/interviews/show/8378/in-jquery-the-function-used-to-check-whether-the-element-is-empty-or-n)

NOTE: This is objective type question, Please click question title for correct answer.

1 (/interviews/cat/95/jquery/)	2 (/interviews/cat/95/jquery/20/2)		3	
4 (/interviews/cat/95/jquery/60/4)		5 (/interviews/cat/95/jquery/80/5)		
6 (/interviews/cat/95/jquery/100/6)		7 (/interviews/cat/95/jquery/120/7)		
8 (/interviews/cat/95/jquery/140/8)		9 (/interviews/cat/95/jquery/160/9)		

#### More JQUERY Exclusive Interview Questions & Answers here (/interviews/exclusive/cat/95/jquery)

Found this useful, bookmark this page to the blog or social networking websites.

PAGE PROTECTED BY COPYSCAPE DO NOT COPY (http://www.copyscape.com/)

Bookmark It (/post/postga.aspx?

u=http%3a%2f%2fwww.dotnetfunda.com%2finterviews%2fcat%2f95%2fjquery%2f40%2f3&t=)

# **Interview Questions and Answers Categories**

.NET Certifications (/interviews/cat/29/net-

certifications)

ADO.NET (/interviews/cat/47/adonet)

AngularJS (/interviews/cat/225/angularjs)

ASP.NET (/interviews/cat/5/aspnet)

.NET Framework (/interviews/cat/52/net-

framework)

Android (/interviews/cat/221/android)

Aptitute Test (/interviews/cat/214/aptitute-test)

ASP.NET AJAX (/interviews/cat/23/aspnet-ajax)

ASP.NET MVC (/interviews/cat/131/aspnet-mvc) ASP.NET Web API (/interviews/cat/222/aspnet-

web-api)

Azure (/interviews/cat/111/azure)

Best Practices (/interviews/cat/114/best-

practices)

Function Points (FPA)

Interview Questions

(/interviews/cat/112/function-points-fpa)

BizTalk Server (/interviews/cat/90/biztalk-server)

Bootstrap (/interviews/cat/223/bootstrap)

C# (/interviews/cat/6/csharp) Cloud (/interviews/cat/177/cloud)
CMS (/interviews/cat/134/cms) CSS 3 (/interviews/cat/18/css-3)

Design Pattern & Practices DotNetFunda.Com

(/interviews/cat/45/design-pattern-practices) (/interviews/cat/167/dotnetfundacom)

Error and Solution (/interviews/cat/126/error- F# (/interviews/cat/66/f) and-solution)

HR (/interviews/cat/213/hr)

HTML 5 (/interviews/cat/161/html-5)

ik (/interviews/cat/213/iii) HTML 3 (/interviews/cat/161/iitiiii-3)

(/interviews/cat/219/interview-questions)

JavaScript (/interviews/cat/7/javascript) jQuery (/interviews/cat/95/jquery/40/3)

Kinect (/interviews/cat/189/kinect) LightSwitch (/interviews/cat/159/lightswitch)

LINQ (/interviews/cat/110/linq) Management (/interviews/cat/70/management)

Mobile Development Mule (/interviews/cat/209/mule) (/interviews/cat/170/mobile-development)

Networking (/interviews/cat/215/networking)

News and Community (/interviews/cat/218/news-and-community) NoSql (/interviews/cat/194/nosql)

OOPS (/interviews/cat/53/oops) Oracle (/interviews/cat/205/oracle)

Others (/interviews/cat/16/others)

PostgreSQL (/interviews/cat/208/postgresql)

PowerShell (/interviews/cat/135/powershell) Product Reviews (/interviews/cat/199/product-

reviews)

Project Management QA (Testing) (/interviews/cat/217/qa-testing)

(/interviews/cat/216/project-management)
Regular Expressions (/interviews/cat/30/regular-

expressions)

SEO (/interviews/cat/24/seo) SharePoint (/interviews/cat/85/sharepoint)

Silverlight (/interviews/cat/83/silverlight)

Sql Server (/interviews/cat/8/sql-server)

TypeScript (/interviews/cat/224/typescript) UML (/interviews/cat/113/uml)

VB.NET (/interviews/cat/117/vbnet) Visual Studio (/interviews/cat/130/visual-studio)

WCF (/interviews/cat/73/wcf) Web Analytics (/interviews/cat/22/web-analytics)

Web Services, Remoting Windows 8 (/interviews/cat/183/windows-8)

Windows Forms (/interviews/cat/92/windows-

forms)

Windows Metro (/interviews/cat/200/windows- Windows Phone (/interviews/cat/160/windows-

metro) phone)

IDE (/; · · · · / · /72 / · 6

(/interviews/cat/187/web-services-remoting)

WPF (/interviews/cat/72/wpf) WWF (/interviews/cat/71/wwf)

XML (/interviews/cat/125/xml)

IIS (/interviews/cat/122/iis)


# Learn SQL Server step by step (http://techfunda.com/Howto/sql-server)

Winners



Ads

## Social



(http://twitter.com/dotnetfunda) in (http://www.linkedin.com/in/dotnetfunda) Tube



(http://www.youtube.com/dnfvideo) (https://plus.google.com/110725672744452026072/)



G+1 +925 Recommend this

Like us on Facebook



**Top Interviews Authors** 

Fri, 04-Sep-2015 Authors All Time Authors







56720 (/profile/vishalneeraj-24503.aspx) 22080 (/profile/rajkatie.aspx) 18040 (/profile/bharathi cherukuri.aspx) Latest members (/misc/latestmembers.aspx) | More ... (/misc/topauthors.aspx?c=3)

(Statistics delayed by 5 minutes)

		•		
Adν	/ert	ISA	me	nts

## Latest JQUERY Articles

Automatically logout when user is idle for sometime (/articles/show/3130/automatically-logout-when-user-is-idle-for-sometime)

Changing grid row style based on condition in jQuery (/articles/show/3123/changing-grid-row-style-based-on-condition-in-jquery)

Progressive (continuous) loading using jQuery (/articles/show/3112/progressive-continuous-loading-using-jquery)

 $In line\ Date\ picker\ functionality\ in\ JQuery\ (/articles/show/3054/in line-date-picker-functionality-in-jquery)$ 

Fill Space Accordion Functionality in JQuery (/articles/show/3053/fill-space-accordion-functionality-in-jquery)

More ... (/articles/cat/95/jquery)

#### Latest JQUERY Forums

Clear cell of html table using jquery (/forums/show/20329/clear-cell-of-html-table-using-jquery) Enable and disable jquery menu (/forums/show/20194/enable-and-disable-jquery-menu) how to add hashtable in jquery (/forums/show/20003/how-to-add-hashtable-in-jquery)

Get Gridview Page Size (/forums/show/19962/get-gridview-page-size)

Error in jquery paging (/forums/show/19958/error-in-jquery-paging)

More ... (/forums/cat/95/jquery)

- About Us (/about.aspx)
- Contact Us (/feedback.aspx)
- The Team (/misc/page11.aspx)
- Testimonials (/feedbacklist.aspx)
- Advertise (/misc/page9.aspx)
- Software Development (/misc/page31.aspx)
- Write for us (/misc/page10.aspx)
- Privacy Policy (/privacypolicy.aspx)
- Terms of Use (/termsconditions.aspx)
- Search Members (/search/searchmembers.aspx)

#### **Network Websites**

- ITFunda.com (http://www.itfunda.com)
- fundooVideo.com (http://www.fundooVideo.com)
- FarmingFunda.com (http://www.farmingfunda.com)

Go Top

**General Notice:** If you find plagiarised (copied) content on this page, please let us know (/feedback.aspx?writeurl=yes) original source along with your correct email id (to communicate) for action.

Copyright © DotNetFunda.Com. All Rights Reserved. Copying or mimicking the site design and layout is prohibited. Logos, company names used here if any are only for reference purposes and they may be respective owner's right or trademarks. | 9/4/2015 1:15:54 AM | Online: 2391