Home (/) > Interviews (/interviews/) > iQuery

## jQuery Interview Questions and Answers (179) - Page 8

Latest and authentic Interview questions. You can also post an interview question (/interviews/postexamquestion.aspx) and win monthly prizes (/misc/page3.aspx) as well as gain community credit points (/misc/page14.aspx#points).

179 records found.



872 readers (http://feeds2.feedburner.com/DotnetfundaInterviewQuestions)

Search

Search Interviews

🌠 Post (/interviews/postexamquestion.aspx) | 🚵 Interview Experiences (/interviews/experiences.aspx) | 🔤 Interview FAQs (/interviews/fag/) | 🔤 Online Interviews (/interviews/interviewtest.aspx) | 🔃 Exclusive Questions (/interviews/exclusive/)

## Categories

How to Add multiple classes to any controls dynamically? (/interviews/show/9634/how-to-add-multiple-classes-to-any-controls-dynamically)

More than one class may be added at a time, separated by a space, to the set of matched elements like below code:-

```
<script src="//code.jquery.com/jquery-1.10.2.js"></script>
$("p").addClass("class1 class2");
```

#### Here class1 and class2 are 2 separate classes.

How to Remove class to any controls dynamically? (/interviews/show/9635/how-to-remove-class-to-any-controls-dynamically)

removeClass is an in-built jQuery method, which is used for removing any class dynamically. We have to pass class name in this removeClass method.

Syntax:-

removeClass(className);

### For Example:-

```
<script src="//code.jquery.com/jquery-1.10.2.js"></script>
$("p").removeClass("className");
```

How to Remove class to any controls dynamically?

(/interviews/show/9636/how-to-remove-class-to-any-controls-dynamically)

removeClass is an in-built jQuery method, which is used for removing any class dynamically. We have to pass class name in this removeClass method. Syntax:-

removeClass(className);

### For Example:-

<script src="//code.jquery.com/jquery-1.10.2.js"></script>
\$("p").removeClass("className");

How to check/uncheck a Checkbox control or radio button using jQuery? (/interviews/show/9637/how-to-checkuncheck-a-checkbox-control-or-radio-button-using-jquery)

Using the Prop method, we can achieve:-

### To Check #rdb\_active buttons

\$("#rdb active").prop("checked",true);

### To Uncheck #rdb\_active buttons

\$("#rdb\_active").prop("checked",false);

### Similarly, we can use Checkboxes.

How to disable/enable a radio buttons or check boxes? (/interviews/show/9638/how-to-disableenable-a-radio-buttons-or-check-boxes)

We can enable or disable a radio buttons or check boxes using the .prop() method.We have to write disabled property in prop method.

### For Example:-

//To Disable controls

\$("#control id").prop("disabled",true);

### //To Enable controls

\$("#control\_id").prop("disabled",false);

### Where,control\_id is your checkbox/radio buttons id.

How to check jQuery version? (/interviews/show/9713/how-to-check-jquery-version)

**jQuery** keeps track of the current version of the script being used in **jQuery.fn.jquery property**. **Both major** version version 1.x and version 2.x have this property.

jQuery.fn.jquery;

It will return string: "1.10.2"

## What is the shorthand for jQuery to get Version?

(/interviews/show/9714/what-is-the-shorthand-for-jquery-to-get-version)

\$.fn.jquery;  This will return the same version.  What is the alternate method to get Version? (/interviews/show/9715/what-is-the-alternate-method-to-get-version)  Write below code: jquery().jquery;  OR shorthand method \$().jquery;  How can we check the Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  Returns jQuery UI version For ex: 1.8.2 or undefined \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	Since <b>jQuery</b> == \$,so we can use shorthand syntax as
What is the alternate method to get Version? (/interviews/show/9715/what-is-the-alternate-method-to-get-version)  Write below code:  jQuery().jquery;  OR shorthand method  \$().jquery;  How can we check the Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI version as:-  jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:-  \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	<pre>\$.fn.jquery;</pre>
<pre>What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Wifte below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htm table ID.</pre>	This will return the same version.
OR shorthand method  \$().jquery;  How can we check the Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	
OR shorthand method  \$().jquery;  How can we check the Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	Write below code:-
#().jquery;  How can we check the Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	jQuery().jquery;
How can we check the Loaded jQuery UI Version? (/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version)  Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	OR shorthand method
<pre>(/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version) Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version) Write below code to check Loaded jQuery UI Version as:-    jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery) We can write below simple code for bottom row removal as:-  \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.</pre>	\$().jquery;
<pre>(/interviews/show/9716/how-can-we-check-the-loaded-jquery-ui-version) Returns jQuery UI version For ex: 1.8.2 or undefined  \$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version) Write below code to check Loaded jQuery UI Version as:-    jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery) We can write below simple code for bottom row removal as:-  \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.</pre>	
\$.ui.version  What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version)  Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	
What is the alternative way of checking Loaded jQuery UI Version? (/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version) Write below code to check Loaded jQuery UI Version as:- jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery) We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	Returns jQuery UI version For ex: 1.8.2 or undefined
<pre>(/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version) Write below code to check Loaded jQuery UI Version as:-     jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery) We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.</pre>	\$.ui.version
<pre>(/interviews/show/9717/what-is-the-alternative-way-of-checking-loaded-jquery-ui-version) Write below code to check Loaded jQuery UI Version as:-     jQuery.ui.version;  How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery) We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.</pre>	
How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	
How to remove bottom/last table row using jQuery? (/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery)  We can write below simple code for bottom row removal as:-  \$('#tbl tr:last').remove();  Where #tbl is Htm table ID.	Write below code to check Loaded jQuery UI Version as:-
<pre>(/interviews/show/9718/how-to-remove-bottomlast-table-row-using-jquery) We can write below simple code for bottom row removal as:- \$('#tbl tr:last').remove(); Where #tbl is Htmltable ID.</pre>	jQuery.ui.version;
\$('#tbl tr:last').remove();  Where #tbl is Htmltable ID.	
Where #tbl is Htmltable ID.	We can write below simple code for bottom row removal as:-
	<pre>\$('#tbl tr:last').remove();</pre>
	Where #tbl is Htmltable ID.
How to remove n'th or 5rd row from the table using jQuery? (/interviews/show/9719/how-to-remove-n39th-or-5rd-row-from-the-table-using-jquery)	How to remove n'th or 5rd row from the table using jQuery? (/interviews/show/9719/how-to-remove-n39th-or-5rd-row-from-the-table-using-jquery)
Simply write below code:-	Simply write below code:-

```
$('#tbl tr:eq(4)').remove();
```

### Where 4 is the table index.

How to get the Number of Controls Count using jQuery. (/interviews/show/9732/how-to-get-the-number-of-controls-count-using-jquery)

**jQuery has Length property** through which we can find the number of controls Suppose, we have following HTML structure as shown below:-

How to change CSS background image with jQuery? (/interviews/show/9734/how-to-change-css-background-image-with-jquery)

Write below code:-

```
$('#div_project').css('background-image', 'url(my_image.jpg)');
```

What is an alternative way of changing CSS background image with jQuery? (/interviews/show/9735/what-is-an-alternative-way-of-changing-css-background-image-with-jquer)

Just write below code:-

```
$('#div_project).css('background','url(path/to/image.jpg)');
```

How to add class to the last selected paragraph element and highlighting it. (/interviews/show/9736/how-to-add-class-to-the-last-selected-paragraph-element-and-highlighti)

```
<!doctype html>
<html lang ="en">
<head>
<meta charset="utf-8">
<title>addClass demo</title>
<style>
р
{
 margin: 8px;
 font-size: 16px;
}
.selected
{
 color: red;
}
.highlight
{
 background: yellow;
}
</style>
<script src="//code.jquery.com/jquery-1.10.2.js"></script>
</head>
<body>
DotNet
Funda
Website
<script>
```

```
$("p:last").addClass("selected highlight");

</script>

</body>
</html>
```

### How to set target of the first anchor tag link only?

(/interviews/show/9737/how-to-set-target-of-the-first-anchor-tag-link-only)

Using the **prop property of jQuery**, we can do as:-

```
$('a').prop('target','_blank');
```

# How to set the target of all anchor tags in the Loop using jQuery? (/interviews/show/9738/how-to-set-the-target-of-all-anchor-tags-in-the-loop-using-jquery)

Write below code:-

```
$('a').each(function(){

$(this).prop('target','_blank');
});
```

## What is the key points about IDENTITY\_INSERT command?

(/interviews/show/9739/what-is-the-key-points-about-identityinsert-command)

We have following key points about **IDENTITY INSERT command**:-

- 1). It can only be enabled on one table at a time. If we try to enable it on a second table while it is still enabled on a first table, then Sql Server will generate an error.
- 2). When it is enabled on a table we must specify a value for the identity column.
- **3).** The user issuing the statement must own the object,we must have to be a system administrator or having a sysadmin role,be the database owner (dbo) or be a member of the db\_ddladmin role in order to run the command.

# How to get the number of items to be executed on a pirticular element? (/interviews/show/9962/how-to-get-the-number-of-items-to-be-executed-on-a-pirticular-element)

NOTE: This is objective type question, Please click question title for correct answer.

```
1 (/interviews/cat/95/jquery) 2 (/interviews/cat/95/jquery/20/2) 3 (/interviews/cat/95/jquery/40/3)

4 (/interviews/cat/95/jquery/60/4) 5 (/interviews/cat/95/jquery/80/5)

6 (/interviews/cat/95/jquery/100/6) 7 (/interviews/cat/95/jquery/120/7) 8

9 (/interviews/cat/95/jquery/160/9)
```

### More JQUERY Exclusive Interview Questions & Answers here (/interviews/exclusive/cat/95/jquery)

Found this useful, bookmark this page to the blog or social networking websites.

PAGE PROTECTED BY COPYSCAPE DO NOT COPY (http://www.copyscape.com/)

Bookmark It (/post/postga.aspx?

u=http%3a%2f%2fwww.dotnetfunda.com%2finterviews%2fcat%2f95%2fjquery%2f140%2f8&t=)

### **Interview Questions and Answers Categories**

.NET Certifications (/interviews/cat/29/net-.NET Framework (/interviews/cat/52/netframework)

certifications)

ADO.NET (/interviews/cat/47/adonet) Android (/interviews/cat/221/android)

AngularJS (/interviews/cat/225/angularjs) Aptitute Test (/interviews/cat/214/aptitute-test)

ASP.NET (/interviews/cat/5/aspnet) ASP.NET AJAX (/interviews/cat/23/aspnet-ajax)

ASP.NET MVC (/interviews/cat/131/aspnet-mvc) ASP.NET Web API (/interviews/cat/222/aspnet-

web-api)

Best Practices (/interviews/cat/114/best-Azure (/interviews/cat/111/azure)

practices)

BizTalk Server (/interviews/cat/90/biztalk-server) Bootstrap (/interviews/cat/223/bootstrap)

C# (/interviews/cat/6/csharp) Cloud (/interviews/cat/177/cloud) CSS 3 (/interviews/cat/18/css-3) CMS (/interviews/cat/134/cms)

Design Pattern & Practices DotNetFunda.Com

(/interviews/cat/45/design-pattern-practices) (/interviews/cat/167/dotnetfundacom)

Error and Solution (/interviews/cat/126/error-F# (/interviews/cat/66/f)

and-solution)

(/interviews/cat/112/function-points-fpa)

Function Points (FPA)

HR (/interviews/cat/213/hr) HTML 5 (/interviews/cat/161/html-5)

IIS (/interviews/cat/122/iis) **Interview Questions** 

(/interviews/cat/219/interview-questions)

JavaScript (/interviews/cat/7/javascript) jQuery (/interviews/cat/95/jquery/140/8)

Kinect (/interviews/cat/189/kinect) LightSwitch (/interviews/cat/159/lightswitch)

LINQ (/interviews/cat/110/ling) Management (/interviews/cat/70/management)

Mobile Development Mule (/interviews/cat/209/mule)

(/interviews/cat/170/mobile-development) Networking (/interviews/cat/215/networking)

**News and Community** Node.js (/interviews/cat/220/nodejs)

(/interviews/cat/218/news-and-community) NoSql (/interviews/cat/194/nosql)

OOPS (/interviews/cat/53/oops) Oracle (/interviews/cat/205/oracle)

PowerShell (/interviews/cat/135/powershell) Product Reviews (/interviews/cat/199/product-

reviews)

**Project Management** QA (Testing) (/interviews/cat/217/qa-testing)

Regular Expressions (/interviews/cat/30/regular-

PostgreSQL (/interviews/cat/208/postgresql)

expressions)

SEO (/interviews/cat/24/seo) SharePoint (/interviews/cat/85/sharepoint)

Silverlight (/interviews/cat/83/silverlight) Sql Server (/interviews/cat/8/sql-server)

Others (/interviews/cat/16/others)

(/interviews/cat/216/project-management)

TypeScript (/interviews/cat/224/typescript)

VB.NET (/interviews/cat/117/vbnet)

WCF (/interviews/cat/73/wcf)

Web Services, Remoting

(/interviews/cat/187/web-services-remoting)

Windows Metro (/interviews/cat/200/windowsmetro)

WPF (/interviews/cat/72/wpf)

XML (/interviews/cat/125/xml)

UML (/interviews/cat/113/uml)

Visual Studio (/interviews/cat/130/visual-studio)

Web Analytics (/interviews/cat/22/web-analytics)

Windows 8 (/interviews/cat/183/windows-8)

Windows Forms (/interviews/cat/92/windows-

forms)

Windows Phone (/interviews/cat/160/windows-

phone)

WWF (/interviews/cat/71/wwf)

## **Learn SQL Server step by step (http://techfunda.com/Howto/sql-server)**

Winners

Bandi



Ads

#### Social



(https://www.facebook.com/pages/DotNetFunda/150208065028141)



(http://twitter.com/dotnetfunda)



(http://www.linkedin.com/in/dotnetfunda)



(http://www.youtube.com/dnfvideo)



(https://plus.google.com/110725672744452026072/)

G+1 +925 Recommend this

Like us on Facebook



## **Top Interviews Authors**

Fri, 04-Sep-2015 Authors All Time Authors







56720 (/profile/vishalneeraj-24503.aspx) 22080 (/profile/rajkatie.aspx) 18040 (/profile/bharathi cherukuri.aspx) Latest members (/misc/latestmembers.aspx) | More ... (/misc/topauthors.aspx?c=3)

(Statistics delayed by 5 minutes)

### Advertisements

### Latest JQUERY Articles

Automatically logout when user is idle for sometime (/articles/show/3130/automatically-logout-when-user-is-idle-for-sometime)

Changing grid row style based on condition in jQuery (/articles/show/3123/changing-grid-row-style-based-on-condition-in-jquery)

Progressive (continuous) loading using jQuery (/articles/show/3112/progressive-continuous-loading-using-jquery)

Inline Date picker functionality in JQuery (/articles/show/3054/inline-date-picker-functionality-in-jquery)

Fill Space Accordion Functionality in JQuery (/articles/show/3053/fill-space-accordion-functionality-in-jquery)

More ... (/articles/cat/95/jquery)

### Latest JQUERY Forums

Clear cell of html table using jquery (/forums/show/20329/clear-cell-of-html-table-using-jquery)

Enable and disable jquery menu (/forums/show/20194/enable-and-disable-jquery-menu)

how to add hashtable in jquery (/forums/show/20003/how-to-add-hashtable-in-jquery)

Get Gridview Page Size (/forums/show/19962/get-gridview-page-size)

Error in jquery paging (/forums/show/19958/error-in-jquery-paging)

More ... (/forums/cat/95/jquery)

- About Us (/about.aspx)
- Contact Us (/feedback.aspx)
- The Team (/misc/page11.aspx)
- Testimonials (/feedbacklist.aspx)
- Advertise (/misc/page9.aspx)
- Software Development (/misc/page31.aspx)
- Write for us (/misc/page10.aspx)
- Privacy Policy (/privacypolicy.aspx)
- Terms of Use (/termsconditions.aspx)
- Search Members (/search/searchmembers.aspx)

### **Network Websites**

- ITFunda.com (http://www.itfunda.com)
- fundooVideo.com (http://www.fundooVideo.com)
- FarmingFunda.com (http://www.farmingfunda.com)

Go Top

**General Notice:** If you find plagiarised (copied) content on this page, please let us know (/feedback.aspx?writeurl=yes) original source along with your correct email id (to communicate) for action.

Copyright © DotNetFunda.Com. All Rights Reserved. Copying or mimicking the site design and layout is prohibited. Logos, company names used here if any are only for reference purposes and they may be respective owner's right or trademarks. | 9/4/2015 1:17:42 AM | Online: 2425