

Entity-Relationship Diagram (ERD)

Online Store Management System (OSMS)

SignupUser		
string	userId	PK
string	firstname	
string	lastname	
string	email	
string	mobile	
string	password	
string	dob	
string	gender	
string	role	
string	status	
string	createdAt	

Blog		
string	blogId	PK
string	title	
string	category	
string	author	
string	date	
string	excerpt	
string	content	
string	image	
string	tags	

Contact		
string	contactId	PK
string	name	
string	email	
string	phone	
string	subject	
string	message	
string	createdAt	

PageContent		
string	pageId	PK
string	page	
string	title	
string	sectionsJson	
string	lastUpdated	

LoginUser		
string	loginId	PK
string	email	
string	password	
string	loginAt	

Order		
string	orderId	PK
string	userId	FK
string	itemsJson	
string	shippingAddressJson	
string	paymentMethod	
string	paymentResultId	
string	paymentResultStatus	
number	totalPrice	
string	isPaid	
string	paidAt	
string	isDelivered	
string	deliveredAt	
string	status	
string	createdAt	

Address		
string	addressId	PK
string	userId	FK
string	name	
string	mobile	
string	pincode	
string	state	
string	address	
string	locality	
string	city	
string	type	
string	isDefault	


Product		
string	productId	PK
string	name	
string	description	
string	price	
string	status	
string	createdAt	

places

manages

writes

includes



ER Notation Key:

- **Entities** are represented as labeled rectangles with attributes.

- **PK / FK:** Primary Key and Foreign Key constraints.
- **UQ:** Unique constraint.
- **Cardinality Symbols:**
 - $||--o\{$: One to Zero-or-Many (e.g., A User can have many Orders)
 - $\}o--||$: Many to One (e.g., Many Products in One Category)
 - $||--|\{$: One to One-or-Many (e.g., An Order must have at least one Product)