SM2.F1 Study design across all 16 supported groups

Equal-period fitted percentages | Eligible work counts in 2010-2016 / 2017-2023

* Interval unavailable; point retained. Full pointwise intervals and source IDs: SM2.T3 or SM2.T10.

Profiles describe indexed outcome-eligible works; categories use their own outcome denominator.

SM2.F1 Research objective across all 16 supported groups

Equal-period fitted percentages | Eligible work counts in 2010-2016 / 2017-2023



* Interval unavailable; point retained. Full pointwise intervals and source IDs: SM2.T3 or SM2.T10.

Profiles describe indexed outcome-eligible works; categories use their own outcome denominator.

SM2.F1 Level of analysis across all 16 supported groups

Equal-period fitted percentages | Eligible work counts in 2010-2016 / 2017-2023



* Interval unavailable; point retained. Full pointwise intervals and source IDs: SM2.T3 or SM2.T10.

Profiles describe indexed outcome-eligible works; categories use their own outcome denominator.

SM2.F1 Data type across all 16 supported groups

Equal-period fitted percentages | Eligible work counts in 2010-2016 / 2017-2023



* Interval unavailable; point retained. Full pointwise intervals and source IDs: SM2.T3 or SM2.T10.

C8 prevalences overlap; no sum-to-100 constraint. Institutional profiles retain degree and field composition.