Study design | Earlier versus later | Master's | 1 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

A Master's

Psychology

Primary n E/L: 362 / 540; institutions E/L: 100 / 120

Continuing n E/L: 338 / 426; institutions E/L: 86 / 86

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	1.8 / 1.4	P -0.4 (-2.2, +1.1) C +0.5 (-1.1, +2.0)
Qualitative	2.3 / 1.9	P -0.4 (-3.5, +2.0) C -0.8 (-3.8, +1.0)
Single subject / case study	1.0 / 0.1	P -0.9 (-2.2, -0.0) C -0.9 (-2.4, -0.0)
Computational modeling	0.4 / 0.3	P -0.1 (-0.8, +0.5) C -0.3 (-1.0, -0.0)
Chemical synthesis / characterization	0.1 / 0.1	P -0.0 (-0.1, -0.0) C -0.0 (-0.1, -0.0)
Randomized experiment	11.5 / 10.2	P -1.4 (-6.8, +3.7) C -1.0 (-6.6, +4.5)
Nonrandomized experiment	28.4 / 24.1	P -4.3 (-12.7, +2.8) C -5.6 (-14.6, +2.1)
Quasi-experiment	0.7 / 0.6	P -0.0 (-1.1, +0.9) C +0.1 (-0.7, +1.0)
Single-group pre/post	0.4 / 0.3	P -0.1 (-0.9, +0.5) C +0.2 (-0.0, +0.7)
Longitudinal observational	9.6 / 10.3	P +0.7 (-3.4, +5.0) C +0.6 (-3.8, +5.1)
Cross-sectional observational	43.1 / 50.3	P +7.2 (-0.4, +14.9) C +7.5 (-0.5, +15.7)
Multiple / no dominant	0.7 / 0.5	P -0.2 (-1.2, +0.6) C -0.1 (-1.2, +0.8)



B Master's

Public and population health

Primary n E/L: 154 / 209; institutions E/L: 29 / 44

Continuing n E/L: 145 / 160; institutions E/L: 22 / 22

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	3.4 / 8.1	P +4.7 (-2.5, +11.5) C +6.9 (-1.5, +16.1)
Qualitative	9.1 / 6.7	P -2.3 (-7.4, +2.1) C -1.4 (-7.3, +3.1)
Single subject / case study	0.3 / 0.2	P -0.1 (-0.3, +0.0) C -0.0 (-0.2, +0.1)
Computational modeling	1.6 / 2.6	P +1.0 (-2.6, +5.2) C +1.1 (-3.0, +6.1)
Chemical synthesis / characterization	0.3 / 0.2	P -0.1 (-0.3, +0.0) C -0.0 (-0.2, +0.1)
Randomized experiment	3.4 / 1.6	P -1.8 (-5.6, +0.7) C -1.5 (-5.8, +1.3)
Nonrandomized experiment	3.4 / 4.0	P +0.5 (-3.6, +5.7) C -0.9 (-5.1, +3.9)
Quasi-experiment	2.2 / 4.0	P +1.8 (-3.8, +5.6) C +2.8 (-3.8, +6.9)
Single-group pre/post	2.8 / 4.4	P +1.6 (-2.5, +7.1) C -0.9 (-4.6, +3.4)
Longitudinal observational	10.3 / 10.0	P -0.3 (-8.5, +6.1) C +0.3 (-8.7, +7.1)
Cross-sectional observational	61.6 / 55.6	P -6.0 (-16.1, +8.9) C -6.1 (-16.4, +11.3)
Multiple / no dominant	1.6 / 2.6	P +1.0 (-1.7, +4.6) C -0.1 (-2.3, +2.0)



n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | Master's | 2 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

C Master's

Medicine, nursing, and clinical health professions

Primary n E/L: 52 / 82; institutions E/L: 35 / 44

Continuing n E/L: 25 / 41; institutions E/L: 17 / 17

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	0.9 / 4.0	P +3.1 (-0.3, +7.0) C unavailable (support)
Qualitative	6.0 / 6.2	P +0.2 (-7.4, +7.6) C unavailable (support)
Single subject / case study	2.6 / 0.6	P -2.0 (-6.3, -0.1) C unavailable (support)
Computational modeling	0.9 / 1.7	P +0.8 (-0.5, +3.8) C unavailable (support)
Chemical synthesis / characterization	4.3 / 0.6	P -3.7 (-9.7, -0.2) C unavailable (support)
Randomized experiment	2.6 / 2.8	P +0.3 (-4.9, +4.4) C unavailable (support)
Nonrandomized experiment	21.6 / 31.2	P +9.7 (-8.8, +30.1) C unavailable (support)
Quasi-experiment	0.9 / 1.7	P +0.8 (-0.5, +3.8) C unavailable (support)
Single-group pre/post	6.0 / 4.0	P -2.1 (-9.5, +4.4) C unavailable (support)
Longitudinal observational	6.0 / 6.2	P +0.2 (-9.9, +9.8) C unavailable (support)
Cross-sectional observational	47.4 / 38.1	P -9.3 (-27.2, +9.1) C unavailable (support)
Multiple / no dominant	0.9 / 2.8	P +2.0 (-0.5, +7.1) C unavailable (support)

0 25 50 75 100%

D Master's

Biomedical, life, neuroscience, and pharmaceutical sciences

Primary n E/L: 146 / 317; institutions E/L: 53 / 81

Continuing n E/L: 112 / 222; institutions E/L: 34 / 34

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	1.0 / 0.8	P -0.2 (-2.2, +1.1) C -0.6 (-3.2, +0.7)
Qualitative	1.6 / 2.3	P +0.7 (-0.3, +2.0) C +0.7 (-0.4, +2.2)
Single subject / case study	0.3 / 0.5	P +0.1 (-0.3, +0.6) C +0.2 (-0.4, +0.9)
Computational modeling	0.3 / 1.4	P +1.1 (+0.1, +2.6) C +0.7 (-0.3, +2.4)
Chemical synthesis / characterization	3.0 / 3.9	P +0.9 (-0.7, +3.5) C +1.7 (-0.4, +5.7)
Randomized experiment	2.3 / 0.5	P -1.8 (-4.2, +0.2) C -1.9 (-4.3, -0.2)
Nonrandomized experiment	77.3 / 77.6	P +0.3 (-7.8, +9.1) C +2.4 (-5.2, +13.1)
Quasi-experiment	1.0 / 0.2	P -0.8 (-1.9, -0.1) C -1.1 (-2.3, -0.1)
Single-group pre/post	0.3 / 0.8	P +0.4 (-0.3, +1.3) C +0.2 (-0.4, +0.9)
Longitudinal observational	0.3 / 1.4	P +1.1 (-0.3, +3.0) C +1.5 (-0.4, +3.9)
Cross-sectional observational	10.9 / 9.1	P -1.7 (-9.1, +4.7) C -3.3 (-12.8, +2.4)
Multiple / no dominant	1.6 / 1.7	P +0.1 (-1.6, +2.0) C -0.6 (-2.2, +1.2)

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | Master's | 3 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

E Master's

Social work, counseling, and human services

Primary n E/L: 88 / 75; institutions E/L: 15 / 16

Continuing n E/L: 81 / 61; institutions E/L: 9 / 9

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	3.7 / 4.3	P +0.6 (-2.5, +7.6) C unavailable (support)
Qualitative	23.9 / 29.0	P +5.1 (CI unavailable) C unavailable (support)
Single subject / case study	0.5 / 0.6	P +0.1 (-1.1, +0.3) C unavailable (support)
Computational modeling	0.5 / 0.6	P +0.1 (-1.1, +0.3) C unavailable (support)
Chemical synthesis / characterization	0.5 / 0.6	P +0.1 (-1.1, +0.3) C unavailable (support)
Randomized experiment	2.7 / 0.6	P -2.0 (-2.5, -0.3) C unavailable (support)
Nonrandomized experiment	1.6 / 3.1	P +1.5 (-5.9, +5.5) C unavailable (support)
Quasi-experiment	0.5 / 0.6	P +0.1 (-1.1, +0.3) C unavailable (support)
Single-group pre/post	2.7 / 3.1	P +0.4 (-7.2, +4.0) C unavailable (support)
Longitudinal observational	4.8 / 4.3	P -0.5 (-7.5, +5.4) C unavailable (support)
Cross-sectional observational	56.9 / 51.2	P -5.7 (-23.3, +12.6) C unavailable (support)
Multiple / no dominant	1.6 / 1.9	P +0.3 (-1.9, +3.9) C unavailable (support)



F Master's

Social sciences, policy, administration, business, justice, and communication

Primary n E/L: 157 / 247; institutions E/L: 78 / 102

Continuing n E/L: 123 / 156; institutions E/L: 52 / 52

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	4.6 / 2.6	P -2.0 (-5.5, +1.4) C -2.9 (-7.0, +1.2)
Qualitative	17.5 / 25.1	P +7.6 (-1.5, +16.1) C +14.4 (+3.6, +24.7)
Single subject / case study	0.3 / 0.6	P +0.3 (-0.2, +1.2) C -0.1 (-0.2, +0.0)
Computational modeling	0.3 / 0.6	P +0.3 (-0.2, +1.2) C -0.1 (-0.2, +0.0)
Chemical synthesis / characterization	0.9 / 0.2	P -0.7 (-2.2, -0.1) C -0.9 (-2.8, -0.0)
Randomized experiment	2.1 / 2.2	P +0.0 (-2.9, +2.5) C +0.1 (-3.5, +3.4)
Nonrandomized experiment	5.2 / 4.2	P -1.1 (-5.4, +2.9) C +1.0 (-3.5, +5.7)
Quasi-experiment	1.5 / 5.7	P +4.2 (+1.4, +6.8) C +4.5 (+0.8, +7.7)
Single-group pre/post	0.9 / 3.0	P +2.0 (-0.4, +4.7) C +1.0 (-1.5, +3.5)
Longitudinal observational	10.1 / 6.9	P -3.2 (-8.4, +2.0) C -5.5 (-12.1, +0.7)
Cross-sectional observational	55.5 / 46.4	P -9.1 (-19.1, +1.9) C -12.1 (-23.7, +0.8)
Multiple / no dominant	0.9 / 2.6	P +1.6 (-0.5, +3.9) C +0.5 (-0.2, +2.1)



n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | Research doctorate | 4 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

G Research doctorate

Psychology

Primary n E/L: 886 / 1035; institutions E/L: 158 / 173

Continuing n E/L: 850 / 960; institutions E/L: 138 / 138

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	4.1 / 3.6	P -0.5 (-2.3, +1.3) C -0.7 (-2.5, +1.2)
Qualitative	3.2 / 6.4	P +3.2 (-0.1, +7.1) C +3.2 (-0.4, +7.2)
Single subject / case study	0.5 / 0.6	P +0.1 (-0.5, +0.7) C +0.4 (-0.1, +0.9)
Computational modeling	0.5 / 0.2	P -0.3 (-0.7, +0.1) C -0.3 (-0.7, +0.2)
Chemical synthesis / characterization	0.1 / 0.0	P -0.0 (-0.0, -0.0) C -0.0 (-0.0, +0.0)
Randomized experiment	12.2 / 11.7	P -0.5 (-3.2, +2.3) C -0.5 (-3.2, +2.5)
Nonrandomized experiment	27.2 / 23.5	P -3.7 (-8.2, +0.9) C -4.0 (-8.5, +0.7)
Quasi-experiment	1.1 / 1.7	P +0.6 (-0.6, +2.2) C +0.8 (-0.4, +2.5)
Single-group pre/post	1.1 / 0.9	P -0.2 (-0.9, +0.6) C -0.1 (-0.9, +0.7)
Longitudinal observational	14.9 / 15.0	P +0.2 (-2.9, +3.5) C +0.2 (-3.0, +3.7)
Cross-sectional observational	31.9 / 32.3	P +0.4 (-4.7, +5.7) C -0.0 (-5.4, +5.6)
Multiple / no dominant	3.4 / 4.0	P +0.6 (-0.9, +2.1) C +1.0 (-0.5, +2.6)



H Research doctorate

Public and population health

Primary n E/L: 339 / 528; institutions E/L: 63 / 87

Continuing n E/L: 330 / 449; institutions E/L: 58 / 58

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	6.5 / 10.6	P +4.1 (+0.8, +7.5) C +2.9 (-0.4, +6.3)
Qualitative	3.3 / 4.0	P +0.7 (-1.5, +3.0) C +0.4 (-2.0, +3.1)
Single subject / case study	0.4 / 0.3	P -0.2 (-0.9, +0.4) C -0.1 (-1.0, +0.6)
Computational modeling	1.0 / 2.5	P +1.5 (-0.1, +3.4) C +1.7 (-0.1, +3.9)
Chemical synthesis / characterization	0.1 / 0.1	P -0.1 (-0.1, -0.0) C -0.0 (-0.1, -0.0)
Randomized experiment	4.5 / 3.8	P -0.7 (-4.5, +2.6) C +0.6 (-2.9, +3.7)
Nonrandomized experiment	4.2 / 2.2	P -2.0 (-4.3, -0.1) C -2.4 (-4.7, -0.5)
Quasi-experiment	3.0 / 5.5	P +2.5 (-0.7, +5.5) C +2.5 (-0.9, +5.8)
Single-group pre/post	0.4 / 0.1	P -0.3 (-1.0, -0.0) C -0.3 (-1.0, -0.0)
Longitudinal observational	16.7 / 12.5	P -4.2 (-9.0, +0.6) C -4.0 (-8.7, +0.8)
Cross-sectional observational	47.1 / 36.8	P -10.3 (-16.7, -2.8) C -8.9 (-15.3, -1.3)
Multiple / no dominant	12.6 / 21.6	P +9.0 (+3.4, +14.5) C +7.8 (+2.0, +13.6)



n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | Research doctorate | 5 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

I Research doctorate

Medicine, nursing, and clinical health professions

Primary n E/L: 111 / 229; institutions E/L: 58 / 90

Continuing n E/L: 79 / 121; institutions E/L: 35 / 35

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	2.1 / 6.6	P +4.5 (+0.4, +8.3) C +3.4 (-1.0, +7.6)
Qualitative	16.7 / 15.5	P -1.1 (-9.8, +7.4) C -6.0 (-14.6, +2.3)
Single subject / case study	0.4 / 0.2	P -0.2 (-0.4, -0.1) C -0.2 (-0.4, -0.0)
Computational modeling	2.1 / 1.1	P -1.1 (-4.0, +1.3) C -1.0 (-5.1, +2.9)
Chemical synthesis / characterization	1.3 / 0.6	P -0.6 (-2.6, +0.9) C -1.4 (-3.8, -0.1)
Randomized experiment	2.1 / 3.2	P +1.1 (-2.4, +4.3) C +3.0 (-2.5, +8.4)
Nonrandomized experiment	26.1 / 22.8	P -3.3 (-15.5, +8.4) C -4.8 (-18.4, +7.2)
Quasi-experiment	0.4 / 4.0	P +3.6 (+1.5, +5.8) C +6.1 (+2.6, +9.6)
Single-group pre/post	3.0 / 1.9	P -1.1 (-5.1, +2.3) C -0.2 (-5.1, +4.6)
Longitudinal observational	7.3 / 6.2	P -1.1 (-7.4, +4.3) C +2.6 (-3.9, +8.5)
Cross-sectional observational	33.8 / 29.1	P -4.6 (-15.5, +8.2) C -8.3 (-21.1, +6.7)
Multiple / no dominant	4.7 / 8.7	P +4.0 (-1.8, +10.1) C +6.9 (-1.6, +15.2)

0 25 50 75 100%

J Research doctorate

Biomedical, life, neuroscience, and pharmaceutical sciences

Primary n E/L: 700 / 876; institutions E/L: 125 / 150

Continuing n E/L: 676 / 764; institutions E/L: 107 / 107

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	0.2 / 0.6	P +0.4 (-0.1, +1.0) C +0.1 (-0.3, +0.6)
Qualitative	0.1 / 0.2	P +0.1 (-0.0, +0.4) C +0.1 (-0.0, +0.4)
Single subject / case study	0.1 / 0.1	P -0.0 (-0.0, -0.0) C -0.0 (-0.0, +0.0)
Computational modeling	1.3 / 3.5	P +2.1 (+0.7, +3.7) C +2.3 (+0.8, +4.0)
Chemical synthesis / characterization	0.9 / 0.9	P -0.1 (-1.1, +1.0) C +0.0 (-1.2, +1.2)
Randomized experiment	1.8 / 0.7	P -1.0 (-2.2, -0.0) C -1.1 (-2.3, -0.1)
Nonrandomized experiment	89.6 / 86.2	P -3.4 (-7.4, +0.4) C -3.3 (-7.6, +0.6)
Quasi-experiment	0.1 / 0.3	P +0.2 (-0.0, +0.6) C +0.3 (-0.0, +0.7)
Single-group pre/post	0.1 / 0.1	P -0.0 (-0.0, -0.0) C -0.0 (-0.0, +0.0)
Longitudinal observational	0.6 / 1.1	P +0.4 (-0.4, +1.4) C +0.6 (-0.4, +1.6)
Cross-sectional observational	2.8 / 2.3	P -0.4 (-2.1, +1.3) C -0.6 (-2.2, +1.2)
Multiple / no dominant	2.5 / 4.1	P +1.7 (-0.2, +3.7) C +1.7 (-0.3, +3.9)

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | Research doctorate | 6 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

K Research doctorate

Chemical and physical sciences

Primary n E/L: 113 / 111; institutions E/L: 47 / 51

Continuing n E/L: 76 / 64; institutions E/L: 24 / 24

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Qualitative	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Single subject / case study	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Computational modeling	3.8 / 7.3	P +3.5 (-3.6, +11.8) C +8.9 (-0.5, +22.5)
Chemical synthesis / characterization	14.7 / 15.0	P +0.3 (-9.2, +9.2) C -1.5 (-13.3, +10.4)
Randomized experiment	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Nonrandomized experiment	74.4 / 70.5	P -3.9 (-15.1, +8.4) C -11.4 (-27.6, +3.0)
Quasi-experiment	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Single-group pre/post	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Longitudinal observational	0.4 / 0.4	P +0.0 (-0.2, +0.2) C +0.1 (-0.1, +0.4)
Cross-sectional observational	2.9 / 2.1	P -0.8 (-4.9, +3.0) C +0.3 (-3.6, +4.7)
Multiple / no dominant	1.3 / 2.1	P +0.9 (-1.9, +3.6) C +3.0 (+0.1, +6.8)



L Research doctorate

Social work, counseling, and human services

Primary n E/L: 188 / 223; institutions E/L: 67 / 82

Continuing n E/L: 156 / 166; institutions E/L: 49 / 49

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	4.4 / 10.7	P +6.3 (+1.2, +11.4) C +6.1 (+0.3, +12.0)
Qualitative	17.3 / 26.4	P +9.2 (+0.6, +16.7) C +10.2 (+1.2, +17.9)
Single subject / case study	0.8 / 1.1	P +0.3 (-1.3, +1.8) C +0.5 (-1.5, +2.4)
Computational modeling	0.3 / 0.2	P -0.0 (-0.1, +0.0) C -0.0 (-0.1, +0.1)
Chemical synthesis / characterization	0.3 / 0.2	P -0.0 (-0.1, +0.0) C -0.0 (-0.1, +0.1)
Randomized experiment	3.4 / 4.1	P +0.8 (-2.8, +4.7) C -0.8 (-4.8, +3.6)
Nonrandomized experiment	2.8 / 1.5	P -1.3 (-3.8, +1.0) C -0.1 (-2.6, +2.4)
Quasi-experiment	3.4 / 1.1	P -2.3 (-4.8, +0.3) C -1.3 (-3.9, +1.5)
Single-group pre/post	2.8 / 0.2	P -2.6 (-5.5, -0.5) C -3.1 (-6.6, -0.6)
Longitudinal observational	10.6 / 9.0	P -1.6 (-6.6, +3.7) C -4.8 (-10.3, +1.2)
Cross-sectional observational	50.3 / 36.9	P -13.4 (-22.5, -3.6) C -14.0 (-23.9, -3.2)
Multiple / no dominant	3.9 / 8.5	P +4.6 (-0.4, +10.2) C +7.4 (+1.3, +14.8)



n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | Research doctorate | 7 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

M Research doctorate

Social sciences, policy, administration, business, justice, and communication

Primary n E/L: 408 / 469; institutions E/L: 107 / 143

Continuing n E/L: 372 / 362; institutions E/L: 89 / 89

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	6.6 / 8.7	P +2.1 (-1.3, +5.1) C +2.4 (-1.1, +5.6)
Qualitative	21.1 / 19.9	P -1.2 (-6.5, +5.7) C +0.8 (-4.6, +8.1)
Single subject / case study	1.3 / 0.3	P -1.0 (-2.1, +0.2) C -1.0 (-2.3, +0.4)
Computational modeling	0.8 / 1.8	P +0.9 (-0.4, +2.3) C +1.1 (-0.2, +2.6)
Chemical synthesis / characterization	0.1 / 0.1	P -0.0 (-0.1, +0.0) C +0.0 (-0.0, +0.0)
Randomized experiment	4.5 / 4.9	P +0.5 (-2.3, +3.2) C +0.1 (-2.9, +3.1)
Nonrandomized experiment	3.5 / 1.2	P -2.3 (-4.8, -0.3) C -2.6 (-5.4, -0.4)
Quasi-experiment	8.8 / 20.1	P +11.3 (+6.5, +15.8) C +10.8 (+6.0, +15.9)
Single-group pre/post	0.1 / 0.1	P -0.0 (-0.1, +0.0) C +0.0 (-0.0, +0.0)
Longitudinal observational	13.6 / 10.2	P -3.4 (-9.7, +1.8) C -5.3 (-12.4, +0.3)
Cross-sectional observational	33.5 / 21.6	P -11.9 (-17.0, -5.2) C -10.8 (-16.0, -3.7)
Multiple / no dominant	5.9 / 11.1	P +5.1 (+1.1, +8.9) C +4.5 (-0.0, +8.6)

0 25 50 75 100%

N Research doctorate

Education

Primary n E/L: 62 / 100; institutions E/L: 43 / 55

Continuing n E/L: 33 / 56; institutions E/L: 20 / 20

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	6.6 / 3.3	P -3.3 (-9.5, +2.1) C unavailable (support)
Qualitative	22.8 / 38.2	P +15.4 (-0.4, +31.0) C unavailable (support)
Single subject / case study	3.7 / 2.4	P -1.3 (-5.2, +2.1) C unavailable (support)
Computational modeling	0.7 / 0.5	P -0.3 (-0.5, -0.1) C unavailable (support)
Chemical synthesis / characterization	0.7 / 0.5	P -0.3 (-0.5, -0.1) C unavailable (support)
Randomized experiment	3.7 / 1.4	P -2.3 (-7.0, +1.6) C unavailable (support)
Nonrandomized experiment	3.7 / 0.5	P -3.2 (-7.9, -0.2) C unavailable (support)
Quasi-experiment	2.2 / 0.5	P -1.7 (-5.2, -0.1) C unavailable (support)
Single-group pre/post	3.7 / 1.4	P -2.3 (-6.9, +1.8) C unavailable (support)
Longitudinal observational	8.1 / 2.4	P -5.7 (-13.3, +0.7) C unavailable (support)
Cross-sectional observational	43.4 / 46.7	P +3.3 (-12.6, +19.1) C unavailable (support)
Multiple / no dominant	0.7 / 2.4	P +1.6 (-0.4, +4.5) C unavailable (support)

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.

Study design | Earlier versus later | PsyD / DrPH | 8 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

O PsyD

Psychology

Primary n E/L: 214 / 363; institutions E/L: 35 / 51

Continuing n E/L: 204 / 306; institutions E/L: 28 / 28

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	3.9 / 3.1	P -0.7 (-2.6, +2.4) C -0.5 (-2.1, +2.7)
Qualitative	24.8 / 28.0	P +3.3 (-6.4, +14.0) C +1.1 (-8.8, +11.4)
Single subject / case study	0.7 / 1.5	P +0.8 (-0.1, +2.3) C +0.7 (-0.2, +2.4)
Computational modeling	0.2 / 0.1	P -0.1 (-0.3, -0.0) C -0.1 (-0.2, -0.0)
Chemical synthesis / characterization	0.2 / 0.4	P +0.2 (-0.2, +1.0) C +0.2 (-0.2, +1.2)
Randomized experiment	3.9 / 5.0	P +1.1 (-3.8, +5.3) C -0.0 (-5.7, +4.4)
Nonrandomized experiment	5.2 / 4.2	P -1.0 (-4.8, +3.1) C -0.4 (-4.3, +4.7)
Quasi-experiment	0.2 / 1.2	P +1.0 (+0.1, +2.1) C +0.9 (-0.1, +2.1)
Single-group pre/post	3.0 / 2.8	P -0.1 (-2.2, +2.3) C -0.1 (-2.5, +2.7)
Longitudinal observational	4.3 / 3.1	P -1.2 (-3.8, +1.6) C -1.8 (-4.6, +0.8)
Cross-sectional observational	52.0 / 49.7	P -2.3 (-14.1, +5.9) C +0.3 (-11.3, +8.2)
Multiple / no dominant	1.6 / 0.7	P -0.9 (-3.5, +0.6) C -0.4 (-2.7, +1.1)



P DrPH

Public and population health

Primary n E/L: 57 / 111; institutions E/L: 18 / 28

Continuing n E/L: 47 / 85; institutions E/L: 15 / 15

Category	Fitted percentage	Change (95% interval), pp
Mixed methods	11.9 / 15.0	P +3.1 (-8.6, +18.3) C unavailable (support)
Qualitative	10.3 / 7.3	P -3.1 (-13.3, +9.9) C unavailable (support)
Single subject / case study	0.8 / 0.4	P -0.4 (-0.9, +0.0) C unavailable (support)
Computational modeling	0.8 / 1.3	P +0.5 (-0.7, +3.4) C unavailable (support)
Chemical synthesis / characterization	0.8 / 0.4	P -0.4 (-0.9, +0.0) C unavailable (support)
Randomized experiment	0.8 / 5.6	P +4.8 (+0.5, +12.2) C unavailable (support)
Nonrandomized experiment	0.8 / 3.8	P +3.1 (-0.0, +7.9) C unavailable (support)
Quasi-experiment	7.1 / 1.3	P -5.9 (-13.2, +0.8) C unavailable (support)
Single-group pre/post	0.8 / 0.4	P -0.4 (-0.9, +0.0) C unavailable (support)
Longitudinal observational	16.7 / 3.8	P -12.8 (-20.3, -4.6) C unavailable (support)
Cross-sectional observational	38.9 / 50.9	P +12.0 (-20.8, +36.2) C unavailable (support)
Multiple / no dominant	10.3 / 9.8	P -0.5 (-10.1, +14.4) C unavailable (support)



n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

Continuing institutions contribute in both periods; their work shares and coding eligibility can still change. Full support/reasons: accompanying tables.