# Data type | Earlier versus later | Master's | 1 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## A Master's

### Psychology

Primary n E/L: 366 / 546; institutions E/L: 102 / 120

Continuing n E/L: 341 / 435; institutions E/L: 87 / 87

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 69.6 / 72.7 | P +3.1 (-4.5, +11.6)<br>C +2.2 (-5.8, +11.3) |
| Interview / observation | 5.3 / 5.8 | P +0.4 (-3.7, +4.5)<br>C +0.7 (-3.6, +5.2) |
| Behavioral task | 28.5 / 25.9 | P -2.6 (-11.2, +5.4)<br>C -4.4 (-14.1, +4.3) |
| Biological / physiological | 15.7 / 16.4 | P +0.7 (-4.6, +5.9)<br>C +1.0 (-5.1, +6.9) |
| Neuroimaging / electrophysiology | 3.4 / 6.9 | P +3.4 (+0.2, +6.4)<br>C +3.8 (+0.2, +7.2) |
| Genetic / genomic | 1.5 / 1.0 | P -0.5 (-1.8, +0.8)<br>C -0.6 (-2.0, +0.9) |
| Chemical / analytical | 2.3 / 2.3 | P -0.0 (-2.3, +2.2)<br>C +0.2 (-2.3, +2.6) |
| Health records | 1.8 / 2.1 | P +0.3 (-1.3, +1.8)<br>C +0.6 (-0.8, +2.0) |
| Administrative records | 0.4 / 0.3 | P -0.1 (-0.8, +0.5)<br>C -0.1 (-0.9, +0.6) |
| Documents / media / online | 1.5 / 1.2 | P -0.3 (-1.8, +1.2)<br>C +0.2 (-1.4, +2.1) |
| Geospatial / market / environmental | 0.4 / 0.3 | P -0.1 (-0.8, +0.5)<br>C -0.1 (-0.9, +0.6) |
| Simulated / model data | 0.4 / 0.1 | P -0.3 (-0.9, -0.0)<br>C -0.3 (-1.0, -0.0) |

0 25 50 75 100%

## B Master's

### Public and population health

Primary n E/L: 164 / 214; institutions E/L: 30 / 44

Continuing n E/L: 152 / 165; institutions E/L: 22 / 22

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 69.4 / 70.5 | P +1.1 (-9.0, +12.8)<br>C -1.3 (-12.4, +10.7) |
| Interview / observation | 12.4 / 17.4 | P +5.0 (-5.7, +15.7)<br>C +7.4 (-4.9, +21.0) |
| Behavioral task | 0.3 / 0.7 | P +0.4 (-0.2, +1.6)<br>C -0.0 (-0.2, +0.1) |
| Biological / physiological | 4.5 / 8.1 | P +3.6 (-0.7, +8.7)<br>C +3.2 (-1.3, +8.5) |
| Neuroimaging / electrophysiology | 0.9 / 0.2 | P -0.7 (-2.6, -0.0)<br>C -0.7 (-2.8, +0.1) |
| Genetic / genomic | 0.9 / 1.6 | P +0.7 (-0.5, +3.3)<br>C +1.1 (-0.3, +5.1) |
| Chemical / analytical | 2.7 / 4.0 | P +1.2 (-2.0, +5.2)<br>C +0.4 (-3.1, +4.9) |
| Health records | 14.8 / 18.8 | P +4.0 (-7.2, +16.3)<br>C +5.4 (-7.6, +19.7) |
| Administrative records | 0.3 / 4.0 | P +3.7 (+1.1, +6.5)<br>C +3.0 (+0.7, +5.4) |
| Documents / media / online | 12.4 / 8.1 | P -4.3 (-11.2, +1.9)<br>C -2.6 (-6.0, +1.6) |
| Geospatial / market / environmental | 3.3 / 2.1 | P -1.2 (-4.2, +2.7)<br>C -2.1 (-5.3, +2.1) |
| Simulated / model data | 1.5 / 1.6 | P +0.1 (-2.9, +3.5)<br>C +0.5 (-3.1, +4.6) |

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | Master's | 2 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## C Master's

### Medicine, nursing, and clinical health professions

Primary n E/L: 60 / 83; institutions E/L: 36 / 44

Continuing n E/L: 26 / 42; institutions E/L: 17 / 17

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 41.8 → 49.4 | P +7.6 (-10.5, +24.4)<br>C unavailable (support) |
| Interview / observation | 7.4 → 10.1 | P +2.7 (-6.2, +12.1)<br>C unavailable (support) |
| Behavioral task | 9.0 → 17.3 | P +8.2 (-5.2, +19.4)<br>C unavailable (support) |
| Biological / physiological | 25.4 → 28.0 | P +2.6 (-15.2, +20.7)<br>C unavailable (support) |
| Neuroimaging / electrophysiology | 0.8 → 4.2 | P +3.3 (-0.3, +8.2)<br>C unavailable (support) |
| Genetic / genomic | 0.8 → 4.2 | P +3.3 (-0.2, +7.7)<br>C unavailable (support) |
| Chemical / analytical | 7.4 → 11.3 | P +3.9 (-5.2, +13.8)<br>C unavailable (support) |
| Health records | 15.6 → 19.6 | P +4.1 (-9.4, +18.5)<br>C unavailable (support) |
| Administrative records | 0.8 → 1.8 | P +1.0 (-0.5, +3.7)<br>C unavailable (support) |
| Documents / media / online | 13.9 → 5.4 | P -8.6 (-25.1, +4.5)<br>C unavailable (support) |
| Geospatial / market / environmental | 0.8 → 0.6 | P -0.2 (-0.6, +0.1)<br>C unavailable (support) |
| Simulated / model data | 0.8 → 0.6 | P -0.2 (-0.6, +0.1)<br>C unavailable (support) |

0 25 50 75 100%

## D Master's

### Biomedical, life, neuroscience, and pharmaceutical sciences

Primary n E/L: 151 / 330; institutions E/L: 54 / 81

Continuing n E/L: 117 / 239; institutions E/L: 35 / 35

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 11.5 → 9.2 | P -2.3 (-11.0, +3.1)<br>C -1.7 (-12.5, +4.0) |
| Interview / observation | 1.6 → 2.6 | P +0.9 (-0.2, +1.8)<br>C +1.0 (-0.4, +1.9) |
| Behavioral task | 20.1 → 31.0 | P +10.9 (+1.6, +22.7)<br>C +4.4 (-5.6, +17.1) |
| Biological / physiological | 58.9 → 54.8 | P -4.0 (-13.2, +7.5)<br>C -0.2 (-9.7, +15.3) |
| Neuroimaging / electrophysiology | 3.6 → 6.2 | P +2.6 (-0.7, +6.0)<br>C +1.8 (-2.6, +6.2) |
| Genetic / genomic | 6.9 → 5.0 | P -1.9 (-7.7, +3.9)<br>C -1.1 (-5.5, +4.5) |
| Chemical / analytical | 42.4 → 43.7 | P +1.2 (-9.2, +12.0)<br>C +4.1 (-7.2, +17.7) |
| Health records | 3.6 → 2.9 | P -0.7 (-4.5, +3.0)<br>C -2.0 (-6.3, +1.6) |
| Administrative records | 0.3 → 0.5 | P +0.1 (-0.3, +0.9)<br>C -0.2 (-0.4, -0.1) |
| Documents / media / online | 7.6 → 7.7 | P +0.1 (-3.5, +3.5)<br>C -0.8 (-5.7, +2.3) |
| Geospatial / market / environmental | 0.3 → 0.2 | P -0.2 (-0.3, -0.1)<br>C -0.2 (-0.4, -0.1) |
| Simulated / model data | 0.3 → 1.1 | P +0.7 (-0.2, +2.1)<br>C -0.2 (-0.4, -0.1) |

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | Master's | 3 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## E Master's

### Social work, counseling, and human services

Primary n E/L: 96 / 86; institutions E/L: 17 / 16

Continuing n E/L: 88 / 73; institutions E/L: 10 / 10

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 66.5 / 59.2 | P -7.3 (-24.6, +15.4)<br>C -13.7 (-32.8, +1.7) |
| Interview / observation | 11.9 / 22.4 | P +10.6 (-1.9, +25.1)<br>C +13.2 (+0.5, +29.5) |
| Behavioral task | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |
| Biological / physiological | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |
| Neuroimaging / electrophysiology | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |
| Genetic / genomic | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |
| Chemical / analytical | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |
| Health records | 1.5 / 1.7 | P +0.2 (-6.3, +3.0)<br>C +0.3 (-8.6, +3.5) |
| Administrative records | 0.5 / 6.3 | P +5.8 (+0.0, +13.2)<br>C +5.5 (-0.9, +14.5) |
| Documents / media / online | 27.3 / 24.7 | P -2.6 (-24.7, +14.4)<br>C +0.4 (-24.0, +18.3) |
| Geospatial / market / environmental | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |
| Simulated / model data | 0.5 / 0.6 | P +0.1 (-1.0, +0.3)<br>C +0.1 (-1.4, +0.4) |

0 25 50 75 100%

## F Master's

### Social sciences, policy, administration, business, justice, and communication

Primary n E/L: 170 / 268; institutions E/L: 84 / 109

Continuing n E/L: 131 / 170; institutions E/L: 55 / 55

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 61.7 / 48.1 | P -13.6 (-22.2, -4.2)<br>C -17.1 (-26.9, -6.2) |
| Interview / observation | 23.1 / 28.1 | P +5.0 (-4.4, +13.8)<br>C +11.4 (-0.1, +22.2) |
| Behavioral task | 1.5 / 0.9 | P -0.5 (-2.7, +1.3)<br>C -0.3 (-2.5, +1.6) |
| Biological / physiological | 2.0 / 2.0 | P -0.0 (-4.4, +3.2)<br>C -0.0 (-5.7, +4.3) |
| Neuroimaging / electrophysiology | 0.3 / 0.2 | P -0.1 (-0.2, -0.0)<br>C -0.1 (-0.2, -0.0) |
| Genetic / genomic | 0.9 / 0.2 | P -0.7 (-2.0, -0.1)<br>C -0.8 (-2.5, -0.0) |
| Chemical / analytical | 2.6 / 2.8 | P +0.2 (-1.9, +2.3)<br>C +1.0 (-1.9, +4.3) |
| Health records | 6.1 / 10.6 | P +4.5 (-0.6, +9.3)<br>C +3.8 (-2.9, +10.1) |
| Administrative records | 4.4 / 6.5 | P +2.1 (-1.7, +6.1)<br>C +0.6 (-3.6, +5.1) |
| Documents / media / online | 13.2 / 16.2 | P +3.0 (-4.4, +10.6)<br>C +0.4 (-7.6, +8.8) |
| Geospatial / market / environmental | 3.8 / 8.4 | P +4.6 (-0.1, +9.4)<br>C +3.6 (-2.9, +10.4) |
| Simulated / model data | 0.3 / 0.6 | P +0.3 (-0.2, +1.1)<br>C -0.1 (-0.2, -0.0) |

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | Research doctorate | 4 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## G Research doctorate

### Psychology

Primary n E/L: 899 / 1049; institutions E/L: 159 / 173

Continuing n E/L: 860 / 973; institutions E/L: 138 / 138

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 70.6 → 71.5 | P +0.9 (-4.9, +6.8)<br>C +0.7 (-5.4, +6.9) |
| Interview / observation | 11.1 → 12.0 | P +1.0 (-3.0, +5.1)<br>C +1.4 (-2.7, +5.7) |
| Behavioral task | 28.8 → 25.3 | P -3.5 (-7.8, +0.9)<br>C -3.6 (-7.9, +1.0) |
| Biological / physiological | 17.9 → 16.0 | P -1.9 (-5.5, +2.1)<br>C -1.6 (-5.3, +2.6) |
| Neuroimaging / electrophysiology | 5.7 → 7.5 | P +1.8 (-0.8, +4.4)<br>C +1.8 (-0.8, +4.6) |
| Genetic / genomic | 1.2 → 2.3 | P +1.2 (+0.1, +2.4)<br>C +1.3 (+0.1, +2.7) |
| Chemical / analytical | 3.8 → 3.0 | P -0.8 (-2.4, +0.7)<br>C -0.6 (-2.2, +0.8) |
| Health records | 3.8 → 4.0 | P +0.1 (-1.3, +1.6)<br>C +0.0 (-1.4, +1.5) |
| Administrative records | 0.5 → 0.6 | P +0.1 (-0.5, +0.7)<br>C +0.1 (-0.5, +0.8) |
| Documents / media / online | 1.6 → 2.1 | P +0.5 (-0.7, +1.8)<br>C +0.6 (-0.6, +2.0) |
| Geospatial / market / environmental | 0.2 → 0.0 | P -0.1 (-0.4, -0.0)<br>C -0.1 (-0.4, -0.0) |
| Simulated / model data | 0.5 → 0.6 | P +0.1 (-0.4, +0.7)<br>C +0.1 (-0.4, +0.8) |




## H Research doctorate

### Public and population health

Primary n E/L: 344 / 535; institutions E/L: 63 / 87

Continuing n E/L: 335 / 455; institutions E/L: 58 / 58

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 82.5 → 71.9 | P -10.5 (-16.6, -4.4)<br>C -8.2 (-14.8, -1.4) |
| Interview / observation | 12.6 → 19.1 | P +6.5 (+1.2, +11.8)<br>C +4.7 (-1.0, +10.3) |
| Behavioral task | 2.8 → 1.6 | P -1.2 (-3.6, +0.7)<br>C -1.4 (-3.9, +0.5) |
| Biological / physiological | 9.7 → 6.6 | P -3.1 (-7.8, +1.3)<br>C -3.0 (-8.0, +1.7) |
| Neuroimaging / electrophysiology | 0.4 → 0.3 | P -0.2 (-0.9, +0.5)<br>C -0.1 (-0.9, +0.6) |
| Genetic / genomic | 3.9 → 1.2 | P -2.7 (-5.1, -0.6)<br>C -2.8 (-5.3, -0.6) |
| Chemical / analytical | 1.6 → 2.0 | P +0.4 (-1.6, +2.3)<br>C +0.0 (-2.0, +1.9) |
| Health records | 17.0 → 34.6 | P +17.7 (+11.1, +24.1)<br>C +16.7 (+9.8, +23.9) |
| Administrative records | 4.8 → 6.2 | P +1.5 (-1.7, +4.6)<br>C +1.8 (-1.6, +5.1) |
| Documents / media / online | 6.8 → 11.8 | P +5.0 (+0.9, +9.3)<br>C +3.2 (-0.7, +7.0) |
| Geospatial / market / environmental | 5.7 → 7.6 | P +1.9 (-1.3, +5.1)<br>C +2.4 (-0.8, +5.9) |
| Simulated / model data | 1.3 → 4.0 | P +2.7 (+0.0, +5.7)<br>C +2.7 (-0.2, +6.2) |




n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | Research doctorate | 5 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## I Research doctorate

### Medicine, nursing, and clinical health professions

Primary n E/L: 113 / 239; institutions E/L: 59 / 93

Continuing n E/L: 82 / 130; institutions E/L: 37 / 37

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 45.2 / 46.0 | P +0.9 (-10.8, +13.1)<br>C +3.3 (-10.9, +18.3) |
| Interview / observation | 25.0 / 26.0 | P +1.0 (-8.7, +11.0)<br>C -4.1 (-16.2, +8.2) |
| Behavioral task | 6.6 / 11.0 | P +4.5 (-2.5, +11.2)<br>C +0.5 (-8.0, +8.5) |
| Biological / physiological | 24.1 / 26.9 | P +2.8 (-9.1, +14.2)<br>C +8.0 (-4.5, +20.0) |
| Neuroimaging / electrophysiology | 5.7 / 3.1 | P -2.6 (-6.6, +1.5)<br>C -5.2 (-10.0, -0.7) |
| Genetic / genomic | 5.7 / 2.7 | P -3.0 (-7.9, +0.8)<br>C -0.5 (-6.6, +5.0) |
| Chemical / analytical | 20.6 / 11.5 | P -9.2 (-20.5, +0.9)<br>C -6.1 (-20.0, +5.3) |
| Health records | 14.5 / 17.3 | P +2.8 (-4.4, +10.0)<br>C +5.6 (-2.9, +14.7) |
| Administrative records | 2.2 / 2.3 | P +0.1 (-2.6, +3.0)<br>C -1.1 (-4.5, +2.6) |
| Documents / media / online | 6.6 / 9.8 | P +3.2 (-3.0, +9.0)<br>C +7.2 (-0.7, +14.5) |
| Geospatial / market / environmental | 1.3 / 1.9 | P +0.6 (-2.1, +2.9)<br>C +0.9 (-3.2, +4.6) |
| Simulated / model data | 3.1 / 3.5 | P +0.5 (-4.0, +3.9)<br>C +2.3 (-4.0, +7.5) |




## J Research doctorate

### Biomedical, life, neuroscience, and pharmaceutical sciences

Primary n E/L: 700 / 878; institutions E/L: 124 / 151

Continuing n E/L: 676 / 764; institutions E/L: 106 / 106

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 5.3 / 5.3 | P -0.1 (-2.4, +2.5)<br>C -0.3 (-2.7, +2.3) |
| Interview / observation | 0.2 / 0.5 | P +0.3 (-0.2, +1.0)<br>C -0.0 (-0.4, +0.3) |
| Behavioral task | 38.2 / 41.8 | P +3.6 (-0.7, +8.1)<br>C +4.4 (-0.1, +9.1) |
| Biological / physiological | 76.7 / 72.3 | P -4.4 (-9.2, +0.4)<br>C -4.9 (-9.7, -0.1) |
| Neuroimaging / electrophysiology | 12.5 / 16.7 | P +4.2 (+0.2, +8.0)<br>C +4.9 (+0.8, +9.1) |
| Genetic / genomic | 9.5 / 13.1 | P +3.7 (-0.6, +8.0)<br>C +4.4 (-0.1, +8.9) |
| Chemical / analytical | 51.4 / 47.2 | P -4.3 (-8.7, +0.1)<br>C -4.4 (-8.7, -0.1) |
| Health records | 0.9 / 3.9 | P +3.0 (+1.4, +4.8)<br>C +3.3 (+1.5, +5.3) |
| Administrative records | 0.2 / 0.6 | P +0.4 (-0.2, +1.1)<br>C +0.5 (-0.1, +1.3) |
| Documents / media / online | 0.6 / 1.2 | P +0.6 (-0.3, +1.5)<br>C +0.4 (-0.4, +1.4) |
| Geospatial / market / environmental | 0.1 / 0.6 | P +0.6 (+0.1, +1.1)<br>C +0.6 (+0.1, +1.3) |
| Simulated / model data | 2.8 / 5.1 | P +2.3 (+0.6, +4.0)<br>C +2.5 (+0.8, +4.4) |




n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | Research doctorate | 6 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## K Research doctorate

### Chemical and physical sciences

Primary n E/L: 113 / 111; institutions E/L: 47 / 51

Continuing n E/L: 76 / 64; institutions E/L: 24 / 24

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 2.2 / 1.3 | P -0.9 (-3.3, +0.5)<br>C +0.4 (-0.5, +2.0) |
| Interview / observation | 0.4 / 0.4 | P +0.0 (-0.2, +0.2)<br>C +0.1 (-0.1, +0.5) |
| Behavioral task | 8.3 / 5.8 | P -2.5 (-7.9, +2.1)<br>C -1.3 (-8.1, +5.0) |
| Biological / physiological | 44.3 / 46.0 | P +1.7 (-11.5, +13.8)<br>C +2.4 (-14.7, +15.2) |
| Neuroimaging / electrophysiology | 2.2 / 4.0 | P +1.8 (-3.0, +6.8)<br>C +3.2 (-0.0, +9.4) |
| Genetic / genomic | 0.4 / 5.8 | P +5.4 (+0.0, +12.1)<br>C +1.7 (-0.1, +5.8) |
| Chemical / analytical | 93.4 / 93.3 | P -0.1 (-6.9, +6.7)<br>C +0.5 (-8.1, +8.9) |
| Health records | 0.4 / 3.1 | P +2.7 (+0.0, +6.2)<br>C +1.7 (-0.1, +6.1) |
| Administrative records | 0.4 / 0.4 | P +0.0 (-0.2, +0.2)<br>C +0.1 (-0.1, +0.5) |
| Documents / media / online | 0.4 / 1.3 | P +0.9 (-0.1, +3.0)<br>C +1.7 (-0.1, +5.6) |
| Geospatial / market / environmental | 2.2 / 1.3 | P -0.9 (-4.3, +2.1)<br>C +0.1 (-0.1, +0.5) |
| Simulated / model data | 7.5 / 10.3 | P +2.8 (-5.2, +11.5)<br>C +5.7 (-3.2, +16.7) |




## L Research doctorate

### Social work, counseling, and human services

Primary n E/L: 192 / 226; institutions E/L: 68 / 83

Continuing n E/L: 160 / 173; institutions E/L: 51 / 51

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 75.4 / 58.8 | P -16.6 (-24.2, -7.2)<br>C -17.8 (-25.9, -7.5) |
| Interview / observation | 26.2 / 39.4 | P +13.3 (+4.2, +21.0)<br>C +14.2 (+4.5, +22.1) |
| Behavioral task | 0.3 / 1.1 | P +0.8 (-0.1, +2.3)<br>C +0.6 (-0.1, +2.0) |
| Biological / physiological | 0.8 / 3.3 | P +2.5 (-0.0, +5.5)<br>C +3.4 (+0.2, +7.4) |
| Neuroimaging / electrophysiology | 0.3 / 1.1 | P +0.8 (-0.1, +2.3)<br>C +1.1 (-0.1, +3.1) |
| Genetic / genomic | 0.3 / 0.2 | P -0.0 (-0.1, +0.0)<br>C -0.0 (-0.1, +0.1) |
| Chemical / analytical | 0.3 / 0.2 | P -0.0 (-0.1, +0.0)<br>C -0.0 (-0.1, +0.1) |
| Health records | 12.2 / 13.0 | P +0.8 (-6.4, +8.0)<br>C -0.4 (-8.6, +7.7) |
| Administrative records | 1.3 / 6.8 | P +5.5 (+1.6, +10.0)<br>C +6.8 (+1.8, +12.7) |
| Documents / media / online | 6.0 / 4.2 | P -1.8 (-5.7, +1.9)<br>C -1.0 (-5.3, +3.2) |
| Geospatial / market / environmental | 1.8 / 2.9 | P +1.0 (-2.0, +4.2)<br>C +1.0 (-2.6, +4.9) |
| Simulated / model data | 0.3 / 1.1 | P +0.8 (-0.1, +2.1)<br>C +1.1 (-0.0, +2.9) |




n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | Research doctorate | 7 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## M Research doctorate

### Social sciences, policy, administration, business, justice, and communication

Primary n E/L: 427 / 493; institutions E/L: 110 / 145

Continuing n E/L: 390 / 387; institutions E/L: 92 / 92

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 64.4 / 57.4 | P -7.0 (-17.6, +1.9)<br>C -8.5 (-20.6, +1.0) |
| Interview / observation | 30.7 / 32.9 | P +2.2 (-3.6, +9.4)<br>C +4.4 (-1.8, +12.3) |
| Behavioral task | 1.5 / 2.7 | P +1.2 (-0.7, +3.0)<br>C +1.3 (-0.8, +3.3) |
| Biological / physiological | 1.5 / 0.9 | P -0.6 (-2.2, +0.6)<br>C -0.5 (-2.2, +0.9) |
| Neuroimaging / electrophysiology | 0.6 / 0.5 | P -0.1 (-1.1, +0.7)<br>C +0.0 (-1.1, +1.0) |
| Genetic / genomic | 1.5 / 0.7 | P -0.8 (-2.4, +0.4)<br>C -1.5 (-3.2, -0.4) |
| Chemical / analytical | 0.4 / 0.3 | P -0.0 (-0.8, +0.6)<br>C +0.0 (-0.8, +0.7) |
| Health records | 12.7 / 21.4 | P +8.6 (+3.7, +14.3)<br>C +8.9 (+3.3, +15.4) |
| Administrative records | 7.6 / 11.2 | P +3.6 (-0.1, +7.5)<br>C +2.6 (-1.3, +6.9) |
| Documents / media / online | 9.9 / 11.4 | P +1.5 (-2.9, +5.3)<br>C +2.6 (-1.9, +7.0) |
| Geospatial / market / environmental | 7.1 / 11.4 | P +4.3 (-0.7, +8.6)<br>C +3.4 (-2.3, +8.3) |
| Simulated / model data | 1.1 / 2.1 | P +1.1 (-0.6, +2.8)<br>C +1.3 (-0.5, +3.3) |

0 25 50 75 100%

## N Research doctorate

### Education

Primary n E/L: 63 / 103; institutions E/L: 44 / 56

Continuing n E/L: 33 / 58; institutions E/L: 20 / 20

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 66.4 / 55.3 | P -11.1 (-26.9, +5.5)<br>C unavailable (support) |
| Interview / observation | 36.7* / 46.6 | P +9.9 (-6.2, +26.3)<br>C unavailable (support) |
| Behavioral task | 0.8 / 0.5 | P -0.3 (-0.6, -0.1)<br>C unavailable (support) |
| Biological / physiological | 2.3 / 1.4 | P -0.9 (-5.3, +2.5)<br>C unavailable (support) |
| Neuroimaging / electrophysiology | 0.8 / 0.5 | P -0.3 (-0.6, -0.1)<br>C unavailable (support) |
| Genetic / genomic | 2.3 / 0.5 | P -1.9 (-5.5, -0.1)<br>C unavailable (support) |
| Chemical / analytical | 0.8 / 0.5 | P -0.3 (-0.6, -0.1)<br>C unavailable (support) |
| Health records | 5.5 / 2.4 | P -3.1 (-9.9, +2.5)<br>C unavailable (support) |
| Administrative records | 0.8 / 1.4 | P +0.7 (-0.5, +3.1)<br>C unavailable (support) |
| Documents / media / online | 2.3 / 7.2 | P +4.9 (-0.9, +10.9)<br>C unavailable (support) |
| Geospatial / market / environmental | 2.3 / 1.4 | P -0.9 (-5.0, +2.4)<br>C unavailable (support) |
| Simulated / model data | 0.8 / 0.5 | P -0.3 (-0.6, -0.1)<br>C unavailable (support) |

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.

# Data type | Earlier versus later | PsyD / DrPH | 8 of 8

● 2010-2016 (earlier) ▲ 2017-2023 (later) Complete supported groups; all registered categories retained.

## O PsyD

### Psychology

Primary n E/L: 229 / 389; institutions E/L: 36 / 53

Continuing n E/L: 218 / 324; institutions E/L: 28 / 28

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 65.9 ▲ 64.0 | P -1.9 (-15.6, +7.8)<br>C +1.4 (-10.9, +10.6) |
| Interview / observation | 30.7 ▲ 29.4 | P -1.3 (-9.1, +9.2)<br>C -3.3 (-11.8, +6.5) |
| Behavioral task | 2.8 ▲ 4.2 | P +1.4 (-1.3, +4.4)<br>C +2.0 (-0.6, +5.7) |
| Biological / physiological | 1.5 ▲ 0.9 | P -0.6 (-3.1, +0.7)<br>C +0.4 (-0.5, +1.8) |
| Neuroimaging / electrophysiology | 0.7 ▲ 1.4 | P +0.8 (-1.2, +2.0)<br>C +1.0 (-1.2, +2.4) |
| Genetic / genomic | 0.2 ▲ 0.1 | P -0.1 (-0.3, -0.0)<br>C -0.1 (-0.2, -0.0) |
| Chemical / analytical | 0.2 ▲ 0.1 | P -0.1 (-0.3, -0.0)<br>C -0.1 (-0.2, -0.0) |
| Health records | 8.5 ▲ 5.3 | P -3.2 (-7.1, +2.8)<br>C -2.8 (-6.9, +4.4) |
| Administrative records | 0.7 ▲ 1.9 | P +1.3 (-0.7, +2.9)<br>C +1.0 (-1.0, +2.5) |
| Documents / media / online | 10.2 ▲ 11.7 | P +1.4 (-2.6, +6.8)<br>C +0.6 (-3.2, +6.1) |
| Geospatial / market / environmental | 0.2 ▲ 0.1 | P -0.1 (-0.3, -0.0)<br>C -0.1 (-0.2, -0.0) |
| Simulated / model data | 0.2 ▲ 0.1 | P -0.1 (-0.3, -0.0)<br>C -0.1 (-0.2, -0.0) |

0 25 50 75 100%

## P DrPH

### Public and population health

Primary n E/L: 58 / 115; institutions E/L: 19 / 29

Continuing n E/L: 48 / 90; institutions E/L: 16 / 16

| Category | Fitted percentage | Change (95% interval), pp |
|---|---|---|
| Survey / questionnaire | 77.1 ▲ 78.9 | P +1.8 (-13.6, +14.6)<br>C unavailable (support) |
| Interview / observation | 26.3 ▲ 23.7 | P -2.6 (-20.5, +20.0)<br>C unavailable (support) |
| Behavioral task | 0.8 ▲ 2.2 | P +1.3 (-0.7, +4.8)<br>C unavailable (support) |
| Biological / physiological | 4.2 ▲ 5.6 | P +1.4 (-7.0, +10.4)<br>C unavailable (support) |
| Neuroimaging / electrophysiology | 0.8 ▲ 0.4 | P -0.4 (-1.1, +0.0)<br>C unavailable (support) |
| Genetic / genomic | 0.8 ▲ 0.4 | P -0.4 (-1.1, +0.0)<br>C unavailable (support) |
| Chemical / analytical | 0.8 ▲ 3.0 | P +2.2 (-0.4, +7.6)<br>C unavailable (support) |
| Health records | 17.8 ▲ 19.4 | P +1.6 (-12.7, +16.5)<br>C unavailable (support) |
| Administrative records | 4.2 ▲ 3.9 | P -0.4 (-6.0, +5.5)<br>C unavailable (support) |
| Documents / media / online | 12.7 ▲ 13.4 | P +0.7 (-10.4, +16.6)<br>C unavailable (support) |
| Geospatial / market / environmental | 9.3 ▲ 9.1 | P -0.3 (-12.1, +13.5)<br>C unavailable (support) |
| Simulated / model data | 0.8 ▲ 0.4 | P -0.4 (-1.1, +0.0)<br>C unavailable (support) |

0 25 50 75 100%

n E/L: eligible distinct works in 2010-2016 / 2017-2023. P: primary; C: continuing-institution subset. pp: percentage points.

Change = later minus earlier; direct intervals. * Percentage interval unavailable, point retained. Rounded to 0.1; full precision in tables.

C8 forms overlap (up to three per work); percentages are not normalized. Continuing institutions can change work shares.