8/5/2020 Swagger UI



Models

Auth server 0.0.1

[Base URL: localhost:7000/api]

chemes HTTP		Authorize 🔒
login	Login/Logout/Register user operations	>
me Ope	erations on the logged in user personal profile	~
GET	/me Retrieve the data of the logged in user	â
PATCH	/me Updates the data of the logged in user	<u></u>
DELETE	/me Disables the logged in user	<u></u>
admin	CRUD Operations on users made by the Admin	~
GET	/admin/ List users registered in the auth server	î
POST	/admin/ Create new user in the auth server	<u></u>
GET	/admin/{userId} Find user by ID	۵
PATCH	/admin/{userId} Updates a user data	<u></u>
DELETE	/admin/{userId} Deletes a user	<u> </u>

localhost:7000/api-docs/#/

8/5/2020 Swagger UI

```
User
         {
                          integer($int64)
   username
                          string
                          example: user1
   email
                          string
                          example: user1@hotmail.com
   role
                          string
                          example: USER
                          Enum:
                              [ USER, ADMIN ]
   enabled
                          boolean
                          example: true
}
UserInput
   id
                          integer($int64)
   username
                          string
                          example: user1
   password
                          string
                          example: user1
   email
                          string
                          example: user1@hotmail.com
}
UserInputAdmin
   id
                          integer($int64)
   username
                          string
                          example: user1
   password
                          string
                          example: user1
   email
                          string
                          example: user1@hotmail.com
   role
                          string
                          example: USER
                          Enum:
                              [ USER, ADMIN ]
   enabled
                          boolean
                          example: true
}
Login
   username*
                          string
                          example: user1
   password*
                          string
                          example: user1
}
```

localhost:7000/api-docs/#/ 2/3

8/5/2020 Swagger UI

```
Result {
   status*
                          string
Enum:
                          [ success, error ] string
   message*
   data
                              {...}
   error
                          TicketError {...}
}
TicketError {
   message
                          string
                          string
   name
                          string
string
   ticket
   stack
}
```

localhost:7000/api-docs/#/ 3/3