

Table 1: Suffix Array Construction Benchmark

<i>file</i>	<i>parRange(T<sub>1</sub>)</i>	<i>parRange(T<sub>64</sub>)</i>	<i>parDss(T<sub>1</sub>)</i>	<i>parDss(T<sub>64</sub>)</i>	<i>parKs(T<sub>1</sub>)</i>	<i>parKs(T<sub>64</sub>)</i>	<i>serDss</i>	<i>serKs</i>
<i>chr22.dna</i>	7.28	1.1	9.85	1.12	22.3	1.91	5.5	22.9
<i>etext99</i>	42.4	5.26	53.1	3.19	66.1	7.19	17	88.5
<i>houto</i>	16.2	1.71	15.3	1.18	22.2	2.39	5.13	28.4
<i>jdk13c</i>	45.8	4.57	34.5	2.7	39.5	4.39	9.36	63.7
<i>rctail96</i>	62.6	7.14	58.5	4.46	70.3	7.74	18	87.1
<i>rfc</i>	59.5	5.94	51.8	3.04	69.5	7.56	15.4	129
<i>sprot34</i>	47.6	5.5	46.2	2.95	84.9	7.32	16.8	112
<i>w3c2</i>	76.7	9.85	76.5	4.88	63.6	7.2	13.8	76.2
<i>wikisamp.xml</i>	42.9	6.04	36.8	4.7	56.9	7.02	15.3	95.9