
These are common: the 12 most frequent chromosome ends that carry another chromosome's DNA
● definitive single-molecule evidence in at least one person
○ not yet shown in single molecules (not assessable or not confirmed)
8p end carries 1p/5q/6q-like DNA (SA-8p-02)
169 people
20q end carries 3q/19p-like DNA (SA-20q-01)
146 people
single-molecule evidence in 8 people
3q end carries 11p/15q-like DNA (SA-3q-01)
162 people
single-molecule evidence in 1 person
9p end carries 3q/19p-like DNA (SA-9p-02)
149 people
4q end carries 4p/acrocentric-like DNA (SA-4q-02)
131 people
single-molecule evidence in 1 person
17q end carries 1p/5q/6q-like DNA (SA-17q-02)
117 people
single-molecule evidence in 1 person
6p end carries 1p/5q/6q-like DNA (SA-6p-10)
88 people
19p end carries 11p/15q-like DNA (SA-19p-04)
84 people
single-molecule evidence in 1 person
17p end carries 11p/15q-like DNA (SA-17p-02)
83 people
single-molecule evidence in 4 people
6p end carries 11p/15q-like DNA (SA-6p-01)
75 people
20p end carries 16q-like DNA (SA-20p-02)
73 people
single-molecule evidence in 1 person
2q end carries 16q-like DNA (SA-2q-02)
74 people
0
10
20
30
40
50
60
share of assembled ends of that chromosome arm (%)