
LRR per bin: log2 of the bin's trimmed-mean depth over the member's autosomal median (GC- and panel-corrected where applicable)
step fit of the track (exact total-variation denoising)
BAF: alt-allele read fraction at the member's heterozygous sites (subsampled)
informative site whose alt allele is maternal (father 0/0, mother 1/1)
informative site whose alt allele is paternal (father 1/1, mother 0/0)
phased fraction pooled over a window of sites (depth-weighted): 1/2 with equal homologue copy, 1/2 +/- d along an event with the sign giving the parent (child: below 1/2 the paternal homologue is in excess, above 1/2 the maternal; parent: below 1/2 the event lies on the untransmitted homologue, above 1/2 on the transmitted one); hollow where the window deviates in two or more members (paralogy, excluded from fits and scan)
phased fraction at one site: maternal allele (child) or transmitted allele (parent), reference bias removed
child's maternal fraction at sites where the father is homozygous and the mother heterozygous; departs from the main track where the child carries two different maternal homologues (maternal meiotic trisomy or heterodisomy) and rejoins it after a crossover
the same at sites where the mother is homozygous and the father heterozygous; departs where the child carries two different paternal homologues
parent's transmitted-allele fraction at sites where the child is heterozygous and the other parent homozygous; departs from the main track where the child carries two different homologues of this parent
a crossover: where the auxiliary track's state (two different homologues, or one) changes along a whole-chromosome event (dashed vertical line)
child's maternal copy number: the LRR step fit's copy number (2 x 2^LRR) times the maternal fraction's step fit
child's paternal copy number, likewise
parent's copy number of the transmitted homologue, likewise
parent's copy number of the untransmitted homologue
called gain (line at the segment's mean LRR)
called loss
called copy-neutral event: loss of heterozygosity or uniparental heterodisomy (drawn at LRR 0)
event supplied with --events (bracket above the track)
reference lines: LRR 0; BAF 1/2, 1/3 and 2/3; the centromere