

-  LRR: log2 of the bin's median depth over the member's autosomal median (GC-corrected where a GC track was given)
-  the step fit of the track (total-variation denoising): a piecewise-constant reading in which every jump has to earn its height
-  BAF: the alt-allele fraction at the member's heterozygous sites (a sample of them)
-  an informative site whose alt allele came from the mother (father 0/0, mother 1/1)
-  an informative site whose alt allele came from the father (father 1/1, mother 0/0)
-  the phased fraction pooled over a window of sites (depth-weighted) at 1/2 where the homologues are equal (a parent's reference bias out)
-  an event, the sign the parent of origin - in the child, below one half the paternal homologue is in excess (a paternal gain, a maternal copy lost), above one half the maternal; in a parent, below one half the event lies on the homologue not passed to the child, above one half on the one the child's maternal fraction read at the sites where the father is homozygous and the mother heterozygous; it leaves the window is paired in two or more members (paralogy), which the fits and the scan leaves out
-  the same at the sites where the mother is homozygous and the father heterozygous: it leaves the main track where the child carries two different maternal homologues (a scan leaves out)
-  the same at the sites where the mother is homozygous and the father heterozygous: it leaves the main track where the child carries two different paternal homologues
-  a parent's transmitted-allele fraction read at the sites where the child is heterozygous and the other parent homozygous: it leaves the main track where the child carries two different homologues of this parent
-  the child's maternal copies: the LRR step fit's copies (2×2^{LRR}) times the maternal fraction's step fit
-  the child's paternal copies, the same way
-  a parent's copies of the homologue passed to the child, the same way
-  a parent's copies of the other homologue
-  a called gain (line at the segment's mean LRR)
-  a called loss
-  a called copy-neutral event - a loss of heterozygosity, or a uniparental heterodisomy (drawn at zero)
-  an event given from elsewhere (--events), drawn above the track
-  reference lines: zero LRR, BAF at 1/2, 1/3 and 2/3; the centromere