



Scientific Computing Group

Programming with Python:

Aliasing, Read Measurements Project



```
# Write Fibonacci series up to n
>>> def fib(n):
>>>     a, b = 0, 1
>>>     while a < n:
>>>         print(a, end=' ')
>>>         a, b = b, a+b
>>>     print()
>>> fib(1000)
0 1 1 2 3 5 8 13 21 34 55 89 144 233 377 610
```

Jeremiah Lant, Hydrologist
USGS Kentucky Water Science Center
jlant@usgs.gov

Last Meeting

- Introduced functions
- Wrote functions and showed the various ways to write the parameters

Today's Objective

- Show GitHub site for Scientific Computing Group
- Understand aliasing in Python
- Define debugging and debugger.
- Start to implement functions in `read_measurements.py` script

Aliasing

- Alias – a second name for the same piece of data
- Example:

```
>>> variable1 = 5
```

```
>>> variable2 = variable1
```

```
>>> print(variable2)
```

```
>>> list1 = [1, 2, 3]
```

```
>>> list2 = list1
```

```
>>> list1.append(50)
```

```
>>> print(list2)
```

Debugging and Debugger

- Debugging – a methodical process of finding and reducing the number of bugs in a computer program thus making it behave as expected.
- Debugger – a computer program that is used to test and debug other programs.

Video – Python



- Software Carpentry, Greg Wilson
 - Python: Alias
 - <http://software-carpentry.org/v4/python/alias.html>
 - Python: Using a Debugger
 - <http://software-carpentry.org/v4/python/debugger.html>

Practice – aliasing

- Create an alias for a string variable
- Create an alias for a list of numbers

Functions that could be applied in readmeasurements project

- Let's take a look at the readmeasurements project and think of some potential functions that we could use.

Next meeting

- Implement functions for the `read_measurements.py` script.