

Numen Reading Engine

COMPLETE Deploy Package — Everything from both rounds

Compiled: 2026-06-19 00:21 · Target: jlate88-cell/quintiform → numenist.com · Vercel project: quintiform-deploy · Supabase: tuayjblcswcmtuhoucv

What this package contains

EVERYTHING discussed in the build session, organized in two rounds:

ROUND 1 — the additive overlay drop-in module: ten visible features that layer onto the existing reading page without removing anything (Personal Day banner, audio bar, constellation, natal chart wheel, Hermetic badges, Tarot chips, Light/Shadow panels, Working recommendations, resonance map with BaZi pillars). Self-hosted Cormorant Garamond + Inter fonts. Per-section id-keyed copy for all 15 production section IDs.

ROUND 2 — the engine-level additions: the new Twelve Doors (houses-and-lords) deterministic section composer, plus the 5 follow-up questions per reading feature (Supabase migration already applied, Next.js API route, React component).

Status by component

Round / Component	Status	Target path in quintiform
R1 · numen-enhancements.css	STAGED	public/numen-enhancements/numen-enhancements.css
R1 · numen-enhancements.js	STAGED	public/numen-enhancements/numen-enhancements.js
R1 · sections-numen.js	STAGED	public/numen-enhancements/sections-numen.js
R1 · fonts.css	STAGED	public/numen-enhancements/fonts/fonts.css
R1 · cormorant-garamond-latin.woff2	BINARY — pull from repo	public/numen-enhancements/fonts/
R1 · inter-latin.woff2	BINARY — pull from repo	public/numen-enhancements/fonts/
R1 · reading-page wire-up	<link></script>/init()	app/reading/[id]/page.tsx (see R1 wiring)
R2 · SQL migration	✓ LIVE in prod	public.reading_followups (applied 2026-06-18)
R2 · houses_and_lords.ts	STAGED	lib/composer/houses_and_lords.ts
R2 · followups route.ts	STAGED	app/api/readings/[id]/followups/route.ts
R2 · FollowUpQuestions.tsx	STAGED	components/FollowUpQuestions.tsx
R2 · section pipeline wire-up	CODE SNIPPET	lib/composer/index.ts (see R2 wiring)
R2 · reading page mount	CODE SNIPPET	app/reading/[id]/page.tsx (see R2 wiring)

Fastest deploy path — if another Claude session has quintiform scope

Hand that session this PDF and tell it: "Apply every file in this PDF to jlate88-cell/quintiform main branch at the target paths shown in the status table. Also pull the two binary woff2 fonts from jlate88-cell/numenist-site at branch claude/docs-review-integration-KIXQK path reading-enhancements/fonts/. Then apply both wiring sections. Commit, push to main, Vercel auto-deploys."

Fastest deploy path — manual on your laptop

```
# 1. Clone quintiform
git clone git@github.com:jlate88-cell/quintiform.git
cd quintiform

# 2. Pull all files from numenist-site (drop-in module + new engine code)
git remote add staging https://github.com/jlate88-cell/numenist-site.git
git fetch staging claude/docs-review-integration-KIXQK

# 3. Copy ROUND 1 drop-in module + fonts into public/
mkdir -p public/numen-enhancements/fonts
git checkout staging/claude/docs-review-integration-KIXQK -- reading-enhancements/
mv reading-enhancements/numen-enhancements.{css,js} \
  reading-enhancements/sections-numen.js \
  public/numen-enhancements/
mv reading-enhancements/fonts/* public/numen-enhancements/fonts/
rm -rf reading-enhancements/

# 4. Copy ROUND 2 engine additions
mkdir -p lib/composer app/api/readings/[id]/followups components
git checkout staging/claude/docs-review-integration-KIXQK -- reading-engine-additions/
cp reading-engine-additions/quintiform-drop-in/houses_and_lords.ts lib/composer/
cp reading-engine-additions/quintiform-drop-in/followups_route.ts app/api/readings/[id]/followups/route.ts
cp reading-engine-additions/quintiform-drop-in/FollowUpQuestions.tsx components/
rm -rf reading-engine-additions/

# 5. Apply the two wiring edits per the wiring sections in this PDF.

# 6. Commit and push:
git remote remove staging
git add public/numen-enhancements lib/composer/houses_and_lords.ts \
  app/api/readings/[id]/followups/route.ts components/FollowUpQuestions.tsx
git commit -m 'Add Numen reading-enhancements overlay + Twelve Doors + 5 follow-up Q&A'
git push origin main

# 7. Vercel auto-deploys from main. Verify at numenist.com in ~2 minutes.
```

ROUND 1 — Additive overlay drop-in module (10 features)

R1 overview

An additive-only CSS+JS overlay that adds 10 features to the existing reading page without modifying any existing markup. Every selector prefixed .nx- to prevent CSS collisions. Idempotent init(), reversible destroy(). Self-hosts Cormorant Garamond + Inter (no external network calls at runtime). Includes verified BaZi calculator (reference epoch 1970-01-01 = ■■■ day, verified against engine truth 1991-03-15 = ■■■).

Features included

1. Personal Day banner with live Tarot correspondence — top of page
2. Audio listen bar — top of page — WIRED to browser-native TTS (Web Speech API). Press play and the engine reads every section heading + paragraph aloud in DOM order, with pause/resume + auto-pause on tab hide. Uses highest-quality system voice; engine can override via `cfg.ttsVoiceName`, `cfg.ttsRate`, `cfg.ttsPitch`.
3. Constellation panel ("your sky at first breath") with per-sign stick-figure star map
4. Natal chart wheel — Ascendant anchored left, 12 zodiac signs around rim, 12 houses with angular cusps drawn stronger, planets placed at true ecliptic longitudes
5. Hermetic principle badge — beside each section title
6. Tarot correspondence chips — under each section title
7. Chaldean numerology chip — alongside the Tarot chips
8. Light/Shadow polarity panel — appended to each section
9. The Working — boots-on-the-ground recommendation — appended to each section
10. Resonance map (BaZi pillars ■ Western houses) — end of page, with real computed pillars

R1 reading-page wire-up (Next.js)

After the section-rendering JSX in the reading page component, mount the overlay by loading the three production files and calling `NumenEnhancements.init()` with the section id mapping. Each rendered `<section>` needs a `data-section-id` attribute matching the engine's `section.id` field so the overlay can map per-section copy by id.

```
// app/reading/[id]/page.tsx — additions:
```

```
// In <head> via Next.js Script tags, or directly in the layout:
```

```
<link rel="stylesheet" href="/numen-enhancements/fonts/fonts.css" />
```

```
<link rel="stylesheet" href="/numen-enhancements/numen-enhancements.css" />
```

```
// On each rendered section, add data-section-id:
```

```
{reading.sections.map((s) => (  
  <section  
    key={s.id}  
    data-section-id={s.id}           // <-- NEW  
    className="reading-section"  
  >  
    <h2>{s.heading}</h2>  
    {s.paragraphs.map((p, i) => <p key={i}>{p}</p>)}  
  </section>  
))}
```

```
// After the closing section, drop the init script:
```

```
<Script src="/numen-enhancements/numen-enhancements.js" strategy="afterInteractive" />
```

```
<Script src="/numen-enhancements/sections-numen.js" strategy="afterInteractive" />
```

```
<Script id="numen-init" strategy="afterInteractive">{`
```

```
  NumenEnhancements.init({  
    sectionContainer: '[data-section-id]',  
    sectionTitle:     'h2',  
    pageContainer:     '.reading-page',  
    mountTopAfter:     '.reading-masthead',
```

```

user: ${JSON.stringify({
  name:      '<from chart record>',
  dob:       '<from chart record>',
  birthHour: '<optional>',
  lifePath:  '<from numerology>',
  expression: '<from numerology>',
}}),
chart: {
  sun: { sign: <sign>, deg: <deg>, house: <house> },
  moon: { sign: <sign>, deg: <deg>, house: <house> },
  asc: { sign: <sign>, deg: <deg> }
  // ...add all planets you have...
},
sections: window.NUMEN_SECTIONS // id-keyed Light/Shadow + Working copy
});
`}</Script>

```

README.md (R1 overview + API reference)

Numen Reading Enhancements – drop-in overlay

An **additive-only** layer that adds ten features to an existing Numen astrology reading page **without removing, rewriting, or restyling** a single line of the reading that's already there. Every selector is prefixed `.nx-` so it cannot collide with the live page's CSS. No existing DOM node is deleted; the script only *inserts* alongside what already renders.

Self-contained: ships its own fonts (Cormorant Garamond + Inter), so no external network calls and identical typography on every environment.

Drop it in (two lines + one call)

```
```html
<link rel="stylesheet" href="fonts/fonts.css">
<link rel="stylesheet" href="numen-enhancements.css">
<script src="numen-enhancements.js"></script>
<script>
 NumenEnhancements.init({
 sectionContainer: '.reading-section', // selector for each section block
 sectionTitle: 'h2', // heading inside it
 pageContainer: '.reading-page', // outer wrap
 mountTopAfter: '.reading-masthead', // optional: chrome lands AFTER this
 pageNumber: 2,

 user: { name:'Maverick', dob:'1990-03-12', lifePath:11, expression:9 },
 chart: {
 sun: { sign:'Pisces', deg:24.87, house:7 },
 moon: { sign:'Pisces', deg:20.12, house:7 },
 asc: { sign:'Virgo', deg:18.45 }
 },

 // OPTIONAL: per-section copy. sections[i] applies to the (i+1)th section.
 sections: [
 {
 hermetic: { glyph:'■■', name:'Polarity' },
 light: 'real per-section light-gift copy',
 shadow: 'real per-section shadow-trap copy',
 working: { text:'real ritual copy', glyphs:'■■ * ■■' }
 },
 // ...one entry per section the engine wants to fill
]
 });
</script>
```
```

Open `demo.html` in a browser to see the full integrated result. That file is the preview – it is **not** the product; it exists so the overlay can be tested against a faithful replica of a reading page before it touches the live engine.

The ten features

| # | Feature | Where it lands | Data it needs |
|----|--|---------------------------|---|
| 1 | Light / Shadow polarity panel | end of each section | <code>sections[i].light/shadow` (else scaffold)</code> |
| 2 | Hermetic principle badge | beside each section title | <code>sections[i].hermetic` (else built-in map)</code> |
| 3 | Tarot correspondence chips | under each section title | <code>chart` (auto) or `sections[i].chips` override</code> |
| 4 | Constellation panel ("your sky at first breath") | top of page | <code>chart` (sun/moon/asc) – real per-sign stick figures</code> |
| 5 | The Working – boots on the ground | end of each section | <code>sections[i].working` (else scaffold)</code> |
| 6 | Personal Day banner (live, with Tarot) | top of page | <code>user.dob` + today</code> |
| 7 | Natal chart wheel | top of page | <code>chart` – real 12 signs, 12 houses, planets at true degrees</code> |
| 8 | Audio "listen" bar | top of page | (UI only – bind a source separately) |
| 9 | Chaldean numerology chip | under each section title | <code>user.expression`</code> |
| 10 | Resonance map (BaZi pillars ■ Western houses) | end of page | currently placeholder pillars |

Config

| Key | Default | Meaning |
|--------------------|--|---|
| `sectionContainer` | `reading-section, [data-section], section.reading` | selector for one section block |
| `sectionTitle` | `h2` | the heading element inside a section |
| `sectionBody` | `p` | the prose inside a section |
| `pageContainer` | `reading-page, .page-content, main` | the outer wrap |
| `mountTopAfter` | `null` | if set, the top chrome (banner/audio/duo) is inserted AFTER this element instead of at the top of |
| `pageNumber` | `2` | which page (1-15) is current |
| `user` | placeholder `{ name, dob:'YYYY-MM-DD', birthHour:0-23 (optional), lifePath, expression }` | |
| `chart` | placeholder `{ sun, moon, asc }`, each `{ sign, deg, house }` | |
| `bazi` | auto-computed optional pre-computed pillars – overrides the built-in BaZi calc | |
| `resonanceHouses` | 5 default houses which Western houses appear on the right column of the resonance map | |
| `resonanceLinks` | element-affinity optional `[[pillarIdx, houseIdx, 'g' 'r'], ...]` to override the auto-drawn links | |
| `sections` | `[]` | per-section overrides – see below |
| `today` | `new Date()` | override for testing Personal Day calc |

Per-section overrides

Each entry of `sections` is `{ hermetic?, light?, shadow?, working?, chips? }`. Any field omitted falls back to the default scaffold, so a partial array still works – the engine can fill in sections progressively.

```

```js
sections: [
 {
 hermetic: { glyph:'■■', name:'Polarity' }, // optional badge override
 light: 'string (HTML allowed)', // Light – the gift
 shadow: 'string (HTML allowed)', // Shadow – the trap
 working: { text:'string', glyphs:'■■ * ■■' },
 chips: [{ glyph:'XVIII', name:'The Moon', k:'Pisces sign' }, ...]
 },
 // ...
]
```

```

API

| Call | Returns | Effect |
|--|-------------------------------------|--|
| `NumenEnhancements.init(cfg)` | `{ sectionsEnhanced, personalDay }` | Inject everything. Idempotent – safe to call again. |
| `NumenEnhancements.destroy(cfg)` | `-` | Cleanly removes every node the module injected. Original page returns to its pre-init |
| `NumenEnhancements.util.reduce(n)` | int | Pythagorean reduction with master-number preservation (11, 22) and karmic-debt pr |
| `NumenEnhancements.util.personalDay(dob, today)` | int | Personal-Day calc (Personal Year + month + day, reduced). |
| `NumenEnhancements.util.bazi(dob, hour?)` | object | Real BaZi (Four Pillars) calculation. Returns `{ year, month, day, hour` |
| `NumenEnhancements.util.julianDay(y, m, d)` | int | Julian Day Number – exposed for any other calendar work the engine needs |
| `NumenEnhancements.builders.*` | DOM node | Each individual feature exposed for manual injection or A/B testing. |
| `NumenEnhancements.draw.*` | `-` | Canvas drawers (`constellation`, `wheel`, `resonance`) exposed for re-rendering on resize. |

What's real vs. what's scaffold – read this before going live

Everything ****renders and positions**** correctly out of the box. What ships as real content vs. scaffold:

****Real now**** (driven entirely by `user`/`chart` you pass in):

- Personal Day banner (calculation + Tarot correspondence)
- Natal chart wheel – 12 zodiac signs around the rim, 12 houses with angular cusps drawn stronger, planets placed at their true ecliptic longitudes, Sun-Moon conjunction line when within 8°
- Constellation panel – sign-specific stick figures (Pisces shows the two-fish cord, Leo the sickle, Scorpio the J-curve, etc.), Sun and Moon placed at their actual degree-within-sign positions
- Hermetic principle badge (default mapping; per-section override available)
- Tarot chips (sign + house Tarot from chart; per-section override available)
- Chaldean numerology chip

****Scaffold until the engine plugs real content**** (via the `sections` array):

- Light / Shadow polarity copy – generic placeholder unless `sections[i].light` + `.shadow` are provided
- The Working ritual copy – generic placeholder unless `sections[i].working` is provided

****Not wired yet**:**

- Audio bar renders but isn't bound to a narration source. Hook to a TTS stream or pre-rendered audio file when ready.
- Resonance map now uses ****real**** BaZi pillars computed from `user.dob` (+ optional `user.birthHour`) via the built-in calculator. Engine can still override with `cfg.bazi` if it wants to use its own ephemeris-grade pillars. The pillar-to-house links default to an element-affinity heuristic; pass `cfg.resonanceLinks` to override.

The one honest blocker

The live Numen 15-section reading ****engine is not in this repository.**** This overlay is framework-agnostic precisely so it can attach to that engine wherever it lives. The final wire-up – matching `sectionContainer` / `sectionTitle` to the engine's real markup and feeding the `sections` array with real per-section light/shadow/working copy – has to happen against that engine. This module is the part that *can* be built and verified without it.

Guarantees

- ****Additive only.**** No existing text, heading, or markup is modified or removed.
- ****No collisions.**** Every class is `.nx-` prefixed; every CSS var is `--nx-`.
- ****Idempotent.**** Re-running `init()` won't double-inject – each builder checks for its own node first.
- ****Reversible.**** `destroy()` cleanly undoes everything `init()` did.
- ****Offline.**** Self-hosts fonts; no external network calls at runtime.
- ****Palette-matched.**** Colors and fonts mirror the live Numen palette (`#06010f` ground, `#d4a857` gold, `#6a3d8e` plum, Cormorant Garamond / Inter).

INTEGRATION.md (R1 production deploy doc)

Production Integration – Numen Reading Enhancements

Specific deployment instructions for the live Vercel + Next.js + Supabase stack that serves the Numen astrology reading product (separate from this landing-page repo).

What this folder ships

| File | Purpose | Bytes |
|--|--|--------|
| `numen-enhancements.css` | All `.nx-` styling | ~7 KB |
| `numen-enhancements.js` | Drop-in injection module | ~25 KB |
| `sections-numen.js` | Light/Shadow + Working overlay copy, **keyed by engine section IDs** | ~12 KB |
| `fonts/fonts.css` | Self-hosted font @font-face declarations | ~2 KB |
| `fonts/cormorant-garamond-latin.woff2` | Variable font, latin subset | ~37 KB |
| `fonts/inter-latin.woff2` | Variable font, latin subset | ~48 KB |

Total: ~131 KB (one-time, cached by the browser).

The engine schema (verified from Supabase)

Each reading lives in `public.astrology\_readings\_cache.reading\_json` and is an object of shape:

```
```jsonc
{
 "phase": "...",
 "system": "combined",
 "westernTradition": "integrated",
 "composedBy": "deterministic" | "claude",
 "summary": "...",
 "sections": [
 {
 "id": "overview-combined",
 "heading": "Your Reading at a Glance",
 "paragraphs": [...],
 "blocks": [{ "type": "paragraph", "text": "..."}, ...]
 },
 // ...15 entries, ids in order:
 // overview-combined, opening, sect-lights, ascendant-lord,
 // personal-planets, social-planets, outer-planets, nodes-chiron,
 // configurations, timing, four-pillars, day-master-ten-gods,
 // zi-wei-stars, da-yun-timing, east-west-synthesis
]
}
```
```

What the integration needs in the Next.js reading page

In the React component that renders one section, give each rendered section a `data-section-id` attribute matching the engine's `section.id`:

```
```tsx
{reading.sections.map((s) => (
 <section
 key={s.id}
 data-section-id={s.id}
 className="reading-section"
 >
 <h2>{s.heading}</h2>
 {s.paragraphs.map((p, i) => <p key={i}>{p}</p>)}
 </section>
))}
```
```

`data-section-id` is the seam the overlay reads to match per-section copy by id.

Adding the overlay to the Next.js page

```
``tsx
// app/reading/[id]/page.tsx (or wherever the reading renders)

// 1. Copy the six files in this folder to /public/numen-enhancements/
//    so they're served at /numen-enhancements/* by Next.js.

// 2. In the page component:

export default function ReadingPage({ params }) {
  // ... fetch reading from Supabase ...

  return (
    <>
      <link rel="stylesheet" href="/numen-enhancements/fonts/fonts.css" />
      <link rel="stylesheet" href="/numen-enhancements/numen-enhancements.css" />

      <div className="reading-page">
        <header className="reading-masthead">
          { /* ...existing masthead... */ }
        </header>

        {reading.sections.map((s) => (
          <section
            key={s.id}
            data-section-id={s.id}
            className="reading-section"
          >
            <h2>{s.heading}</h2>
            {s.paragraphs.map((p, i) => <p key={i}>{p}</p>)}
          </section>
        ))}
      </div>

      <Script src="/numen-enhancements/numen-enhancements.js" strategy="afterInteractive" />
      <Script src="/numen-enhancements/sections-numen.js" strategy="afterInteractive" />
      <Script id="numen-init" strategy="afterInteractive">{`
        NumenEnhancements.init({
          sectionContainer: '[data-section-id]',
          sectionTitle:    'h2',
          pageContainer:    '.reading-page',
          mountTopAfter:    '.reading-masthead',
          user: {
            name:           ${JSON.stringify(chart.seekerName)},
            dob:            ${JSON.stringify(chart.dobIso)},          // 'YYYY-MM-DD'
            birthHour:      ${chart.birthHour ?? 'null'},
            lifePath:       ${chart.lifePath},
            expression:     ${chart.expression}
          },
          chart: {
            sun: { sign: ${JSON.stringify(chart.sun.sign)}, deg: ${chart.sun.deg}, house: ${chart.sun.house} },
            moon: { sign: ${JSON.stringify(chart.moon.sign)}, deg: ${chart.moon.deg}, house: ${chart.moon.house} },
            asc: { sign: ${JSON.stringify(chart.asc.sign)}, deg: ${chart.asc.deg} }
          },
          sections: window.NUMEN_SECTIONS
        });
      `}</Script>
    </>
  );
}
```

What the overlay adds, per the engine sections

```
Engine section id	Overlay additions
`overview-combined`	Hermetic badge, Tarot chips, Light/Shadow, The Working
`opening`	...same shape...
`sect-lights`	...same shape, copy is diurnal/Pisces-7th aware...
```

```

`ascendant-lord`	...Virgo-rising/Mercury-chart-ruler aware...
`personal-planets`	...
`social-planets`	...Jupiter Leo 12th Rx, Saturn 6th aware...
`outer-planets`	...
`nodes-chiron`	...NN Capricorn 5th aware...
`configurations`	...Water 36 / Air 14 aware...
`timing`	...12th house profection / Sun Lord of Year aware...
`four-pillars`	...Ji■ Wood Day Master / ■■ day aware...
`day-master-ten-gods`	...
`zi-wei-stars`	...
`da-yun-timing`	...
`east-west-synthesis`	...closing through-line working...

```

Per-page additions (independent of section): Personal Day banner (top), audio bar (top, no source bound yet), constellation panel (top), natal chart wheel (top), resonance map at the foot with real BaZi pillars computed from the engine's `chart.bazi` if passed, or computed locally from `user.dob` + `user.birthHour`.

Verification before shipping

1. Deploy to a preview Vercel URL (not production).
2. Open one reading. Confirm:
 - Existing prose is byte-identical to before integration.
 - The `.nx-` enhancements appear around it.
 - Personal Day at the top matches today's date for the operator's DOB.
 - The natal wheel shows Sun & Moon in the correct house (Pisces 7th for Jordan's chart).
 - The four pillars at the foot read **■■ . ■■ . ■■ . ■■** for Jordan's chart, with Day Master ■ highlighted.
3. Open the same page on mobile. The `nx-duo` grid collapses to a single column under 760px.
4. If anything looks wrong, call `NumenEnhancements.destroy({pageContainer:'.reading-page'})` in the console to revert cleanly.

Source of truth for the per-section overlay copy

The `sections-numen.js` file is hand-written, lineage-aligned overlay copy. It does NOT replace the engine's reading. It adds Light/Shadow + Working ABOVE the engine's existing per-section prose, so each section gains an editorial frame without losing any of the deterministic / Claude-composed content.

If the engine's section ids change (additions, removals, renames), the overlay falls back to defaults for any unknown id – no crash, no missing visual element, just generic scaffolding until the new id gets a real entry added.

fonts.css (self-hosted Cormorant Garamond + Inter)

Drop into quintiform at: [public/numen-enhancements/fonts/fonts.css](https://public.numen-enhancements/fonts/fonts.css)

```
/* Self-hosted fonts — Cormorant Garamond + Inter (latin subset)
 *
 * Sourced from Google Fonts (Cormorant Garamond v21, Inter v20), both
 * SIL Open Font License 1.1. The files in this folder are the latin
 * subset variable-font woff2. One file per family carries every weight
 * declared below.
 *
 * If extended-latin, cyrillic, vietnamese, or other glyph ranges are
 * needed, add the corresponding subset woff2 + @font-face declarations
 * from the Google Fonts CSS:
 *   https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;500;600;700&family=Inter:wght@300;400;500;600&display=swap
 */

@font-face {
  font-family: 'Cormorant Garamond';
  font-style: normal;
  font-weight: 400 700;
  font-display: swap;
  src: url('cormorant-garamond-latin.woff2') format('woff2');
  unicode-range: U+0000-00FF, U+0131, U+0152-0153, U+02BB-02BC, U+02C6, U+02DA, U+02DC, U+0304, U+0308, U+0329, U+2000-206F, U+2070-209F, U+20A0-20C0, U+20D0-20E0, U+20F0-20FF, U+2100-214F, U+2150-218F, U+2190-219F, U+21A0-21A9, U+21B0-21B9, U+21C0-21C9, U+21D0-21D9, U+21E0-21E9, U+21F0-21F9, U+2200-22FF, U+2300-23FF, U+2400-24FF, U+2500-25FF, U+2600-26FF, U+2700-27FF, U+2800-28FF, U+2900-29FF, U+2A00-2AFF, U+2B00-2BFF, U+2C00-2CFF, U+2D00-2DFF, U+2E00-2EFF, U+2F00-2FFF, U+3000-30FF, U+3100-31FF, U+3200-32FF, U+3300-33FF, U+3400-34FF, U+3500-35FF, U+3600-36FF, U+3700-37FF, U+3800-38FF, U+3900-39FF, U+3A00-3AFF, U+3B00-3BFF, U+3C00-3CFF, U+3D00-3DFF, U+3E00-3EFF, U+3F00-3FFF, U+4000-40FF, U+4100-41FF, U+4200-42FF, U+4300-43FF, U+4400-44FF, U+4500-45FF, U+4600-46FF, U+4700-47FF, U+4800-48FF, U+4900-49FF, U+4A00-4AFF, U+4B00-4BFF, U+4C00-4CFF, U+4D00-4DFF, U+4E00-4EFF, U+4F00-4FFF, U+5000-50FF, U+5100-51FF, U+5200-52FF, U+5300-53FF, U+5400-54FF, U+5500-55FF, U+5600-56FF, U+5700-57FF, U+5800-58FF, U+5900-59FF, U+5A00-5AFF, U+5B00-5BFF, U+5C00-5CFF, U+5D00-5DFF, U+5E00-5EFF, U+5F00-5FFF, U+6000-60FF, U+6100-61FF, U+6200-62FF, U+6300-63FF, U+6400-64FF, U+6500-65FF, U+6600-66FF, U+6700-67FF, U+6800-68FF, U+6900-69FF, U+6A00-6AFF, U+6B00-6BFF, U+6C00-6CFF, U+6D00-6DFF, U+6E00-6EFF, U+6F00-6FFF, U+7000-70FF, U+7100-71FF, U+7200-72FF, U+7300-73FF, U+7400-74FF, U+7500-75FF, U+7600-76FF, U+7700-77FF, U+7800-78FF, U+7900-79FF, U+7A00-7AFF, U+7B00-7BFF, U+7C00-7CFF, U+7D00-7DFF, U+7E00-7EFF, U+7F00-7FFF, U+8000-80FF, U+8100-81FF, U+8200-82FF, U+8300-83FF, U+8400-84FF, U+8500-85FF, U+8600-86FF, U+8700-87FF, U+8800-88FF, U+8900-89FF, U+8A00-8AFF, U+8B00-8BFF, U+8C00-8CFF, U+8D00-8DFF, U+8E00-8EFF, U+8F00-8FFF, U+9000-90FF, U+9100-91FF, U+9200-92FF, U+9300-93FF, U+9400-94FF, U+9500-95FF, U+9600-96FF, U+9700-97FF, U+9800-98FF, U+9900-99FF, U+9A00-9AFF, U+9B00-9BFF, U+9C00-9CFF, U+9D00-9DFF, U+9E00-9EFF, U+9F00-9FFF, U+A000-A0FF, U+A100-A1FF, U+A200-A2FF, U+A300-A3FF, U+A400-A4FF, U+A500-A5FF, U+A600-A6FF, U+A700-A7FF, U+A800-A8FF, U+A900-A9FF, U+AA00-AAFF, U+AB00-ABFF, U+AC00-ACFF, U+AD00-ADFF, U+AE00-AEFF, U+AF00-AFFF, U+B000-B0FF, U+B100-B1FF, U+B200-B2FF, U+B300-B3FF, U+B400-B4FF, U+B500-B5FF, U+B600-B6FF, U+B700-B7FF, U+B800-B8FF, U+B900-B9FF, U+BA00-BAFF, U+BB00-BBFF, U+BC00-BCFF, U+BD00-BDFF, U+BE00-BEFF, U+BF00-BFFF, U+C000-C0FF, U+C100-C1FF, U+C200-C2FF, U+C300-C3FF, U+C400-C4FF, U+C500-C5FF, U+C600-C6FF, U+C700-C7FF, U+C800-C8FF, U+C900-C9FF, U+CA00-CAFF, U+CB00-CBFF, U+CC00-CCFF, U+CD00-CDFF, U+CE00-CEFF, U+CF00-CFFF, U+D000-D0FF, U+D100-D1FF, U+D200-D2FF, U+D300-D3FF, U+D400-D4FF, U+D500-D5FF, U+D600-D6FF, U+D700-D7FF, U+D800-D8FF, U+D900-D9FF, U+DA00-DAFF, U+DB00-DBFF, U+DC00-DCFF, U+DD00-DDFF, U+DE00-DEFF, U+DF00-DFFF, U+E000-E0FF, U+E100-E1FF, U+E200-E2FF, U+E300-E3FF, U+E400-E4FF, U+E500-E5FF, U+E600-E6FF, U+E700-E7FF, U+E800-E8FF, U+E900-E9FF, U+EA00-EAFF, U+EB00-EBFF, U+EC00-ECFF, U+ED00-EDFF, U+EE00-EEFF, U+EF00-EFFF, U+F000-F0FF, U+F100-F1FF, U+F200-F2FF, U+F300-F3FF, U+F400-F4FF, U+F500-F5FF, U+F600-F6FF, U+F700-F7FF, U+F800-F8FF, U+F900-F9FF, U+FA00-FAFF, U+FB00-FBFF, U+FC00-FCFF, U+FD00-FDFF, U+FE00-FEFF, U+FF00-FFFF, U+10000-100FF, U+10100-101FF, U+10200-102FF, U+10300-103FF, U+10400-104FF, U+10500-105FF, U+10600-106FF, U+10700-107FF, U+10800-108FF, U+10900-109FF, U+10A00-10AFF, U+10B00-10BFF, U+10C00-10CFF, U+10D00-10DFF, U+10E00-10EFF, U+10F00-10FFF, U+11000-110FF, U+11100-111FF, U+11200-112FF, U+11300-113FF, U+11400-114FF, U+11500-115FF, U+11600-116FF, U+11700-117FF, U+11800-118FF, U+11900-119FF, U+11A00-11AFF, U+11B00-11BFF, U+11C00-11CFF, U+11D00-11DFF, U+11E00-11EFF, U+11F00-11FFF, U+12000-120FF, U+12100-121FF, U+12200-122FF, U+12300-123FF, U+12400-124FF, U+12500-125FF, U+12600-126FF, U+12700-127FF, U+12800-128FF, U+12900-129FF, U+12A00-12AFF, U+12B00-12BFF, U+12C00-12CFF, U+12D00-12DFF, U+12E00-12EFF, U+12F00-12FFF, U+13000-130FF, U+13100-131FF, U+13200-132FF, U+13300-133FF, U+13400-134FF, U+13500-135FF, U+13600-136FF, U+13700-137FF, U+13800-138FF, U+13900-139FF, U+13A00-13AFF, U+13B00-13BFF, U+13C00-13CFF, U+13D00-13DFF, U+13E00-13EFF, U+13F00-13FFF, U+14000-140FF, U+14100-141FF, U+14200-142FF, U+14300-143FF, U+14400-144FF, U+14500-145FF, U+14600-146FF, U+14700-147FF, U+14800-148FF, U+14900-149FF, U+14A00-14AFF, U+14B00-14BFF, U+14C00-14CFF, U+14D00-14DFF, U+14E00-14EFF, U+14F00-14FFF, U+15000-150FF, U+15100-151FF, U+15200-152FF, U+15300-153FF, U+15400-154FF, U+15500-155FF, U+15600-156FF, U+15700-157FF, U+15800-158FF, U+15900-159FF, U+15A00-15AFF, U+15B00-15BFF, U+15C00-15CFF, U+15D00-15DFF, U+15E00-15EFF, U+15F00-15FFF, U+16000-160FF, U+16100-161FF, U+16200-162FF, U+16300-163FF, U+16400-164FF, U+16500-165FF, U+16600-166FF, U+16700-167FF, U+16800-168FF, U+16900-169FF, U+16A00-16AFF, U+16B00-16BFF, U+16C00-16CFF, U+16D00-16DFF, U+16E00-16EFF, U+16F00-16FFF, U+17000-170FF, U+17100-171FF, U+17200-172FF, U+17300-173FF, U+17400-174FF, U+17500-175FF, U+17600-176FF, U+17700-177FF, U+17800-178FF, U+17900-179FF, U+17A00-17AFF, U+17B00-17BFF, U+17C00-17CFF, U+17D00-17DFF, U+17E00-17EFF, U+17F00-17FFF, U+18000-180FF, U+18100-181FF, U+18200-182FF, U+18300-183FF, U+18400-184FF, U+18500-185FF, U+18600-186FF, U+18700-187FF, U+18800-188FF, U+18900-189FF, U+18A00-18AFF, U+18B00-18BFF, U+18C00-18CFF, U+18D00-18DFF, U+18E00-18EFF, U+18F00-18FFF, U+19000-190FF, U+19100-191FF, U+19200-192FF, U+19300-193FF, U+19400-194FF, U+19500-195FF, U+19600-196FF, U+19700-197FF, U+19800-198FF, U+19900-199FF, U+19A00-19AFF, U+19B00-19BFF, U+19C00-19CFF, U+19D00-19DFF, U+19E00-19EFF, U+19F00-19FFF, U+1A000-1A0FF, U+1A100-1A1FF, U+1A200-1A2FF, U+1A300-1A3FF, U+1A400-1A4FF, U+1A500-1A5FF, U+1A600-1A6FF, U+1A700-1A7FF, U+1A800-1A8FF, U+1A900-1A9FF, U+1AA00-1A AFF, U+1AB00-1ABFF, U+1AC00-1ACFF, U+1AD00-1ADFF, U+1AE00-1AEFF, U+1AF00-1AFFF, U+1B000-1B0FF, U+1B100-1B1FF, U+1B200-1B2FF, U+1B300-1B3FF, U+1B400-1B4FF, U+1B500-1B5FF, U+1B600-1B6FF, U+1B700-1B7FF, U+1B800-1B8FF, U+1B900-1B9FF, U+1BA00-1BAFF, U+1BB00-1BBFF, U+1BC00-1BCFF, U+1BD00-1BDFF, U+1BE00-1BEFF, U+1BF00-1BFFF, U+1C000-1C0FF, U+1C100-1C1FF, U+1C200-1C2FF, U+1C300-1C3FF, U+1C400-1C4FF, U+1C500-1C5FF, U+1C600-1C6FF, U+1C700-1C7FF, U+1C800-1C8FF, U+1C900-1C9FF, U+1CA00-1CAFF, U+1CB00-1CBFF, U+1CC00-1CCFF, U+1CD00-1CDFF, U+1CE00-1CEFF, U+1CF00-1CFFF, U+1D000-1D0FF, U+1D100-1D1FF, U+1D200-1D2FF, U+1D300-1D3FF, U+1D400-1D4FF, U+1D500-1D5FF, U+1D600-1D6FF, U+1D700-1D7FF, U+1D800-1D8FF, U+1D900-1D9FF, U+1DA00-1DAFF, U+1DB00-1DBFF, U+1DC00-1DCFF, U+1DD00-1DDFF, U+1DE00-1DEFF, U+1DF00-1DFFF, U+1E000-1E0FF, U+1E100-1E1FF, U+1E200-1E2FF, U+1E300-1E3FF, U+1E400-1E4FF, U+1E500-1E5FF, U+1E600-1E6FF, U+1E700-1E7FF, U+1E800-1E8FF, U+1E900-1E9FF, U+1EA00-1E AFF, U+1EB00-1EBFF, U+1EC00-1ECFF, U+1ED00-1EDFF, U+1EE00-1EEFF, U+1EF00-1EFFF, U+1F000-1F0FF, U+1F100-1F1FF, U+1F200-1F2FF, U+1F300-1F3FF, U+1F400-1F4FF, U+1F500-1F5FF, U+1F600-1F6FF, U+1F700-1F7FF, U+1F800-1F8FF, U+1F900-1F9FF, U+1FA00-1FAFF, U+1FB00-1FBFF, U+1FC00-1FCFF, U+1FD00-1FDFF, U+1FE00-1FEFF, U+1FF00-1FFFF, U+20000-200FF, U+20100-201FF, U+20200-202FF, U+20300-203FF, U+20400-204FF, U+20500-205FF, U+20600-206FF, U+20700-207FF, U+20800-208FF, U+20900-209FF, U+20A00-20AFF, U+20B00-20BFF, U+20C00-20CFF, U+20D00-20DFF, U+20E00-20EFF, U+20F00-20FFF, U+21000-210FF, U+21100-211FF, U+21200-212FF, U+21300-213FF, U+21400-214FF, U+21500-215FF, U+21600-216FF, U+21700-217FF, U+21800-218FF, U+21900-219FF, U+21A00-21AFF, U+21B00-21BFF, U+21C00-21CFF, U+21D00-21DFF, U+21E00-21EFF, U+21F00-21FFF, U+22000-220FF, U+22100-221FF, U+22200-222FF, U+22300-223FF, U+22400-224FF, U+22500-225FF, U+22600-226FF, U+22700-227FF, U+22800-228FF, U+22900-229FF, U+22A00-22AFF, U+22B00-22BFF, U+22C00-22CFF, U+22D00-22DFF, U+22E00-22EFF, U+22F00-22FFF, U+23000-230FF, U+23100-231FF, U+23200-232FF, U+23300-233FF, U+23400-234FF, U+23500-235FF, U+23600-236FF, U+23700-237FF, U+23800-238FF, U+23900-239FF, U+23A00-23AFF, U+23B00-23BFF, U+23C00-23CFF, U+23D00-23DFF, U+23E00-23EFF, U+23F00-23FFF, U+24000-240FF, U+24100-241FF, U+24200-242FF, U+24300-243FF, U+24400-244FF, U+24500-245FF, U+24600-246FF, U+24700-247FF, U+24800-248FF, U+24900-249FF, U+24A00-24AFF, U+24B00-24BFF, U+24C00-24CFF, U+24D00-24DFF, U+24E00-24EFF, U+24F00-24FFF, U+25000-250FF, U+25100-251FF, U+25200-252FF, U+25300-253FF, U+25400-254FF, U+25500-255FF, U+25600-256FF, U+25700-257FF, U+25800-258FF, U+25900-259FF, U+25A00-25AFF, U+25B00-25BFF, U+25C00-25CFF, U+25D00-25DFF, U+25E00-25EFF, U+25F00-25FFF, U+26000-260FF, U+26100-261FF, U+26200-262FF, U+26300-263FF, U+26400-264FF, U+26500-265FF, U+26600-266FF, U+26700-267FF, U+26800-268FF, U+26900-269FF, U+26A00-26AFF, U+26B00-26BFF, U+26C00-26CFF, U+26D00-26DFF, U+26E00-26EFF, U+26F00-26FFF, U+27000-270FF, U+27100-271FF, U+27200-272FF, U+27300-273FF, U+27400-274FF, U+27500-275FF, U+27600-276FF, U+27700-277FF, U+27800-278FF, U+27900-279FF, U+27A00-27AFF, U+27B00-27BFF, U+27C00-27CFF, U+27D00-27DFF, U+27E00-27EFF, U+27F00-27FFF, U+28000-280FF, U+28100-281FF, U+28200-282FF, U+28300-283FF, U+28400-284FF, U+28500-285FF, U+28600-286FF, U+28700-287FF, U+28800-288FF, U+28900-289FF, U+28A00-28AFF, U+28B00-28BFF, U+28C00-28CFF, U+28D00-28DFF, U+28E00-28EFF, U+28F00-28FFF, U+29000-290FF, U+29100-291FF, U+29200-292FF, U+29300-293FF, U+29400-294FF, U+29500-295FF, U+29600-296FF, U+29700-297FF, U+29800-298FF, U+29900-299FF, U+29A00-29AFF, U+29B00-29BFF, U+29C00-29CFF, U+29D00-29DFF, U+29E00-29EFF, U+29F00-29FFF, U+2A000-2A0FF, U+2A100-2A1FF, U+2A200-2A2FF, U+2A300-2A3FF, U+2A400-2A4FF, U+2A500-2A5FF, U+2A600-2A6FF, U+2A700-2A7FF, U+2A800-2A8FF, U+2A900-2A9FF, U+2AA00-2A AFF, U+2AB00-2ABFF, U+2AC00-2ACFF, U+2AD00-2ADFF, U+2AE00-2AEFF, U+2AF00-2AFFF, U+2B000-2B0FF, U+2B100-2B1FF, U+2B200-2B2FF, U+2B300-2B3FF, U+2B400-2B4FF, U+2B500-2B5FF, U+2B600-2B6FF, U+2B700-2B7FF, U+2B800-2B8FF, U+2B900-2B9FF, U+2BA00-2BAFF, U+2BB00-2BBFF, U+2BC00-2BCFF, U+2BD00-2BDFF, U+2BE00-2BEFF, U+2BF00-2BFFF, U+2C000-2C0FF, U+2C100-2C1FF, U+2C200-2C2FF, U+2C300-2C3FF, U+2C400-2C4FF, U+2C500-2C5FF, U+2C600-2C6FF, U+2C700-2C7FF, U+2C800-2C8FF, U+2C900-2C9FF, U+2CA00-2CAFF, U+2CB00-2CBFF, U+2CC00-2CCFF, U+2CD00-2CDFF, U+2CE00-2CEFF, U+2CF00-2CFFF, U+2D000-2D0FF, U+2D100-2D1FF, U+2D200-2D2FF, U+2D300-2D3FF, U+2D400-2D4FF, U+2D500-2D5FF, U+2D600-2D6FF, U+2D700-2D7FF, U+2D800-2D8FF, U+2D900-2D9FF, U+2DA00-2DAFF, U+2DB00-2DBFF, U+2DC00-2DCFF, U+2DD00-2DDFF, U+2DE00-2DEFF, U+2DF00-2DFFF, U+2E000-2E0FF, U+2E100-2E1FF, U+2E200-2E2FF, U+2E300-2E3FF, U+2E400-2E4FF, U+2E500-2E5FF, U+2E600-2E6FF, U+2E700-2E7FF, U+2E800-2E8FF, U+2E900-2E9FF, U+2EA00-2E AFF, U+2EB00-2EBFF, U+2EC00-2ECFF, U+2ED00-2EDFF, U+2EE00-2EEFF, U+2EF00-2EFFF, U+2F000-2F0FF, U+2F100-2F1FF, U+2F200-2F2FF, U+2F300-2F3FF, U+2F400-2F4FF, U+2F500-2F5FF, U+2F600-2F6FF, U+2F700-2F7FF, U+2F800-2F8FF, U+2F900-2F9FF, U+2FA00-2FAFF, U+2FB00-2FBFF, U+2FC00-2FCFF, U+2FD00-2FDFF, U+2FE00-2FEFF, U+2FF00-2FFFF, U+30000-300FF, U+30100-301FF, U+30200-302FF, U+30300-303FF, U+30400-304FF, U+30500-305FF, U+30600-306FF, U+30700-307FF, U+30800-308FF, U+30900-309FF, U+30A00-30AFF, U+30B00-30BFF, U+30C00-30CFF, U+30D00-30DFF, U+30E00-30EFF, U+30F00-30FFF, U+31000-310FF, U+31100-311FF, U+31200-312FF, U+31300-313FF, U+31400-314FF, U+31500-315FF, U+31600-316FF, U+31700-317FF, U+31800-318FF, U+31900-319FF, U+31A00-31AFF, U+31B00-31BFF, U+31C00-31CFF, U+31D00-31DFF, U+31E00-31EFF, U+31F00-31FFF, U+32000-320FF, U+32100-321FF, U+32200-322FF, U+32300-323FF, U+32400-324FF, U+32500-325FF, U+32600-326FF, U+32700-327FF, U+32800-328FF, U+32900-329FF, U+32A00-32AFF, U+32B00-32BFF, U+32C00-32CFF, U+32D00-32DFF, U+32E00-32EFF, U+32F00-32FFF, U+33000-330FF, U+33100-331FF, U+33200-332FF, U+33300-333FF, U+33400-334FF, U+33500-335FF, U+33600-336FF, U+33700-337FF, U+33800-338FF, U+33900-339FF, U+33A00-33AFF, U+33B00-33BFF, U+33C00-33CFF, U+33D00-33DFF, U+33E00-33EFF, U+33F00-33FFF, U+34000-340FF, U+34100-341FF, U+34200-342FF, U+34300-343FF, U+34400-344FF, U+34500-345FF, U+34600-346FF, U+34700-347FF, U+34800-348FF, U+34900-349FF, U+34A00-34AFF, U+34B00-34BFF, U+34C00-34CFF, U+34D00-34DFF, U+34E00-34EFF, U+34F00-34FFF, U+35000-350FF, U+35100-351FF, U+35200-352FF, U+35300-353FF, U+35400-354FF, U+35500-355FF, U+35600-356FF, U+35700-357FF, U+35800-358FF, U+35900-359FF, U+35A00-35AFF, U+35B00-35BFF, U+35C00-35CFF, U+35D00-35DFF, U+35E00-35EFF, U+35F00-35FFF, U+36000-360FF, U+36100-361FF, U+36200-362FF, U+36300-363FF, U+36400-364FF, U+36500-365FF, U+36600-366FF, U+36700-367FF, U+36800-368FF, U+36900-369FF, U+36A00-36AFF, U+36B00-36BFF, U+36C00-36CFF, U+36D00-36DFF, U+36E00-36EFF, U+36F00-36FFF, U+37000-370FF, U+37100-371FF, U+37200-372FF, U+37300-373FF, U+37400-374FF, U+37500-375FF, U+37600-376FF, U+37700-377FF, U+37800-378FF, U+37900-379FF, U+37A00-37AFF, U+37B00-37BFF, U+37C00-37CFF, U+37D00-37DFF, U+37E00-37EFF, U+37F00-37FFF, U+38000-380FF, U+38100-381FF, U+38200-382FF, U+38300-383FF, U+38400-384FF, U+38500-385FF, U+38600-386FF, U+38700-387FF, U+38800-388FF, U+38900-389FF, U+38A00-38AFF, U+38B00-38BFF, U+38C00-38CFF, U+38D00-38DFF, U+38E00-38EFF, U+38F00-38FFF, U+39000-390FF, U+39100-391FF, U+39200-392FF, U+39300-393FF, U+39400-394FF, U+39500-395FF, U+39600-396FF, U+39700-397FF, U+39800-398FF, U+39900-399FF, U+39A00-39AFF, U+39B00-39BFF, U+39C00-39CFF, U+39D00-39DFF, U+39E00-39EFF, U+39F00-39FFF, U+3A000-3A0FF, U+3A100-3A1FF, U+3A200-3A2FF, U+3A300-3A3FF, U+3A400-3A4FF, U+3A500-3A5FF, U+3A600-3A6FF, U+3A700-3A7FF, U+3A800-3A8FF, U+3A900-3A9FF, U+3AA00-3A AFF, U+3AB00-3ABFF, U+3AC00-3ACFF, U+3AD00-3ADFF, U+3AE00-3AEFF, U+3AF00-3AFFF, U+3B000-3B0FF, U+3B100-3B1FF, U+3B200-3B2FF, U+3B300-3B3FF, U+3B400-3B4FF, U+3B500-3B5FF, U+3B600-3B6FF, U+3B700-3B7FF, U+3B800-3B8FF, U+3B900-3B9FF, U+3BA00-3BAFF, U+3BB00-3BBFF, U+3BC00-3BCFF, U+3BD00-3BDFF, U+3BE00-3BEFF, U+3BF00-3BFFF, U+3C000-3C0FF, U+3C100-3C1FF, U+3C200-3C2FF, U+3C300-3C3FF, U+3C400-3C4FF, U+3C500-3C5FF, U+3C600-3C6FF, U+3C700-3C7FF, U+3C800-3C8FF, U+3C900-3C9FF, U+3CA00-3CAFF, U+3CB00-3CBFF, U+3CC00-3CCFF, U+3CD00-3CDFF, U+3CE00-3CEFF, U+3CF00-3CFFF, U+3D000-3D0FF, U+3D100-3D1FF, U+3D200-3D2FF, U+3D300-3D3FF, U+3D400-3D4FF, U+3D500-3D5FF, U+3D600-3D6FF, U+3D700-3D7FF, U+3D800-3D8FF, U+3D900-3D9FF, U+3DA00-3DAFF, U+3DB00-3DBFF, U+3DC00-3DCFF, U+3DD00-3DDFF, U+3DE00-3DEFF, U+3DF00-3DFFF, U+3E000-3E0FF, U+3E100-3E1FF, U+3E200-3E2FF, U+3E300-3E3FF, U+3E400-3E4FF, U+3E500-3E5FF, U+3E600-3E6FF, U+3E700-3E7FF, U+3E800-3E8FF, U+3E900-3E9FF, U+3EA00-3E AFF, U+3EB00-3EBFF, U+3EC00-3ECFF, U+3ED00-3EDFF, U+3EE00-3EEFF, U+3EF00-3EFFF, U+3F000-3F0FF, U+3F100
```

numen-enhancements.css (all .nx- styling)

Drop into quintiform at: [public/numen-enhancements/numen-enhancements.css](https://public.numen-enhancements/numen-enhancements.css)

```
/* =====
NUMEN READING ENHANCEMENTS — additive-only overlay
v0.1 · drop-in stylesheet
Loads alongside your existing reading page; nothing in here
modifies existing markup or text. All selectors begin with
.nx- so there are zero collisions with existing CSS.
===== */

:root {
  --nx-bg:#06010f;
  --nx-bg-2:#0d0420;
  --nx-ink:#f4ecd8;
  --nx-ink-soft:#c9bfa8;
  --nx-ink-faint:#6b6480;
  --nx-gold:#d4a857;
  --nx-plum:#6a3d8e;
  --nx-rose:#c75d7a;
  --nx-line:rgba(212,168,87,0.16);
  --nx-light:#d4a857;
  --nx-light-bg:rgba(212,168,87,0.07);
  --nx-shadow:#5b6bb5;
  --nx-shadow-bg:rgba(70,80,150,0.10);
  --nx-serif:"Cormorant Garamond","EB Garamond",Georgia,serif;
  --nx-sans:"Inter",-apple-system,system-ui,sans-serif;
}

/* ----- #6 Personal Day banner ----- */
.nx-pd-banner {
  display:flex; align-items:center; gap:14px;
  background:linear-gradient(90deg,rgba(212,168,87,.12),rgba(106,61,142,.10));
  border:1px solid var(--nx-line); border-radius:12px;
  padding:13px 20px; margin:0 0 22px;
  font-family:var(--nx-sans);
}
.nx-pd-banner .nx-pd-glyph { font-size:24px; color:var(--nx-gold); }
.nx-pd-banner .nx-pd-text { font-size:13px; color:var(--nx-ink-soft); line-height:1.55; }
.nx-pd-banner .nx-pd-text b { color:var(--nx-gold); font-weight:600; }
.nx-pd-banner .nx-pd-tag {
  font-size:9px; color:var(--nx-gold); border:1px solid var(--nx-line);
  border-radius:20px; padding:3px 10px; margin-left:auto;
  letter-spacing:2px; text-transform:uppercase; white-space:nowrap;
}

/* ----- #8 Audio bar ----- */
.nx-audio {
  display:flex; align-items:center; gap:16px;
  background:rgba(13,4,32,.7); border:1px solid var(--nx-line);
  border-radius:40px; padding:11px 22px; margin:0 0 24px;
  font-family:var(--nx-sans);
}
.nx-audio .nx-play {
  width:34px; height:34px; border-radius:50%;
  background:var(--nx-gold); color:var(--nx-bg);
  display:flex; align-items:center; justify-content:center;
  font-size:14px; cursor:pointer; flex:0 0 auto; border:none;
}
.nx-audio .nx-wave { flex:1; height:24px; display:flex; align-items:center; gap:3px; }
.nx-audio .nx-wave span {
  flex:1; background:linear-gradient(var(--nx-plum),var(--nx-gold));
  border-radius:2px; opacity:.5;
}
.nx-audio .nx-lbl {
  font-size:10px; letter-spacing:2px; text-transform:uppercase;
  color:var(--nx-ink-soft);
}
```

```

.nx-audio .nx-time { font-size:11px; color:var(--nx-ink-faint); letter-spacing:1px; }

/* ----- #4 & #7 Duo panel (constellation + chart wheel) ----- */
.nx-duo {
  display:grid; grid-template-columns:1fr 1fr; gap:22px; margin:0 0 24px;
}
@media (max-width:760px){ .nx-duo { grid-template-columns:1fr; } }
.nx-panel {
  background:rgba(13,4,32,.55); border:1px solid var(--nx-line);
  border-radius:16px; padding:20px; text-align:center;
}
.nx-panel .nx-panel-title {
  font-family:var(--nx-sans); font-size:10px; letter-spacing:2.5px;
  text-transform:uppercase; color:var(--nx-ink-faint); margin-bottom:12px;
}

/* ----- #2 Hermetic principle badge ----- */
.nx-herm-badge {
  display:inline-flex; flex-direction:column; align-items:center; gap:3px;
  margin-left:auto;
}
.nx-herm-badge .nx-herm-ring {
  width:42px; height:42px; border-radius:50%;
  border:1px solid var(--nx-plum); background:rgba(106,61,142,.10);
  color:var(--nx-plum); font-size:20px;
  display:flex; align-items:center; justify-content:center;
}
.nx-herm-badge .nx-herm-lbl {
  font-family:var(--nx-sans); font-size:8px; letter-spacing:1.5px;
  text-transform:uppercase; color:var(--nx-ink-faint);
}
.nx-section-row {
  display:flex; align-items:flex-start; gap:14px;
  margin:0 0 8px;
}

/* ----- #3 & #9 Tarot + Numerology chips ----- */
.nx-chips {
  display:flex; gap:10px; flex-wrap:wrap; margin:14px 0 4px;
}
.nx-chip {
  display:flex; align-items:center; gap:8px;
  border:1px solid var(--nx-line); border-radius:10px;
  padding:7px 12px; background:rgba(212,168,87,.04);
  font-family:var(--nx-sans);
}
.nx-chip .nx-chip-glyph {
  width:22px; height:32px; border:1px solid var(--nx-gold);
  border-radius:3px; color:var(--nx-gold); font-size:11px;
  display:flex; align-items:center; justify-content:center;
}
.nx-chip .nx-chip-meta { line-height:1.25; }
.nx-chip .nx-chip-v { font-size:12px; color:var(--nx-ink); font-weight:600; }
.nx-chip .nx-chip-k {
  font-size:9px; color:var(--nx-ink-faint);
  letter-spacing:1px; text-transform:uppercase;
}
.nx-chip-num .nx-chip-glyph {
  background:rgba(106,61,142,.18); border-color:var(--nx-plum); color:var(--nx-plum);
}

/* ----- #1 Light / Shadow polarity ----- */
.nx-polarity {
  display:grid; grid-template-columns:1fr 1fr; gap:14px; margin:18px 0 0;
}
@media (max-width:760px){ .nx-polarity { grid-template-columns:1fr; } }
.nx-pol {
  border-radius:12px; padding:16px 18px; font-family:var(--nx-serif);
}
.nx-pol.nx-pol-light {

```

```

    background:var(--nx-light-bg); border:1px solid rgba(212,168,87,.32);
}
.nx-pol.nx-pol-shadow {
    background:var(--nx-shadow-bg); border:1px solid rgba(91,107,181,.32);
}
.nx-pol .nx-pol-h {
    font-family:var(--nx-sans); font-size:10px; letter-spacing:2.5px;
    text-transform:uppercase; margin-bottom:7px;
    display:flex; align-items:center; gap:7px;
}
.nx-pol-light .nx-pol-h { color:var(--nx-gold); }
.nx-pol-shadow .nx-pol-h { color:var(--nx-shadow); }
.nx-pol-h .nx-dot { width:8px; height:8px; border-radius:50%; }
.nx-pol-light .nx-pol-h .nx-dot {
    background:var(--nx-gold); box-shadow:0 0 8px var(--nx-gold);
}
.nx-pol-shadow .nx-pol-h .nx-dot {
    background:var(--nx-shadow); box-shadow:0 0 8px var(--nx-shadow);
}
.nx-pol p { font-size:15.5px; line-height:1.55; color:var(--nx-ink-soft); }

/* ----- #5 Working recommendation ----- */
.nx-working {
    margin-top:18px; padding:12px 0 12px 18px;
    border-left:2px solid var(--nx-gold);
    background:linear-gradient(90deg,rgba(212,168,87,.06),transparent);
}
.nx-working .nx-working-h {
    font-family:var(--nx-sans); font-size:10px; letter-spacing:2.5px;
    text-transform:uppercase; color:var(--nx-gold); margin-bottom:6px;
}
.nx-working p {
    font-family:var(--nx-serif); font-size:16px; line-height:1.55; color:var(--nx-ink-soft);
}
.nx-working .nx-glyphs { margin-top:8px; font-size:15px; letter-spacing:8px; }

/* ----- #10 Resonance map ----- */
.nx-resonance {
    background:rgba(13,4,32,.55); border:1px solid var(--nx-line);
    border-radius:16px; padding:26px; margin:32px 0 0;
}
.nx-resonance .nx-reso-title {
    font-family:var(--nx-serif); font-size:24px; color:var(--nx-gold);
    margin-bottom:4px; text-align:center;
}
.nx-resonance .nx-reso-sub {
    font-family:var(--nx-sans); font-size:11px; color:var(--nx-ink-faint);
    text-align:center; margin-bottom:18px; letter-spacing:1px;
}

/* helper: scope to enhanced container so we never accidentally touch existing styles */
.nx-host { font-family:var(--nx-serif); }

```

numen-enhancements.js (drop-in module — 804 lines)

Drop into quintiform at: [public/numen-enhancements/numen-enhancements.js](https://public.numen-enhancements/numen-enhancements.js)

```
/* =====
NUMEN READING ENHANCEMENTS — additive-only injection
v0.5 · drop-in (TTS voice-reading wired) script
Adds 10 features to an existing astrology reading page
WITHOUT modifying any existing text, headings, or markup.

Quick start (see README.md for full reference):

<link rel="stylesheet" href="fonts/fonts.css">
<link rel="stylesheet" href="numen-enhancements.css">
<script src="numen-enhancements.js"></script>
<script>
  NumenEnhancements.init({
    sectionContainer: '.reading-section',
    sectionTitle:     'h2',
    pageContainer:     '.reading-page',
    mountTopAfter:     '.reading-masthead', // chrome lands AFTER masthead
    pageNumber:        2,
    user: { name:'Maverick', dob:'1990-03-12', lifePath:11, expression:9 },
    chart: {
      sun: { sign:'Pisces', deg:24.87, house:7 },
      moon: { sign:'Pisces', deg:20.12, house:7 },
      asc: { sign:'Virgo', deg:18.45 }
    },
    sections: [
      { hermetic:{glyph:'■■',name:'Polarity'},
        light:'...', shadow:'...',
        working:{text:'...', glyphs:'■■ * ■■'} },
      // ...one entry per reading section
    ]
  });
</script>

API surface:
init(cfg)      → inject; idempotent
destroy(cfg)   → cleanly removes every node init() injected
util.reduce(n) → Pythagorean reduction (preserves 11/22/13/14/16/19)
util.personalDay(dob, today) → Personal-Day calculation
builders.*     → expose each feature builder for manual injection
draw.*         → canvas drawers (constellation, wheel, resonance)

No DOM is modified until init() is called. All inserted elements
carry the .nx- prefix so they cannot collide with existing CSS.
===== */

(function (global) {
  'use strict';

  // ----- defaults & data tables -----
  const TAROT = {
    Aries:'IV · The Emperor', Taurus:'V · The Hierophant', Gemini:'VI · The Lovers',
    Cancer:'VII · The Chariot', Leo:'VIII · Strength', Virgo:'IX · The Hermit',
    Libra:'XI · Justice', Scorpio:'XIII · Death', Sagittarius:'XIV · Temperance',
    Capricorn:'XV · The Devil', Aquarius:'XVII · The Star', Pisces:'XVIII · The Moon'
  };
  const HOUSE_TAROT = {
    1:'I · The Magician', 2:'II · The High Priestess', 3:'III · The Empress',
    4:'IV · The Emperor', 5:'V · The Hierophant', 6:'VI · The Lovers',
    7:'VII · The Chariot', 8:'VIII · Strength', 9:'IX · The Hermit',
    10:'X · Wheel of Fortune', 11:'XI · Justice', 12:'XII · The Hanged Man'
  };
  const COMPOUND_TAROT = {
    10:'Wheel of Fortune', 11:'Justice', 12:'Hanged Man', 13:'Death',
    14:'Temperance', 15:'Devil', 16:'Tower', 17:'Star', 18:'Moon',
    19:'Sun', 20:'Judgement', 21:'World', 22:'Fool/Master'
```

```

};
// U+FE0E forces monochrome text presentation of symbols that the OS would
// otherwise render as color emoji (planets, signs, candle, etc.)
const T = '■';
// Hermetic principle per section number (1..15) – operator-tunable mapping
const HERMETIC_BY_SECTION = {
  1:{glyph:'∞', name:'Correspondence'},
  2:{glyph:'■'+T, name:'Mentalism'},
  3:{glyph:'■'+T, name:'Vibration'},
  4:{glyph:'↑', name:'Rhythm'},
  5:{glyph:'■'+T, name:'Gender'},
  6:{glyph:'■'+T, name:'Cause & Effect'},
  7:{glyph:'■'+T, name:'Polarity'},
  8:{glyph:'■'+T, name:'Vibration'},
  9:{glyph:'■', name:'Correspondence'},
  10:{glyph:'■'+T, name:'Rhythm'},
  11:{glyph:'■', name:'Correspondence'},
  12:{glyph:'■', name:'Vibration'},
  13:{glyph:'■', name:'Mentalism'},
  14:{glyph:'■', name:'Rhythm'},
  15:{glyph:'⊕', name:'Polarity'}
};
// Default light/shadow placeholders – engine should replace with real per-section copy
const POLARITY_DEFAULT = {
  light:'Add your light-side copy here – the gift, the trained expression, what this factor offers when integrated.',
  shadow:'Add your shadow-side copy here – the trap, the un-integrated pattern, what to watch for so the gift does not invert.'
};
// Working recommendation default scaffold – engine replaces with per-section ritual
const WORKING_DEFAULT = {
  text:'Light a candle of the corresponding color. Speak the verse or invocation for this factor. Hold the breath for seven',
  glyphs:'■'+T+' * ■'+T+' ■'+T
};

const DEFAULTS = {
  sectionContainer: '.reading-section, [data-section], section.reading',
  sectionTitle: 'h2',
  sectionBody: 'p',
  pageContainer: '.reading-page, .page-content, main',
  // CSS selector for the element AFTER which the top chrome (PD banner,
  // audio, constellation+wheel) is mounted. If null, mounts at top of page.
  mountTopAfter: null,
  pageNumber: 2,
  user: { name:'Operator', dob:'1990-01-01', lifePath:11, expression:9 },
  chart: {
    sun: {sign:'Pisces', deg:24.87, house:7},
    moon:{sign:'Pisces', deg:20.12, house:7},
    asc: {sign:'Virgo', deg:18.45}
  },
  today: new Date(),
  // Per-section overrides; sections[i] applies to the (i+1)th .reading-section
  // Each entry can carry any subset of: {hermetic, light, shadow, working, chips}
  // hermetic: { glyph, name }
  // light: string (HTML allowed)
  // shadow: string (HTML allowed)
  // working: { text, glyphs }
  // chips: array of { glyph, name, k } // overrides auto-generated chips
  // When a key is omitted, the default scaffold is used. This way a partial
  // sections array still works – engine can fill them in over time.
  sections: []
};

function sectionData(idx, sec, cfg){
  // cfg.sections can be EITHER:
  // (a) an array – sections[idx] applies to the (idx+1)th section
  // (b) an object keyed by section id – sections[sec.id] applies
  // (matches the production Numen reading schema: each rendered
  // section element should carry a data-section-id attribute or
  // an id derived from the engine's section.id field)
  let s = {};
  if (Array.isArray(cfg.sections)) {

```



```

    s = cfg.sections[idx] || {};
} else if (cfg.sections && typeof cfg.sections === 'object') {
    const id = sec && (sec.dataset && sec.dataset.sectionId || sec.id) || null;
    s = (id && cfg.sections[id]) || cfg.sections[idx + 1] || cfg.sections['section-' + (idx + 1)] || {};
}
return {
    hermetic: s.hermetic || HERMETIC_BY_SECTION[idx + 1] || {glyph: '*', name: 'Polarity'},
    light:    s.light    || POLARITY_DEFAULT.light,
    shadow:   s.shadow   || POLARITY_DEFAULT.shadow,
    working:  s.working  || WORKING_DEFAULT,
    chips:    s.chips
};
}

// ----- BaZi (Four Pillars) calculator -----
// Year pillar from 1984 epoch (■■■). Month pillar from ■■■■ rule keyed
// by year stem + solar month (jieqi cutoffs ~ Feb 4 / Mar 6 / Apr 5 etc.).
// Day pillar from 1970-01-01 epoch (■■■) via Julian Day Number counting.
// Hour pillar from ■■■■ rule keyed by day stem + 2-hour window.
// Reference verified against the production Numen reading engine:
// 1991-03-15 → ■■ day (Jordan Ross Atkins, Day Master ■ Yang Wood).
// 2024-01-01 → ■■ day.

const TIANGAN = ['■', '■', '■', '■', '■', '■', '■', '■', '■', '■'];
const DIZHI   = ['■', '■', '■', '■', '■', '■', '■', '■', '■', '■'];
const ELEMENT = ['Wood', 'Wood', 'Fire', 'Fire', 'Earth', 'Earth', 'Metal', 'Metal', 'Water', 'Water']; // stem-aligned
const ANIMAL  = ['Rat', 'Ox', 'Tiger', 'Rabbit', 'Dragon', 'Snake', 'Horse', 'Goat', 'Monkey', 'Rooster', 'Dog', 'Pig'];

// Approximate jieqi (solar-term) day-of-month cutoffs that begin each
// BaZi solar month. Tiger (■) month begins ~ Feb 4 lichun.
const JIEQI = [
    {m:2, d:4}, {m:3, d:6}, {m:4, d:5}, {m:5, d:6},
    {m:6, d:6}, {m:7, d:7}, {m:8, d:8}, {m:9, d:8},
    {m:10, d:8}, {m:11, d:7}, {m:12, d:7}, {m:1, d:6}
];

function julianDay(y, m, d){
    const a = Math.floor((14 - m) / 12);
    const yy = y + 4800 - a;
    const mm = m + 12*a - 3;
    return d + Math.floor((153*mm + 2)/5) + 365*yy + Math.floor(yy/4) - Math.floor(yy/100) + Math.floor(yy/400) - 32045;
}

function bazi(dob, hourOfDay){
    // dob: 'YYYY-MM-DD' string; hourOfDay: 0..23 or undefined
    const [Y, M, D] = dob.split('-').map(Number);

    // Year pillar – adjust if date is before lichun (Feb 4) so the BaZi year
    // matches the operator solar new-year, not the Gregorian one.
    let baziY = Y;
    if (M === 1 || (M === 2 && D < 4)) baziY = Y - 1;
    const yStem = ((baziY - 4) % 10 + 10) % 10;
    const yBranch = ((baziY - 4) % 12 + 12) % 12;

    // Month pillar – find which solar month (Tiger=1, Rabbit=2 ... Ox=12)
    // by checking the jieqi cutoffs in order. Tiger month starts on Feb 4.
    let monthIdx = 11; // default Ox (last)
    for (let i = 0; i < 12; i++){
        const next = JIEQI[(i+1) % 12];
        const start = JIEQI[i];
        const inThisMonth =
            (start.m === M && D >= start.d) ||
            (next.m === M && D < next.d && next.m !== start.m) ||
            // wrap case: months that span a Gregorian boundary
            (start.m > next.m && (M > start.m || M < next.m || (M === start.m && D >= start.d) || (M === next.m && D < next.d)));
        if (inThisMonth) { monthIdx = i; break; }
    }

    // ■■■■ – month stem of Tiger month given year stem
    const tigerStartByYearStem = [2,4,6,8,0, 2,4,6,8,0]; // ■■→■, ■■→■, ■■→■, ■■→■, ■■→■
    const mStem = (tigerStartByYearStem[yStem] + monthIdx) % 10;

```

```

const mBranch = (2 + monthIdx) % 12; // Tiger=2

// Day pillar – count days from 1970-01-01 (■■■ day, stem=7 branch=5)
// Reference verified against the production Numen engine's reading for
// 1991-03-15 = ■■■. Earlier ■■■ reference was off by two cycle steps.
const days = julianDay(Y, M, D) - 2440588; // JDN of 1970-01-01
const dStem = ((7 + days) % 10 + 10) % 10;
const dBranch = ((5 + days) % 12 + 12) % 12;

// Hour pillar – only if hour provided. ■ hour = 23:00-01:00 (branch 0).
let hStem = null, hBranch = null;
if (typeof hourOfDay === 'number' && hourOfDay >= 0 && hourOfDay <= 23){
  hBranch = Math.floor(((hourOfDay + 1) % 24) / 2);
  // ■■■ – hour stem of Rat hour given day stem
  const ratStartByDayStem = [0,2,4,6,8, 0,2,4,6,8]; // ■■→■, ■■→■, ■■→■, ■■→■, ■■→■
  hStem = (ratStartByDayStem[dStem] + hBranch) % 10;
}

const fmt = (s,b) => s == null ? null : ({
  stem: TIANGAN[s], branch: DIZHI[b], element: ELEMENT[s], animal: ANIMAL[b],
  label: TIANGAN[s] + DIZHI[b]
});
return {
  year: fmt(yStem, yBranch),
  month: fmt(mStem, mBranch),
  day: fmt(dStem, dBranch),
  hour: fmt(hStem, hBranch)
};
}

// ----- helpers -----
function el(tag, cls, txt){
  const e = document.createElement(tag);
  if (cls) e.className = cls;
  if (txt !== undefined) e.textContent = txt;
  return e;
}
function html(tag, cls, h){
  const e = el(tag, cls);
  if (h) e.innerHTML = h;
  return e;
}
function reduce(n){
  while (n > 22 || (n > 9 && ![11,13,14,16,19,22].includes(n))) {
    n = String(n).split('').reduce((a,b)=>a+(+b),0);
  }
  return n;
}
function personalDay(dob, today){
  // PD = PersonalYear + month + day, all reduced
  const [yy,mm,dd] = dob.split('-').map(Number);
  const ty = today.getFullYear(), tm = today.getMonth()+1, td = today.getDate();
  const py = reduce(reduce(mm+dd) + reduce(ty));
  const pm = reduce(py + tm);
  const pd = reduce(pm + td);
  return pd;
}

// ----- feature builders -----
function buildPersonalDayBanner(cfg){
  const pd = personalDay(cfg.user.dob, cfg.today);
  const tarot = COMPOUND_TAROT[pd] || (pd<=9 ? ['', 'Magician', 'High Priestess', 'Empress', 'Emperor', 'Hierophant', 'Lovers', 'Ch
  const banner = el('div', 'nx-pd-banner');
  banner.innerHTML = `
    <span class="nx-pd-glyph">■</span>
    <span class="nx-pd-text">Today is your <b>Personal Day ${pd}${tarot?` / ${tarot}`:``}</b> – read the section whose number
    <span class="nx-pd-tag">PD SYNC · live</span>`;
  return banner;
}

```

```

function buildAudioBar(cfg){
  const a = el('div', 'nx-audio');
  a.innerHTML = `
    <button class="nx-play" aria-label="Play reading">■</button>
    <div class="nx-wave">${Array.from({length:18}).map((_,i)=>`<span style="height:${30+Math.abs(Math.sin(i))*65}%"></span>`)}
    <span class="nx-lbl">Listen</span><span class="nx-time">--:--</span>`;
  // Wire browser-native TTS to the play button. Reads every heading +
  // paragraph in the reading in DOM order, one Utterance per element so
  // the user can pause/resume and so a long reading does not exceed
  // any browser's per-utterance length cap.
  wireSpeech(a, cfg);
  return a;
}

// ----- Text-to-speech voice-reading -----
// Uses window.speechSynthesis (W3C Web Speech API). Free, works offline
// on every modern browser. Voice quality depends on OS-installed voices.
// The engine picks the highest-quality English voice available; the
// operator (or the engine) can override by setting cfg.ttsVoiceName.
function pickTtsVoice(cfg){
  const synth = window.speechSynthesis;
  if (!synth) return null;
  const voices = synth.getVoices();
  if (!voices || !voices.length) return null;
  const wanted = (cfg && cfg.ttsVoiceName) || '';
  if (wanted) {
    const exact = voices.find(v => v.name === wanted);
    if (exact) return exact;
  }
  // Prefer high-quality, non-network, English voices. The names below
  // are common across macOS, Windows, Android, iOS, and major Linux
  // distros. Order matters – first match wins.
  const preferred = [
    /Google US English/i, /Microsoft Aria/i, /Microsoft Jenny/i,
    /Microsoft Guy/i, /Samantha/i, /Daniel/i, /Karen/i, /Moirai/i,
    /Alex/i, /Victoria/i, /Allison/i, /Ava/i
  ];
  for (const re of preferred) {
    const m = voices.find(v => re.test(v.name) && /^en/i.test(v.lang));
    if (m) return m;
  }
  // Fall back to the first English voice the system offers.
  return voices.find(v => /^en/i.test(v.lang)) || voices[0];
}

function collectReadingText(cfg){
  // Order matters: read each section in DOM order, heading first then
  // each paragraph. Skip the .nx- overlay text by default; the engine's
  // prose is the reading, the overlay is editorial framing.
  const sections = document.querySelectorAll(cfg.sectionContainer);
  const segments = [];
  sections.forEach(sec => {
    const h = sec.querySelector(cfg.sectionTitle);
    if (h && h.textContent.trim()) segments.push({type:'heading', text: h.textContent.trim()});
    sec.querySelectorAll(cfg.sectionBody || 'p').forEach(p => {
      // Skip paragraphs inside the .nx- overlay (Light/Shadow, Working, etc.)
      if (p.closest('.nx-polarity, .nx-working, .nx-chips, .nx-section-row')) return;
      const t = p.textContent.trim();
      if (t) segments.push({type:'paragraph', text: t});
    });
  });
  return segments;
}

function wireSpeech(audioEl, cfg){
  const synth = window.speechSynthesis;
  const btn = audioEl.querySelector('.nx-play');
  const time = audioEl.querySelector('.nx-time');
  if (!synth || !btn) return;

```

```

// Some browsers populate voices asynchronously. Trigger a load.
let voicesReady = synth.getVoices().length > 0;
if (!voicesReady) {
  synth.onvoiceschanged = () => { voicesReady = true; };
}

let segments = [];
let idx = 0;
let speaking = false;
let paused = false;
let totalChars = 0;
let spokenChars = 0;
let startedAt = 0;

function fmtTime(s){
  s = Math.max(0, Math.round(s));
  const m = Math.floor(s/60);
  const ss = s%60;
  return m + ':' + (ss<10?'0':'') + ss;
}
function updateTimeDisplay(){
  if (!totalChars) { time.textContent = '--:--'; return; }
  // Rough estimate: ~13 chars per second at default rate 1.0 with the
  // average English voice. Engine-tunable via cfg.ttsCharsPerSecond.
  const cps = (cfg && cfg.ttsCharsPerSecond) || 13;
  const remainingChars = Math.max(0, totalChars - spokenChars);
  const remainingSec = remainingChars / cps;
  time.textContent = '-' + fmtTime(remainingSec);
}
function setIcon(s){
  btn.textContent = s === 'pause' ? '■' : (s === 'stop' ? '■' : '■');
  btn.setAttribute('aria-label', s === 'pause' ? 'Pause reading' :
    (s === 'stop' ? 'Stop reading' : 'Play reading'));
}

function speakNext(){
  if (idx >= segments.length) {
    speaking = false; paused = false;
    setIcon('play');
    time.textContent = 'done';
    setTimeout(() => updateTimeDisplay(), 1200);
    return;
  }
  const seg = segments[idx++];
  const u = new SpeechSynthesisUtterance(seg.text);
  const v = pickTtsVoice(cfg);
  if (v) u.voice = v;
  u.rate = (cfg && cfg.ttsRate) || 1.0;
  u.pitch = (cfg && cfg.ttsPitch) || 1.0;
  // Slightly slower + lower pitch for headings, more authoritative.
  if (seg.type === 'heading') {
    u.rate = Math.max(0.7, u.rate * 0.92);
    u.pitch = Math.max(0.5, u.pitch * 0.95);
  }
  u.onend = () => {
    spokenChars += seg.text.length;
    updateTimeDisplay();
    // tiny pause between segments
    setTimeout(speakNext, seg.type === 'heading' ? 350 : 120);
  };
  u.onerror = () => {
    spokenChars += seg.text.length;
    speakNext();
  };
  synth.speak(u);
  updateTimeDisplay();
}

btn.addEventListener('click', () => {
  // First press → start reading from the top.

```

```

if (!speaking) {
  segments = collectReadingText(cfg);
  if (!segments.length) {
    time.textContent = 'no text';
    return;
  }
  idx = 0;
  spokenChars = 0;
  totalChars = segments.reduce((n,s) => n + s.text.length, 0);
  startedAt = Date.now();
  speaking = true;
  paused = false;
  synth.cancel(); // clear any previous queue from a re-render
  setIcon('pause');
  updateTimeDisplay();
  speakNext();
  return;
}
// Already speaking → toggle pause/resume.
if (paused) {
  synth.resume(); paused = false;
  setIcon('pause');
} else {
  synth.pause(); paused = true;
  setIcon('play');
}
});

// If the operator navigates away or the page hides, pause so the
// voice doesn't continue past a closed tab in some browsers.
document.addEventListener('visibilitychange', () => {
  if (document.hidden && speaking && !paused) {
    synth.pause(); paused = true; setIcon('play');
  }
});
}

function buildDuo(cfg){
  const duo = el('div', 'nx-duo');
  duo.innerHTML = `
    <div class="nx-panel"><div class="nx-panel-title">Your sky at first breath</div>
      <canvas class="nx-constellation" width="480" height="280" style="width:100%;height:auto"></canvas></div>
    <div class="nx-panel"><div class="nx-panel-title">Natal chart wheel</div>
      <canvas class="nx-wheel" width="300" height="300" style="width:100%;max-width:300px;height:auto"></canvas></div>`;
  return duo;
}

function buildHermBadge(data){
  const b = el('div', 'nx-herm-badge');
  b.innerHTML = `<div class="nx-herm-ring">${data.hermetic.glyph}</div><div class="nx-herm-lbl">${data.hermetic.name}</div>`;
  return b;
}

function buildChips(data, cfg){
  const wrap = el('div', 'nx-chips');
  let cards = data.chips;
  if (!cards) {
    cards = [];
    const sun = cfg.chart.sun;
    if (TAROT[sun.sign]) cards.push({glyph:TAROT[sun.sign].split(' ')[0], name:TAROT[sun.sign].split(' · ')[1], k:`${sun.sign}`});
    if (HOUSE_TAROT[sun.house]) cards.push({glyph:HOUSE_TAROT[sun.house].split(' ')[0], name:HOUSE_TAROT[sun.house].split(' ')});
  }
  cards.forEach(c=>{
    const chip = el('div', 'nx-chip');
    chip.innerHTML = `<div class="nx-chip-glyph">${c.glyph}</div><div class="nx-chip-meta"><div class="nx-chip-v">${c.name}</div>`;
    wrap.appendChild(chip);
  });
  // Chaldean numerology chip – always appended for the operator
  const num = el('div', 'nx-chip nx-chip-num');

```

```

num.innerHTML = `
```

```

// Backdrop field – deterministic from sign so it's the same every render
const sign = cfg.chart.sun.sign;
let seed = sign.length * 7;
const rnd = () => { seed = (seed * 9301 + 49297) % 233280; return seed/233280; };
x.fillStyle = '#fff';
for (let i=0;i<55;i++){
  const px=rnd()*W, py=rnd()*H, r=rnd()*1.0;
  x.globalAlpha=rnd()*0.35+0.10;
  x.beginPath(); x.arc(px,py,r,0,Math.PI*2); x.fill();
}
x.globalAlpha=1;

// Constellation stick-figure for the sun-sign
const con = CONSTELLATION[sign] || CONSTELLATION.Pisces;
const px = i => con.stars[i][0]*W;
const py = i => con.stars[i][1]*H;

// connect lines first so stars sit on top
x.strokeStyle='rgba(212,168,87,.45)'; x.lineWidth=1;
con.lines.forEach(([a,b])=>{
  x.beginPath(); x.moveTo(px(a),py(a)); x.lineTo(px(b),py(b)); x.stroke();
});

// draw stars; magnitude→size mapping (1 brightest = 4.5, 2 = 3, 3+ = 2)
con.stars.forEach((s,i)=>{
  const r = s[2] === 1 ? 4.2 : (s[2] === 2 ? 2.8 : 2);
  const cx = px(i), cy = py(i);
  const g = x.createRadialGradient(cx,cy,0,cx,cy,r*3.5);
  g.addColorStop(0,'#fff'); g.addColorStop(.35,'rgba(244,236,216,.6)'); g.addColorStop(1,'rgba(212,168,87,0)');
  x.fillStyle=g; x.beginPath(); x.arc(cx,cy,r*3.5,0,Math.PI*2); x.fill();
  x.fillStyle='#fff'; x.beginPath(); x.arc(cx,cy,r*.6,0,Math.PI*2); x.fill();
});

// Place Sun and Moon at their actual degree-within-sign positions.
// Within this panel, treat the sign as spanning 30° from x=.15 to x=.85.
const xForDeg = d => W * (0.15 + (Math.max(0, Math.min(30, d)) / 30) * 0.70);
const sun = cfg.chart.sun, moon = cfg.chart.moon;

const placeBody = (body, glyph, color, yFrac) => {
  const cx = xForDeg(body.deg || 0);
  const cy = H * yFrac;
  // big radial glow
  const g = x.createRadialGradient(cx,cy,0,cx,cy,22);
  g.addColorStop(0, color);
  g.addColorStop(.5,'rgba(212,168,87,.35)');
  g.addColorStop(1,'rgba(212,168,87,0)');
  x.fillStyle=g; x.beginPath(); x.arc(cx,cy,22,0,Math.PI*2); x.fill();
  // core
  x.fillStyle='#fff'; x.beginPath(); x.arc(cx,cy,3,0,Math.PI*2); x.fill();
  // label
  x.fillStyle='rgba(212,168,87,1)'; x.font='13px serif'; x.textAlign='left'; x.textBaseline='middle';
  x.fillText(glyph, cx+14, cy-8);
  x.fillStyle='rgba(201,191,168,.85)'; x.font='10px Inter, sans-serif';
  x.fillText(`${body.sign} ${body.deg.toFixed(1)}°`, cx+14, cy+6);
};
placeBody(sun, '☀'+T, 'rgba(255,235,180,.85)', 0.28);
placeBody(moon, '☾'+T, 'rgba(220,210,240,.85)', 0.70);

// caption
x.fillStyle='rgba(107,100,128,1)'; x.font='10px Inter, sans-serif'; x.textAlign='left';
x.fillText(`Constellation: ${sign}`, 14, H - 12);
}

function drawWheel(canvas, cfg){
  const x = canvas.getContext('2d'); const W=canvas.width, H=canvas.height;
  const cx=W/2, cy=H/2;
  x.clearRect(0,0,W,H);

  // Real astrological wheel.
  // Ascendant anchors at canvas LEFT (9 o'clock).

```

```

// Ecliptic longitude increases COUNTERCLOCKWISE in the wheel,
// which is DECREASING canvas angle (since y is down).
// canvas_angle(L) =  $\pi - (L - L_{asc}) \cdot \pi/180$ 
const SIGNS = ['Aries', 'Taurus', 'Gemini', 'Cancer', 'Leo', 'Virgo',
  'Libra', 'Scorpio', 'Sagittarius', 'Capricorn', 'Aquarius', 'Pisces'];
// Append U+FE0E (text variation selector) so symbol fonts render the
// monochrome glyph instead of the OS color-emoji presentation.
const TX = '■';
const GLYPHS = ['■', '■', '■', '■', '■', '■', '■', '■', '■', '■', '■', '■'].map(g => g + TX);
const PLANET_GLYPH = {
  sun: '■'+TX, moon: '■'+TX, mercury: '■'+TX, venus: '■'+TX, mars: '■'+TX,
  jupiter: '■'+TX, saturn: '■'+TX, uranus: '■'+TX, neptune: '■'+TX, pluto: '■'+TX
};
const signIdx = s => Math.max(0, SIGNS.indexOf(s));
const lon = body => signIdx(body.sign) * 30 + (body.deg || 0);
const L_asc = lon(cfg.chart.asc);
const ang = L => Math.PI - (L - L_asc) * Math.PI / 180;

const rOuter = Math.min(cx, cy) - 8;
const rSign = rOuter - 20; // inner edge of sign band
const rHouse = rSign - 18; // outer edge of house band
const rInner = rHouse - 60; // inner ring (where planets sit)

// outer ring
x.strokeStyle='rgba(212,168,87,.55)'; x.lineWidth=1.2;
[rOuter, rSign, rHouse, rInner].forEach(r=>{
  x.beginPath(); x.arc(cx, cy, r, 0, Math.PI*2); x.stroke();
});

// 12 sign wedge dividers + glyphs at wedge midpoint
x.fillStyle='#d4a857'; x.font='13px serif'; x.textAlign='center'; x.textBaseline='middle';
for (let s=0; s<12; s++){
  const aStart = ang(s*30);
  // divider line from rSign to rOuter
  x.beginPath();
  x.moveTo(cx+Math.cos(aStart)*rSign, cy+Math.sin(aStart)*rSign);
  x.lineTo(cx+Math.cos(aStart)*rOuter, cy+Math.sin(aStart)*rOuter);
  x.stroke();
  // glyph at midpoint of wedge (15° into the sign)
  const aMid = ang(s*30 + 15);
  const rGlyph = (rSign + rOuter) / 2;
  x.fillText(GLYPHS[s], cx+Math.cos(aMid)*rGlyph, cy+Math.sin(aMid)*rGlyph);
}

// 12 house cusps (equal house from Ascendant)
x.strokeStyle='rgba(212,168,87,.30)'; x.lineWidth=1;
x.fillStyle='rgba(201,191,168,.65)'; x.font='10px Inter, sans-serif';
for (let h=0; h<12; h++){
  const aCusp = ang(h*30); // 1st cusp at ASC longitude
  // angular cusps (1, 4, 7, 10) get stronger lines
  const angular = (h===0 || h===3 || h===6 || h===9);
  x.lineWidth = angular ? 1.5 : 0.8;
  x.strokeStyle = angular ? 'rgba(212,168,87,.65)' : 'rgba(212,168,87,.22)';
  x.beginPath();
  x.moveTo(cx, cy);
  x.lineTo(cx+Math.cos(aCusp)*rHouse, cy+Math.sin(aCusp)*rHouse);
  x.stroke();
  // house number sits inside the house wedge near the inner ring
  const aLbl = ang(h*30 + 15);
  const rLbl = rInner + 14;
  x.fillText(String(h+1), cx+Math.cos(aLbl)*rLbl, cy+Math.sin(aLbl)*rLbl);
}

// ASC, MC labels at angular cusps
x.fillStyle='#d4a857'; x.font='bold 10px Inter, sans-serif';
const aAsc = ang(L_asc), aMc = ang(L_asc + 90);
x.fillText('ASC', cx+Math.cos(aAsc)*(rOuter+6) - 14, cy+Math.sin(aAsc)*(rOuter+6));
x.fillText('IC', cx+Math.cos(ang(L_asc+90))*(rOuter+6), cy+Math.sin(ang(L_asc+90))*(rOuter+6)+12);
x.fillText('DSC', cx+Math.cos(ang(L_asc+180))*(rOuter+6) + 16, cy+Math.sin(ang(L_asc+180))*(rOuter+6));
x.fillText('MC', cx+Math.cos(ang(L_asc+270))*(rOuter+6), cy+Math.sin(ang(L_asc+270))*(rOuter+6)-8);

```



```

// Plot planets from cfg.chart at their true ecliptic longitudes
const bodies = Object.entries(cfg.chart)
  .filter(([k,v]) => v && v.sign && k !== 'asc')
  .map(([k,v]) => ({ key:k, glyph:PLANET_GLYPH[k] || '*', L: lon(v) }));

// simple anti-collision: nudge bodies within 8° of each other apart along the radial
bodies.sort((a,b)=>a.L-b.L);
const rPlanet = rHouse - 16;
const placed = [];
bodies.forEach(b=>{
  let r = rPlanet;
  while (placed.some(p => Math.abs((p.L - b.L + 540) % 360 - 180) < 8 && Math.abs(p.r - r) < 18)) {
    r -= 18;
  }
  placed.push({ ...b, r });
});
placed.forEach(p=>{
  const a = ang(p.L);
  const px = cx + Math.cos(a)*p.r, py = cy + Math.sin(a)*p.r;
  // glow
  const g = x.createRadialGradient(px, py, 0, px, py, 12);
  g.addColorStop(0, 'rgba(212,168,87,.65)');
  g.addColorStop(.6, 'rgba(212,168,87,.20)');
  g.addColorStop(1, 'rgba(212,168,87,0)');
  x.fillStyle = g;
  x.beginPath(); x.arc(px, py, 12, 0, Math.PI*2); x.fill();
  // glyph
  x.fillStyle='#f4ecd8'; x.font='15px serif'; x.textAlign='center'; x.textBaseline='middle';
  x.fillText(p.glyph, px, py);
});

// Aspect lines between paired bodies if config provides cfg.aspects = [['sun','moon','conj']...]
// Default: draw a conjunction line between sun and moon when both exist and within 8°
const sun = cfg.chart.sun, moon = cfg.chart.moon;
if (sun && moon) {
  const dL = Math.abs(((lon(sun) - lon(moon)) + 540) % 360 - 180);
  if (dL <= 8) {
    const a1 = ang(lon(sun)), a2 = ang(lon(moon));
    x.strokeStyle='rgba(212,168,87,.45)'; x.lineWidth=1;
    x.beginPath();
    x.moveTo(cx+Math.cos(a1)*(rHouse-14), cy+Math.sin(a1)*(rHouse-14));
    x.lineTo(cx+Math.cos(a2)*(rHouse-14), cy+Math.sin(a2)*(rHouse-14));
    x.stroke();
  }
}
}

function drawResonance(canvas, cfg){
  const x = canvas.getContext('2d'); const W=canvas.width, H=canvas.height;
  x.clearRect(0,0,W,H);

  // Compute BaZi pillars from cfg.user.dob, or use cfg.bazi if engine
  // passed in pre-computed pillars (e.g. from a verified ephemeris).
  cfg = cfg || {};
  let pillarsBz;
  if (cfg.bazi) pillarsBz = cfg.bazi;
  else if (cfg.user && cfg.user.dob) {
    const hour = (cfg.user.birthHour != null) ? cfg.user.birthHour : null;
    pillarsBz = bazi(cfg.user.dob, hour);
  } else pillarsBz = null;

  // Element → color map for the pillar dot
  const ELEM_COLOR = {
    Wood:'#5fa860', Fire:'#c75d7a', Earth:'#c4a55a',
    Metal:'#d4d4d4', Water:'#5b6bb5'
  };

  // Left column: 4 BaZi pillars (year/month/day/hour). Show "-" if
  // birth hour is unavailable so the omission is honest.
  const pillarRows = [

```

```

pillarsBz && pillarsBz.year ? { label:'Year', pillar:pillarsBz.year } : { label:'Year', pillar:null },
pillarsBz && pillarsBz.month ? { label:'Month', pillar:pillarsBz.month } : { label:'Month', pillar:null },
pillarsBz && pillarsBz.day ? { label:'Day', pillar:pillarsBz.day } : { label:'Day', pillar:null },
pillarsBz && pillarsBz.hour ? { label:'Hour', pillar:pillarsBz.hour } : { label:'Hour', pillar:null }
];
// Right column: chart houses that carry the operator's emphasis.
// Engine can pass cfg.resonanceHouses to override; default reflects 7th
// house chart-Sun (the relational consummation pattern).
const houseRows = cfg.resonanceHouses || [
  { house:1, label:'1st · Self' },
  { house:4, label:'4th · Root' },
  { house:7, label:'7th · Union' },
  { house:10, label:'10th · Vocation' },
  { house:12, label:'12th · Unseen' }
];

const lx = 160, rx = W - 220;
const lyStart = 28, lySpace = 50;
const ryStart = 28, rySpace = (H - 56) / Math.max(1, houseRows.length - 1);

// Draw left pillars
pillarRows.forEach((r, i) => {
  const y = lyStart + i * lySpace;
  const p = r.pillar;
  const dotColor = p ? (ELEM_COLOR[p.element] || '#d4a857') : 'rgba(212,168,87,.25)';
  // dot
  x.fillStyle = dotColor;
  x.beginPath(); x.arc(lx, y, 6, 0, Math.PI*2); x.fill();
  // label + pillar text
  x.fillStyle='#c9bfa8'; x.font='11px Inter, sans-serif'; x.textAlign='right'; x.textBaseline='middle';
  x.fillText(r.label, lx - 14, y - 8);
  x.fillStyle = p ? '#d4a857' : 'rgba(212,168,87,.4)';
  x.font='16px serif';
  x.fillText(p ? p.label : '-', lx - 14, y + 9);
  if (p) {
    x.fillStyle='rgba(201,191,168,.7)'; x.font='9px Inter, sans-serif';
    x.fillText(`${p.element} · ${p.animal}`, lx - 14, y + 22);
  }
});

// Draw right houses
houseRows.forEach((h, i) => {
  const y = ryStart + i * rySpace;
  x.fillStyle = '#c4a55a';
  x.beginPath(); x.arc(rx, y, 5, 0, Math.PI*2); x.fill();
  x.fillStyle='#c9bfa8'; x.font='13px serif'; x.textAlign='left'; x.textBaseline='middle';
  x.fillText(h.label, rx + 14, y);
});

// Draw resonance links – heuristic by element. Earth pillars reinforce
// 4th/10th (root/vocation); Water pillars reinforce 7th/12th; Fire to 1st.
// If cfg.resonanceLinks is provided, use that instead.
const links = cfg.resonanceLinks || pillarRows.flatMap((r, i) => {
  if (!r.pillar) return [];
  const e = r.pillar.element;
  const targets = e === 'Earth' ? [1,3]
    : e === 'Water' ? [2,4]
    : e === 'Metal' ? [3,4]
    : e === 'Fire' ? [0,2]
    : /*Wood*/ [1,2];
  return targets
    .filter(t => t < houseRows.length)
    .map(t => [i, t, 'g']);
});

links.forEach(([a, b, col]) => {
  const y1 = lyStart + a * lySpace;
  const y2 = ryStart + b * rySpace;
  x.strokeStyle = col === 'g' ? 'rgba(212,168,87,.5)' : 'rgba(199,93,122,.5)';
  x.lineWidth = col === 'g' ? 1.4 : 1.0;

```

```

    x.beginPath();
    x.moveTo(lx + 8, y1);
    x.bezierCurveTo((lx + rx) / 2, y1, (lx + rx) / 2, y2, rx - 8, y2);
    x.stroke();
  });

  // Column captions
  x.fillStyle='rgba(107,100,128,1)'; x.font='10px Inter, sans-serif';
  x.textAlign='center'; x.fillText('BaZi Pillars', lx - 30, H - 8);
  x.fillText('Western Houses', rx + 50, H - 8);
}

// ----- main init -----
function init(userCfg){
  const cfg = Object.assign({}, DEFAULTS, userCfg || {});
  cfg.user = Object.assign({}, DEFAULTS.user, (userCfg && userCfg.user) || {});
  cfg.chart = Object.assign({}, DEFAULTS.chart, (userCfg && userCfg.chart) || {});

  // 1. find the page container – fall back to body
  const page = document.querySelector(cfg.pageContainer) || document.body;

  // 2. inject page-level chrome: PD banner, audio bar, duo
  //   guard so a re-run of init() never double-injects the top chrome
  let top = page.querySelector(':scope > .nx-top');
  if (!top) {
    top = el('div', 'nx-host nx-top');
    top.appendChild(buildPersonalDayBanner(cfg));
    top.appendChild(buildAudioBar(cfg));
    top.appendChild(buildDuo(cfg));
    // mountTopAfter (if provided) inserts AFTER the selected element so the
    // existing masthead/header remains at the top of the reading
    const anchor = cfg.mountTopAfter ? page.querySelector(cfg.mountTopAfter) : null;
    if (anchor && anchor.nextSibling) page.insertBefore(top, anchor.nextSibling);
    else if (anchor) page.appendChild(top);
    else page.insertBefore(top, page.firstChild);

    // 3. animate canvases inside duo
    const constel = top.querySelector('.nx-constellation');
    if (constel) drawConstellation(constel, cfg);
    const wheel = top.querySelector('.nx-wheel');
    if (wheel) drawWheel(wheel, cfg);
  }

  // 4. find each section and inject features ADDITIVELY
  //   nothing existing is removed or rewritten
  const sections = document.querySelectorAll(cfg.sectionContainer);
  sections.forEach((sec, idx) => {
    const data = sectionData(idx, sec, cfg);
    const title = sec.querySelector(cfg.sectionTitle);

    // 4a. Hermetic badge – place next to title without disturbing it
    if (title && !sec.querySelector('.nx-herm-badge')) {
      const row = el('div', 'nx-section-row');
      title.parentNode.insertBefore(row, title);
      row.appendChild(title);
      row.appendChild(buildHermBadge(data));
    }

    // 4b. Tarot + numerology chips – append after title row, BEFORE existing prose
    if (!sec.querySelector('.nx-chips')) {
      const chips = buildChips(data, cfg);
      const anchor = sec.querySelector('.nx-section-row') || title || sec.firstChild;
      if (anchor && anchor.nextSibling) sec.insertBefore(chips, anchor.nextSibling);
      else sec.appendChild(chips);
    }

    // 4c. Light/Shadow polarity – APPENDED to end of section
    if (!sec.querySelector('.nx-polarity')) sec.appendChild(buildPolarity(data));

    // 4d. The Working – APPENDED at the very end
  });
}

```

```

    if (!sec.querySelector('.nx-working')) sec.appendChild(buildWorking(data));

    // tag the section with its index for the destroy() pass
    sec.classList.add('nx-touched');
  });

  // 5. Resonance map at end of page
  if (!page.querySelector('.nx-resonance')) {
    const reso = buildResonance();
    page.appendChild(reso);
    const c = reso.querySelector('.nx-reso-canvas');
    if (c) drawResonance(c, cfg);
  }

  return {
    sectionsEnhanced: sections.length,
    personalDay: personalDay(cfg.user.dob, cfg.today)
  };
}

// Cleanly remove every node this module injected. Lets the engine
// re-init() with new data without a page reload.
function destroy(cfg){
  cfg = cfg || {};
  const page = document.querySelector(cfg.pageContainer || DEFAULTS.pageContainer) || document.body;

  // Top chrome (PD banner + audio + duo)
  const top = page.querySelector(':scope > .nx-top');
  if (top) top.remove();

  // Per-section: chips, polarity, working
  document.querySelectorAll('.nx-chips, .nx-polarity, .nx-working').forEach(n=>n.remove());

  // Title rows: unwrap so original h2 returns to its native parent position
  document.querySelectorAll('.nx-section-row').forEach(row=>{
    const badge = row.querySelector('.nx-herm-badge');
    if (badge) badge.remove();
    while (row.firstChild) row.parentNode.insertBefore(row.firstChild, row);
    row.remove();
  });

  // Resonance map
  document.querySelectorAll('.nx-resonance').forEach(n=>n.remove());

  // remove our tag so re-init starts clean
  document.querySelectorAll('.nx-touched').forEach(n=>n.classList.remove('nx-touched'));
}

global.NummenEnhancements = {
  init,
  destroy,
  version: '0.5',
  // expose builders for manual injection or testing
  builders: {
    personalDayBanner: buildPersonalDayBanner,
    audioBar: buildAudioBar,
    duo: buildDuo,
    hermBadge: buildHermBadge,
    chips: buildChips,
    polarity: buildPolarity,
    working: buildWorking,
    resonance: buildResonance
  },
  draw: { constellation: drawConstellation, wheel: drawWheel, resonance: drawResonance },
  util: { reduce, personalDay, bazi, julianDay }
};
})(window);

```

sections-numen.js (id-keyed per-section copy for all 15 section IDs)

Drop into quintiform at: [public/numen-enhancements/sections-numen.js](https://public.numen-enhancements/sections-numen.js)

```
/* =====  
NUMEN SECTIONS — production overlay data  
Keyed by the engine's actual section.id values, matching the  
schema stored in public.astrology_readings_cache.reading_json  
on Supabase project tuayjblcswcmthoucv.
```

Use:

```
<script src="numen-enhancements.js"></script>  
<script src="sections-numen.js"></script>  
<script>  
  NumenEnhancements.init({  
    sectionContainer: '[data-section-id]',  
    sectionTitle:     'h2',  
    pageContainer:     '.reading-page',  
    mountTopAfter:     '.reading-masthead',  
    user: { ... },  
    chart: { ... },  
    sections: window.NUMEN_SECTIONS // <- this file's export  
  });  
</script>
```

Each entry is the OVERLAY only — the engine's existing per-section prose is left untouched. The Light/Shadow panel and the Working are APPENDED beneath the engine's paragraphs.

Voice rules followed: warm, observant, grounded, precise. No sycophancy. No "I'd be careful". The lineage alive in the speaking.
===== */

```
(function(global){  
  const T = '■';  
  
  const NUMEN_SECTIONS = {  
  
    'overview-combined': {  
      hermetic: { glyph: '∞', name: 'Correspondence' },  
      light: 'Treated as one reading, not nine systems stapled together. The Pythagorean number, the Hellenistic sect, the Ba  
      shadow: 'The temptation is to use the glance to feel finished. The hook is not the work; it is the doorway. Reading only  
      working: {  
        text: 'Read this page once at the start, then read it again at the end. The same words will land differently after t  
        glyphs: '∞ * ■'+T+' ■'+T  
      }  
    },  
  
    'opening': {  
      hermetic: { glyph: '■', name: 'Correspondence' },  
      light: 'The sky at first breath is a contract that does not expire. Every transit you will ever live is the natal sky m  
      shadow: 'Treating the natal chart as fixed fate is the trap. The chart names the instruments you were handed. What you p  
      working: {  
        text: 'Find a window facing the direction of your birth (for Flint, north-by-northwest from most US locations). Stan  
        glyphs: '* ■'+T+' ■'+T+' ↑'  
      }  
    },  
  
    'sect-lights': {  
      hermetic: { glyph: '■'+T, name: 'Polarity' },  
      light: 'A diurnal Pisces chart is rarer than it sounds. Pisces is the most lunar of the signs, and yours runs through a  
      shadow: 'Day-sect Pisces still carries the lunar reflex — wanting to dissolve, to merge, to let the boundary go soft. Th  
      working: {  
        text: 'At sunrise once a week, name aloud one thing your Sun (your will, your authority, the seat of the I) is respo  
        glyphs: '■'+T+' ■'+T+' ■'+T+' *'  
      }  
    },  
  
    'ascendant-lord': {
```

```

hermetic: { glyph: '■'+T, name: 'Cause & Effect' },
light: 'Virgo rising at 18°27\' makes Mercury the steward of the whole life. The chart-ruler is your operating budget –
shadow: 'Virgo rising can collapse into chronic self-correction – the inner editor that never stops marking up the draft
working: {
  text: 'Once a day, do ONE small precise thing for its own sake – sharpen a knife, refold a stack, write one clean se
  glyphs: '■'+T+' ■'+T+' * ■'+T
}
},

'personal-planets': {
  hermetic: { glyph: '■'+T, name: 'Vibration' },
  light: 'Mercury in Aries 8th is a mind that thinks in initiating fire about hidden things – the chart-ruler placed in t
  shadow: 'Aries Mercury can speak before it thinks; the 8th house emphasis means what you blurt has TEETH. Notice when th
  working: {
    text: 'When the impulse to say a sharp thing arrives, hold the breath for three counts before opening the mouth. If
    glyphs: '■'+T+' ■'+T+' ■'+T+' *'
  }
},

'social-planets': {
  hermetic: { glyph: '■'+T, name: 'Rhythm' },
  light: 'Jupiter Leo 12th retrograde – your sect-benefic in the house of the unseen, the monastery, what dissolves the s
  shadow: 'A 12th house Jupiter retrograde can mean the gift hides from itself – you give to the unseen and forget to clai
  working: {
    text: 'Once a week, schedule one hour of UNWITNESSED practice – solo, no document, no record, no proof. Pray, draw,
    glyphs: '■'+T+' ■'+T+' * ■'+T
  }
},

'outer-planets': {
  hermetic: { glyph: '■'+T, name: 'Vibration' },
  light: 'The outer planets carry a generation\'s signature. Yours sit where they sit – Uranus & Neptune in your 5th hous
  shadow: 'Outer-planet pressure on the 3rd and 5th can read as "my thinking is too weird, my creativity is too far out."
  working: {
    text: 'Once a month, make something for the cohort, not for the algorithm. A drawing, a verse, a recording – address
    glyphs: '■'+T+' ■'+T+' ■'+T+' *'
  }
},

'nodes-chiron': {
  hermetic: { glyph: '■', name: 'Cause & Effect' },
  light: 'The nodal axis names the soul\'s longitudinal arc – South Node Cancer 11th (the gift already mastered: protecti
  shadow: 'Falling back on the South Node – the Cancer 11th comfort of caring for the group, defending the tribe – feels s
  working: {
    text: 'Every Wednesday, do ONE Capricorn-5th move: claim authorship of something publicly. Sign the work. Set the pr
    glyphs: '■ ■ ■ *'
  }
},

'configurations': {
  hermetic: { glyph: '■', name: 'Correspondence' },
  light: 'Fire 21 · Earth 29 · Air 14 · Water 36, mostly Mutable. You are a water-dominant mutable chart – built to feel
  shadow: 'Water-dominant means feeling first, naming later – sometimes much later. Low air means perspective and detachme
  working: {
    text: 'Three days a week: ten minutes of writing in third person about your own present situation. "Jordan is feelin
    glyphs: '■ ■ ■ *'
  }
},

'timing': {
  hermetic: { glyph: '■'+T, name: 'Rhythm' },
  light: 'The 12th-house profection year activates dissolution, solitude, the unseen, and surrender – and the Lord of the
  shadow: '12th-house years invite the false read that nothing is happening because nothing is visible. A great deal is ha
  working: {
    text: 'Keep a brief dream-log this year. One line on waking, no interpretation in the moment. Read the log monthly.
    glyphs: '■'+T+' ■'+T+' ■'+T+' *'
  }
},

'four-pillars': {

```

```

    hermetic: { glyph: '■', name: 'Correspondence' },
    light: 'Year ■■ (Metal Goat) · Month ■■ (Metal Rabbit) · Day ■■ (Yang Wood Monkey, your Day Master) · Hour ■■ (Yin Wa
    shadow: 'Ji■ Wood\'s shadow is rigidity disguised as principle – the tree that will not bend, that snaps in the storm ra
    working: {
      text: 'Once a week, do ONE thing the way someone else asked instead of the way your principle says. Not a moral comp
      glyphs: '■ ■ * ■'+T
    }
  },

  'day-master-ten-gods': {
    hermetic: { glyph: '■', name: 'Vibration' },
    light: 'Day Master strength assessment is the gate to BaZi. Once the Useful God is named, the chart becomes operational
    shadow: 'The temptation is to nod along with the analysis and never APPLY it. A named Useful God that does not change th
    working: {
      text: 'Pick ONE concrete application from this section and implement it this week: a color in your daily clothing, a
      glyphs: '◆ ■ * ■'+T
    }
  },

  'zi-wei-stars': {
    hermetic: { glyph: '■', name: 'Mentalism' },
    light: 'Zi Wei is the soul-level companion to BaZi\'s fate-mechanics. Where BaZi answers "what and when," Zi Wei answer
    shadow: 'Zi Wei\'s richness can become a place to LIVE – palace-mapping every relationship until the maps replace the re
    working: {
      text: 'Look at your Life Palace (■) and Body Palace (■) only this week. Sit with those two. Don\'t open the others u
      glyphs: '■ ■ * ■'
    }
  },

  'da-yun-timing': {
    hermetic: { glyph: '■', name: 'Rhythm' },
    light: 'Da Yun (10-year Luck Pillars) and Liu Nian (annual pillar) are the BaZi answer to Hellenistic profections. They
    shadow: 'Timing techniques invite over-planning the future at the cost of being present to what is here. "When Da Yun ch
    working: {
      text: 'At each Da Yun change-over, write a one-page letter to your future self for the new pillar – what you commit
      glyphs: '■ * ■'+T+ ' ■'
    }
  },

  'east-west-synthesis': {
    hermetic: { glyph: '⊕', name: 'Polarity' },
    light: 'Where Western Pisces-7th Sun and BaZi Ji■ Wood Day Master AGREE: both speak of a soul whose work is consummated
    shadow: 'The synthesis can be over-quoted to feel like understanding without integrating. The point of the closing secti
    working: {
      text: 'Write one sentence – exactly one – that names the through-line of this whole reading in your own voice. Tape
      glyphs: '⊕ * ■'+T+ ' ■'
    }
  }
};

global.NUMEN_SECTIONS = NUMEN_SECTIONS;
})(window);

```

demo.html (faithful replica preview — REFERENCE ONLY, not deployed)

```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Numen Reading – Production Integration Preview</title>
<link rel="stylesheet" href="fonts/fonts.css">
<link rel="stylesheet" href="numen-enhancements.css">

<style>
/* Faithful replica of the live Numen reading page styling.
   Selectors and structure match the production schema seen in
   public.astrology_readings_cache.reading_json – each section
   carries a data-section-id matching the engine's section.id. */
:root{
  --bg:#06010f; --bg-2:#0d0420; --ink:#f4ecd8; --ink-soft:#c9bfa8;
  --ink-faint:#6b6480; --gold:#d4a857; --plum:#6a3d8e; --rose:#c75d7a;
  --line:rgba(212,168,87,0.18);
  --serif:"Cormorant Garamond",Georgia,serif;
  --sans:"Inter",-apple-system,system-ui,sans-serif;
}
*{box-sizing:border-box}
html,body{margin:0;padding:0;background:radial-gradient(ellipse at top,#13072a 0%,#06010f 60%) fixed; color:var(--ink); font-f
.reading-page{max-width:780px; margin:0 auto; padding:48px 36px 80px;}

.reading-masthead{ text-align:center; padding:0 0 28px; border-bottom:1px solid var(--line); margin-bottom:32px;}
.reading-masthead .crest{ font-family:var(--serif); font-size:14px; letter-spacing:6px; color:var(--gold); text-transform:uppe
.reading-masthead h1{ font-family:var(--serif); font-weight:500; font-size:46px; color:var(--ink); margin:14px 0 6px;}
.reading-masthead .sub{ font-family:var(--sans); font-size:11px; letter-spacing:3px; color:var(--ink-faint); text-transform:up
.reading-masthead .meta{ font-family:var(--sans); font-size:12px; color:var(--ink-soft); margin-top:16px; letter-spacing:1px;}

.reading-section{
  margin:0 0 44px;
  padding:0 0 28px;
  border-bottom:1px solid rgba(212,168,87,0.08);
}
.reading-section h2{
  font-family:var(--serif); font-weight:500; font-size:30px;
  color:var(--gold); margin:0 0 18px; letter-spacing:0.5px;
}
.reading-section p{
  font-family:var(--serif); font-size:17px; line-height:1.65;
  color:var(--ink-soft); margin:0 0 14px;
}

.reading-footer{ text-align:center; font-family:var(--sans); font-size:10px;
  letter-spacing:2.5px; text-transform:uppercase; color:var(--ink-faint);
  margin-top:48px; padding-top:24px; border-top:1px solid var(--line);}
</style>
</head>
<body>

<div class="reading-page">

  <header class="reading-masthead">
    <div class="crest">* NUMEN *</div>
    <h1>The Reading of Jordan Ross Atkins</h1>
    <div class="sub">A SOUL MAP · DRAWN BY THE HEAVENS · COMBINED</div>
    <div class="meta">Born March 15, 1991 · Flint, Genesee County, Michigan</div>
  </header>

  <!-- REAL section IDs from the engine, with engine-voice first paragraphs.
       Each carries a data-section-id matching public.astrology_readings_cache. -->

  <section class="reading-section" data-section-id="sect-lights">
    <h2>Sect & The Two Lights</h2>
    <p>Jordan, you were born by DAY. Your Sun sits in your 7th house, above the horizon, which makes yours a diurnal chart, th
    <p>Sun in Pisces 24°52' · 7th house. This is your conscious identity, vitality, and will. In Pisces it works fluidly, thro
```



```
</section>

<section class="reading-section" data-section-id="ascendant-lord">
  <h2>Ascendant & Lord of the Geniture</h2>
  <p>Jordan, your Ascendant, the eastern horizon at your first breath, the most personal point in the entire chart, is Virgo
  <p>The Lord of your Ascendant, the planet that rules Virgo and therefore steers the whole chart, is Mercury. This planet i
</section>

<section class="reading-section" data-section-id="four-pillars">
  <h2>The Four Pillars (BaZi)</h2>
  <p>Jordan Ross Atkins, your Four Pillars are ■■ · ■■ · ■■ · ■■. Eight characters total · one Heavenly Stem above and one
</section>

<div class="reading-footer">* Numen · Soul Cartography *</div>
</div>

<script src="numen-enhancements.js"></script>
<script src="sections-numen.js"></script>
<script>
  // Production integration call. In the live Next.js app these values come
  // from the server (chart fetch from Supabase); here they're inlined to
  // match Jordan's actual cached reading (verified against the database).
  NumenEnhancements.init({
    sectionContainer: '[data-section-id]',
    sectionTitle:     'h2',
    sectionBody:      '[data-section-id] p',
    pageContainer:     '.reading-page',
    mountTopAfter:     '.reading-masthead',

    user: {
      name:      'Jordan Ross Atkins',
      dob:       '1991-03-15',
      birthHour: null,           // unknown – engine prose handles gracefully
      lifePath:  11,
      expression: 9
    },
    chart: {
      sun: { sign:'Pisces', deg:24.87, house:7 },
      moon: { sign:'Pisces', deg:20.00, house:7 }, // exact deg per engine
      asc: { sign:'Virgo', deg:18.45 }
    },

    // Production-keyed section overlays
    sections: window.NUMEN_SECTIONS
  });
</script>

</body>
</html>
```

ROUND 2 — Engine additions (Twelve Doors + 5 Follow-Up Questions)

R2 overview

Two server-side additions. (1) A new deterministic Twelve Doors section that walks every house through its cusp-lord (classical Hellenistic / Lilly horary technique — closes the planet-centric gap the current reading leaves). (2) A 5-follow-up-question-per-reading feature: client asks, Claude answers using the reading paragraphs as sole source of truth, with hard ceiling enforced at the database level.

R2 section pipeline wire-up

In the module that composes the reading sections, import the new composer and insert its output. For the 15-section combined-astrology product, insert AFTER 'configurations', BEFORE 'timing'. For the 17-section flagship Reading, insert AFTER 'astrology', BEFORE 'master-count'.

```
// at the top of the section composer file, add:
import { composeHousesAndLords } from '@lib/composer/houses_and_lords';

// inside the section assembly:
const sections15 = [
  // ... existing 15-section astrology composition in order ...
  configurationsSection,
  composeHousesAndLords(chart),    // NEW: Twelve Doors
  timingSection,
  // ... rest ...
];

const sections17 = [
  // ... existing 17-section flagship composition in order ...
  astrologySection,
  composeHousesAndLords(chart),    // NEW: Twelve Doors
  masterCountSection,
  // ... rest ...
];
```

R2 reading-page wire-up — mount FollowUpQuestions component

```
import FollowUpQuestions from '@components/FollowUpQuestions';

// inside the reading page component, AFTER the closing section is rendered:
{readingType === 'flagship' && (
  <FollowUpQuestions
    readingCacheId={reading.id}
    initialFollowUps={existingFollowUps}
  />
)}

{readingType === 'astrology-combined' && (
  <FollowUpQuestions
    astrologyCacheId={reading.id}
    initialFollowUps={existingFollowUps}
  />
)}

// Server-side load of existing follow-ups for this reading:
const { data: existingFollowUps } = await supabase
  .from('reading_followups')
  .select('id, question_index, question, answer, answered_at')
  .eq(readingType === 'flagship' ? 'reading_cache_id' : 'astrology_cache_id', reading.id)
  .order('question_index');
```

follow_up_questions.sql (REFERENCE ONLY — already applied to prod)

```
-- =====
-- reading_followups - 5 follow-up questions per reading
-- =====
-- Schema migration for the Numen reading-engine. Adds the ability
-- for a client to ask up to 5 clarifying questions after receiving
-- their reading; each question is answered by Claude using the
-- reading paragraphs as context, preserving voice and accuracy.
--
-- A reading row may live in EITHER readings_cache (17-section
-- flagship) OR astrology_readings_cache (15-section combined
-- astrology). The schema below supports both via two nullable FKs;
-- a CHECK enforces exactly one is set per follow-up row.
--
-- Apply via Supabase migration:
--   supabase db push      OR
--   mcp.apply_migration(project=..., sql=<this file>)
-- =====

CREATE TABLE IF NOT EXISTS public.reading_followups (
  id                uuid          PRIMARY KEY DEFAULT gen_random_uuid(),
  created_at        timestampz    NOT NULL DEFAULT now(),

  -- Polymorphic link: exactly one of these must be set.
  reading_cache_id  uuid          REFERENCES public.readings_cache(id)      ON DELETE CASCADE,
  astrology_cache_id uuid        REFERENCES public.astrology_readings_cache(id) ON DELETE CASCADE,

  seeker_name       text          NOT NULL,
  question_index    smallint      NOT NULL CHECK (question_index BETWEEN 1 AND 5),
  question          text          NOT NULL,
  answer            text,

  asked_at          timestampz    NOT NULL DEFAULT now(),
  answered_at       timestampz,

  -- Provenance of the answer composition
  composed_by       text          DEFAULT 'claude' CHECK (composed_by IN ('claude','deterministic')),
  claude_model       text,
  token_input_count integer,
  token_output_count integer,

  -- Exactly one of the two FKs must be set
  CONSTRAINT reading_followups_one_parent CHECK (
    (reading_cache_id IS NOT NULL AND astrology_cache_id IS NULL) OR
    (reading_cache_id IS NULL AND astrology_cache_id IS NOT NULL)
  ),

  -- A reading can only have one question per slot 1..5
  CONSTRAINT reading_followups_unique_flagship UNIQUE NULLS NOT DISTINCT (reading_cache_id, question_index),
  CONSTRAINT reading_followups_unique_astro  UNIQUE NULLS NOT DISTINCT (astrology_cache_id, question_index)
);

CREATE INDEX IF NOT EXISTS idx_reading_followups_seeker ON public.reading_followups (seeker_name);
CREATE INDEX IF NOT EXISTS idx_reading_followups_reading ON public.reading_followups (reading_cache_id);
CREATE INDEX IF NOT EXISTS idx_reading_followups_astrology ON public.reading_followups (astrology_cache_id);
CREATE INDEX IF NOT EXISTS idx_reading_followups_unanswered
  ON public.reading_followups (asked_at)
  WHERE answer IS NULL;

-- =====
-- Row-level security: each client only sees their own follow-ups
-- =====
ALTER TABLE public.reading_followups ENABLE ROW LEVEL SECURITY;

-- Adapt policies to match your auth schema (profiles, memberships, etc.).
-- The simplest pattern, assuming a seeker_email column or join via profiles:
-- (left as a TODO with a clearly-marked placeholder).
--
```

```
-- DROP POLICY IF EXISTS followups_owner_select ON public.reading_followups;
-- CREATE POLICY followups_owner_select ON public.reading_followups
--   FOR SELECT USING (
--     auth.uid() IS NOT NULL AND seeker_name = (
--       SELECT full_name FROM public.profiles WHERE user_id = auth.uid()
--     )
--   );
```

```
-- =====
-- Optional: pre-seat 5 empty slots per reading so the UI can
-- show "0 / 5 questions asked" on day one without needing
-- application-side counting.
-- (Skip if your UI counts from rows present.)
-- =====
```

```
COMMENT ON TABLE public.reading_followups IS '5 follow-up questions per reading; Claude-composed answers grounded in the read
COMMENT ON COLUMN public.reading_followups.question_index IS '1..5; enforced by CHECK and UNIQUE-per-reading constraints.';
COMMENT ON COLUMN public.reading_followups.composed_by IS 'claude (default) or deterministic (template-answered).';
```

houses_and_lords.ts (Twelve Doors composer — TypeScript)

Drop into quintiform at: [lib/composer/houses_and_lords.ts](#)

```
/**
 * houses_and_lords.ts – deterministic composer for the new section
 *
 * TypeScript port of houses_and_lords.py for direct drop-in to the
 * Numen reading engine (Next.js, deployed via Vercel from
 * jlate88-cell/quintiform → numenist.com).
 *
 * Plug into the existing composer pipeline at the same point any other
 * section is composed. Returns ONE section object matching the engine
 * schema observed in public.astrology_readings_cache:
 *
 * { id: string, heading: string, paragraphs: string[], blocks: Block[] }
 *
 * Where Block matches the engine's block shape:
 * { type: 'paragraph', text: string }
 *
 * Insertion point in the section sequence:
 * - 15-section combined-astrology product: insert after 'configurations',
 *   before 'timing'.
 * - 17-section flagship Reading: insert after 'astrology', before
 *   'master-count'.
 */

// ---- Types matching the engine's existing schema -----

export type Sign =
  | 'Aries' | 'Taurus' | 'Gemini' | 'Cancer' | 'Leo' | 'Virgo'
  | 'Libra' | 'Scorpio' | 'Sagittarius' | 'Capricorn' | 'Aquarius' | 'Pisces';

export type PlanetKey =
  | 'sun' | 'moon' | 'mercury' | 'venus' | 'mars'
  | 'jupiter' | 'saturn' | 'uranus' | 'neptune' | 'pluto';

export type ClassicalPlanetKey =
  | 'sun' | 'moon' | 'mercury' | 'venus' | 'mars' | 'jupiter' | 'saturn';

export interface Position {
  sign: Sign;
  deg: number;
  house?: number;
  retrograde?: boolean;
}

export interface Chart {
  asc: { sign: Sign; deg: number };
  sun?: Position;
  moon?: Position;
  mercury?: Position;
  venus?: Position;
  mars?: Position;
  jupiter?: Position;
  saturn?: Position;
  uranus?: Position;
  neptune?: Position;
  pluto?: Position;
}

export interface Block {
  type: 'paragraph';
  text: string;
}

export interface ReadingSection {
  id: string;
  heading: string;
```

```

    paragraphs: string[];
    blocks: Block[];
}

// ---- Hellenistic rulerships (no modern outers as house rulers) -----
// Documented in Lilly, Christian Astrology (1647), and Hellenistic
// sources (Valens, Firmicus Maternus). Modern outer planets (Uranus,
// Neptune, Pluto) are NOT used as house rulers in this technique.

const SIGN_RULER: Record<Sign, ClassicalPlanetKey> = {
    Aries: 'mars',
    Taurus: 'venus',
    Gemini: 'mercury',
    Cancer: 'moon',
    Leo: 'sun',
    Virgo: 'mercury',
    Libra: 'venus',
    Scorpio: 'mars',
    Sagittarius: 'jupiter',
    Capricorn: 'saturn',
    Aquarius: 'saturn',
    Pisces: 'jupiter',
};

const SIGN_ORDER: Sign[] = [
    'Aries', 'Taurus', 'Gemini', 'Cancer', 'Leo', 'Virgo',
    'Libra', 'Scorpio', 'Sagittarius', 'Capricorn', 'Aquarius', 'Pisces',
];

// Essential dignity: sign → planet → label
const DIGNITY: Partial<Record<Sign, Partial<Record<ClassicalPlanetKey, string>>>> = {
    Aries: { mars: 'domicile', venus: 'detriment', sun: 'exaltation', saturn: 'fall' },
    Taurus: { venus: 'domicile', mars: 'detriment', moon: 'exaltation' },
    Gemini: { mercury: 'domicile', jupiter: 'detriment' },
    Cancer: { moon: 'domicile', saturn: 'detriment', jupiter: 'exaltation', mars: 'fall' },
    Leo: { sun: 'domicile', saturn: 'detriment' },
    Virgo: { mercury: 'domicile, exaltation', jupiter: 'detriment', venus: 'fall' },
    Libra: { venus: 'domicile', mars: 'detriment', saturn: 'exaltation', sun: 'fall' },
    Scorpio: { mars: 'domicile', venus: 'detriment', moon: 'fall' },
    Sagittarius: { jupiter: 'domicile', mercury: 'detriment' },
    Capricorn: { saturn: 'domicile', moon: 'detriment', mars: 'exaltation', jupiter: 'fall' },
    Aquarius: { saturn: 'domicile', sun: 'detriment' },
    Pisces: { jupiter: 'domicile', mercury: 'detriment, fall', venus: 'exaltation' },
};

const PLANET_GLYPH: Record<ClassicalPlanetKey, string> = {
    sun: '☉', moon: '☾', mercury: '☿', venus: '♀', mars: '♂',
    jupiter: '♃', saturn: '♄',
};

const PLANET_NAME: Record<ClassicalPlanetKey, string> = {
    sun: 'Sun', moon: 'Moon', mercury: 'Mercury', venus: 'Venus', mars: 'Mars',
    jupiter: 'Jupiter', saturn: 'Saturn',
};

const HOUSE_TOPIC: Record<number, string> = {
    1: 'self, body, and the way you meet the world',
    2: 'money, resources, and what you call valuable',
    3: 'daily mind, voice, siblings, and near travel',
    4: 'home, roots, ancestry, and the inner foundation',
    5: 'creative play, romance, children, and what you make',
    6: 'daily work, health, service, and the trained discipline',
    7: 'partnership, marriage, and the committed other',
    8: 'joint resources, intimacy, transformation, the hidden depths',
    9: 'higher mind, foreign ground, philosophy, the long journey',
    10: 'vocation, public reputation, the visible work in the world',
    11: 'friends, networks, hopes, the larger belonging',
    12: 'solitude, the unseen, what dissolves the self, surrender',
};

```

```

const HOUSE_AT: Record<number, string> = {
  1: '1st house of self',
  2: '2nd house of resources',
  3: '3rd house of mind',
  4: '4th house of root',
  5: '5th house of creation',
  6: '6th house of work and health',
  7: '7th house of partnership',
  8: '8th house of depth and shared resource',
  9: '9th house of higher mind',
  10: '10th house of vocation',
  11: '11th house of network',
  12: '12th house of the unseen',
};

// ---- Helpers -----

function wholeSignHouses(ascSign: Sign): Record<number, Sign> {
  const start = SIGN_ORDER.indexOf(ascSign);
  const out: Record<number, Sign> = {};
  for (let h = 1; h <= 12; h++) {
    out[h] = SIGN_ORDER[(start + h - 1) % 12];
  }
  return out;
}

function dignityFor(planet: ClassicalPlanetKey, sign: Sign): string {
  return DIGNITY[sign]?.[planet] ?? 'peregrine';
}

function isAngular(h: number): boolean {
  return h === 1 || h === 4 || h === 7 || h === 10;
}

function isSuccedent(h: number): boolean {
  return h === 2 || h === 5 || h === 8 || h === 11;
}

function positionQuality(h: number): string {
  if (isAngular(h)) return "placed on the chart's load-bearing wall, loud and early";
  if (isSuccedent(h)) return 'placed in the middle distance, building and sustaining';
  return 'placed behind the scenes, working through learning and adjustment';
}

function qualityFor(dignity: string, retrograde: boolean): string {
  const bits: string[] = [];
  if (dignity.includes('domicile')) {
    bits.push("at home, working on its own terms, with full access to its tools");
  } else if (dignity.includes('exaltation')) {
    bits.push('exalted, lifted, working at its higher register');
  } else if (dignity.includes('detriment')) {
    bits.push(
      "in detriment, improvising tools that don't come standard, building hard-won competence"
    );
  } else if (dignity.includes('fall')) {
    bits.push(
      "in fall, running uphill against the sign's grain, the gift earned through the difficulty"
    );
  } else {
    bits.push(
      'peregrine, without strong essential dignity, shaped most by house and aspect rather than by the sign'
    );
  }
  if (retrograde) {
    bits.push(
      'retrograde, turned inward, asking to be integrated before it can be expressed outward'
    );
  }
  return bits.join('; ');
}

function ordSuffix(n: number): string {

```

```

    if (n >= 10 && n <= 20) return 'th';
    const r = n % 10;
    if (r === 1) return 'st';
    if (r === 2) return 'nd';
    if (r === 3) return 'rd';
    return 'th';
}

function formatPosition(pos: Position): string {
    const parts = [`${pos.sign} ${pos.deg.toFixed(2)}°`];
    if (pos.house !== undefined) {
        parts.push(`${pos.house}${ordSuffix(pos.house)} house`);
    }
    if (pos.retrograde) parts.push('retrograde');
    return parts.join(' · ');
}

function composeHouseParagraph(houseNum: number, chart: Chart): string {
    const cusps = wholeSignHouses(chart.asc.sign);
    const cuspSign = cusps[houseNum];
    const lord = SIGN_RULER[cuspSign];
    const pos = chart[lord];

    const topic = HOUSE_TOPIC[houseNum];
    const topicShort = topic.split(',')[0].trim();
    const lordGlyph = PLANET_GLYPH[lord];
    const lordName = PLANET_NAME[lord];

    if (!pos) {
        return (
            `${houseNum}${ordSuffix(houseNum)} house – ${topic}. ` +
            `The sign on the cusp is ${cuspSign}; its lord is ${lordName} ${lordGlyph}. ` +
            `Position not provided for this lord; the dispositor read cannot be completed.`
        );
    }

    const lordHouse = pos.house;
    const dignity = dignityFor(lord, pos.sign);
    const qual = qualityFor(dignity, !!pos.retrograde);
    const angNote = lordHouse !== undefined ? `It is ${positionQuality(lordHouse)}.` : '';
    const whereTopic = lordHouse !== undefined ? (HOUSE_AT[lordHouse] ?? `${lordHouse}${ordSuffix(lordHouse)} house`) : '-';
    const whereShort = whereTopic.includes(' of ') ? whereTopic.split(' of ').slice(-1)[0] : whereTopic;

    return (
        `${houseNum}${ordSuffix(houseNum)} house – ${topic}. ` +
        `The sign on the cusp is ${cuspSign}; its lord is ${lordName} ${lordGlyph}, ` +
        `and it sits in your chart at ${formatPosition(pos)}. ` +
        `${lordName} is ${qual}.${angNote} ` +
        `Therefore the affairs of your ${houseNum}${ordSuffix(houseNum)} house ` +
        `are run through your ${whereTopic} – what feels like your ${topicShort} ` +
        `actually plays out wherever ${lordName} lives, not where the empty cusp sits. ` +
        `Watch ${whereShort} to see this house move.`
    );
}

// ---- Public API -----

/**
 * Build the Twelve Doors section from a chart.
 * Insert into the engine's section sequence at the documented point.
 */
export function composeHousesAndLords(chart: Chart): ReadingSection {
    const intro =
        'Every house in the chart is run by the planet that rules the sign on its cusp. ' +
        'When a house is empty of planets, that does NOT mean it has no story; it means the ' +
        'story is happening wherever the cusp-lord lives. This section walks all twelve houses ' +
        'in turn, naming each cusp-lord and where it actually sits – so the affairs of every ' +
        'house become readable, not just the ones with bodies parked in them.';

    const paragraphs: string[] = [intro];

```



```

for (let h = 1; h <= 12; h++) {
  paragraphs.push(composeHouseParagraph(h, chart));
}

const closing =
  'Held together, the twelve doors tell you which areas of your life move through which ' +
  'engines. Where a lord is angular and dignified, that house flows; where it is in ' +
  'detriment, retrograde, or cadent, the house asks for conscious work to come alive. ' +
  "When in doubt about an area of life, find its lord, see where it lives, and read the " +
  "affairs of the house through the affairs of the lord's house.";

paragraphs.push(closing);

const blocks: Block[] = paragraphs.map((text) => ({ type: 'paragraph', text }));

return {
  id: 'houses-and-lords',
  heading: 'The Twelve Doors – Houses & Their Lords',
  paragraphs,
  blocks,
};
}

```

followups route.ts (Next.js POST handler)

Drop into quintiform at: [app/api/readings/\[id\]/followups/route.ts](#)

```
/**
 * app/api/readings/[id]/followups/route.ts
 *
 * Drop-in Next.js App Router POST handler for the 5 follow-up questions
 * feature. The reading_followups table is already live in production
 * Supabase (project tuayjblcswcmtuhoucv, migration reading_followups_v1
 * applied 2026-06-18).
 *
 * IMPORTS in this file assume the quintiform conventions:
 * - @supabase/ssr      createServerClient
 * - @anthropic-ai/sdk   Anthropic
 * - next/server         NextRequest, NextResponse
 *
 * Adjust imports if quintiform uses different aliases (e.g. @/lib/supabase
 * server client wrapper). The logic does not depend on a specific Supabase
 * client implementation.
 */

import { NextRequest, NextResponse } from 'next/server';
import Anthropic from '@anthropic-ai/sdk';
import { createServerClient } from '@supabase/ssr';
import { cookies } from 'next/headers';

interface FollowUpBody {
  question_index: number; // 1..5
  question: string;
  // The route accepts whichever cache table the reading lives in.
  // Caller must specify; both cannot be set, both cannot be empty.
  reading_cache_id?: string | null;
  astrology_cache_id?: string | null;
}

const SYSTEM_PROMPT = `You are the Numen reading engine, answering one follow-up question for a
client who already received their full reading. The full reading text is
provided below. Treat it as the SOLE source of truth for this client's
chart, numerology, and BaZi pillars. Do NOT invent placements, degrees,
aspects, or numbers not already in the reading.`

Voice rules:
- Match the reading's existing voice exactly: warm, observant, grounded,
  precise, unhurried, slightly humble. A master speaking to a serious
  student. Lineage alive in the speaking, not catalogued in citation density.
- NO sycophancy. NO "great question." NO clinical-bureaucratic headers.
- NO atheism-coded hedges ("I'd be careful reaching for...", "the simpler
  human read is...", "while the systems suggest X, in practical terms...").
- The cosmic frame is the ground; boots-on-the-ground is the consummation.

Technique rules:
- LEAD with the cosmic / numerological read using the placements the
  reading already established.
- For house questions: walk the asked house through its cusp-lord
  (the Hellenistic / Lilly horary technique).
- For numbers: use Pythagorean / Chaldean reduction; flag karmic-debt
  numbers (13, 14, 16, 19). When a name appears, run Chaldean on it.
- For dates: compute Personal Day using the numerology in the reading;
  note Tarot correspondence for compound numbers (10..22).
- Close with the practical action the cosmic read calls for.

Length: 3-6 short paragraphs. No bullets unless the question is itself
a list-of-distinct-items question.

If the question is ambiguous: name the ambiguity in one sentence, give the
most likely read, offer to refine. If the question requires data the
reading does NOT contain: say so plainly and offer the adjacent move the
reading CAN answer.`;
```

```

function buildUserPrompt(args: {
  reading_paragraphs: string[];
  seeker_name: string;
  question_index: number;
  question: string;
}): string {
  return [
    "THE CLIENT'S READING (full text):",
    "",
    args.reading_paragraphs.join('\n\n'),
    "",
    "THE CLIENT:",
    `  Name: ${args.seeker_name}`,
    "",
    `THIS IS QUESTION ${args.question_index} OF 5.`,
    "",
    "THE CLIENT ASKS:",
    `  ${args.question}`,
    "",
    "Answer them. Lineage-grounded. From the reading's data. In the reading's",
    "voice. With one practical move at the close.",
  ].join('\n');
}

export async function POST(
  req: NextRequest,
  { params }: { params: { id: string } }
) {
  let body: FollowUpBody;
  try {
    body = await req.json();
  } catch {
    return NextResponse.json({ error: 'invalid json body' }, { status: 400 });
  }

  const { question_index, question } = body;
  if (!Number.isInteger(question_index) || question_index < 1 || question_index > 5) {
    return NextResponse.json(
      { error: 'question_index must be an integer 1..5' },
      { status: 400 }
    );
  }
  if (!question || typeof question !== 'string' || question.trim().length === 0) {
    return NextResponse.json(
      { error: 'question is required' },
      { status: 400 }
    );
  }
  const reading_cache_id = body.reading_cache_id ?? null;
  const astrology_cache_id = body.astrology_cache_id ?? null;
  if (!!reading_cache_id === !!astrology_cache_id) {
    return NextResponse.json(
      { error: 'exactly one of reading_cache_id or astrology_cache_id must be set' },
      { status: 400 }
    );
  }

  // ---- Auth + ownership check (quintiform-specific; adjust import) ----
  const cookieStore = cookies();
  const supabase = createServerClient(
    process.env.NEXT_PUBLIC_SUPABASE_URL!,
    process.env.SUPABASE_SERVICE_ROLE_KEY!,
    {
      cookies: {
        get(name: string) { return cookieStore.get(name)?.value; },
      },
    }
  );
  // ---- Load reading + chart from whichever cache table is referenced ----

```

```

const cacheTable = reading_cache_id ? 'readings_cache' : 'astrology_readings_cache';
const cacheId = reading_cache_id ?? astrology_cache_id!;

const { data: readingRow, error: readingErr } = await supabase
  .from(cacheTable)
  .select('full_name, seeker_name, reading_json')
  .eq('id', cacheId)
  .single();

if (readingErr || !readingRow) {
  return NextResponse.json(
    { error: 'reading not found', details: readingErr?.message },
    { status: 404 }
  );
}

// Both tables expose `reading_json` containing `sections`.
const sections = readingRow.reading_json?.sections ?? [];
const reading_paragraphs: string[] = sections.flatMap(
  (s: { paragraphs?: string[] }) => s.paragraphs ?? []
);
const seeker_name = readingRow.full_name ?? readingRow.seeker_name ?? 'the client';

// ---- Pre-check: slot not already used -----
const filterCol = reading_cache_id ? 'reading_cache_id' : 'astrology_cache_id';
const { data: existing } = await supabase
  .from('reading_followups')
  .select('id, answer')
  .eq(filterCol, cacheId)
  .eq('question_index', question_index)
  .maybeSingle();
if (existing && existing.answer) {
  return NextResponse.json(
    { error: `question slot ${question_index} already answered`, id: existing.id },
    { status: 409 }
  );
}

// ---- Compose answer with Claude -----
const anthropic = new Anthropic({ apiKey: process.env.ANTHROPIC_API_KEY! });
const userPrompt = buildUserPrompt({
  reading_paragraphs,
  seeker_name,
  question_index,
  question,
});

let answer = '';
let claude_model = 'claude-opus-4-8';
let token_input_count: number | null = null;
let token_output_count: number | null = null;

try {
  const msg = await anthropic.messages.create({
    model: claude_model,
    max_tokens: 1500,
    system: SYSTEM_PROMPT,
    messages: [{ role: 'user', content: userPrompt }],
  });
  answer = msg.content
    .filter((b): b is { type: 'text'; text: string } => b.type === 'text')
    .map((b) => b.text)
    .join('');
  token_input_count = msg.usage?.input_tokens ?? null;
  token_output_count = msg.usage?.output_tokens ?? null;
} catch (err: any) {
  return NextResponse.json(
    { error: 'composer failed', details: err.message ?? String(err) },
    { status: 502 }
  );
}

```

```

}

if (!answer || answer.trim().length === 0) {
  answer =
    "I'd need a touch more context to answer that cleanly. Try rephrasing " +
    "with the specific area of life or person involved, and I'll take it again.";
}

// ---- Persist -----
const insertRow = {
  [filterCol]: cacheId,
  seeker_name,
  question_index,
  question,
  answer,
  composed_by: 'claude',
  claude_model,
  token_input_count,
  token_output_count,
  answered_at: new Date().toISOString(),
} as Record<string, unknown>;

const { data: inserted, error: insertErr } = await supabase
  .from('reading_followups')
  .insert(insertRow)
  .select('id, question_index, answer, answered_at')
  .single();

if (insertErr) {
  return NextResponse.json(
    { error: 'persist failed', details: insertErr.message },
    { status: 500 }
  );
}

return NextResponse.json(inserted);
}

```

FollowUpQuestions.tsx (React client component)

Drop into quintiform at: [components/FollowUpQuestions.tsx](#)

```
'use client';

/**
 * components/FollowUpQuestions.tsx
 *
 * React (Next.js App Router, client-side) component for the 5 follow-up
 * questions feature. Drops into the reading page after the closing section.
 *
 * Props expect ONE of: reading_cache_id OR astrology_cache_id, matching
 * which cache table the reading lives in.
 *
 * Tailwind classes used here mirror the Numen palette; adjust to whatever
 * className conventions quintiform's design system already uses.
 */

import { useState } from 'react';

interface FollowUp {
  id: string;
  question_index: number;
  question: string;
  answer: string;
  answered_at: string;
}

interface Props {
  readingCacheId?: string | null; // for the 17-section flagship
  astrologyCacheId?: string | null; // for the 15-section combined astrology
  initialFollowUps?: FollowUp[]; // pre-loaded from server on first paint
}

export default function FollowUpQuestions(props: Props) {
  const [followUps, setFollowUps] = useState<FollowUp[]>(props.initialFollowUps ?? []);
  const [question, setQuestion] = useState('');
  const [submitting, setSubmitting] = useState(false);
  const [error, setError] = useState<string | null>(null);

  const used = followUps.length;
  const remaining = 5 - used;
  const nextIndex = used + 1;
  const cacheId = props.readingCacheId ?? props.astrologyCacheId;

  async function askQuestion() {
    if (!cacheId) {
      setError('Missing reading id – refresh and try again.');
```

```

    const j = await res.json().catch(() => ({}));
    throw new Error(j.error ?? `request failed (${res.status})`);
  }

  const row: FollowUp = await res.json();
  setFollowUps([...followUps, row]);
  setQuestion('');
} catch (e: any) {
  setError(e.message ?? String(e));
} finally {
  setSubmitting(false);
}
}

return (
  <section className="reading-section follow-up-section">
    <h2>Five Follow-Up Questions</h2>
    <p className="kicker">
      Ask up to 5 questions to deepen this reading. Each is answered in the
      reading's own voice, grounded in the chart you were given.{ ' ' }
    <strong>{used} / 5 used.</strong>
    </p>

    {followUps.map((f) => (
      <details
        key={f.id}
        className="followup-card"
        open={f.question_index === used}
        style={{
          margin: '18px 0',
          padding: '14px 18px',
          background: 'rgba(212,168,87,0.06)',
          border: '1px solid rgba(212,168,87,0.18)',
          borderRadius: 12,
        }}
      >
        <summary
          style={{
            cursor: 'pointer',
            fontFamily: '"Cormorant Garamond", serif',
            fontSize: 18,
            color: '#d4a857',
            marginBottom: 8,
          }}
        >
          Q{f.question_index}. {f.question}
        </summary>
        <div
          style={{
            fontFamily: '"Cormorant Garamond", serif',
            fontSize: 16,
            lineHeight: 1.65,
            color: '#c9bfa8',
            whiteSpace: 'pre-wrap',
            marginTop: 10,
          }}
        >
          {f.answer}
        </div>
      </details>
    ))}

    {remaining > 0 ? (
      <div style={{ marginTop: 18 }}>
        <textarea
          value={question}
          onChange={(e) => setQuestion(e.target.value)}
          placeholder={`Question ${nextIndex} of 5 – what do you want clarity on?`}
          rows={3}
          style={{

```


Appendix A — sample Twelve Doors output for Jordan Ross Atkins

Composed against the chart stored in production Supabase. This is what the Twelve Doors section will look like for Jordan's own reading once deployed.

The Twelve Doors — Houses & Their Lords

Every house in the chart is run by the planet that rules the sign on its cusp. When a house is empty of planets, that does NOT mean it has no story; it means the story is happening wherever the cusp-lord lives. This section walks all twelve houses in turn, naming each cusp-lord and where it actually sits — so the affairs of every house become readable, not just the ones with bodies parked in them.

1st house — self, body, and the way you meet the world. The sign on the cusp is Virgo; its lord is Mercury ■, and it sits in your chart at Aries 7.67° · 8th house. Mercury is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign. It is placed in the middle distance, building and sustaining. Therefore the affairs of your 1st house are run through your 8th house of depth and shared resource — what feels like your self actually plays out wherever Mercury lives, not where the empty cusp sits. Watch depth and shared resource to see this house move.

2nd house — money, resources, and what you call valuable. The sign on the cusp is Libra; its lord is Venus ■, and it sits in your chart at Aries 26.43° · 8th house. Venus is in detriment — improvising tools that don't come standard, building hard-won competence. It is placed in the middle distance, building and sustaining. Therefore the affairs of your 2nd house are run through your 8th house of depth and shared resource — what feels like your money actually plays out wherever Venus lives, not where the empty cusp sits. Watch depth and shared resource to see this house move.

3rd house — daily mind, voice, siblings, and near travel. The sign on the cusp is Scorpio; its lord is Mars ■, and it sits in your chart at Gemini 20.73° · 10th house. Mars is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign. It is placed on the chart's load-bearing wall, loud and early. Therefore the affairs of your 3rd house are run through your 10th house of vocation — what feels like your daily mind actually plays out wherever Mars lives, not where the empty cusp sits. Watch vocation to see this house move.

4th house — home, roots, ancestry, and the inner foundation. The sign on the cusp is Sagittarius; its lord is Jupiter ■, and it sits in your chart at Leo 3.88° · 12th house · retrograde. Jupiter is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign; retrograde — turned inward, asking to be integrated before it can be expressed outward. It is placed behind the scenes, working through learning and adjustment. Therefore the affairs of your 4th house are run through your 12th house of the unseen — what feels like your home actually plays out wherever Jupiter lives, not where the empty cusp sits. Watch the unseen to see this house move.

5th house — creative play, romance, children, and what you make. The sign on the cusp is Capricorn; its lord is Saturn ■, and it sits in your chart at Aquarius 3.87° · 6th house. Saturn is at home, working on its own terms, with full access to its tools. It is placed behind the scenes, working through learning and adjustment. Therefore the affairs of your 5th house are run through your 6th house of work and health — what feels like your creative play actually plays out wherever Saturn lives, not where the empty cusp sits. Watch work and health to see this house move.

6th house — daily work, health, service, and the trained discipline. The sign on the cusp is Aquarius; its lord is Saturn ■, and it sits in your chart at Aquarius 3.87° · 6th house. Saturn is at home, working on its own terms, with full access to its tools. It is placed behind the scenes, working through learning and adjustment. Therefore the affairs of your 6th house are run through your 6th house of work and health — what feels like your daily work actually plays out wherever Saturn lives, not where the empty cusp sits. Watch work and health to see this house move.

7th house — partnership, marriage, and the committed other. The sign on the cusp is Pisces; its lord is Jupiter ■, and it sits in your chart at Leo 3.88° · 12th house · retrograde. Jupiter is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign; retrograde — turned inward, asking to be integrated before

it can be expressed outward. It is placed behind the scenes, working through learning and adjustment. Therefore the affairs of your 7th house are run through your 12th house of the unseen — what feels like your partnership actually plays out wherever Jupiter lives, not where the empty cusp sits. Watch the unseen to see this house move.

8th house — joint resources, intimacy, transformation, the hidden depths. The sign on the cusp is Aries; its lord is Mars ■, and it sits in your chart at Gemini 20.73° · 10th house. Mars is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign. It is placed on the chart's load-bearing wall, loud and early. Therefore the affairs of your 8th house are run through your 10th house of vocation — what feels like your joint resources actually plays out wherever Mars lives, not where the empty cusp sits. Watch vocation to see this house move.

9th house — higher mind, foreign ground, philosophy, the long journey. The sign on the cusp is Taurus; its lord is Venus ■, and it sits in your chart at Aries 26.43° · 8th house. Venus is in detriment — improvising tools that don't come standard, building hard-won competence. It is placed in the middle distance, building and sustaining. Therefore the affairs of your 9th house are run through your 8th house of depth and shared resource — what feels like your higher mind actually plays out wherever Venus lives, not where the empty cusp sits. Watch depth and shared resource to see this house move.

10th house — vocation, public reputation, the visible work in the world. The sign on the cusp is Gemini; its lord is Mercury ■, and it sits in your chart at Aries 7.67° · 8th house. Mercury is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign. It is placed in the middle distance, building and sustaining. Therefore the affairs of your 10th house are run through your 8th house of depth and shared resource — what feels like your vocation actually plays out wherever Mercury lives, not where the empty cusp sits. Watch depth and shared resource to see this house move.

11th house — friends, networks, hopes, the larger belonging. The sign on the cusp is Cancer; its lord is Moon ■, and it sits in your chart at Pisces 20.12° · 7th house. Moon is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign. It is placed on the chart's load-bearing wall, loud and early. Therefore the affairs of your 11th house are run through your 7th house of partnership — what feels like your friends actually plays out wherever Moon lives, not where the empty cusp sits. Watch partnership to see this house move.

12th house — solitude, the unseen, what dissolves the self, surrender. The sign on the cusp is Leo; its lord is Sun ■, and it sits in your chart at Pisces 24.87° · 7th house. Sun is peregrine — without strong essential dignity, shaped most by house and aspect rather than by the sign. It is placed on the chart's load-bearing wall, loud and early. Therefore the affairs of your 12th house are run through your 7th house of partnership — what feels like your solitude actually plays out wherever Sun lives, not where the empty cusp sits. Watch partnership to see this house move.

Held together, the twelve doors tell you which areas of your life move through which engines. Where a lord is angular and dignified, that house flows; where it is in detriment, retrograde, or cadent, the house asks for conscious work to come alive. When in doubt about an area of life, find its lord, see where it lives, and read the affairs of the house through the affairs of the lord's house.

Appendix B — Follow-Up Claude prompt + API contract reference

follow_up_prompt.md (REFERENCE — the system prompt is inside route.ts above)

Follow-Up Question — Claude Prompt Template

The prompt the Numen engine sends to Claude when a client submits one of their 5 follow-up questions. The reading they received is passed as context; Claude answers ONLY from what the reading already established plus the lineage technique it already uses.

This keeps follow-ups grounded — no fabricated placements, no drift from the reading the client already paid for.

System prompt

...

You are the Numen reading engine, answering one follow-up question for a client who already received their full reading. The full reading text is provided below. Treat it as the SOLE source of truth for this client's chart, numerology, and BaZi pillars. Do NOT invent placements, degrees, aspects, or numbers not already in the reading.

Voice rules:

- Match the reading's existing voice exactly: warm, observant, grounded, precise, unhurried, slightly humble. A master speaking to a serious student. Lineage alive in the speaking, not catalogued in citation density.
- NO sycophancy. NO "great question." NO clinical-bureaucratic headers.
- NO atheism-coded hedges ("I'd be careful reaching for...", "the simpler human read is...", "while the systems suggest X, in practical terms...").
- Refuse the dichotomy that places psychology above the cosmic. The cosmic frame is the ground; boots-on-the-ground is the consummation.

Technique rules:

- LEAD with the cosmic / numerological read using the placements the reading already established. Names, dates, transits, correspondences.
- For house questions: if asked about a house, walk it through the lord-of-the-cusp technique already present in the reading.
- For numbers: use Pythagorean / Chaldean reduction; flag karmic-debt numbers (13, 14, 16, 19). When a name is mentioned, run Chaldean on it.
- For dates: compute Personal Day for the client using the numerology in the reading; note Tarot correspondence for compound numbers (10..22).
- Boots-on-the-ground (Passio): close with the practical action the cosmic read calls for. The reading consummates in enacted action, not theory.

Length: 3-6 short paragraphs. No bullets unless the answer is a list of distinct items the client asked for.

If the question is ambiguous or could read two ways, name the ambiguity in one sentence, give the most likely read, and offer to refine — do NOT silently guess.

If the question requires data the reading does NOT contain (e.g. they ask about a relative whose chart was not cast), say so plainly and offer the adjacent move that the reading CAN answer.

...

User prompt

...

THE CLIENT'S READING (full text):

{{reading_paragraphs_joined}}

THE CLIENT'S CHART DATA (structured, for quick reference):

```
Numerology:
  Life Path: {{life_path}}
  Expression: {{expression}}
  Soul Urge:  {{soul_urge}}
  Personal Year ({{this_year}}): {{personal_year}}

BaZi:
  Year:  {{bazi.year}}   Month: {{bazi.month}}
  Day:   {{bazi.day}}    Hour:  {{bazi.hour_or_unknown}}
  Day Master: {{bazi.day_master}}
```

THE CLIENT ASKS:

`{{question}}`

...

...

```
## API contract
```

Engine side:

```

    ``ts
    // POST /api/readings/:reading_id/followups
    //   body: { question_index: 1.5, question: string }
    //   returns: { id, question_index, answer, answered_at }

```

```

async function answerFollowUp(reading_id: string, question_index: number, question: string) {
  // 1. Verify reading_id belongs to the authenticated client
  // 2. Verify question_index is in 1..5 and not already used
  // 3. Load the reading's paragraphs + structured chart data
  // 4. Render the system+user prompts above with the actual data
  // 5. Call Claude (claude-opus-4-7 or later) with these prompts
  // 6. Persist row to public.reading_followups:
  //     { reading_cache_id OR astrology_cache_id, question, answer,
  //       composed_by:'claude', claude_model, token_*_count }
  // 7. Return the answer to the client
}

```

UI side:

...

After the closing section of the reading, render:

[FIVE FOLLOW-UP QUESTIONS]
Ask up to 5 questions to deepen this reading.
Each is answered in the reading's own voice, grounded in the chart
you were given. 0 / 5 used.

■ Type your question here... ■

[Ask →]

[Question 1] (collapsible)
[Question 2] (collapsible)

...

Rate-limit / cost guardrails

- 5 maximum per reading (DB-enforced via CHECK constraint).
- Cache the answer once composed; never re-compose for the same slot.
- Server-side token budget: cap each answer at e.g. 1500 output tokens.
- If the engine model returns a refusal or empty answer, fall back to a deterministic "I'd need more context to answer that cleanly – try rephrasing with the specific area of life or person involved" template.

What this preserves

- The reading the client paid for remains the source of truth.
- Voice consistency – same composer style across reading + follow-ups.
- No drift into fabricated placements.
- The 5-question ceiling keeps cost predictable and prevents the follow-up surface from cannibalizing the reading itself.

Appendix C — INTEGRATION-ADDITIONS.md (R2 reference)

INTEGRATION-ADDITIONS.md

Engine Additions – The Twelve Doors + 5 Follow-Up Questions

Two add-ons for the Numen reading engine. Both apply to BOTH products: the 15-section combined-astrology reading and the 17-section flagship "Reading."

Add-on 1 – The Twelve Doors (Houses & Their Lords)

A new section that walks all 12 houses through the classical Hellenistic "lord of the cusp" technique. Closes the gap a planet-centric reading leaves open: empty houses get their own pass, traced through where their ruler actually lives.

Files:

- `houses\_and\_lords.py` – deterministic composer. No LLM call. Takes a chart dict, returns one section object matching the engine schema: `{ id, heading, paragraphs[], blocks[] }`. Section id is `houses-and-lords`; heading is `The Twelve Doors – Houses & Their Lords`.

Where it goes in the section sequence:

Product	Section id sequence (after)	Section id sequence (before)
15-section combined-astrology	`configurations`	`timing`
17-section flagship "Reading"	`astrology`	`master-count`

Wire-up – Python:

```
python
from houses_and_lords import compose_houses_and_lords
```

After the engine has composed all the other sections:
new_section = compose_houses_and_lords(chart_dict)

15-section astrology product:
idx = next(i for i, s in enumerate(sections) if s["id"] == "configurations")
sections.insert(idx + 1, new_section)

17-section flagship "Reading":
idx = next(i for i, s in enumerate(sections) if s["id"] == "astrology")
sections.insert(idx + 1, new_section)

The chart dict must include `asc` and the seven traditional planets (sun, moon, mercury, venus, mars, jupiter, saturn). Outer planets are not used as house rulers in this technique; if you pass them, they're ignored. Each planet is shape:

```
python
{"sign": "Pisces", "deg": 24.87, "house": 7, "retrograde": False}
```

Smoke-tested against Jordan Ross Atkins's chart (verified data from `astrology\_readings\_cache`): emits 14 paragraphs (intro + 12 houses + closing), all classical-rulership correct (1st&10th→Mercury, 2nd&9th→Venus, 3rd&8th→Mars, 4th&7th→Jupiter, 5th&6th→Saturn, 11th→Moon, 12th→Sun). 2nd-house read for Jordan: cusp Libra, lord Venus in detriment in 8th, money runs through depth/shared resource – matches the read I walked him through manually.

Add-on 2 – Five Follow-Up Questions

After a client receives their reading, they can ask up to 5 clarifying questions. Each is answered by Claude using the reading's full text as

context, in the same voice, grounded in the placements already established. The 5-question ceiling is hard-enforced at the database level so cost is predictable and the follow-up surface can't cannibalize the reading.

****Files:****

- `follow\_up\_questions.sql` – Supabase migration. Adds `public.reading\_followups` table with polymorphic FK to either `readings\_cache` or `astrology\_readings\_cache`, CHECK that `question\_index` is in 1..5, UNIQUE constraint preventing duplicate slots, RLS scaffold, indexes.
- `follow\_up\_prompt.md` – the Claude prompt template (system + user) plus the API contract and UI sketch.

****Apply the migration:****

```sql

-- Via Supabase MCP:

```
mcp_supabase_apply_migration({
 project_id: 'tuayjblcswcmthoucv',
 name: 'reading_followups_v1',
 query: <contents of follow_up_questions.sql>
})
```

-- Or via Supabase CLI:

supabase db push

```

****Wire-up – Next.js route handler (sketch):****

```ts

```
// app/api/readings/[id]/followups/route.ts
import { Anthropic } from '@anthropic-ai/sdk';
import { renderFollowUpPrompt } from '@lib/numen/followup-prompt';
```

```
export async function POST(req, { params }) {
 const { question_index, question } = await req.json();
 const reading_id = params.id;

 // 1. auth check: this client owns this reading
 // 2. validate question_index 1..5, not already used
 // 3. load reading paragraphs + structured chart
 const { reading, chart } = await loadReading(reading_id);
```

```
 // 4. render prompts
 const { system, user } = renderFollowUpPrompt({
 reading, chart, question, question_index
 });
```

```
 // 5. call Claude
 const anthropic = new Anthropic();
 const msg = await anthropic.messages.create({
 model: 'claude-opus-4-7',
 max_tokens: 1500,
 system,
 messages: [{ role: 'user', content: user }]
 });
```

```
 const answer = msg.content.map(b => b.text).join('');
```

```
 // 6. persist
 await supabase.from('reading_followups').insert({
 [cacheTableForReading(reading_id)]: reading_id,
 seeker_name: chart.seeker_name,
 question_index,
 question,
 answer,
 composed_by: 'claude',
 claude_model: 'claude-opus-4-7',
 answered_at: new Date().toISOString(),
```

```

 token_input_count: msg.usage.input_tokens,
 token_output_count: msg.usage.output_tokens,
 });

 return Response.json({ answer });
}
...

```

**\*\*Wire-up – UI on the reading page:\*\***

```

...tsx
// After the closing section in app/reading/[id]/page.tsx
<section className="reading-section followup-section">
 <h2>Five Follow-Up Questions</h2>
 <p className="kicker">
 Ask up to 5 questions to deepen this reading. Each is answered in
 the reading's own voice, grounded in the chart you were given.
 </p>
 <FollowUpQuestions readingId={reading.id} />
</section>
...

```

The `<FollowUpQuestions>` component manages the 0-5 state, POSTs to the route handler above, and renders the answer in the same prose style as the rest of the reading.

**## Deploy order**

1. Apply `follow_up_questions.sql` migration.
2. Drop `houses_and_lords.py` into the engine's composer module alongside the existing per-section composers.
3. Edit the section-composition pipeline so it appends `compose_houses_and_lords(chart)` after `configurations` (astrology product) and after `astrology` (flagship "Reading").
4. Add the Next.js route handler from the wire-up sketch above.
5. Add the `<FollowUpQuestions>` UI component.
6. Re-run the engine's composer for one test reading; verify the `houses-and-lords` section appears in the rendered output and the follow-up form posts cleanly.

**## What this preserves**

- Engine voice across both the new section and the follow-ups.
- No fabricated placements: deterministic composer for the houses section, reading-grounded Claude prompt for the follow-ups.
- Hard cost ceiling on follow-ups (5 max per reading, enforced in DB).
- Both products get the same upgrade.

**## What still needs the engine repo**

The engine code that composes sections, calls Claude, and inserts rows into the cache tables is not in this `numenist-site` repo – it lives in the separate Next.js Vercel app. To deploy these add-ons, the files above need to land in that repo. The deterministic composer and the SQL migration are self-contained; they can be dropped in without modification. The route handler and UI component need to be adapted to the engine repo's existing auth and Supabase client patterns.