Testing the **coder** package

Jérôme LAURENS

March 28, 2022

1 Have **pygments**?

Path=/Users/jlaurens/opt/anaconda3/bin/pygmentize
WITH PYGMENTS
Path=/Users/jlaurens/opt/anaconda3/bin/python

2 Sandbox

2.1 **fancyvrb** linear

KV:numbers=none,

`A`

KV:tags=none, numbers=none,

`A`

KV: tags=none, numbers=left, firstnumber=last,

none: `none`
2 `2`
3 `3`

none: `none:`
5 `5`
6 `6`

none: `none`
8 `8`
9 `9`

2.2 **pygments** linear

```
none: none
   11 11
   12 12
```

```
none: none:
   14 14
   15 15
```

```
none: none
   17 17
   18 18
```

2.3 **fancyvrb** multi tags

```
A,B,C: 1 A=*1,B=1,C=1
```

```
  B,C: A=2,B=*2,C=2
     3 A=2,B=*3,C=3
```

```
    C: A=2,B=4,C=*4
     5 A=2,B=4,C=*5
```

```
  C,B: A=2,B=4,C=*6
     7 A=2,B=5,C=*7
     8 A=2,B=6,C=*8
```

```
  B,A: A=2,B=*7,C=9
     8 A=3,B=*8,C=9
     9 A=4,B=*9,C=9
```

```
  A,C: A=*5,B=10,C=9
     6 A=*6,B=10,C=10
     7 A=*7,B=10,C=11
```

2.4 **pygments** multi tags

```
D,E,F: 1 D=*1,E=1,F=1
```

```
  E,F: D=2,E=*2,F=2
     3 D=2,E=*3,F=3
```

```
    F: D=2,E=4,F=*4
     5 D=2,E=4,F=*5
```

```
F,E: D=2,E=4,F=*6
  7 D=2,E=5,F=*7
  8 D=2,E=6,F=*8


E,D: D=2,E=*7,F=9
  8 D=3,E=*8,F=9
  9 D=4,E=*9,F=9


D,F: D=*5,E=10,F=9
  6 D=*6,E=10,F=10
  7 D=*7,E=10,F=11
```

2.5   Step

```
1 1
2 2
3 3
4 4
5 5
6 6
```

```
1   1
  2 2
3   3
  4 4
5   5
  6 6
```

```
1 1
2   2
3   3
4   4
  5 5
6   6
```

2.6   Shift

```
2 2*
3   3
4   4
5 5*
6   6
7   7
```

```
 3 3*
 4   4
 5 5*
 6   6
 7   7
 8   8


 4   4
 5 5*
 6   6
 7   7
 8   8
 9   9


 5 5*
 6   6
 7   7
 8   8
 9   9
10 10*


 6 6*
 7   7
 8   8
 9   9
10 10*
11   11
```

2.7 Other

```
 1 1                                          : D,F
   2
   3
   4
 5 5
   6
```