Testing the coder package

Jérôme LAURENS

March 28, 2022

1 Have pygments?

Path=/Users/jlaurens/opt/anaconda3/bin/pygmentize WITH PYGMENTS Path=/Users/jlaurens/opt/anaconda3/bin/python

2 Sandbox

2.1 fancyvrb linear

KV:numbers=none,

Α

KV:tags=none, numbers=none,

Α

KV: tags=none, numbers=left, firstnumber=last,

- 1 none
- 2 2
- 3 **3**
- 4 none:
- 5 **5**
- 6 6
- 7 none
- 8 8
- 9 9

2.2 pygments linear

- 10 none
- 11 11
- 12 12
- 13 none:
- 14 **14**
- 15 15
- 16 none
- 17 **17**
- 18 18

2.3 fancyvrb multi tags

A,B,C: 1 A=*1,B=1,C=1

- B,C: A=2,B=*2,C=2
 - 3 A=2,B=*3,C=3
 - C: A=2,B=4,C=*4
 - 5 A=2,B=4,C=*5
- C,B: A=2,B=4,C=*6
 - 7 A=2,B=5,C=*7
 - 8 A=2,B=6,C=*8
- B,A: A=2,B=*7,C=9
 - 8 A=3,B=*8,C=9
 - 9 A=4, B=*9, C=9
- A,C: A=*5, B=10, C=9
 - 6 A=*6,B=10,C=10
 - 7 A=*7,B=10,C=11

2.4 pygments multi tags

D,E,F: 1 D=*1,E=1,F=1

- E,F: D=2,E=*2,F=2
 - 3 D=2,E=*3,F=3
 - F: D=2, E=4, F=*4
 - 5 D=2,E=4,F=*5

- F,E: D=2,E=4,F=*6
- 7 D=2,E=5,F=*7
- 8 D=2,E=6,F=*8
- E,D: D=2, E=*7, F=9
 - 8 D=3,E=*8,F=9
 - 9 D=4,E=*9,F=9
- D,F: D=*5,E=10,F=9
 - 6 D=*6,E=10,F=10
 - 7 D=*7,E=10,F=11

2.5 Step

- 1 1
- 2 2
- 3 **3**
- 4 4
- 5 **5**
- 6 6
- 1 1
 - 2 **2**
- 3 3
- 4 **4** 5
 - 6 6
 - 1 **1**
- 2 2
- 3 3
- 4 4
- 5 **5** 6

2.6 Shift

- 2 2*
- 3 3
- 4 4
- 5 **5***
- 6 6
- 7 7

```
3 3*
4 4
5 5*
6 6
7 7
```

8 8

2.7 Other

: D,F 1 1 2 3 4 5 **5** 6

2.8 Only top

WHAT: 1 WHAT

- 2 WHAT
- 3 NO WHAT

```
\label{local_condition} $$ \g_CDR_tags_clist:WHAT \\ \g_CDR_last_tags_clist:WHAT $$
```

1 NO TAHW SHOW TAGS=dry

$$\label{local_constraints} $$ \g_CDR_tags_clist:TAHW $$ \g_CDR_last_tags_clist:WHAT $$$$

4 NO WHAT

$$\label{local_condition} $$ \g_CDR_tags_clist:WHAT $$ \g_CDR_last_tags_clist:$$

2 NO TAHW

WHAT: 5 WHAT

6 NO WHAT