Testing the **coder** package

Jérôme LAURENS

March 16, 2022

1 Have **pygments**?

Path=/Users/jlaurens/opt/anaconda3/bin/pygmentize
WITH PYGMENTS
Path=/Users/jlaurens/opt/anaconda3/bin/python

2 Testing the tag mechanism

3 \CDR_tag_choices_set:

4 \CDR_tag_boolean_set:

5 \CDRSet

6 \CDRCode

6.1 Fancyvrb basics

ABCDEABCDABCDBCDGBCDG

First␣verba   ⊀tim␣line.
Second␣verbatim␣line.

See the verbatim on page **??**
YYY $A_␣B_␣C$YYY YY YY

6.2 Mimic

A␣B␣C␣D A B C D

6.3 Coder

A
Aa<fontsize=\Large>zZ
B
Aa**<fontsize=\Large>**zZ

```
A
<fontsize=\Large>
B
<fontsize=\Large>
```

```
    <ABC DEF>
1
<fontfamily=menlo>
2
<showspaces␣=␣true>
<showspaces␣=␣true>
3
<fontsize=\Large>
4
Expecting ERROR:
\PackageError coder
flower code engine unknown, replaced by 'default'
See \CDRCodeEngineNew in the coder manual
<engine=flower>
5
wavy(<engine=wave>)
LAST
<THIS IS THE LAST!!!>
```

6.4 With pygments

```
python==/Users/jlaurens/opt/anaconda3/bin/python
    PATH==/usr/bin/python
PATH==/Users/jlaurens/opt/anaconda3/bin/python
```

```
    PYGMENTS TEST
ABCD=AaAB␣CDzZ
ABCD=AB CD\textbf{AB}
ABCD=AB CD\textbf{AB}
ABCD=AB CD\textbf{AB}
ABCD=AB CD\textbf{AB}
ABCD=AB CD\textbf{AB}
AB CD=AB CD\textbf{AB}  et la suite
AB CD=AB CD\textbf{AB}  et la suite
AB CD=AB CD\textbf{AB}  et la suite
```

7 CDRBlock

```
    ESSAI
```

```
[]
ESSAI
```

ESSAI

```
1  local f = function(arg)
2    return arg ** arg
3  end
```

Next should not be void

```python
1  def foo(arg):
2    return arg ** arg
```

Next should not be void

```
1  function foo(arg)
2    return arg ** arg
3  end
```

8 \CDRExport