# Testing the coder package

#### Jérôme LAURENS

March 17, 2022

### 1 Have pygments?

Path=/Users/jlaurens/opt/anaconda3/bin/pygmentize WITH PYGMENTS Path=/Users/jlaurens/opt/anaconda3/bin/python

- 2 Testing the tag mechanism
- 3 \CDR\_tag\_choices\_set:
- 4 \CDR\_tag\_boolean\_set:
- 5 int
- 6 \CDRSet
- 7 \CDRCode
- 8 CDRBlock

ESSAI

[] ESSAI

**ESSAI** 

- $local_{\sqcup}f_{\sqcup}=_{\sqcup}function(arg)$
- <sub>2</sub> ⊔⊔return⊔arg⊔\*\*⊔arg
- ₃ end

Next should not be void

```
def foo(arg):
    return arg ** arg
```

Next should not be void

```
function_foo(arg)

uureturn_arg_***
arg
end
```

#### 8.1 Line numbering

#### 8.1.1 fancyvrb linear

Δ

Α

1 A 2 B

з С

4 A 5 B

6 C

7 A

8 B

9 C

#### 8.1.2 fancyvrb multi tags

```
1 A=*1,B=1,C=1
```

A=2,B=\*2,C=2

A=2,B=\*3,C=3

4 A=2,B=4,C=\*4

5 A=2,B=4,C=\*5

A=2,B=4,C=\*6

 $^{7}$  A=2,B=5,C=\*7

8 A=2,B=6,C=\*8

 $_{7}$  A=2,B=\*7,C=9

 $_{8}$  A=3,B=\*8,C=9

9 A=4,B=\*9,C=9

5 A=\*5,B=10,C=9

6 A=\*6,B=10,C=10

7 A=\*7,B=10,C=11

## 8.2 fancyvrb properties

```
1/ function foo (arg)
2/ L□ return arg ** *□ arg end
```

## 9 \CDRExport