

WEB PROGRAMMING IA1 PERSONAL PORTFOLIO ASSIGNMENT

Repository Link:

<https://github.com/jlcam665/Personal-Portfolio>

Hosting Link:

<https://jlcam665.github.io/Personal-Portfolio/>

Asset List

Font Family:

- Monospace
 - Weights {30, 25, 20, 15}

Colour Palettes

Navigation Bar

Areas	Hex Code	RGB Values
Link		rgb(243, 180, 70)
Text		rgb(251, 222, 183)
Link (Hovered)		rgb(82, 202, 170)
Background		rgb(95, 158, 160)

Home Page

Areas	Hex Code	RGB Values
Background	#ffe9cd	rgb(255, 233, 205)
Image (Border)	#619361	rgb(97, 147, 97)
Section 1	#5f9ea0	rgb(95, 158, 160)
Section 2	#a0675f	rgb(160, 103, 95)

About Me Page

Areas	Hex Code	RGB Values
Background	#ffe9cd	rgb(255, 233, 205)
Heading Text	#d4b03c	rgb(212, 176, 60)
Heading Text (Background)	#fff8dc	rgb(255, 248, 220)

Section 1 (Background)	#cd5c5c	rgb(205, 92, 92)
Section 2 (Background)	#5c93cd	rgb(92, 147, 205)
Section 3 (Background)	#d2aa46	rgb(210, 170, 70)

Blog Page

Areas	Hex Code	RGB Values
Background	#ffe9cd	rgb(255, 233, 205)
Sections (Background)	#a0675f	rgb(160, 103, 95)
Text Colour	#eedbd9	rgb(238, 219, 217)

Personal Development Page

Colours	Hex Code	RGB Values
Background	#ffe9cd	rgb(255, 233, 205)
Text Colour	#000	rgb(0, 0, 0)

HTML Checker

Note: While errors are listed for two pages, they do not drastically affect the user experience. For the index page especially, the repeated id is a purposeful move.

index.html

Showing results for uploaded file index.html (checked with vnu 26.10.2)

Checker Input

Show

☐ source

☐ outline

☐ image report

☐ errors & warnings only

Options...

Check by

file upload

Choose File

 No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Error

Duplicate ID

H2div

From line 44, column 13; to line 44, column 28

<div id="H2div"></div>

2.

Warning

The first occurrence of ID

H2div

was here.

From line 31, column 13; to line 31, column 28

<div id="H2div"></div>

3.

Error

Duplicate ID

H2div

From line 58, column 13; to line 58, column 28

<div id="H2div"></div>

4.

Warning

The first occurrence of ID

H2div

was here.

From line 31, column 13; to line 31, column 28

<div id="H2div"></div>

Document checking completed.

personalDevelopment.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for personalDevelopment.html (checked with vnu 26.10.2)

Checker Input

Show

☐ source

☐ outline

☐ image report

☐ errors & warnings only

Options...

Check by

file upload

Choose File

 No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

This document has heading elements but none of them has a computed heading level of 1.

From line 18, column 13; to line 18, column 16

<h2>MY FAV

Document checking completed.

Used the HTML parser.

Total execution time 6 milliseconds.

blog.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for **blog.html** (checked with vnu 26.10.2)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by

file upload No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 6 milliseconds.

aboutMe.html

1. **Error** Element `hr` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 27, column 21; to line 27, column 24

`<hr>`

Contexts in which element `hr` may be used:

Where `flow content` is expected.

As a descendant of a `select` element.

Content model for element `ul`:

Zero or more `li` and `script-supporting` elements.

2. **Error** Element `hr` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 29, column 21; to line 29, column 24

`<hr>`

Contexts in which element `hr` may be used:

Where `flow content` is expected.

As a descendant of a `select` element.

Content model for element `ul`:

Zero or more `li` and `script-supporting` elements.

3. **Error** Element `hr` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 34, column 21; to line 34, column 24

`<hr>`

Contexts in which element `hr` may be used:

Where `flow content` is expected.

As a descendant of a `select` element.

Content model for element `ul`:

Zero or more `li` and `script-supporting` elements.

4. **Error** Element `hr` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 36, column 21; to line 36, column 24

`<hr>`

Contexts in which element `hr` may be used:

Where `flow content` is expected.