Open Access

ERRATUM

pISSN 1738-6586 / eISSN 2005-5013 / J Clin Neurol 2015;11(3):295-295 / http://dx.doi.org/10.3988/jcn.2015.11.3.295



Erratum to: Feasibility of Using a Mobile Application for the Monitoring and Management of Stroke-Associated Risk Factors

Woo-Keun Seo^{a*}, Jaewoo Kang^{b*}, Minji Jeon^b, Kyubum Lee^b, Sunwon Lee^b, Ji Hyun Kim^a, Kyungmi Oh^a, Seong-Beom Koh^a

Unfortunately, the original version of this article contained mistakes. The authors wish to add this information.

Source of Funding

The study was funded by DAEWOONG Pharmaceutical Co., LTD. However, the investigators were fully responsible for the design, conduct, analysis, and reporting of the study.

Disclosures

WK Seo received study funds from DAEWOONG Pharmaceutical Co. LTD. Other authors: None.

^aDepartment of Neurology, College of Medicine, Korea University, Guro Hospital, Seoul, Korea

^bDepartment of Computer and Radio Communications Engineering, Korea University, Seoul, Korea

J Clin Neurol 2015;11(2):142-148 / http://dx.doi.org/10.3988/jcn.2015.11.2.142