

Josh Williams

SQL CASE and HAVING Portfolio Examples

QA-Focused SQL Examples for Portfolio Enhancement

CASE Example 1: Customer Segmentation

SQL Query:

```
SELECT customer_id,  
CASE  
WHEN total_spent >= 1000 THEN 'Gold'  
WHEN total_spent >= 500 THEN 'Silver'  
ELSE 'Bronze'  
END AS customer_tier  
FROM customers;
```

QA Use Case: Validate customer loyalty tiers and business rules.

CASE Example 2: Order Value Classification

SQL Query:

```
SELECT order_id,  
CASE  
WHEN order_total >= 100 THEN 'High Value'  
WHEN order_total >= 50 THEN 'Medium Value'  
ELSE 'Low Value'  
END AS order_category  
FROM orders;
```

QA Use Case: Verify order categorization logic.

HAVING Example 1: Repeat Customers

SQL Query:

```
SELECT customer_id,  
COUNT(*) AS order_count  
FROM orders  
GROUP BY customer_id  
HAVING COUNT(*) > 5;
```

QA Use Case: Identify customers with more than five orders.

HAVING Example 2: Duplicate Customer Detection

SQL Query:

```
SELECT email,  
COUNT(*) AS duplicate_count  
FROM customers  
GROUP BY email  
HAVING COUNT(*) > 1;
```

QA Use Case: Detect duplicate customer records.

CASE + HAVING Example

SQL Query:

```
SELECT  
CASE  
WHEN order_total >= 100 THEN 'High Value'
```

```
ELSE 'Standard'  
END AS order_type,  
COUNT(*) AS total_orders  
FROM orders  
GROUP BY order_type  
HAVING COUNT(*) >= 10;
```

QA Use Case: Validate order classifications and minimum volume requirements.