0.15.0 Patch	Ammo	Weight (KG)	Rub price Damage		Penetration	Armor Damage (%)	Accuracy (%)	Recoil (%)	Projectile Count	Projectile Speed (m/s)	Penetration Chance	Ricochet Chance	Fragmentation Chance	HeatFactor	DurabilityBurn Modificator	Light bleed chance	Heavy bleed chance
.50 AE	Copper Solid	0.035	435	94	3:	3 56	5		8	1 460	0.2	0.06	0.3	215.00%	40%	0	)% 10
.50 AE	FMJ	0.028	824	85	40	50	0	1	0	1 440	0.3	0.08	0.01	238.00%	70%	0	)% 10
.50 AE	JHP	0.029	213	147	1:	2 23	-10		5	1 440	0.05	0.02	0.7	191.00%	20%	35	5% 40
.50 AE	Hawk JSP	0.038	176	122	20	6 28	-5		2	1 469	0.12	0.004	0.3	227.00%	0%	25	5% 30
.45 ACP	FMJ	0.015	94	72	2	5 36	0		0	1 340	0.16	0.065	0.01	99.63%	0%	0	)% C
.45 ACP	AP	0.015	670	66	38	8 48	-5		7	1 299	0.29	0.1	0.01	123.00%	70%	0	)% C
.45 ACP	Hydra-Shok	0.017	150	100	1:	3 30	0		0	1 27	4 0.13	0.065	0.5	113.78%	10%	0	)% 30
.45 ACP	Lasermatch FMJ	0.015	76	76	19	9 37	10		0	1 290	0.16	0.065	0.01	110.70%	20%	0	1% 0
.45 ACP	RIP	0.019	420	130	;	3 12	5		0	1 299	0.02	0.002	1	116.85%	50%	30	1% 20
12.7x108 mm	B-32	0.133	820	182	88	88	3 0		0	1 818	3 0.75	5 0.38	0.17	100.00%	0%	0	1% 0
12.7x108 mm	BZT-44M	0.128	980	199	80	95	6 0		0	1 818	3 0.75	0.38	0.17	100.00%	0%	0	1% 0
12.7x55 mm	PS12	0.07	360	115	21	8 60	10		0	1 28	5 0.6	6 0.4	0.3	238.45%	40%	30	1% 20
12.7x55 mm	PS12A	0.044	220	165	10	22	-15	-1	2	1 290	0.1	0.2	0.7	213.35%	0%	35	5% 30
12.7x55 mm	PS12B	0.055	900	102	41	5 57	0	1	5	1 300	3.0	0.5	0.3	251.00%	80%	0	15
12/70	7 mm Buckshot	0.05	30	39	;	3 26	6 0		0	8 41	5 0.02	2 0	0	203.31%	0%	0	)% C
12/70	5.25 mm Buckshot	0.044	35	37		1 15	0		0	8 330	0.02	2 0	0	200.80%	0%	0	1%
12/70	6.5 mm "Express" Bu	ı 0.048	39	35	;	3 26	15		0	9 430	0.02	2 0	0	225.90%	0%	0	)% C
12/70	8.5 mm "Magnum" B	0.059	190	50	:	2 26	-15	11	5	8 38	5 0.05	5 0	0	245.98%	0%	20	)% 10
12/70	<b>Dual Sabot Slug</b>	0.05	68	85	1	7 65	100	1	5	2 41	5 0.25	5 0.1	0.1	213.35%	50%	0	15
12/70	Flechette	0.04	334	25	3	1 26	-10		0	8 320	0.3	3 0	0	215.86%	60%	25	5% 25
12/70	Piranha	0.05	220	25	24	4 22	-5		0 1	0 310	0.2	2 0.1	0	210.84%	50%	15	5% 15
12/70	RIP	0.04	700	265	:	2 11	80	3	5	1 410	) (	0.01	1	238.45%	60%	40	)% 25
12/70	Lead slug	0.05	56	167	1:	5 55	120		0	1 370	0.2	2 0.1	0.2	210.84%	50%	10	)% 15
12/70	Shell with .50 BMG	0.055	400	197	20	5 57	90	2	5	1 410	0.28	0.1	0.05	251.00%	100%	0	15
12/70	AP-20 Slug	0.05	890	164	3	7 65	80	5	0	1 510	0.36	0.1	0.03	248.49%	120%	0	)% 10
12/70	FTX Custom Lite Slu	0.026	71	183	20	50	135	-2	5	1 480	0.28	0.1	0.1	218.37%	50%	0	)% C
12/70	Grizzly 40 Slug	0.055	66	190	1:	2 48	80	2	0	1 390	0.2	2 0.1	0.12	202.06%	0%	0	)% 10
12/70	HP Slug Copper Sab	0.043	82	206	14	4 46	150	1	0	1 442	0.22	2 0.1	0.38	205.82%	50%	35	5% 25
12/70	"Poleva-3" Slug	0.044	51	140	1	7 40	110	-1	5	1 410	0.17	0.1	0.2	208.33%	50%	0	)% C
12/70	"Poleva-6u" Slug	0.048	68	150	20	50	115	-1	0	1 430	0.2	2 0.1	0.15	235.94%	60%	0	)% 5
12/70	HP Slug "SuperForm	0.034	192	220	!	5 12	2 170	-1	5	1 594	0.05	5 0.1	0.39	204.57%	20%	30	19% 40
20/70	7.5 mm Buckshot	0.04	24	25	;	3 14	0		0	8 430	0.02	2 0	0	192.95%	35%	0	)% C
20/70	5.6 mm Buckshot	0.028	20	26		1 12	-10	1	0	8 340	0.02	2 0	0	181.60%	0%	0	)% C
20/70	6.2 mm Buckshot	0.032	30	22	:	2 13	0		0	8 410	0.02	2 0	0	183.87%	0%	0	)% C
20/70	7.3 mm Buckshot	0.032	38	23	;	3 13	0	1	5	9 47	5 0.02	2 0	0	195.22%	30%	0	)% 0
20/70	Devastator Slug	0.029	180	198	Į.	5 13	125	3	0	1 409	5 0.05	0.1	1	204.30%	50%	20	1% 30
20/70	Slug "Poleva-3"	0.029	48	120	14	4 35	110	-1	5	1 429	0.15	0.1	0.2	206.57%	50%	0	)% 0
20/70	Slug Poleva-6u	0.032	65	135	1	7 40	110	-1	0	1 44	5 0.2	2 0.1	0.15	224.73%	80%	0	10

0.15.0 Patch	Ammo	Weight (KG)	Rub price Dama	ge	Penetration	Armor Damage (%)	Accuracy (%)	Recoil (%)	Projectile Count	Projectile Speed (m/s)	Penetration Chance	Ricochet Chance	Fragmentation Chance	HeatFactor	DurabilityBurn Modificator	Light bleed chance	Heavy bleed chance
20/70	Star Slug	0.034	. 81	154	16	42	2 130	Ę	i ·	1 41	5 0.1	0.1	0.1	227.00%	80%	00	% 30%
23x75 mm	"Barrikada" slug	0.08	256	192	39	75	5 -5	25	;	1 42	0.0	6 0.4	0.2	332.50%	170%	00	% 0%
23x75 mm	"Shrapnel-10" bucksl	0.08	78	87	11	20	0	(	1	3 27	0.12	2 0.2	0	280.00%	0%	00	
23x75 mm	"Shrapnel-25" bucks			78	10	20	20	10	1	37							
23x75 mm	"Zvezda" flashbang ro		980	0			0	20						350.00%	300%		
.366 TKM	EKO	0.01	110	73	30	40	) -10	-15	;	1 770	0.19	5 0.1	0.2	181.60%	0%	0,	% 20%
.366 TKM	FMJ	0.016	80	98	23	48	3 0	10		1 580	0.12	0.065	0.25	183.87%	0%	200	% 25%
.366 TKM	Geksa	0.016	75	110	14	38	3 0	(		1 550	0.12	2 0.05	0.45	204.30%	35%	300	% 10%
.366 TKM	AP-M	0.019	720	90	42	? 60	-28	35	,	1 60	2 0.3	0.065	0.01	227.00%	90%	00	% 10%
40 mm	VOG-25 grenade	0.255	6750	199	0	68	3 0	(		1 7	6 (	0	0	100.00%	0%	0,	% 0%
40x46 mm	M381 (HE) grenade	0.23	17125	199	1	95	5 0	(	)	1 7	6 (	) 0	0	100.00%	0%	00	% 0%
40x46 mm	M386 (HE) grenade	0.23	5600	199	1	95	5 0	(		1 7	6 (	0	0	100.00%	0%	00	% 0%
40x46 mm	M406 (HE) grenade	0.23	7700	199	1	95	5 15	-10		1 7	6 (	0	0	100.00%	0%	00	2/0 09/
40x46 mm	M433 (HEDP) grenad	0.23	10538	199	1	95	5 0	(		1 7	6 (	0	0	100.00%	0%	0	2% 0%
40x46 mm	M441 (HE) grenade	0.23	21250	199	1	95	5 0	(	,	1 7	6 (	0	0	100.00%	0%	00	2/0 09/
40x46 mm	M576 (MP-APERS) gr	0.12	256	160	5	95	5 100	(	1!	5 26	9 0.02	2 0	0	100.00%	0%	0	% 0%
4.6x30 mm	Action SX	0.007	70	65	18	3 28	3 0	(	)	1 69	0.2	2 0.3	0.5	99.00%	0%	0	% 0%
4.6x30 mm	AP SX	0.007	745	35	53	46	6 0	10		1 68	0.0	0.6	0.1	110.00%	50%	00	% 0%
4.6x30 mm	FMJ SX	0.007	425	43	40	4	1 0	(	) ·	1 62	0.4	0.4	0.2	100.00%	0%	0	% 0%
4.6x30 mm	JSP SX	0.007	280	46	32	37	7 0	(		1 579	9 0.2	0.35	0.3	99.00%	-10%	00	% 0%
4.6x30 mm	Subsonic SX	0.01	100	52	23	33	3 10	-22		1 29	0.3	3 0.5	0.2	88.00%	-30%	0	2% 0%
5.45x39 mm	7N39 "Igolnik"	0.011	1240	37	62	2 59	-5	15	5	1 90	5 0.8	0.38	0.02	177.00%	70%	00	% 0%
5.45x39 mm	7N40	0.011	900	55	42	45	5 50	-10		1 91	5 0.65	0.3	0.02	175.23%	35%	200	% 15%
5.45x39 mm	ВР	0.01	630	48	45	46	-3			1 89	0.72	0.36	0.16	159.30%	35%	00	% 0%
5.45x39 mm	BS	0.01	780	45	54	5	7 -4	10		1 83	0.79	0.38	0.17	169.92%	45%	00	2% 0%
5.45x39 mm	BT	0.01	540	54	37	44	1 -4	Ę	5	1 88	0.66	0.37	0.164	168.15%	50%	00	2% 0%
5.45x39 mm	FMJ	0.01	99	55	24	38	3 0	(	1	1 88	4 0.5	0.26	0.25	143.37%	0%	00	2% 0%
5.45x39 mm	HP	0.01	50	76	9	15	5 3	-3		1 88	4 0.48	0.2	0.35	141.60%	0%	159	% 15%
5.45x39 mm	PP	0.01	220	51	34	42	2 -2	3		1 88	0.66	0.38	0.17	153.99%	20%	00	% 0%
5.45x39 mm	PRS	0.01	59	70	13	24	4 0	-[	5	1 86	6 0.5	0.04	0.3	150.45%	15%	00	2% 0%
5.45x39 mm	PS	0.01	140	56	28	40	0	(		1 89	0.5	0.4	0.4	148.68%	10%	0	2% 0%
5.45x39 mm	SP	0.01	69	67	15	3	1 5	-{	5	1 87	3 0.4	0.15	0.45	145.14%	0%	109	% 10%
5.45x39 mm	T	0.01	90	59	20	36	-3	(	1	1 88	3 0.54	0.4	0.16	152.22%	15%	0	2% 0%
5.45x39 mm	US	0.01	88	65	17	33	3 0	-15	·	1 30	3 0.45	0.4	0.1	132.75%	-20%	00	% 0%
5.56x45 mm	FMJ	0.012	130	57	23	33	3 0	(		1 95	7 0.425	0.26	0.5	150.10%	0%	o 0º	% 0%
5.56x45 mm	HP	0.012	50	79	7	22	2 0	(		1 94	7 0.4	0.2	0.7	155.80%	0%	159	% 15%

0.15.0 Patch	Ammo	Weight (KG)	Rub price Damage		Arm Penetration Dan	or 1age (%)	Accuracy (%)	Recoil (%)	Projectile Count	Projectile Speed (m/s)	Penetration Chance	Ricochet Chance	Fragmentation Chance	n HeatFactor	DurabilityBurn Light blo Modificator chance	ed:	Heavy bleed chance
5.56x45 mm	M855	0.012	180	54	31	37	0		0	1 922	2 0.9	5 0.4	1 0.	5 161.50%	6 15%	0%	0%
5.56x45 mm	M855A1	0.012	710	49	44	47	-5		5	1 94	0.5	5 0.38	0.4	4 171.00%	6 34%	0%	0%
5.56x45 mm	M856	0.012	100	60	18	26	-2	-	2	1 87	0.5	5 0.38	0.32	8 163.40%	6 15%	0%	0%
5.56x45 mm	M856A1	0.012	426	52	38	44	-4		4	1 940	0.5	5 0.38	0.42	8 165.30%	6 20%	0%	0%
5.56x45 mm	M995	0.012	1230	42	53	52	-7		В	1 1013	0.0	6 0.30	0.4	2 180.50%	6 70%	0%	0%
5.56x45 mm	MK 255 Mod O (RRL	0.012	90	72	11	24	0		0	1 930	6 0.5	2 0.	1 0.0	3 159.60%	6 10%	0%	0%
5.56x45 mm	MK 318 Mod 0 (SOS	0.012	296	53	33	39	2		3	1 900	2 0.55	2 0.3	5 0.3	5 152.00%	6 15%	15%	10%
5.56x45 mm	SSA AP	0.013	1525	38	57	58	-9		6	1 1013	0.	7 0.48	3 0.	3 190.00%	6 80%	0%	0%
5.56x45 mm	Warmageddon	0.011	130	88	3	11	10	1	0	1 930	6 0.:	2 0.0	5 0.	9 153.90%	6 0%	20%	20%
5.7x28 mm	L191	0.006	310	53	33	41	-4		0	1 71:	5 0.	5 0.0	6 0.	2 111.15%	6 15%	0%	0%
5.7x28 mm	R37.F	0.006	335	98	8	7	0		0	1 729	0.03	2 0.0	5	1 97.11%	6 0%	20%	20%
5.7x28 mm	R37.X	0.006	220	81	11	9	-5		0	1 72	0.1	5 0.	1 0.	7 98.28%	6 0%	10%	10%
5.7x28 mm	SB193	0.007	270	59	27	37	5	-1	5	1 299	0.9	5 0.3	3 0.3	5 93.60%	-25%	0%	0%
5.7x28 mm	SS190	0.006	460	49	37	43	C		0	1 71	j 0.!	5 0.0	6 0.	2 117.00%	6 20%	0%	0%
5.7x28 mm	SS197SR	0.007	150	62	25	22	10		0	1 594	0.5	2 0.0	5 0.	5 100.00%	-20%	0%	0%
5.7x28 mm	SS198LF	0.006	80	70	17	19	0		0	1 793	2 0.	1 0.3	2 0.5	8 99.45%	6 0%	0%	0%
6.8x51mm	SIG Hybrid	0.024	1124	72	47	58	3	1	0	1 914	0.4	4 0.:	3 0.1:	2 253.00%	6 50%	0%	0%
6.8x51mm	SIG FMJ	0.024	529	80	36	49	0		0	1 899	0.33	2 0.2	7 0.1	8 236.00%	6 0%	0%	0%
7.62x25 mm TT	FMJ43	0.01	50	60	11	29	0		0	1 42	0.1	7 0.06	5 0.2	5 97.35%	6 0%	0%	0%
7.62x25 mm TT	LRN	0.01	48	64	8	28	5	-	5	1 37	0.10	6 0.0	5 0.3	5 106.20%	6 15%	15%	10%
7.62x25 mm TT	LRNPC	0.01	68	66	7	27	10	-1	D	1 38	0.10	0.0	0.3	5 106.79%	6 15%	15%	10%
7.62x25 mm TT	P gl	0.01	52	58	14	32	0		0	1 430	0.1	7 0.06	5 0.2	5 95.58%	6 0%	0%	0%
7.62x25 mm TT	Pst gzh	0.01	70	50	25	36	0		0	1 430	0.:	2 0.	1 0.	2 107.38%	6 40%	0%	0%
7.62x25 mm TT	PT gzh	0.01	63	55	18	34	-10		0	1 41:	0.18	8 0.	0.16	6 118.00%	6 50%	0%	0%
7.62x25 mm TT	AKBS	0.01	49	58	12	32	15	-1	5	1 429	0.1	7 0.06	5 0.2	5 94.40%	6 0%	0%	0%
.300 Blackout	BCP FMJ	0.015	288	60	30	36	0		0	1 609	5 0.34	4 0.:	3 0.	3 159.20%	0%	0%	0%
.300 Blackout	AP	0.014	870	51	48	65	0		3	1 63	0.46	6 0.3	3 0.	1 199.00%	6 50%	15%	15%
.300 Blackout	CBJ	0.015	550	58	43	57	0		5	1 72	0.34	4 0.5	2 0.1	5 186.00%	6 34%	0%	0%
.300 Blackout	M62 Tracer	0.016	413	54	36	40	0		1	1 44:	2 0.4	4 0.3	7 0.	2 170.00%	6 25%	0%	0%
.300 Blackout	V-Max	0.015	160	72	20	25	30	-1	0	1 723	3 0.:	2 0.	1 0.2	5 180.00%	6 10%	22%	0%
.300 Blackout	Whisper	0.015	122	90	14	18	5	-	5	1 855	0.	1 0.	1 0.3	5 197.01%	6 5%	0%	20%
7.62x39 mm	ВР	0.016	1111	58	47	63	-3		7	1 730	0.0	6 0.31	5 0.1	2 191.90%	6 45%	0%	0%
7.62x39 mm	HP	0.012	70	80	15	20	-5		5	1 75	0.20	6 0.17	5 0.	4 92.50%	6 0%	15%	15%
7.62x39 mm	PS	0.016	240	61	35	52	0		0	1 71	0.4	4 0.3	5 0.	2 112.50%	6 20%	0%	0%
7.62x39 mm	T45M	0.016	200	65	30	46	-4	-	6	1 720	0.3	7 0.3	5 0.1	2 120.00%	6 20%	0%	0%
7.62x39 mm	US	0.02	160	56	29	42			D	1 30		2 0.358	3 0.07	5 89.60%	-20%	0%	0%
7.62x39 mm	FMJ	0.012	140	63	26	33	2	-	2	1 77	0.3	5 0.2	5 0.5			0%	0%
7.62x39 mm	MAI AP	0.015	1400	53	58	76	-5	1	0	1 879	0.6	5 0.43	5 0.0	5 202.00%	6 70%	10%	10%

0.15.0 Patch	Ammo	Weight (KG)	Rub price	Damage	Penetration	Armor Damage (%)	Accuracy (%)	Recoil (%)	Projectile Count	Projectile Speed (m/s)	Penetration Chance	Ricochet Chance	Fragmentation Chance	HeatFactor	DurabilityBurn Light ble Modificator chance	ed	Heavy bleed chance
7.62x39 mm	PP	0.016	7	10 59	9 4	1 57	-1	!	5	1 732	2 0.55	0.33	0.15	172.50%	35%	0%	0%
7.62x39 mm	SP	0.012	11	01 68	3 2	27	5	-1	5	1 772	? 0.3	3 0.2	0.35	95.50%	0%	5%	5%
7.62x51 mm	M61	0.024	124	10 70	6	4 83	3	10	)	1 849	0.0	0.3	0.13	235.60%	80%	0%	0%
7.62x51 mm	M62	0.024	- 60	00 79	4	4 75	-6	_	1	1 816	0.6	0.38	0.14	223.20%	50%	0%	0%
7.62x51 mm	M80	0.024	42	20 80	) 4	1 66	0		)	1 833	0.75	0.38	0.17	225.68%	30%	0%	0%
7.62x51 mm	BCP FMJ	0.022	24	10 83	3	5 42	-7		)	1 840	0.9	0.4	0.2	213.28%	18%	0%	0%
7.62x51 mm	M993	0.024	172	23 6	7	85	5		3	1 910	0.92	0.28	0.13	248.00%	100%	0%	0%
7.62x51 mm	TCW SP	0.023	1	70 8	7 3	25	-2	-	3	1 808	0.2	0.4	0.35	198.40%	0%	12%	12%
7.62x51 mm	Ultra Nosler	0.021	10	05 10	7 1	5 20	10	-1	5	1 822	2 0.	0.2	0.7	210.80%	15%	20%	20%
7.62x54 mm R	BT Gzh	0.024	118	30 78	3 5	5 87	-2		1	1 875	0.82	0.265	0.081	244.15%	50%	0%	0%
7.62x54 mm R	BS Gzh	0.025	198	30 7:	2 7	0 88	0		)	1 785	6.85	0.34	0.083	257.00%	70%	0%	0%
7.62x54 mm R	HP BT	0.024	19	90 10:	2 2	3 37	10		)	1 807	0.76	0.1	0.4	135.70%	-15%	0%	0%
7.62x54 mm R	FMJ	0.024	2	70 84	1 3	3 63	0		)	1 760	0.76	0.16	0.2	153.40%	0%	0%	0%
7.62x54 mm R	SP BT	0.024	. 24	13 9:	2 2	7 56	7		)	1 703	0.76	0.12	0.24	142.30%	-10%	0%	0%
7.62x54 mm R	T-46M Gzh	0.025	35	56 85	2 4	1 83	-1	-!	5	1 800	0.7	0.3	0.18	205.60%	0%	0%	0%
7.62x54 mm R	PS Gzh	0.024	92	20 84	1 4	5 84	10		3	1 875	0.7	0.285	0.083	218.45%	15%	0%	0%
7.62x54 mm R	LPS Gzh	0.024	49	8 00	1 4:	2 78	-5	l	)	1 865	0.76	0.39	0.18	231.30%	10%	0%	0%
7.62x54 mm R	SNB Gzh	0.024	136	54 7	5 6	2 87	0	10	)	1 875	0.84	0.285	0.08	233.87%	20%	0%	0%
.338 Lapua Magnum	AP	0.049	458	30 11:	5 7	9 89	0	10	)	1 849	0.9	0.3	0.13	326.00%	140%	20%	55%
.338 Lapua Magnum	FMJ	0.047	180	00 12:	2 4	7 83	0		)	1 900	0.	0.4	0.2	309.70%	80%	35%	50%
.338 Lapua Magnum	UCW	0.045	83	30 14:	2 3	2 70	-5		)	1 849	0.0	0.4	0.6	260.80%	0%	50%	40%
.338 Lapua Magnum	TAC-X	0.044	. 68	30 190	3 1	B 55	10	-1	i .	1 880	0.3	3 0.4	0.5	293.40%	40%	80%	50%
9x18 mm	BZhT gzh	0.01	(	65 55	3 1	3 28	0		)	1 325	5 0.1	0.095	0.17	104.31%	15%	15%	10%
9x18 mm	PM PBM gzh	0.007	1:	21 40	2	30	0		1	1 519	0.12	0.09	0.16	114.00%	70%	0%	0%
9x18 mm	P mm PstM gzh	0.009	1	15 58	3 2	4 33	0	!	5	1 420	0.1	0.075	0.17	108.30%	60%	0%	0%
9x18 mm	PM PPe gzh	0.009	!	51 6	1	7 15	0		)	1 297	0.08	0.05	0.35	92.63%	0%	15%	0%
9x18 mm	PM PPT gzh	0.01	4	13 59	9	3 22	-5	-	1	1 301	0.09	0.1	0.166	103.17%	15%	15%	0%
9x18 mm	PM PRS gs	0.011	(	39 58	3	6 16	0		)	1 302	2 0.08	0.005	0.3	90.06%	0%	15%	0%
9x18 mm	PM PSO gzh	0.008	1	22 54	1	5 13	10		)	1 315	0.085	0.065	0.35	90.63%	0%	15%	0%
9x18 mm	PM Pst gzh	0.01	4	15 50	1:	2 26	0		)	1 298	0.	0.1	0.2	103.74%	15%	0%	0%
9x18 mm	PM PSV	0.012		73 69	9	3 5	0		)	1 280	0.05	0.01	0.4	91.20%	0%	10%	0%
9x18 mm	PM PS gs PPO	0.01	2	29 5	5	6 16	0		)	1 330	0.08	0.03	0.25	91.77%	0%	15%	0%
9x18 mm	PM P gzh	0.011		12 50	)	5 16	0			1 302	2 0.08	0.065	0.25	92.91%	0%	10%	0%
9x18 mm	PM RG028 gzh	0.011	8	86 69	5 1	3 26	0		)	1 330	0.	0.05	0.02	92.34%	0%	0%	0%
9x18 mm	PM SP7 gzh	0.011	1	67 7	1	2 5	0			1 420	0.	0.05	0.02	93.48%	0%	25%	10%
9x18 mm	PM SP8 gzh	0.009	(	69 6	7	1 2	0			1 250	0.0	0.05	0.6	85.50%	-20%	15%	10%
9x19 mm	PBP gzh	0.009	60	00 44	1 3:	9 55	5	!	5	1 560	0.4	0.2	0.05	119.00%	170%	0%	0%
9x19 mm	Green Tracer	0.006		72 58	3 1	4 33	-5		6	1 365	j 0.2	2 0.05	0.15	113.05%	15%	0%	0%

0.15.0 Patch	Ammo	Weight (KG)	Rub price	Damage	Penetration	Armor Damage (%)	Accuracy (%)	Recoil (%)	Projectile Count	Projectile Speed (m/s)	Penetration Chance	Ricochet Chance	Fragmentation Chance	HeatFactor	DurabilityBurn Modificator	Light bleed chance	Heavy bleed chance
9x19 mm	PSO gzh	0.01	-	-					)	1 340							
9x19 mm	Pst gzh	0.005							n .	1 45							
9x19 mm	AP 6.3	0.009							n .	1 392							
9x19 mm	Luger CCI	0.015							n .	1 420							
9x19 mm	FMJ M822	0.005							1	1 385							
9x19 mm	OuakeMaker	0.013				8 22		1	1	1 290							
9x19 mm	RIP	0.013				2 11		·	5	1 38				108.29%			
9x21 mm	7N42 "Zubilo"	0.023	788	49	31	8 47	-3	1	0	1 400	0.6	6 0.5	0.1	145.00%	50%	00	6 0%
9x21 mm	7U4	0.027	273	53	2	7 44	. 0		0	1 300	0.0	0.3	0.25	97.50%	-10%	09	6 0%
9x21 mm	PS gzh	0.023	242	59	2:	2 39	0		0	1 410	0.6	6 0.4	0.2	118.75%	35%	00	6 0%
9x21 mm	P gzh	0.023	140	65	18	8 44	1	-	3	1 413	3 0.3	3 0.2	0.3	100.00%	10%	159	6 10%
9x21 mm	PE gzh	0.023	70	80	1:	5 63	3	-	5	1 419	5 0.2	2 0.2	0.35	100.00%	10%	159	6 10%
9x21 mm	BT gzh	0.023	558	52	3:	2 42	-5		5	1 410	0.6	6 0.4	0.2	125.00%	40%	09	6 0%
.357 Magnum	FMJ	0.016	142	? 70	3!	5 43	0	1	2	1 385	5 0.35	0.065	0.01	227.00%	50%	09	6 10%
.357 Magnum	HP	0.016	122	99	18	8 20	15	1	5	1 48	0.19	0.025	0.6	256.00%	60%	409	6 30%
.357 Magnum	JHP	0.016	186	88	2	4 28	15		В	1 425	5 0.3	3 0.055	0.6	227.00%	40%	25%	6 25%
.357 Magnum	SP	0.015	100	108	1:	2 15	27	-2	9	1 455	5 0.2	2 0.03	0.2	165.00%	30%	35%	6 20%
9x39 mm	BP gs	0.023	1300	58	5-	4 69	10	1	5	1 295	5 0.79	5 0.5	0.1	161.00%	35%	09	6 0%
9x39 mm	FMJ	0.023	140	75	1	7 28	5	-	5	1 330	0.75	5 0.4	0.3	124.00%	0%	09	6 0%
9x39 mm	PAB-9 gs	0.024	670	62	4:	3 57	-15	1	0	1 320	0.78	0.48	0.1	156.00%	55%	10%	6 12%
9x39 mm	SP-5 gs	0.023	220	71	28	8 39	0		0	1 290	0.6	6 0.4	0.2	153.00%	20%	09	6 10%
9x39 mm	SP-6 gs	0.023	920	60	48	8 64	0		5	1 305	5 0.	7 0.5	0.1	161.00%	45%	10%	6 10%
9x39 mm	SPP gs	0.023	440	68	3!	5 48	10		7	1 310	0.0	0.4	0.2	145.00%	10%	109	6 20%