

Contest Duration: 2025-09-14(Sun) 22:00 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250914T2100&p1=248>) - 2025-09-14(Sun) 23:40 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250914T2240&p1=248>) (local time) (100 minutes)

[Back to Home \(/home\)](#)

[Top \(/contests/abc423\)](#)

[Tasks \(/contests/abc423/tasks\)](#)

[Clarifications \(/contests/abc423/clarifications\)](#) [Results ▾](#)

[Standings \(/contests/abc423/standings\)](#)

[Virtual Standings \(/contests/abc423/standings/virtual\)](#) [Editorial \(/contests/abc423/editorial\)](#)

[Discuss \(<https://codeforces.com/blog/entry/146333>\)](#)

D - Long Waiting

[Editorial \(/contests/abc423/tasks/abc423_d/editorial\)](#)

/

Time Limit: 2 sec / Memory Limit: 1024 MiB

Score : 400 points

Problem Statement

There is a restaurant that can accommodate at most K customers simultaneously. In front of this restaurant, there is a side street where one queue is managed.

At time 0, there are no customers in the restaurant, and the queue is also empty.

Today, N groups of customers are scheduled to come, and they are numbered from 1 to N in the order of their arrival. Group i consists of C_i people, joins the end of the queue at time A_i , and leaves the restaurant B_i time units after entering.

Each group enters the restaurant by leaving the queue at the earliest time when both of the following two conditions are satisfied simultaneously:

- The group is at the front of the queue. In other words, the group is the earliest to have joined among those still in the queue at that point.
- When the number of people in that group and all groups currently in the restaurant (including those entering at exactly that time and excluding those leaving) are combined, there are K or fewer people.

Find the time when each group enters the restaurant.

Constraints

2026-01-02 (Fri)
05:30:05 +11:00

- $1 \leq N \leq 3 \times 10^5$

- $1 \leq K \leq 10^7$
- $1 \leq A_i, B_i \leq 10^7$ ($1 \leq i \leq N$)
- $A_1 < \dots < A_N$
- $1 \leq C_i \leq K$ ($1 \leq i \leq N$)
- All input values are integers.

Input

The input is given from Standard Input in the following format:

```
N  K
A1  B1  C1
:
AN  BN  CN
```

Output

Output N lines. The i -th line ($1 \leq i \leq N$) should contain the time when group i enters the restaurant as an integer.

Sample Input 1

Copy

```
4 10
30 300 3
60 45 4
90 45 5
120 45 2
```

Copy

Sample Output 1

Copy

```
30
60
105
120
```

Copy

The entry and exit of each group proceed as follows:

- At time 30, group 1 joins the queue and immediately enters, making the number of customers in the restaurant 3.
- At time 60, group 2 joins the queue and immediately enters, making the number of customers in the restaurant 7.
- At time 90, group 3 joins the queue.

2026-01-02 (Fri)
05:30:05 +11:00

- At time 105, group 2 leaves, making the number of customers in the restaurant 3.
Immediately after, group 3 enters, making the number of customers in the restaurant 8
- At time 120, group 4 joins the queue and immediately enters, making the number of customers in the restaurant 10.
- At time 150, group 3 leaves, making the number of customers in the restaurant 5.
- At time 165, group 4 leaves, making the number of customers in the restaurant 3.
- At time 330, group 1 leaves, making the number of customers in the restaurant 0.

Sample Input 2

[Copy](#)

```
4 10
30 300 10
60 45 2
90 45 3
120 45 4
```

[Copy](#)

Sample Output 2

[Copy](#)

```
30
330
330
330
```

[Copy](#)

The entry and exit of each group proceed as follows:

- At time 30, group 1 joins the queue and immediately enters, making the number of customers in the restaurant 10.
- At time 60, group 2 joins the queue.
- At time 90, group 3 joins the queue.
- At time 120, group 4 joins the queue.
- At time 330, group 1 leaves, making the number of customers in the restaurant 0.
Immediately after, groups 2, 3, 4 enter, making the number of customers in the restaurant 9.
- At time 375, groups 2, 3, 4 leave, making the number of customers in the restaurant 0.

Sample Input 3

[Copy](#)

[Copy](#)

```
10 24
279290 9485601 1
1094410 8022270 4
1314176 7214745 5
1897674 5924694 10
1921802 5769841 4
2506394 2765234 2
2558629 2727489 9
2681289 4061363 5
3022540 2291905 3
4407692 1313036 8
```

Sample Output 3

[Copy](#)

```
279290
1094410
1314176
1897674
1921802
7691643
7822368
8528921
8528921
10549857
```

[Copy](#)

#telegram)

url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc423%2Ftasks%2Fabc423_d%3Flang%3Den&title=D%20-

[Rule \(/contests/abc423/rules\)](#) [Glossary \(/contests/abc423/glossary\)](#)

[Terms of service \(/tos\)](#) [Privacy Policy \(/privacy\)](#) [Information Protection Policy \(/personal\)](#) [Company \(/company\)](#)
[FAQ \(/faq\)](#) [Contact \(/contact\)](#)

Copyright Since 2012 ©AtCoder Inc. (<http://atcoder.co.jp>) All rights reserved.