

Contest Duration: 2025-11-22(Sat) 23:00 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20251122T2100&p1=248>) - 2025-11-23(Sun) 00:40 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20251122T2240&p1=248>) (local time) (100 minutes)

[Back to Home \(/home\)](#)

 [Top \(/contests/abc433\)](#)

 [Tasks \(/contests/abc433/tasks\)](#)

 [Clarifications \(/contests/abc433/clarifications\)](#)  [Results ▾](#)

 [Standings \(/contests/abc433/standings\)](#)

 [Virtual Standings \(/contests/abc433/standings/virtual\)](#)  [Editorial \(/contests/abc433/editorial\)](#)

 [Discuss \(<https://codeforces.com/blog/entry/148596>\)](#) 

## C - 1122 Substring 2

[Editorial \(/contests/abc433/tasks/abc433\\_c/editorial\)](#)  / 

Time Limit: 2 sec / Memory Limit: 1024 MiB

Score : 300 points

### Problem Statement

You are given a string  $S$  consisting of digits.

A string  $T$  is called a **1122-string** if it satisfies all of the following conditions. (The definition is the same as in Problem F.)

- $T$  is a non-empty string consisting of digits.
- $|T|$  is even, where  $|T|$  denotes the length of string  $T$ .
- All characters from the 1-st through the  $\frac{|T|}{2}$ -th character of  $T$  are the same digit.
- All characters from the  $(\frac{|T|}{2} + 1)$ -th through the  $|T|$ -th character of  $T$  are the same digit.
- Adding 1 to the digit of the 1-st character of  $T$  gives the digit of the  $|T|$ -th character.

For example, 1122, 01, and 444555 are 1122-strings, but 1222 and 90 are not 1122-strings.

Find the number of **substrings** of  $S$  that are 1122-strings.

Two substrings are counted separately if they are extracted from different positions, even if they are identical as strings.

### Constraints

- $S$  is a string consisting of digits with length between 1 and  $10^6$ , inclusive.

2026-01-02 (Fri)  
05:33:30 +11:00

## Input

The input is given from Standard Input in the following format:

```
S
```

## Output

Output the number of non-empty substrings of  $S$  that are 1122-strings.

### Sample Input 1

Copy

```
1122
```

Copy

### Sample Output 1

Copy

```
2
```

Copy

The following two substrings satisfy the condition.

- 12 extracted from the 2-nd through 3-rd characters of  $S$
- 1122 extracted from the 1-st through 4-th characters of  $S$

Thus, output 2.

### Sample Input 2

Copy

```
7788788
```

Copy

### Sample Output 2

Copy

```
3
```

Copy

Note that two substrings are counted separately if they are extracted from different positions, even if they are identical as strings.

### Sample Input 3

Copy

2026-01-02 (Fri)  
05:33:30 +11:00  
Copy

## Sample Output 3

[Copy](#)

0

[Copy](#)

There may be no substring that is a 1122-string.

---

## Sample Input 4

[Copy](#)

1112222334445556555

[Copy](#)

---

## Sample Output 4

[Copy](#)

11

[Copy](#)

'#telegram)

:url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc433%2Ftasks%2Fabc433\_c%3Flang%3Den&title=C%20-

---

[Rule \(/contests/abc433/rules\)](#) [Glossary \(/contests/abc433/glossary\)](#)

[Terms of service \(/tos\)](#) [Privacy Policy \(/privacy\)](#) [Information Protection Policy \(/personal\)](#) [Company \(/company\)](#)  
[FAQ \(/faq\)](#) [Contact \(/contact\)](#)

Copyright Since 2012 ©AtCoder Inc. (<http://atcoder.co.jp>) All rights reserved.